

# Preben B Mortensen

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/4685041/preben-b-mortensen-publications-by-year.pdf>

**Version:** 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

127  
papers

16,598  
citations

53  
h-index

128  
g-index

139  
ext. papers

20,236  
ext. citations

8.2  
avg, IF

7.71  
L-index

#	Paper	IF	Citations
127	Association of Specific Mental Disorders With Premature Mortality in the Danish Population Using Alternative Measurement Methods. <i>JAMA Network Open</i> , <b>2020</b> , 3, e206646	10.4	18
126	Exposure to air pollution during childhood and risk of developing schizophrenia: a national cohort study. <i>Lancet Planetary Health, The</i> , <b>2020</b> , 4, e64-e73	9.8	23
125	Adolescent residential mobility, genetic liability and risk of schizophrenia, bipolar disorder and major depression. <i>British Journal of Psychiatry</i> , <b>2020</b> , 217, 390-396	5.4	6
124	A large-scale genome-wide association study meta-analysis of cannabis use disorder. <i>Lancet Psychiatry, the</i> , <b>2020</b> , 7, 1032-1045	23.3	43
123	Genetics of suicide attempts in individuals with and without mental disorders: a population-based genome-wide association study. <i>Molecular Psychiatry</i> , <b>2020</b> , 25, 2410-2421	15.1	63
122	Association of Polygenic Liabilities for Major Depression, Bipolar Disorder, and Schizophrenia With Risk for Depression in the Danish Population. <i>JAMA Psychiatry</i> , <b>2019</b> , 76, 516-525	14.5	51
121	Genetic Variants Associated With Anxiety and Stress-Related Disorders: A Genome-Wide Association Study and Mouse-Model Study. <i>JAMA Psychiatry</i> , <b>2019</b> , 76, 924-932	14.5	64
120	Associations Between Attention-Deficit/Hyperactivity Disorder and Various Eating Disorders: A Swedish Nationwide Population Study Using Multiple Genetically Informative Approaches. <i>Biological Psychiatry</i> , <b>2019</b> , 86, 577-586	7.9	24
119	International meta-analysis of PTSD genome-wide association studies identifies sex- and ancestry-specific genetic risk loci. <i>Nature Communications</i> , <b>2019</b> , 10, 4558	17.4	151
118	Genomic Relationships, Novel Loci, and Pleiotropic Mechanisms across Eight Psychiatric Disorders. <i>Cell</i> , <b>2019</b> , 179, 1469-1482.e11	56.2	402
117	Interactive effects between hemizygous 15q13.3 microdeletion and peripubertal stress on adult behavioral functions. <i>Neuropsychopharmacology</i> , <b>2019</b> , 44, 703-710	8.7	7
116	A Nationwide Study in Denmark of the Association Between Treated Infections and the Subsequent Risk of Treated Mental Disorders in Children and Adolescents. <i>JAMA Psychiatry</i> , <b>2019</b> , 76, 271-279	14.5	85
115	Parental Infections Before, During, and After Pregnancy as Risk Factors for Mental Disorders in Childhood and Adolescence: A Nationwide Danish Study. <i>Biological Psychiatry</i> , <b>2019</b> , 85, 317-325	7.9	34
114	Vascular Pathology and Trajectories of Late-Life Major Depressive Disorder in Secondary Psychiatric Care. <i>American Journal of Geriatric Psychiatry</i> , <b>2018</b> , 26, 386-395	6.5	
113	Attention-deficit hyperactivity disorder and anxiety disorders as precursors of bipolar disorder onset in adulthood. <i>British Journal of Psychiatry</i> , <b>2018</b> , 213, 555-560	5.4	18
112	Schizophrenia-associated mt-DNA SNPs exhibit highly variable haplogroup affiliation and nuclear ancestry: Bi-genomic dependence raises major concerns for link to disease. <i>PLoS ONE</i> , <b>2018</b> , 13, e0208828	3.7	5
111	Complex spatio-temporal distribution and genomic ancestry of mitochondrial DNA haplogroups in 24,216 Danes. <i>PLoS ONE</i> , <b>2018</b> , 13, e0208829	3.7	3

110	The association between neonatal vitamin D status and risk of schizophrenia. <i>Scientific Reports</i> , <b>2018</b> , 8, 17692	4.9	49
109	Otitis media, antibiotics, and risk of autism spectrum disorder. <i>Autism Research</i> , <b>2018</b> , 11, 1432-1440	5.1	15
108	Risk of Being Subjected to Crime, Including Violent Crime, After Onset of Mental Illness: A Danish National Registry Study Using Police Data. <i>JAMA Psychiatry</i> , <b>2018</b> , 75, 689-696	14.5	35
107	Risk of Psychiatric Disorders Among Individuals With the 22q11.2 Deletion or Duplication: A Danish Nationwide, Register-Based Study. <i>JAMA Psychiatry</i> , <b>2017</b> , 74, 282-290	14.5	52
106	Significant Locus and Metabolic Genetic Correlations Revealed in Genome-Wide Association Study of Anorexia Nervosa. <i>American Journal of Psychiatry</i> , <b>2017</b> , 174, 850-858	11.9	276
105	Mortality risk in a nationwide cohort of individuals with tic disorders and with tourette syndrome. <i>Movement Disorders</i> , <b>2017</b> , 32, 605-609	7	15
104	Association of the polygenic risk score for schizophrenia with mortality and suicidal behavior - A Danish population-based study. <i>Schizophrenia Research</i> , <b>2017</b> , 184, 122-127	3.6	21
103	Inverse association between urbanicity and treatment resistance in schizophrenia. <i>Schizophrenia Research</i> , <b>2016</b> , 174, 150-155	3.6	15
102	Mortality Among Persons With Obsessive-Compulsive Disorder in Denmark. <i>JAMA Psychiatry</i> , <b>2016</b> , 73, 268-274	14.5	57
101	Schizophrenia. <i>Lancet, The</i> , <b>2016</b> , 388, 86-97	40	836
100	Schizophrenia Spectrum Disorders in a Danish 22q11.2 Deletion Syndrome Cohort Compared to the Total Danish Population--A Nationwide Register Study. <i>Schizophrenia Bulletin</i> , <b>2016</b> , 42, 824-31	1.3	12
99	Predicting ADHD by Assessment of Rutter's Indicators of Adversity in Infancy. <i>PLoS ONE</i> , <b>2016</b> , 11, e0157352	3.7	22
98	Influence of Polygenic Risk Scores on the Association Between Infections and Schizophrenia. <i>Biological Psychiatry</i> , <b>2016</b> , 80, 609-16	7.9	31
97	Heterogeneity in 10-Year Course Trajectories of Moderate to Severe Major Depressive Disorder: A Danish National Register-Based Study. <i>JAMA Psychiatry</i> , <b>2016</b> , 73, 346-53	14.5	36
96	Individual and combined effects of maternal anemia and prenatal infection on risk for schizophrenia in offspring. <i>Schizophrenia Research</i> , <b>2016</b> , 172, 35-40	3.6	26
95	Specific anxiety disorders and subsequent risk for bipolar disorder: a nationwide study. <i>World Psychiatry</i> , <b>2016</b> , 15, 187-8	14.4	5
94	Increased mortality among people with anxiety disorders: total population study. <i>British Journal of Psychiatry</i> , <b>2016</b> , 209, 216-21	5.4	56
93	An epigenetic clock for gestational age at birth based on blood methylation data. <i>Genome Biology</i> , <b>2016</b> , 17, 206	18.3	132

92	Childhood residential mobility, schizophrenia, and bipolar disorder: a population-based study in Denmark. <i>Schizophrenia Bulletin</i> , <b>2015</b> , 41, 346-54	1.3	33
91	Associations between HIV and schizophrenia and their effect on HIV treatment outcomes: a nationwide population-based cohort study in Denmark. <i>Lancet HIV,the</i> , <b>2015</b> , 2, e344-50	7.8	33
90	Secondary depression in severe anxiety disorders: a population-based cohort study in Denmark. <i>Lancet Psychiatry,the</i> , <b>2015</b> , 2, 515-23	23.3	55
89	Polygenic Risk Score, Parental Socioeconomic Status, Family History of Psychiatric Disorders, and the Risk for Schizophrenia: A Danish Population-Based Study and Meta-analysis. <i>JAMA Psychiatry</i> , <b>2015</b> , 72, 635-41	14.5	177
88	Diagnosed Anxiety Disorders and the Risk of Subsequent Anorexia Nervosa: A Danish Population Register Study. <i>European Eating Disorders Review</i> , <b>2015</b> , 23, 524-30	5.3	36
87	Preconception Maternal Bereavement and Infant and Childhood Mortality: A Danish Population-Based Study. <i>Psychosomatic Medicine</i> , <b>2015</b> , 77, 863-9	3.7	9
86	Obsessive-Compulsive Disorder and Autism Spectrum Disorders: Longitudinal and Offspring Risk. <i>PLoS ONE</i> , <b>2015</b> , 10, e0141703	3.7	50
85	Oxytocin-augmented labor and risk for autism in males. <i>Behavioural Brain Research</i> , <b>2015</b> , 284, 207-12	3.4	51
84	Analysis of risk factors for schizophrenia with two different case definitions: a nationwide register-based external validation study. <i>Schizophrenia Research</i> , <b>2015</b> , 162, 74-8	3.6	6
83	Autism spectrum disorder in individuals with anorexia nervosa and in their first- and second-degree relatives: Danish nationwide register-based cohort-study. <i>British Journal of Psychiatry</i> , <b>2015</b> , 206, 401-7	5.4	36
82	Somatic diseases and conditions before the first diagnosis of schizophrenia: a nationwide population-based cohort study in more than 900 000 individuals. <i>Schizophrenia Bulletin</i> , <b>2015</b> , 41, 513-21 <sup>1-3</sup>	1.3	27
81	The Role of Infections and Autoimmune Diseases for Schizophrenia and Depression: Findings from Large-Scale Epidemiological Studies. <i>Current Topics in Neurotoxicity</i> , <b>2015</b> , 107-135		1
80	The epidemiologic evidence linking autoimmune diseases and psychosis. <i>Biological Psychiatry</i> , <b>2014</b> , 75, 300-6	7.9	123
79	Combined effects of physical illness and comorbid psychiatric disorder on risk of suicide in a national population study. <i>British Journal of Psychiatry</i> , <b>2014</b> , 204, 430-5	5.4	59
78	Does a Caesarean section increase the time to a second live birth? A register-based cohort study. <i>Human Reproduction</i> , <b>2014</b> , 29, 2560-8	5.7	18
77	Biological insights from 108 schizophrenia-associated genetic loci. <i>Nature</i> , <b>2014</b> , 511, 421-7	50.4	5249
76	Association between Attention-Deficit Hyperactivity Disorder in childhood and schizophrenia later in adulthood. <i>European Psychiatry</i> , <b>2014</b> , 29, 259-63	6	71
75	Population impact of familial and environmental risk factors for schizophrenia: a nationwide study. <i>Schizophrenia Research</i> , <b>2014</b> , 153, 214-9	3.6	26

74	The importance of father's wage to schizophrenia risk. <i>Molecular Psychiatry</i> , <b>2014</b> , 19, 530-1	15.1	18
73	A nationwide study on the risk of autoimmune diseases in individuals with a personal or a family history of schizophrenia and related psychosis. <i>American Journal of Psychiatry</i> , <b>2014</b> , 171, 218-26	11.9	122
72	The association between family history of mental disorders and general cognitive ability. <i>Translational Psychiatry</i> , <b>2014</b> , 4, e412	8.6	16
71	Hospital contacts with infection and risk of schizophrenia: a population-based cohort study with linkage of Danish national registers. <i>Schizophrenia Bulletin</i> , <b>2014</b> , 40, 1526-32	1.3	80
70	Investigation of the involvement of MIR185 and its target genes in the development of schizophrenia. <i>Journal of Psychiatry and Neuroscience</i> , <b>2014</b> , 39, 386-96	4.5	16
69	Cesarean section and rate of subsequent stillbirth, miscarriage, and ectopic pregnancy: a Danish register-based cohort study. <i>PLoS Medicine</i> , <b>2014</b> , 11, e1001670	11.6	32
68	A comprehensive nationwide study of the incidence rate and lifetime risk for treated mental disorders. <i>JAMA Psychiatry</i> , <b>2014</b> , 71, 573-81	14.5	313
67	Effects of paternal age and offspring cognitive ability in early adulthood on the risk of schizophrenia and related disorders. <i>Schizophrenia Research</i> , <b>2014</b> , 160, 131-5	3.6	10
66	Risk of schizophrenia spectrum and affective disorders associated with small for gestational age birth and height in adulthood. <i>Schizophrenia Research</i> , <b>2014</b> , 160, 230-2	3.6	3
65	Obsessive-compulsive disorder as a risk factor for schizophrenia: a nationwide study. <i>JAMA Psychiatry</i> , <b>2014</b> , 71, 1215-21	14.5	62
64	Cardiovascular drug use and mortality in patients with schizophrenia or bipolar disorder: a Danish population-based study. <i>Psychological Medicine</i> , <b>2014</b> , 44, 1625-37	6.9	51
63	Deliberate self-harm before psychiatric admission and risk of suicide: survival in a Danish national cohort. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2013</b> , 48, 1481-9	4.5	14
62	Genome-wide association analysis identifies 13 new risk loci for schizophrenia. <i>Nature Genetics</i> , <b>2013</b> , 45, 1150-9	36.3	1153
61	Stress in puberty unmasks latent neuropathological consequences of prenatal immune activation in mice. <i>Science</i> , <b>2013</b> , 339, 1095-9	33.3	342
60	Autoimmune diseases and severe infections as risk factors for mood disorders: a nationwide study. <i>JAMA Psychiatry</i> , <b>2013</b> , 70, 812-20	14.5	322
59	An association study of suicide and candidate genes in the serotonergic system. <i>Journal of Affective Disorders</i> , <b>2013</b> , 148, 291-8	6.6	25
58	Suicide risk in relation to air pollen counts: a study based on data from Danish registers. <i>BMJ Open</i> , <b>2013</b> , 3,	3	32
57	Association between parental hospital-treated infection and the risk of schizophrenia in adolescence and early adulthood. <i>Schizophrenia Bulletin</i> , <b>2013</b> , 39, 230-7	1.3	53

56	Reduction of crime in first-onset psychosis: a secondary analysis of the OPUS randomized trial. <i>Journal of Clinical Psychiatry</i> , <b>2013</b> , 74, e439-44	4.6	19
55	Autoimmune diseases and infections as risk factors for schizophrenia. <i>Annals of the New York Academy of Sciences</i> , <b>2012</b> , 1262, 56-66	6.5	135
54	Replication study and meta-analysis in European samples supports association of the 3p21.1 locus with bipolar disorder. <i>Biological Psychiatry</i> , <b>2012</b> , 72, 645-50	7.9	15
53	Modelling the contribution of family history and variation in single nucleotide polymorphisms to risk of schizophrenia: a Danish national birth cohort-based study. <i>Schizophrenia Research</i> , <b>2012</b> , 134, 246-52	3.6	28
52	Schizophrenia in patients with atopic disorders with particular emphasis on asthma: a Danish population-based study. <i>Schizophrenia Research</i> , <b>2012</b> , 138, 58-62	3.6	56
51	The new asylums in the community: severely ill psychiatric patients living in psychiatric supported housing facilities. A Danish register-based study of prognostic factors, use of psychiatric services, and mortality. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2012</b> , 47, 1251-61	4.5	19
50	Suicide risk among violent and sexual criminal offenders. <i>Journal of Interpersonal Violence</i> , <b>2012</b> , 27, 3405-24	5.2	31
49	Prenatal stress and risk of asthma hospitalization in the offspring: a Swedish population-based study. <i>Psychosomatic Medicine</i> , <b>2012</b> , 74, 635-41	3.7	58
48	Predictors of psychiatric inpatient suicide: a national prospective register-based study. <i>Journal of Clinical Psychiatry</i> , <b>2012</b> , 73, 144-51	4.6	58
47	Robustness of genome-wide scanning using archived dried blood spot samples as a DNA source. <i>BMC Genetics</i> , <b>2011</b> , 12, 58	2.6	58
46	Pregnancy and the risk of autoimmune disease. <i>PLoS ONE</i> , <b>2011</b> , 6, e19658	3.7	39
45	Dual association of a TRKA polymorphism with schizophrenia. <i>Psychiatric Genetics</i> , <b>2011</b> , 21, 125-31	2.9	8
44	Risk of affective disorders following prenatal exposure to severe life events: a Danish population-based cohort study. <i>Journal of Psychiatric Research</i> , <b>2011</b> , 45, 879-85	5.2	43
43	Common variants at VRK2 and TCF4 conferring risk of schizophrenia. <i>Human Molecular Genetics</i> , <b>2011</b> , 20, 4076-81	5.6	162
42	National study of suicide in all people with a criminal justice history. <i>Archives of General Psychiatry</i> , <b>2011</b> , 68, 591-9		70
41	Autoimmune diseases and severe infections as risk factors for schizophrenia: a 30-year population-based register study. <i>American Journal of Psychiatry</i> , <b>2011</b> , 168, 1303-10	11.9	351
40	Association between prepartum maternal iron deficiency and offspring risk of schizophrenia: population-based cohort study with linkage of Danish national registers. <i>Schizophrenia Bulletin</i> , <b>2011</b> , 37, 982-7	1.3	37
39	The utility of neonatal dried blood spots for the assessment of neonatal vitamin D status. <i>Paediatric and Perinatal Epidemiology</i> , <b>2010</b> , 24, 303-8	2.7	59

38	Undiagnosed coeliac disease in a father does not influence birthweight and preterm birth. <i>Paediatric and Perinatal Epidemiology</i> , <b>2010</b> , 24, 363-9	2.7	6
37	Having children with multiple partners is associated with reduced risk of malignant melanoma: an observation seeking a plausible explanation. <i>Clinical Epidemiology</i> , <b>2010</b> , 2, 229-33	5.9	
36	Full spectrum of psychiatric outcomes among offspring with parental history of mental disorder. <i>Archives of General Psychiatry</i> , <b>2010</b> , 67, 822-9		186
35	Neonatal vitamin D status and risk of schizophrenia: a population-based case-control study. <i>Archives of General Psychiatry</i> , <b>2010</b> , 67, 889-94		272
34	A Danish National Birth Cohort study of maternal HSV-2 antibodies as a risk factor for schizophrenia in their offspring. <i>Schizophrenia Research</i> , <b>2010</b> , 122, 257-63	3.6	84
33	Parental celiac disease and offspring sex ratio. <i>Epidemiology</i> , <b>2010</b> , 21, 913-4	3.1	6
32	Influence of environmental factors in higher risk of sudden infant death syndrome linked with parental mental illness. <i>Archives of General Psychiatry</i> , <b>2010</b> , 67, 69-77		16
31	Seasonal spring peaks of suicide in victims with and without prior history of hospitalization for mood disorders. <i>Journal of Affective Disorders</i> , <b>2010</b> , 121, 88-93	6.6	74
30	Support of association between BRD1 and both schizophrenia and bipolar affective disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , <b>2010</b> , 153B, 582-591	3.5	42
29	Antipsychotic polypharmacy and risk of death from natural causes in patients with schizophrenia: a population-based nested case-control study. <i>Journal of Clinical Psychiatry</i> , <b>2010</b> , 71, 103-8	4.6	93
28	Genome-wide scans using archived neonatal dried blood spot samples. <i>BMC Genomics</i> , <b>2009</b> , 10, 297	4.5	60
27	Psychiatric disorder as a first manifestation of cancer: a 10-year population-based study. <i>International Journal of Cancer</i> , <b>2009</b> , 124, 2917-22	7.5	33
26	Common variants conferring risk of schizophrenia. <i>Nature</i> , <b>2009</b> , 460, 744-7	50.4	1350
25	Preadmission use of SSRIs alone or in combination with NSAIDs and 30-day mortality after peptic ulcer bleeding. <i>Scandinavian Journal of Gastroenterology</i> , <b>2009</b> , 44, 1288-95	2.4	7
24	Familial predisposition for psychiatric disorder: comparison of subjects treated for cannabis-induced psychosis and schizophrenia. <i>Archives of General Psychiatry</i> , <b>2008</b> , 65, 1269-74		53
23	Higher Offspring Mortality Risks with Maternal and Paternal Schizophrenia and other Severe Mental Disorders: Elevated Risks Persist beyond the Neonatal Period. <i>Canadian Journal of Psychiatry</i> , <b>2008</b> , 53, 868-868	4.8	
22	Risk of sudden infant death syndrome with parental mental illness. <i>Archives of General Psychiatry</i> , <b>2007</b> , 64, 1323-30		21
21	Death by unnatural causes during childhood and early adulthood in offspring of psychiatric inpatients. <i>Archives of General Psychiatry</i> , <b>2007</b> , 64, 345-52		29



20	Young males have a higher risk of developing schizophrenia: a Danish register study. <i>Psychological Medicine</i> , <b>2007</b> , 37, 479-84	6.9	93
19	Mortality risk among offspring of psychiatric inpatients: a population-based follow-up to early adulthood. <i>American Journal of Psychiatry</i> , <b>2006</b> , 163, 2170-7	11.9	19
18	Risk for cancer in a cohort of patients hospitalized for schizophrenia in Denmark, 1969-1993. <i>Schizophrenia Research</i> , <b>2005</b> , 75, 315-24	3.6	91
17	Parental death and bipolar disorder: a robust association was found in early maternal suicide. <i>Journal of Affective Disorders</i> , <b>2005</b> , 86, 151-9	6.6	39
16	Confirmation of synergy between urbanicity and familial liability in the causation of psychosis. <i>American Journal of Psychiatry</i> , <b>2004</b> , 161, 2312-4	11.9	130
15	Marital and labor market status in the long run in schizophrenia. <i>Archives of General Psychiatry</i> , <b>2004</b> , 61, 28-33		150
14	Association between short birth intervals and schizophrenia in the offspring. <i>Schizophrenia Research</i> , <b>2004</b> , 70, 49-56	3.6	50
13	Higher socio-economic status of parents may increase risk for bipolar disorder in the offspring. <i>Psychological Medicine</i> , <b>2004</b> , 34, 787-93	6.9	33
12	Thimerosal and the occurrence of autism: negative ecological evidence from Danish population-based data. <i>Pediatrics</i> , <b>2003</b> , 112, 604-6	7.4	171
11	Risk factors in relation to an emergence of bipolar disorder: a systematic review. <i>Bipolar Disorders</i> , <b>2003</b> , 5, 231-42	3.8	89
10	Schizophrenia and the risk for breast cancer. <i>Schizophrenia Research</i> , <b>2003</b> , 62, 89-92	3.6	38
9	Depression as a prognostic factor for breast cancer mortality. <i>Psychosomatics</i> , <b>2003</b> , 44, 24-30	2.6	167
8	Medical disorders among inpatients with autism in Denmark according to ICD-8: a nationwide register-based study. <i>Journal of Autism and Developmental Disorders</i> , <b>2002</b> , 32, 115-9	4.6	39
7	Depression and cancer risk: a register-based study of patients hospitalized with affective disorders, Denmark, 1969-1993. <i>American Journal of Epidemiology</i> , <b>2002</b> , 155, 1088-95	3.8	88
6	Congenital malformations, stillbirths, and infant deaths among children of women with schizophrenia. <i>Archives of General Psychiatry</i> , <b>2001</b> , 58, 674-9		92
5	Exposure to prenatal and childhood infections and the risk of schizophrenia: suggestions from a study of sibship characteristics and influenza prevalence. <i>Archives of General Psychiatry</i> , <b>1999</b> , 56, 993-8		117
4	Suicide and other causes of mortality after post-partum psychiatric admission. <i>British Journal of Psychiatry</i> , <b>1998</b> , 173, 209-11	5.4	122
3	Prevalence of disorders and epidemiological methods. <i>Current Opinion in Psychiatry</i> , <b>1998</b> , 11, 169-173	4.9	



2	Relationship between in utero exposure to influenza epidemics and risk of schizophrenia in Denmark. <i>Biological Psychiatry</i> , <b>1996</b> , 40, 817-24	7·9	77
1	Differences in the genetic architecture of common and rare variants in childhood, persistent and late-diagnosed attention deficit hyperactivity disorder		1