

Zongze Shao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4685989/publications.pdf>

Version: 2024-02-01

195
papers

5,922
citations

87723

38
h-index

106150

65
g-index

203
all docs

203
docs citations

203
times ranked

5274
citing authors

#	ARTICLE	IF	CITATIONS
1	<i>Alcanivorax dieselolei</i> sp. nov., a novel alkane-degrading bacterium isolated from sea water and deep-sea sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1181-1186.	0.8	280
2	Genomic insights into the taxonomic status of the <i>Bacillus cereus</i> group. <i>Scientific Reports</i> , 2015, 5, 14082.	1.6	220
3	Gene diversity of CYP153A and AlkB alkane hydroxylases in oil-degrading bacteria isolated from the Atlantic Ocean. <i>Environmental Microbiology</i> , 2010, 12, 1230-1242.	1.8	189
4	<i>Pseudomonas</i> , the dominant polycyclic aromatic hydrocarbon-degrading bacteria isolated from Antarctic soils and the role of large plasmids in horizontal gene transfer. <i>Environmental Microbiology</i> , 2006, 8, 455-465.	1.8	178
5	A pyrene-degrading consortium from deep-sea sediment of the West Pacific and its key member <i>Cycloclasticus</i> sp. P1. <i>Environmental Microbiology</i> , 2008, 10, 1948-1963.	1.8	175
6	Biodiversity of polycyclic aromatic hydrocarbon-degrading bacteria from deep sea sediments of the Middle Atlantic Ridge. <i>Environmental Microbiology</i> , 2008, 10, 2138-2149.	1.8	171
7	Enzymes and genes involved in aerobic alkane degradation. <i>Frontiers in Microbiology</i> , 2013, 4, 116.	1.5	167
8	Changes in the intestinal bacterial community during the growth of white shrimp, <i>Litopenaeus vannamei</i> . <i>Aquaculture Research</i> , 2016, 47, 1737-1746.	0.9	157
9	Multiple alkane hydroxylase systems in a marine alkane degrader, <i>Alcanivorax dieselolei</i> . <i>Environmental Microbiology</i> , 2011, 13, 1168-1178.	1.8	136
10	Phylogenomics characterization of a highly virulent <i>Edwardsiella</i> strain ET080813T encoding two distinct T3SS and three T6SS gene clusters: Propose a novel species as <i>Edwardsiella anguillarum</i> sp. nov.. <i>Systematic and Applied Microbiology</i> , 2015, 38, 36-47.	1.2	126
11	Indigenous oil-degrading bacteria in crude oil-contaminated seawater of the Yellow sea, China. <i>Applied Microbiology and Biotechnology</i> , 2014, 98, 7253-7269.	1.7	120
12	The long-chain alkane metabolism network of <i>Alcanivorax dieselolei</i> . <i>Nature Communications</i> , 2014, 5, 5755.	5.8	112
13	Phylogenetic Diversity of the <i>Bacillus pumilus</i> Group and the Marine Ecotype Revealed by Multilocus Sequence Analysis. <i>PLoS ONE</i> , 2013, 8, e80097.	1.1	107
14	Diversity of flavin-binding monooxygenase genes (almA) in marine bacteria capable of degradation long-chain alkanes. <i>FEMS Microbiology Ecology</i> , 2012, 80, 523-533.	1.3	93
15	Oil degradation and biosurfactant production by the deep sea bacterium <i>Dietzia maris</i> As-13-3. <i>Frontiers in Microbiology</i> , 2014, 5, 711.	1.5	81
16	Effective harvesting of the microalgae <i>Chlorella vulgaris</i> via flocculation-flotation with bioflocculant. <i>Bioresource Technology</i> , 2015, 198, 922-925.	4.8	80
17	The diversity of PAH-degrading bacteria in a deep-sea water column above the Southwest Indian Ridge. <i>Frontiers in Microbiology</i> , 2015, 6, 853.	1.5	72
18	<i>Oceanibaculum indicum</i> gen. nov., sp. nov., isolated from deep seawater of the Indian Ocean. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 1733-1737.	0.8	69

#	ARTICLE	IF	CITATIONS
19	<i>Thalassospira xiamenensis</i> sp. nov. and <i>Thalassospira profundimaris</i> sp. nov.. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 316-320.	0.8	67
20	Genes involved in alkane degradation in the <i>Alcanivorax hongdengensis</i> strain A-11-3. Applied Microbiology and Biotechnology, 2012, 94, 437-448.	1.7	63
21	<i>Roseovarius pacificus</i> sp. nov., isolated from deep-sea sediment. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 1116-1121.	0.8	62
22	<i>Marispirillum indicum</i> gen. nov., sp. nov., isolated from a deep-sea environment. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 1278-1281.	0.8	58
23	Processing of Î-Endotoxin of <i>Bacillus thuringiensis</i> subsp. <i>kurstaki</i> HD-1 in <i>Heliothis armigera</i> Midgut Juice and the Effects of Protease Inhibitors. Journal of Invertebrate Pathology, 1998, 72, 73-81.	1.5	57
24	Isolation, gene detection and solvent tolerance of benzene, toluene and xylene degrading bacteria from nearshore surface water and Pacific Ocean sediment. Extremophiles, 2008, 12, 335-342.	0.9	57
25	<i>Flavobacterium beibuense</i> sp. nov., isolated from marine sediment. International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 205-209.	0.8	54
26	Isolation and diversity analysis of arsenite-resistant bacteria in communities enriched from deep-sea sediments of the Southwest Indian Ocean Ridge. Extremophiles, 2009, 13, 39-48.	0.9	49
27	<i>Bacillus xiamenensis</i> sp. nov., isolated from intestinal tract contents of a flathead mullet (<i>Mugil</i>) Tj ETQq1 1 0.784314 rgBT / Overlock	0.7	49
28	Genetic diversity and population structure of the <i>Bacillus cereus</i> group bacteria from diverse marine environments. Scientific Reports, 2017, 7, 689.	1.6	47
29	<i>Alcanivorax hongdengensis</i> sp. nov., an alkane-degrading bacterium isolated from surface seawater of the straits of Malacca and Singapore, producing a lipopeptide as its biosurfactant. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 1474-1479.	0.8	46
30	<i>Pseudoceanicola atlanticus</i> gen. nov. sp. nov., isolated from surface seawater of the Atlantic Ocean and reclassification of <i>Oceanicola batsensis</i> , <i>Oceanicola marinus</i> , <i>Oceanicola nitratireducens</i> , <i>Oceanicola nanhaiensis</i> , <i>Oceanicola antarcticus</i> and <i>Oceanicola flagellatus</i> , as <i>Pseudoceanicola batsensis</i> comb. nov., <i>Pseudoceanicola marinus</i> comb. nov., <i>Pseudoceanicola nitratireducens</i> comb. nov., <i>Pseudoceanicola nanhaiensis</i> comb. nov., <i>Pseudoceanicola antarcticus</i> comb. nov., and <i>Pseudoceanicola flagellatus</i> com. Antonie Van Leeuwenhoek, 2015, 107, 1065-1074.	0.7	46
31	<i>Spiromastilactones</i> : A new class of influenza virus inhibitors from deep-sea fungus. European Journal of Medicinal Chemistry, 2016, 108, 229-244.	2.6	46
32	The oxidation of hydrocarbons by diverse heterotrophic and mixotrophic bacteria that inhabit deep-sea hydrothermal ecosystems. ISME Journal, 2020, 14, 1994-2006.	4.4	46
33	<i>Erythrobacter atlanticus</i> sp. nov., a bacterium from ocean sediment able to degrade polycyclic aromatic hydrocarbons. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 3714-3719.	0.8	45
34	Intracellular sequestration of manganese and phosphorus in a metal-resistant fungus <i>Cladosporium cladosporioides</i> from deep-sea sediment. Extremophiles, 2007, 11, 435-443.	0.9	44
35	Complete Genome Sequence of <i>Alcanivorax dieselolei</i> Type Strain B5. Journal of Bacteriology, 2012, 194, 6674-6674.	1.0	44
36	<i>Parvibaculum indicum</i> sp. nov., isolated from deep-sea water. International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 271-274.	0.8	43

#	ARTICLE	IF	CITATIONS
37	<i>Alcanivorax pacificus</i> sp. nov., isolated from a deep-sea pyrene-degrading consortium. International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 1370-1374.	0.8	43
38	<i>Altererythrobacter marinus</i> sp. nov., isolated from deep seawater. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 2973-2976.	0.8	42
39	<i>Nitratireductor indicus</i> sp. nov., isolated from deep-sea water. International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 295-298.	0.8	40
40	<i>Nitrogeniibacter aestuarii</i> sp. nov., a Novel Nitrogen-Fixing Bacterium Affiliated to the Family Zoogloeaceae and Phylogeny of the Family Zoogloeaceae Revisited. Frontiers in Microbiology, 2021, 12, 755908.	1.5	40
41	Biosorption and bioaccumulation of lead by <i>Penicillium</i> sp. Psf-2 isolated from the deep sea sediment of the Pacific Ocean. Extremophiles, 2007, 11, 853-858.	0.9	39
42	Cytotoxic Nitrogenated Azaphilones from the Deep-Sea-Derived Fungus <i>Chaetomium globosum</i> MP4-S01-7. Journal of Natural Products, 2020, 83, 1157-1166.	1.5	39
43	Multilocus Sequence Analysis for Assessment of Phylogenetic Diversity and Biogeography in <i>Thalassospira</i> Bacteria from Diverse Marine Environments. PLoS ONE, 2014, 9, e106353.	1.1	39
44	<i>Roseovarius nanhaiticus</i> sp. nov., a member of the Roseobacter clade isolated from marine sediment. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 1289-1295.	0.8	37
45	<i>Wukongibacter baidiensis</i> gen. nov., sp. nov., an anaerobic bacterium isolated from hydrothermal sulfides, and proposal for the reclassification of the closely related <i>Clostridium halophilum</i> and <i>Clostridium caminithermale</i> within <i>Maledivibacter</i> gen. nov. and <i>Paramaledivibacter</i> gen. nov., respectively. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 4355-4361.	0.8	37
46	Biochemical Characterization of a Haloalkane Dehalogenase DadB from <i>Alcanivorax dieselolei</i> B-5. PLoS ONE, 2014, 9, e89144.	1.1	37
47	Citrinin Monomer and Dimer Derivatives with Antibacterial and Cytotoxic Activities Isolated from the Deep Sea-Derived Fungus <i>Penicillium citrinum</i> NLG-S01-P1. Marine Drugs, 2019, 17, 46.	2.2	36
48	<i>Idiomarina xiamenensis</i> sp. nov., isolated from surface seawater, and proposal to transfer <i>Pseudidiomarina aestuarii</i> to the genus <i>Idiomarina</i> as <i>Idiomarina aestuarii</i> comb. nov.. International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 969-973.	0.8	34
49	<i>Palaeococcus pacificus</i> sp. nov., an archaeon from deep-sea hydrothermal sediment. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 2155-2159.	0.8	34
50	Microorganisms from deep-sea hydrothermal vents. Marine Life Science and Technology, 2021, 3, 204-230.	1.8	34
51	<i>Pseudomonas xiamenensis</i> sp. nov., a denitrifying bacterium isolated from activated sludge. International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 1911-1915.	0.8	33
52	<i>Nitratireductor pacificus</i> sp. nov., isolated from a pyrene-degrading consortium. International Journal of Systematic and Evolutionary Microbiology, 2011, 61, 1386-1391.	0.8	33
53	Identification and Characterization of Nematicidal Volatile Organic Compounds from Deep-Sea <i>Virgibacillus dokdonensis</i> MCCC 1A00493. Molecules, 2020, 25, 744.	1.7	33
54	Aphidicolin Chemistry of the Deep-Sea-Derived Fungus <i>Botryotinia fuckeliana</i> MCCC 3A00494. Journal of Natural Products, 2019, 82, 2307-2331.	1.5	32

#	ARTICLE	IF	CITATIONS
55	<i>Pseudopedobacter beijingensis</i> gen. nov., sp. nov., isolated from coking wastewater activated sludge, and reclassification of <i>Pedobacter saltans</i> as <i>Pseudopedobacter saltans</i> comb. nov.. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 1853-1858.	0.8	32
56	<i>Stappia indica</i> sp. nov., isolated from deep seawater of the Indian Ocean. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 733-736.	0.8	31
57	<i>Leisingera nanhaiensis</i> sp. nov., isolated from marine sediment. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 275-280.	0.8	30
58	Complete Genome Sequence of the Pyrene-Degrading Bacterium <i>Cycloclasticus</i> sp. Strain P1. Journal of Bacteriology, 2012, 194, 6677-6677.	1.0	29
59	Cytoglobosins H and I, New Antiproliferative Cytochalasans from Deep-Sea-Derived Fungus <i>Chaetomium globosum</i> . Marine Drugs, 2016, 14, 233.	2.2	29
60	<i>Arenibacter nanhaiticus</i> sp. nov., isolated from marine sediment of the South China Sea. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 78-83.	0.8	28
61	Prokaryotic communities vary with floc size in a biofloc-technology based aquaculture system. Aquaculture, 2020, 529, 735632.	1.7	28
62	New Polyphenols from a Deep Sea <i>Spiromastix</i> sp. Fungus, and Their Antibacterial Activities. Marine Drugs, 2015, 13, 2526-2540.	2.2	26
63	Aspeterreurenone A, a Cytotoxic Dihydrobenzofuran-Phenyl Acrylate Hybrid from the Deep-Sea-Derived Fungus <i>Aspergillus terreus</i> CC-S06-18. Journal of Natural Products, 2020, 83, 1998-2003.	1.5	26
64	Identification of strains <i>Bacillus aerophilus</i> MTCC 7304T as <i>Bacillus altitudinis</i> and <i>Bacillus stratosphericus</i> MTCC 7305T as a <i>Proteus</i> sp. and the status of the species <i>Bacillus aerius</i> Shivaji et al. 2006. Request for an Opinion. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 3228-3231.	0.8	26
65	<i>Thioclava dalianensis</i> sp. nov., isolated from surface seawater. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 2981-2985.	0.8	24
66	A Multilocus Sequence Analysis Scheme for Phylogeny of <i>Thioclava</i> Bacteria and Proposal of Two Novel Species. Frontiers in Microbiology, 2017, 8, 1321.	1.5	24
67	Sulfur Metabolism of <i>Hydrogenovibrio thermophilus</i> Strain S5 and Its Adaptations to Deep-Sea Hydrothermal Vent Environment. Frontiers in Microbiology, 2017, 8, 2513.	1.5	24
68	<i>Candidatus Desulfobulbus rimicarensis</i> , an Uncultivated Deltaproteobacterial Epibiont from the Deep-Sea Hydrothermal Vent Shrimp <i>Rimicaris exoculata</i> . Applied and Environmental Microbiology, 2020, 86, .	1.4	24
69	<i>Aquimarina atlantica</i> sp. nov., isolated from surface seawater of the Atlantic Ocean. Antonie Van Leeuwenhoek, 2014, 106, 293-300.	0.7	23
70	<i>Defluviimonas indica</i> sp. nov., a marine bacterium isolated from a deep-sea hydrothermal vent environment. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 2084-2088.	0.8	23
71	<i>Caloranaerobacter ferrireducens</i> sp. nov., an anaerobic, thermophilic, iron (III)-reducing bacterium isolated from deep-sea hydrothermal sulfide deposits. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 1714-1718.	0.8	23
72	<i>Paraphotobacterium marinum</i> gen. nov., sp. nov., a member of the family Vibrionaceae, isolated from surface seawater. International Journal of Systematic and Evolutionary Microbiology, 2016, 66, 3050-3056.	0.8	23

#	ARTICLE	IF	CITATIONS
73	<i>Sulfurimonas xiamenensis</i> sp. nov. and <i>Sulfurimonas lithotrophica</i> sp. nov., hydrogen- and sulfur-oxidizing chemolithoautotrophs within the Epsilonproteobacteria isolated from coastal sediments, and an emended description of the genus <i>Sulfurimonas</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 2657-2663.	0.8	23
74	<i>Bowmanella pacifica</i> sp. nov., isolated from a pyrene-degrading consortium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 1579-1582.	0.8	22
75	<i>Donghicola xiamenensis</i> sp. nov., a marine bacterium isolated from seawater of the Taiwan Strait in China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 1143-1147.	0.8	21
76	<i>Maribaculum marinum</i> gen. nov., sp. nov., isolated from deep seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 3083-3087.	0.8	21
77	Delta-proteobacterial SAR324 group in hydrothermal plumes on the South Mid-Atlantic Ridge. <i>Scientific Reports</i> , 2016, 6, 22842.	1.6	21
78	Phenolic bisabolane and cuparene sesquiterpenoids with anti-inflammatory activities from the deep-sea-derived <i>Aspergillus sydowii</i> MCCC 3A00324 fungus. <i>Bioorganic Chemistry</i> , 2020, 105, 104420.	2.0	21
79	Distribution and diversity of bacterioplankton communities in subtropical seawater around Xiamen Island, China. <i>Microbiological Research</i> , 2015, 175, 16-23.	2.5	20
80	Cytotoxic Polyketides Isolated from the Deep-Sea-Derived Fungus <i>Penicillium chrysogenum</i> MCCC 3A00292. <i>Marine Drugs</i> , 2019, 17, 686.	2.2	20
81	<i>Meridianimaribacter flavus</i> gen. nov., sp. nov., a member of the family Flavobacteriaceae isolated from marine sediment of the South China Sea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 121-127.	0.8	20
82	<i>Alcanivorax nanhaiticus</i> sp. nov., isolated from deep sea sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 3651-3655.	0.8	20
83	<i>Notoacmeibacter marinus</i> gen. nov., sp. nov., isolated from the gut of a limpet and proposal of Notoacmeibacteraceae fam. nov. in the order Rhizobiales of the class Alphaproteobacteria. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2527-2531.	0.8	20
84	<i>Citricella marina</i> sp. nov., isolated from deep-sea sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 728-731.	0.8	19
85	<i>Anoxybacter fermentans</i> gen. nov., sp. nov., a piezophilic, thermophilic, anaerobic, fermentative bacterium isolated from a deep-sea hydrothermal vent. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 710-715.	0.8	19
86	<i>Maricoccus atlantica</i> gen. nov. sp. nov., isolated from deep sea sediment of the Atlantic Ocean. <i>Antonie Van Leeuwenhoek</i> , 2013, 104, 1073-1081.	0.7	18
87	<i>Parvularcula dongshanensis</i> sp. nov., isolated from soft coral. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 2114-2117.	0.8	18
88	<i>Aquimarina penaei</i> sp. nov., isolated from intestinal tract contents of Pacific white shrimp, <i>Penaeus vannamei</i> . <i>Antonie Van Leeuwenhoek</i> , 2014, 106, 1223-1229.	0.7	18
89	<i>Zunongwangia atlantica</i> sp. nov., isolated from deep-sea water. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 16-20.	0.8	18
90	<i>Hyphomonas atlanticus</i> sp. nov., isolated from the Atlantic Ocean and emended description of the genus <i>Hyphomonas</i> . <i>Systematic and Applied Microbiology</i> , 2014, 37, 423-428.	1.2	18

#	ARTICLE	IF	CITATIONS
91	<i>Emcibacter nanhaiensis</i> gen. nov. sp. nov., isolated from sediment of the South China Sea. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 893-900.	0.7	18
92	Characterization of <i>Sulfurimonas hydrogeniphila</i> sp. nov., a Novel Bacterium Predominant in Deep-Sea Hydrothermal Vents and Comparative Genomic Analyses of the Genus <i>Sulfurimonas</i> . <i>Frontiers in Microbiology</i> , 2021, 12, 626705.	1.5	18
93	<i>Halovulum dunhuangense</i> gen. nov., sp. nov., isolated from a saline terrestrial spring. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 2810-2816.	0.8	18
94	<i>Oceaniglobus indicus</i> gen. nov., sp. nov., a member of the family Rhodobacteraceae isolated from surface seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 4930-4935.	0.8	18
95	A High-Resolution LC-MS-Based Secondary Metabolite Fingerprint Database of Marine Bacteria. <i>Scientific Reports</i> , 2014, 4, 6537.	1.6	17
96	Elemental sulfur reduction by a deep-sea hydrothermal vent <i>Campylobacterium</i> <i>Sulfurimonas</i> sp. <i>Environmental Microbiology</i> , 2021, 23, 965-979.	1.8	17
97	<i>Nioella sediminis</i> sp. nov., isolated from surface sediment and emended description of the genus <i>Nioella</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 1271-1274.	0.8	17
98	Draft Genome Sequence of <i>Marinomonas</i> sp. Strain D104, a Polycyclic Aromatic Hydrocarbon-Degrading Bacterium from the Deep-Sea Sediment of the Arctic Ocean. <i>Genome Announcements</i> , 2014, 2, .	0.8	16
99	<i>Altererythrobacter aerophilus</i> sp. nov., isolated from deep-sea water of the north-west Pacific. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 1689-1695.	0.8	16
100	<i>Devosia marina</i> sp. nov., isolated from deep seawater of the South China Sea, and reclassification of <i>Devosia subaequoris</i> as a later heterotypic synonym of <i>Devosia soli</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 3062-3068.	0.8	16
101	<i>Tsuneonella suprasediminis</i> sp. nov., isolated from the Pacific Ocean. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 71, .	0.8	16
102	<i>Thioclava atlantica</i> sp. nov., isolated from deep sea sediment of the Atlantic Ocean. <i>Antonie Van Leeuwenhoek</i> , 2014, 106, 919-925.	0.7	15
103	Comparative genomic and functional analyses: unearthing the diversity and specificity of nematocidal factors in <i>Pseudomonas putida</i> strain 1A00316. <i>Scientific Reports</i> , 2016, 6, 29211.	1.6	15
104	<i>Anaeromicrobium sediminis</i> gen. nov., sp. nov., a fermentative bacterium isolated from deep-sea sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 1462-1467.	0.8	15
105	<i>Croceivirga radialis</i> gen. nov., sp. nov., isolated from a rotten tropical mangrove root. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 3733-3738.	0.8	15
106	Genome Sequence of <i>Bacillus</i> sp. Strain HYC-10, Isolated from Intestinal Tract Contents from a Marine Fish (<i>Mugil cephalus</i>). <i>Journal of Bacteriology</i> , 2012, 194, 6991-6991.	1.0	14
107	<i>Thioclava indica</i> sp. nov., isolated from surface seawater of the Indian Ocean. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 297-304.	0.7	14
108	<i>Alcanivorax profundimaris</i> sp. nov., a Novel Marine Hydrocarbonoclastic Bacterium Isolated from Seawater and Deep-Sea Sediment. <i>Current Microbiology</i> , 2021, 78, 1053-1060.	1.0	14

#	ARTICLE	IF	CITATIONS
109	<i>Sinomicrobium pectinilyticum</i> sp. nov., a pectinase-producing bacterium isolated from alkaline and saline soil, and emended description of the genus <i>Sinomicrobium</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 2939-2943.	0.8	13
110	<i>Actibacterium atlanticum</i> sp. nov., isolated from surface seawater of the Atlantic Ocean. <i>Antonie Van Leeuwenhoek</i> , 2014, 106, 325-330.	0.7	13
111	<i>Mameliella atlantica</i> sp. nov., a marine bacterium of the Roseobacter clade isolated from deep-sea sediment of the South Atlantic Ocean. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 2255-2259.	0.8	13
112	<i>Tamlana nanhaiensis</i> sp. nov., isolated from surface seawater collected from the South China Sea. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 1189-1196.	0.7	13
113	<i>Parahaliaea maris</i> sp. nov., isolated from surface seawater and emended description of the genus <i>Parahaliaea</i> . <i>Journal of Microbiology</i> , 2020, 58, 92-98.	1.3	13
114	<i>Marinibacterium profundimaris</i> gen. nov., sp. nov., isolated from deep seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 4175-4179.	0.8	13
115	<i>Thermodesulfator autotrophicus</i> sp. nov., a thermophilic sulfate-reducing bacterium from the Indian Ocean. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 3978-3982.	0.8	13
116	<i>Defluviimonas nitratireducens</i> sp. nov., isolated from surface seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2752-2757.	0.8	13
117	Volatile Organic Compounds from <i>Bacillus aryabhattai</i> MCCC 1K02966 with Multiple Modes against <i>Meloidogyne incognita</i> . <i>Molecules</i> , 2022, 27, 103.	1.7	13
118	Genome Sequence of an Alkane-Degrading Bacterium, <i>Alcanivorax pacificus</i> Type Strain W11-5, Isolated from Deep Sea Sediment. <i>Journal of Bacteriology</i> , 2012, 194, 6936-6936.	1.0	12
119	Genome Sequence of the Alkane-Degrading Bacterium <i>Alcanivorax hongdengensis</i> Type Strain A-11-3. <i>Journal of Bacteriology</i> , 2012, 194, 6972-6972.	1.0	12
120	Genomic Characterization and Environmental Distribution of a Thermophilic Anaerobe <i>Dissulfurirhabdus thermomarina</i> SH388T Involved in Disproportionation of Sulfur Compounds in Shallow Sea Hydrothermal Vents. <i>Microorganisms</i> , 2020, 8, 1132.	1.6	12
121	Anti-Food Allergic Compounds from <i>Penicillium griseofulvum</i> MCCC 3A00225, a Deep-Sea-Derived Fungus. <i>Marine Drugs</i> , 2021, 19, 224.	2.2	12
122	<i>Halomonas diversa</i> sp. nov., isolated from deep-sea sediment of the Pacific Ocean. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	12
123	<i>Fusibacter ferrireducens</i> sp. nov., an anaerobic, Fe(â...c)- and sulphur-reducing bacterium isolated from mangrove sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	12
124	Family-wide Structural Characterization and Genomic Comparisons Decode the Diversity-oriented Biosynthesis of Thalassospiramides by Marine Proteobacteria. <i>Journal of Biological Chemistry</i> , 2016, 291, 27228-27238.	1.6	11
125	<i>Nonlabens xiamenensis</i> sp. nov., isolated from coastal seawater. <i>Antonie Van Leeuwenhoek</i> , 2019, 112, 1263-1271.	0.7	11
126	<i>Thioclava nitratireducens</i> sp. nov., isolated from surface seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2109-2113.	0.8	11

#	ARTICLE	IF	CITATIONS
127	Proposal for transfer of <i>Oceanibulbus indolifex</i> Wagner-Dãbler et al. 2004 to the genus <i>Sulfitobacter</i> as <i>Sulfitobacter indolifex</i> comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2328-2331.	0.8	11
128	<i>Agaribacterium haliotis</i> gen. nov., sp. nov., isolated from abalone faeces. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 3819-3823.	0.8	11
129	Characterization of a bioactive meroterpenoid isolated from the marine-derived fungus <i>Talaromyces</i> sp.. <i>Applied Microbiology and Biotechnology</i> , 2022, 106, 2927-2935.	1.7	11
130	Genome Sequence of <i>Nitratireductor pacificus</i> Type Strain pht-3B. <i>Journal of Bacteriology</i> , 2012, 194, 6958-6958.	1.0	10
131	<i>Gallaecimonas xiamenensis</i> sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 930-933.	0.8	10
132	Draft Genome Sequence of <i>Sphingobium</i> sp. Strain C100, a Polycyclic Aromatic Hydrocarbon-Degrading Bacterium from the Deep-Sea Sediment of the Arctic Ocean. <i>Genome Announcements</i> , 2014, 2, .	0.8	10
133	Reclassification of <i>Bacillus invictae</i> as a later heterotypic synonym of <i>Bacillus altitudinis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 2769-2773.	0.8	10
134	<i>Kiloniella litopenaei</i> sp. nov., isolated from the gut microflora of Pacific white shrimp, <i>Litopenaeus vannamei</i> . <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 1293-1299.	0.7	10
135	New Monoterpenoids and Polyketides from the Deep-Sea Sediment-Derived Fungus <i>Aspergillus sydowii</i> MCCC 3A00324. <i>Marine Drugs</i> , 2020, 18, 561.	2.2	10
136	<i>Croceimicrobium hydrocarbonivorans</i> gen. nov., sp. nov., a novel marine bacterium isolated from a bacterial consortium that degrades polyethylene terephthalate. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	10
137	<i>Aestuariivita atlantica</i> sp. nov., isolated from deep-sea sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3281-3285.	0.8	10
138	<i>Cohaesibacter intestini</i> sp. nov., isolated from the intestine of abalone, <i>Haliotis discus hannai</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 3202-3206.	0.8	10
139	Chemical epigenetic manipulation triggers the production of sesquiterpenes from the deep-sea derived <i>Eutypella</i> fungus. <i>Phytochemistry</i> , 2021, 192, 112978.	1.4	10
140	Core microbiome involved in nitrite removal in shrimp culture ponds. <i>Aquaculture Research</i> , 2022, 53, 1663-1675.	0.9	10
141	Genome Sequence of <i>Thalassospira profundimaris</i> Type Strain WP0211. <i>Journal of Bacteriology</i> , 2012, 194, 6956-6956.	1.0	9
142	Draft genome sequence of <i>Bacillus firmus</i> DS1. <i>Journal of Biotechnology</i> , 2014, 177, 20-21.	1.9	9
143	Characterization and site-directed mutagenesis of a novel class II 5-enopyruvylshikimate-3-phosphate (EPS) synthase from the deep-sea bacterium <i>Alcanivorax</i> sp. L27. <i>Enzyme and Microbial Technology</i> , 2014, 63, 64-70.	1.6	9
144	Thermophilic hydrogen-producing bacteria inhabiting deep-sea hydrothermal environments represented by <i>Caloranaerobacter</i> . <i>Research in Microbiology</i> , 2015, 166, 677-687.	1.0	9

#	ARTICLE	IF	CITATIONS
145	<i>Bacillus pumilus</i> Group Comparative Genomics: Toward Pangenome Features, Diversity, and Marine Environmental Adaptation. <i>Frontiers in Microbiology</i> , 2021, 12, 571212.	1.5	9
146	Characterization of two novel psychrophilic and piezotolerant strains, <i>Shewanella psychropiezotolerans</i> sp. nov. and <i>Shewanella eurypsychrophilus</i> sp. nov, adapted to an extreme deep-sea environment. <i>Systematic and Applied Microbiology</i> , 2021, 44, 126266.	1.2	9
147	<i>Pseudotenacibaculum haliotis</i> gen. nov., sp. nov., a new member within the <i>Tenacibaculum-Polaribacter</i> clade of the family <i>Flavobacteriaceae</i> , isolated from the intestine of adult abalones, <i>Haliotis diversicolor</i> and <i>H. discus hannai</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 3718-3724.	0.8	9
148	<i>Mangrovibacterium lignilyticum</i> sp. nov., a facultatively anaerobic lignin-degrading bacterium isolated from mangrove sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 4502-4507.	0.8	9
149	Complete genome sequence of <i>Thalassolituus oleivorans</i> R6-15, an obligate hydrocarbonoclastic marine bacterium from the Arctic Ocean. <i>Standards in Genomic Sciences</i> , 2014, 9, 893-901.	1.5	8
150	The status of the species <i>Hyphomonas rosenbergii</i> Weiner et al. 2000. Request for an Opinion. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 321-321.	0.8	8
151	Phylogenetic diversity of nitrogen-utilizing genes in hydrothermal chimneys from 3 middle ocean ridges. <i>Extremophiles</i> , 2015, 19, 1173-1182.	0.9	8
152	Metabolic Adaptation to Sulfur of Hyperthermophilic <i>Palaeococcus pacificus</i> DY20341T from Deep-Sea Hydrothermal Sediments. <i>International Journal of Molecular Sciences</i> , 2020, 21, 368.	1.8	8
153	<i>Sulfurimonas sediminis</i> sp. nov., a novel hydrogen- and sulfur-oxidizing chemolithoautotroph isolated from a hydrothermal vent at the Longqi system, southwestern Indian ocean. <i>Antonie Van Leeuwenhoek</i> , 2021, 114, 813-822.	0.7	8
154	Acremolin D, a new acremolin alkaloid from the deep-sea sediment derived <i>Aspergillus sydowii</i> fungus. <i>Natural Product Research</i> , 2022, 36, 4936-4942.	1.0	8
155	<i>Thermococcus henrietii</i> sp. nov., a novel extreme thermophilic and piezophilic sulfur-reducing archaeon isolated from a deep-sea hydrothermal chimney. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	8
156	<i>Sinomicrobium soli</i> sp. nov., isolated from arctic soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 1070-1074.	0.8	8
157	<i>Sphingorhabdus soli</i> sp. nov., isolated from Arctic soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 1610-1616.	0.8	8
158	An Intracellular Sensing and Signal Transduction System That Regulates the Metabolism of Polycyclic Aromatic Hydrocarbons in Bacteria. <i>MSystems</i> , 2021, 6, e0063621.	1.7	8
159	<i>Solimonas marina</i> sp. nov., isolated from deep seawater of the Pacific Ocean. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	7
160	<i>Pseudoceanicola aestuarii</i> sp. nov., isolated from the Jiulong River Estuary in PR China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 6220-6225.	0.8	7
161	<i>Oceanibaculum nanhaiense</i> sp. nov., isolated from surface seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 4842-4845.	0.8	7
162	<i>Marinobacter changyiensis</i> , sp. nov., isolated from offshore sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 3004-3011.	0.8	7

#	ARTICLE	IF	CITATIONS
163	Genome Sequence of <i>Thalassospira xiamenensis</i> Type Strain M-5. <i>Journal of Bacteriology</i> , 2012, 194, 6957-6957.	1.0	6
164	Draft Genome Sequence of the Carrageenan-Degrading Bacterium <i>Cellulophaga</i> sp. Strain KL-A, Isolated from Decaying Marine Algae. <i>Genome Announcements</i> , 2014, 2, .	0.8	6
165	<i>Roseivivax atlanticus</i> sp. nov., isolated from surface seawater of the Atlantic Ocean. <i>Antonie Van Leeuwenhoek</i> , 2014, 105, 863-869.	0.7	6
166	Identification of “ <i>Bacillus cellulasensis</i> ” strain NIO-1130T as a member of <i>Bacillus altitudinis</i> and emendation of the latter. <i>Archives of Microbiology</i> , 2016, 198, 835-838.	1.0	6
167	AhlX, an N-acylhomoserine Lactonase with Unique Properties. <i>Marine Drugs</i> , 2019, 17, 387.	2.2	6
168	<i>Shewanella intestini</i> sp. nov., isolated from the intestine of abalone, <i>Haliotis diversicolor</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 1901-1905.	0.8	6
169	<i>Marinobacter mangrovi</i> sp. nov., isolated from mangrove sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	6
170	Genome Sequence of Nitratireductor <i>indicus</i> Type Strain C115. <i>Journal of Bacteriology</i> , 2012, 194, 6990-6990.	1.0	5
171	Genome Sequence of <i>Idiomarina xiamenensis</i> Type Strain 10-D-4. <i>Journal of Bacteriology</i> , 2012, 194, 6938-6938.	1.0	5
172	Draft Genome Sequence of the Agar-Degrading Bacterium <i>Catenovulum</i> sp. Strain DS-2, Isolated from Intestines of <i>Haliotis diversicolor</i> . <i>Genome Announcements</i> , 2014, 2, .	0.8	5
173	Complete Genome Sequence of Hyperthermophilic Piezophilic Archaeon <i>Palaeococcus pacificus</i> DY20341 T , Isolated from Deep-Sea Hydrothermal Sediments. <i>Genome Announcements</i> , 2015, 3, .	0.8	5
174	Genome sequencing of deep-sea hydrothermal vent snails reveals adaptations to extreme environments. <i>GigaScience</i> , 2020, 9, .	3.3	5
175	<i>Thermosipho ferrireducens</i> sp.nov., an anaerobic thermophilic iron(III)-reducing bacterium isolated from a deep-sea hydrothermal sulfide deposits. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	5
176	<i>Mesonina hitae</i> sp. nov., isolated from the seawater of the South Atlantic Ocean. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	0.8	5
177	<i>Pseudidiomarina maritima</i> Wu et al. 2009 is a later heterotypic synonym of <i>Pseudidiomarina tainanensis</i> Jean et al. 2009 and emended description of the species. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 3765-3768.	0.8	5
178	Genome-resolved evidence for functionally redundant communities and novel nitrogen fixers in the deyin-1 hydrothermal field, Mid-Atlantic Ridge. <i>Microbiome</i> , 2022, 10, 8.	4.9	5
179	Genome Sequence of <i>Oceanibaculum indicum</i> Type Strain P24. <i>Journal of Bacteriology</i> , 2012, 194, 6942-6942.	1.0	4
180	Complete genome sequence and whole-genome phylogeny of <i>Kosmotoga pacifica</i> type strain SLHLJ1T from an East Pacific hydrothermal sediment. <i>Standards in Genomic Sciences</i> , 2017, 12, 3.	1.5	4

#	ARTICLE	IF	CITATIONS
181	Structure elucidation of a novel cyclic tripeptide from the marine-derived fungus <i>Aspergillus ochraceopetaliformis</i> DSW-2. <i>Natural Product Research</i> , 2022, 36, 3572-3578.	1.0	4
182	<i>Salipiger nanhaiensis</i> Dai et al. 2015 is a later heterotypic synonym of <i>Thiobacimonas profunda</i> Li et al. 2015. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2043-2045.	0.8	4
183	Genome Sequence of <i>Galbibacter marinum</i> Type Strain ck-12-15. <i>Journal of Bacteriology</i> , 2012, 194, 6973-6973.	1.0	3
184	The Pelagic Bacterium <i>Paraphotobacterium marinum</i> Has the Smallest Complete Genome Within the Family <i>Vibrionaceae</i> . <i>Frontiers in Microbiology</i> , 2017, 8, 1994.	1.5	3
185	A novel alphaproteobacterium with a small genome identified from the digestive gland of multiple species of abalone. <i>Environmental Microbiology Reports</i> , 2020, 12, 387-395.	1.0	3
186	Complete genome sequence of a denitrifying bacterium <i>Halomonas</i> sp. SS10-MC5 isolated from hydrothermal vent of Indian Ocean. <i>Marine Genomics</i> , 2021, 58, 100849.	0.4	3
187	Reclassification of <i>Xuhuaishuia manganoxidans</i> Wang et al. 2015 as a later heterotypic synonym of <i>Brevirhabdus pacifica</i> Wu et al. 2015 and emendation of the species description. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 3095-3098.	0.8	3
188	<i>Pleomorphobacterium xiamenense</i> Yin et al. 2013 is a later heterotypic synonym of <i>Oceanicella actignis</i> Albuquerque et al. 2012. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 3532-3534.	0.8	3
189	Genome Sequence of <i>Gallaecimonas xiamenensis</i> Type Strain 3-C-1. <i>Journal of Bacteriology</i> , 2012, 194, 6937-6937.	1.0	2
190	Draft genome sequence of the denitrifying strain <i>Kiloniella</i> sp. P1-1 isolated from the gut microflora of Pacific white shrimp, <i>Litopenaeus vannamei</i> . <i>Marine Genomics</i> , 2015, 24, 261-263.	0.4	2
191	Graphostromols A-K, Eleven New Chained Polyketides from the Deep-Sea-Derived <i>Graphostroma</i> sp. <i>Chemistry and Biodiversity</i> , 2019, 16, e1900326.	1.0	2
192	Complete genome sequence of <i>Thermosulfurimonas marina</i> SU872T, an anaerobic thermophilic chemolithoautotrophic bacterium isolated from a shallow marine hydrothermal vent. <i>Marine Genomics</i> , 2021, 55, 100800.	0.4	2
193	Diversity and Antiaflatoxigenic Activities of Culturable Filamentous Fungi from Deep-Sea Sediments of the South Atlantic Ocean. <i>Mycobiology</i> , 2021, 49, 151-160.	0.6	2
194	Draft Genome Sequence of <i>Actibacterium mucosum</i> KCTC 23349, a Marine Alphaproteobacterium with Complex Ionic Requirements Isolated from Mediterranean Seawater at Malvarrosa Beach, Valencia, Spain. <i>Genome Announcements</i> , 2014, 2, .	0.8	0
195	A novel SAR324 bacterium associated with abalone, <i>Haliotis diversicolor</i> . <i>Aquaculture Research</i> , 2021, 52, 1945-1953.	0.9	0