

Xiaobin Gu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4686528/publications.pdf>

Version: 2024-02-01

25
papers

847
citations

471061

17
h-index

552369

26
g-index

27
all docs

27
docs citations

27
times ranked

1494
citing authors

#	ARTICLE	IF	CITATIONS
1	The role of radiotherapy in neuroendocrine cervical cancer: SEER-based study. <i>Science Progress</i> , 2021, 104, 003685042110093.	1.0	4
2	LncRNA MEG3 regulates breast cancer proliferation and apoptosis through miR-141-3p/RBMS3 axis. <i>Genomics</i> , 2021, 113, 1689-1704.	1.3	29
3	Prognostic and clinicopathological significance of systemic immune-inflammation index in pancreatic cancer: a meta-analysis of 2,365 patients. <i>Aging</i> , 2021, 13, 20585-20597.	1.4	23
4	Exosomal transfer of tumor-associated macrophage-derived hsa_circ_0001610 reduces radiosensitivity in endometrial cancer. <i>Cell Death and Disease</i> , 2021, 12, 818.	2.7	38
5	Prognostic and clinicopathological significance of systemic immune-inflammation index in colorectal cancer: a meta-analysis. <i>Therapeutic Advances in Medical Oncology</i> , 2020, 12, 175883592093742.	1.4	51
6	Pattern and risk factors of local recurrence after nephroureterectomy for upper tract urothelial carcinoma. <i>World Journal of Surgical Oncology</i> , 2020, 18, 114.	0.8	17
7	miR-499a-5p Inhibits Pr5/4/20 publish Cancer Cells via Targeting eIF4E. <i>OncoTargets and Therapy</i> , 2020, Volume 13, 2913-2924.	1.0	18
8	A pooled analysis of the prognostic value of PD-L1 in melanoma: evidence from 1062 patients. <i>Cancer Cell International</i> , 2020, 20, 96.	1.8	21
9	Elevated PD-L1 expression predicts poor survival outcomes in patients with cervical cancer. <i>Cancer Cell International</i> , 2019, 19, 146.	1.8	39
10	Timing of chemotherapy-induced neutropenia is a prognostic factor in patients with advanced gastric cancer undergoing first-line chemotherapy with oxaliplatin and capecitabine: a retrospective study. <i>Cancer Medicine</i> , 2018, 7, 997-1005.	1.3	15
11	Methyl jasmonate enhances the radiation sensitivity of esophageal carcinoma cells by inhibiting the 11-ketoprostaglandin reductase activity of AKR1C3. <i>Cancer Management and Research</i> , 2018, Volume 10, 3149-3158.	0.9	12
12	Survival outcomes of radical prostatectomy and external beam radiotherapy in clinically localized high-risk prostate cancer: a population-based, propensity score matched study. <i>Cancer Management and Research</i> , 2018, Volume 10, 1061-1067.	0.9	21
13	BRCA2 mutations should be screened early and routinely as markers of poor prognosis: evidence from 8,988 patients with prostate cancer. <i>Oncotarget</i> , 2017, 8, 40222-40232.	0.8	18
14	Overexpression of AKR1C3 significantly enhances human prostate cancer cells resistance to radiation. <i>Oncotarget</i> , 2016, 7, 48050-48058.	0.8	45
15	Elevated Platelet to Lymphocyte Ratio Is Associated with Poor Survival Outcomes in Patients with Colorectal Cancer. <i>PLoS ONE</i> , 2016, 11, e0163523.	1.1	25
16	Increased programmed death ligand-1 expression predicts poor prognosis in hepatocellular carcinoma patients. <i>OncoTargets and Therapy</i> , 2016, Volume 9, 4805-4813.	1.0	42
17	Prognostic value of platelet to lymphocyte ratio in non-small cell lung cancer: evidence from 3,430 patients. <i>Scientific Reports</i> , 2016, 6, 23893.	1.6	92
18	Prognostic significance of neutrophil-to-lymphocyte ratio in prostate cancer: evidence from 16,266 patients. <i>Scientific Reports</i> , 2016, 6, 22089.	1.6	95

#	ARTICLE	IF	CITATIONS
19	Clinicopathological and prognostic significance of platelet to lymphocyte ratio in patients with gastric cancer. <i>Oncotarget</i> , 2016, 7, 49878-49887.	0.8	52
20	Prognostic significance of osteopontin expression in gastric cancer: a meta-analysis. <i>Oncotarget</i> , 2016, 7, 69666-69673.	0.8	25
21	Prognostic Value of Serum IL-17 and VEGF Levels in Small Cell Lung Cancer. <i>International Journal of Biological Markers</i> , 2015, 30, 359-363.	0.7	22
22	Increased circulating CD14(+)HLA-DR-/low myeloid-derived suppressor cells are associated with poor prognosis in patients with small-cell lung cancer. <i>Cancer Biomarkers</i> , 2015, 15, 425-432.	0.8	54
23	Thymosin $\hat{\alpha}$ 1 promotes the activation of myeloid-derived suppressor cells in a Lewis lung cancer model by upregulating Arginase 1. <i>Biochemical and Biophysical Research Communications</i> , 2015, 464, 249-255.	1.0	13
24	Clinical and prognostic significance of OPN and VEGF expression in patients with non-small-cell lung cancer. <i>Cancer Epidemiology</i> , 2015, 39, 539-544.	0.8	44
25	Elevated plasma interleukin-35 levels predict poor prognosis in patients with non-small cell lung cancer. <i>Tumor Biology</i> , 2015, 36, 2651-2656.	0.8	31