

Shiki Yagai

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4687348/shiki-yagai-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

165
papers

6,937
citations

50
h-index

77
g-index

179
ext. papers

7,628
ext. citations

7.4
avg, IF

6.06
L-index

#	Paper	IF	Citations
165	Rod and Helical Organic Fiber Structures Revealing Lamellar and Rosette Ordering Pathways in Self-Assembly of Barbiturate Oligothiophene Derivatives. <i>Journal of Physical Chemistry C</i> , 2022 , 126, 2780-2787	3.8	
164	Fluorescent supramolecular polymers of barbiturate dyes with thiophene-cored twisted π -systems.. <i>Chemical Science</i> , 2022 , 13, 1281-1287	9.4	2
163	Topological Supramolecular Polymer. <i>Nanostructure Science and Technology</i> , 2022 , 47-70	0.9	
162	Photo-modulation of supramolecular polymorphism in the self-assembly of a scissor-shaped azobenzene dyad into nanotoroids and fibers.. <i>Chemical Science</i> , 2022 , 13, 3249-3255	9.4	2
161	Biasing the Hierarchy Motifs of Nanotoroids: from 1D Nanotubes to 2D Porous Networks. <i>Angewandte Chemie - International Edition</i> , 2021 ,	16.4	5
160	Scissor-Shaped Photochromic Dyads: Hierarchical Self-Assembly and Photoresponsive Property. <i>Chemical Record</i> , 2021 ,	6.6	2
159	Non-uniform Photoinduced Unfolding of Supramolecular Polymers Leading to Topological Block Nanofibers. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 26986	16.4	2
158	Diarylethene-Powered Light-Induced Folding of Supramolecular Polymers. <i>Journal of the American Chemical Society</i> , 2021 , 143, 5845-5854	16.4	10
157	Effect of Azobenzene Regioisomerism on Intrinsically Curved Supramolecular Polymers. <i>Asian Journal of Organic Chemistry</i> , 2021 , 10, 257-261	3	4
156	Wavy supramolecular polymers formed by hydrogen-bonded rosettes. <i>Chemical Communications</i> , 2021 , 57, 4779-4782	5.8	3
155	Effect of an Aromatic Solvent on Hydrogen-Bond-Directed Supramolecular Polymerization Leading to Distinct Topologies. <i>Chemistry - A European Journal</i> , 2020 , 26, 8997-9004	4.8	13
154	Hierarchical self-assembly of an azobenzene dyad with inverted amide connection into toroidal and tubular nanostructures. <i>Organic and Biomolecular Chemistry</i> , 2020 , 18, 3996-3999	3.9	12
153	Fluorescent Supramolecular Polymorphism Driven by Distinct Hydrogen Bonding Lattice. <i>Chemistry Letters</i> , 2020 , 49, 1009-1012	1.7	4
152	Hydrogen bond-directed supramolecular polymorphism leading to soft and hard molecular ordering. <i>Chemical Communications</i> , 2020 , 56, 4280-4283	5.8	18
151	Effect of Oligoethylene Chains on the Formation of Photoresponsive Nanotubes by Azobenzene Dyad. <i>European Journal of Organic Chemistry</i> , 2020 , 2020, 2475-2478	3.2	10
150	Supramolecular copolymerization driven by integrative self-sorting of hydrogen-bonded rosettes. <i>Nature Communications</i> , 2020 , 11, 1623	17.4	37
149	Effect of Solvent on the Thermodynamic Stability of Toroidal Supramolecular Polymers. <i>Chemistry Letters</i> , 2020 , 49, 178-181	1.7	3

148	Self-assembled poly-catenanes from supramolecular toroidal building blocks. <i>Nature</i> , 2020 , 583, 400-405	5.4	85
147	Self-assembly of alkylated and perfluoroalkylated scissor-shaped azobenzene dyads into distinct structures. <i>Chemical Communications</i> , 2020 , 56, 15619-15622	5.8	6
146	Systematic Synthesis of Tetrathia[8]circulenes: The Influence of Peripheral Substituents on the Structures and Properties in Solution and Solid States. <i>Journal of Organic Chemistry</i> , 2020 , 85, 62-69	4.2	20
145	Self-Aggregation of Oligomethylene-Tethered Diketopyrrolopyrrole Dimers. <i>Asian Journal of Organic Chemistry</i> , 2020 , 9, 222-225	3	2
144	Photoresponsive Circular Supramolecular Polymers: A Topological Trap and Photoinduced Ring-Opening Elongation. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 3764-3768	16.4	29
143	Influence of metal coordination and light irradiation on hierarchical self-assembly processes. <i>Chemical Science</i> , 2019 , 10, 752-760	9.4	36
142	Supramolecular Organization and Photovoltaic Properties of Barbiturated Oligothiophenes. <i>Chemistry Letters</i> , 2019 , 48, 1009-1018	1.7	5
141	Mechanistic Insights into the Self-Assembly of an Acid-Sensitive Photoresponsive Supramolecular Polymer. <i>Chemistry - A European Journal</i> , 2019 , 25, 9230-9236	4.8	11
140	Self-Sorting of Rosette-Forming Naphthalene Barbiturates into Distinct Toroidal Assemblies. <i>ChemPlusChem</i> , 2019 , 84, 619-622	2.8	5
139	Topological Impact on the Kinetic Stability of Supramolecular Polymers. <i>Journal of the American Chemical Society</i> , 2019 , 141, 13196-13202	16.4	28
138	Exploiting Coordination Isomerism for Controlled Self-Assembly. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 15626-15630	16.4	21
137	Triplet-Triplet Annihilation-Based Upconversion Sensitized by a Reverse Micellar Assembly of Amphiphilic Ruthenium Complexes. <i>Langmuir</i> , 2019 , 35, 9740-9746	4	7
136	Kontrolle über Selbstassemblierung durch Ausnutzung von Koordinationsisomerie. <i>Angewandte Chemie</i> , 2019 , 131, 15772-15776	3.6	5
135	One-shot preparation of topologically chimeric nanofibers via a gradient supramolecular copolymerization. <i>Nature Communications</i> , 2019 , 10, 4578	17.4	18
134	Supramolecular Polymers Capable of Controlling Their Topology. <i>Accounts of Chemical Research</i> , 2019 , 52, 1325-1335	24.3	85
133	Photoresponsive Supramolecular Polymers 2019 , 45-90		4
132	Photoresponsive Circular Supramolecular Polymers: A Topological Trap and Photoinduced Ring-Opening Elongation. <i>Angewandte Chemie</i> , 2019 , 131, 3804-3808	3.6	10
131	Kinetic Control Over the Topology of Curved Supramolecular Polymers 2019 , 231-248		

130	Two-Dimensional Chiral Self-Assembly of Barbituric-Acid-Functionalized Naphthelene Derivatives. <i>Journal of Physical Chemistry C</i> , 2018 , 122, 6412-6416	3.8	7
129	Impact of helical organization on the photovoltaic properties of oligothiophene supramolecular polymers. <i>Chemical Science</i> , 2018 , 9, 3638-3643	9.4	19
128	Water-induced self-assembly of an amphiphilic perylene bisimide dyad into vesicles, fibers, coils, and rings. <i>Materials Chemistry Frontiers</i> , 2018 , 2, 171-179	7.8	24
127	Light-regulated crystal growth of π -conjugated luminophores in an azobenzene matrix. <i>Communications Chemistry</i> , 2018 , 1,	6.3	12
126	Self-folding of supramolecular polymers into bioinspired topology. <i>Science Advances</i> , 2018 , 4, eaat8466	14.3	51
125	Photoresponsive supramolecular copolymers from diarylethene π erylene bisimide hydrogen bonded complexes. <i>Polymer</i> , 2017 , 128, 356-362	3.9	6
124	Supramolecular Polymerization of Supermacrocycles: Effect of Molecular Conformations on Kinetics and Morphology. <i>Chemistry - A European Journal</i> , 2017 , 23, 5270-5280	4.8	16
123	High-fidelity self-assembly pathways for hydrogen-bonding molecular semiconductors. <i>Scientific Reports</i> , 2017 , 7, 43098	4.9	27
122	Effect of Alkyl Substituents on 2D and 1D Self-assembly and Photovoltaic Properties of Hydrogen-bonded Oligothiophene Rosettes. <i>Chemistry Letters</i> , 2017 , 46, 1102-1104	1.7	6
121	Light-induced unfolding and refolding of supramolecular polymer nanofibres. <i>Nature Communications</i> , 2017 , 8, 15254	17.4	87
120	Hydrogen-bonded rosettes comprising π -conjugated systems as building blocks for functional one-dimensional assemblies. <i>Chemical Communications</i> , 2017 , 53, 9663-9683	5.8	62
119	Tuning the Lifetime of Transient Phases of Mechanochromic Gold Isocyanide Complexes through Functionalization of the Terminal Moieties of Flexible Side Chains. <i>Chemistry Letters</i> , 2017 , 46, 1415-1418	1.7	14
118	Phototriggered Supramolecular Polymerization of Barbituric Acid Rosette. <i>Chemistry Letters</i> , 2017 , 46, 111-114	1.7	10
117	Supramolecular polymerization of hydrogen-bonded rosettes with anthracene chromophores: regioisomeric effect on nanostructures. <i>Polymer Journal</i> , 2017 , 49, 189-195	2.7	3
116	Water-induced helical supramolecular polymerization and gel formation of an alkylene-tethered perylene bisimide dyad. <i>Chemical Communications</i> , 2016 , 53, 168-171	5.8	23
115	Simultaneous SAXS and SANS Analysis for the Detection of Toroidal Supramolecular Polymers Composed of Noncovalent Supermacrocycles in Solution. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 9890-3	16.4	44
114	Simultaneous SAXS and SANS Analysis for the Detection of Toroidal Supramolecular Polymers Composed of Noncovalent Supermacrocycles in Solution. <i>Angewandte Chemie</i> , 2016 , 128, 10044-10047	3.6	17
113	Photoregulated Living Supramolecular Polymerization Established by Combining Energy Landscapes of Photoisomerization and Nucleation-Elongation Processes. <i>Journal of the American Chemical Society</i> , 2016 , 138, 14347-14353	16.4	140

112	Hydrogen-bonded oligothiophene rosettes with a benzodithiophene terminal unit: self-assembly and application to bulk heterojunction solar cells. <i>Chemical Communications</i> , 2016 , 52, 7874-7	5.8	23
111	Mechanochromic Luminescence Based on Crystal-to-Crystal Transformation Mediated by a Transient Amorphous State. <i>Chemistry of Materials</i> , 2016 , 28, 234-241	9.6	108
110	Self-sorting regioisomers through the hierarchical organization of hydrogen-bonded rosettes. <i>Chemical Communications</i> , 2016 , 52, 8211-4	5.8	31
109	Photoreactive helical nanoaggregates exhibiting morphology transition on thermal reconstruction. <i>Nature Communications</i> , 2015 , 6, 8936	17.4	73
108	Supramolecularly Engineered Functional π -Assemblies Based on Complementary Hydrogen-Bonding Interactions. <i>Bulletin of the Chemical Society of Japan</i> , 2015 , 88, 28-58	5.1	134
107	Design of Metastable Solid π -Assemblies for Stimuli-Responsive Fluorescent Materials. <i>Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi]</i> , 2015 , 28, 589-594	0.7	
106	Photocontrol over self-assembled nanostructures of π -stacked dyes supported by the parallel conformer of diarylethene. <i>Angewandte Chemie - International Edition</i> , 2014 , 53, 2602-6	16.4	73
105	A Perylene Bisimide Organogelator for Chlorinated Solvents. <i>Asian Journal of Organic Chemistry</i> , 2014 , 3, 128-132	3	6
104	Supramolecular engineering of oligothiophene nanorods without insulators: hierarchical association of rosettes and photovoltaic properties. <i>Chemistry - A European Journal</i> , 2014 , 20, 16128-37	4.8	35
103	Preparation and characterization of silver nanoparticles on localized surface plasmon-enhanced optical absorption. <i>Japanese Journal of Applied Physics</i> , 2014 , 53, 11RE01	1.4	8
102	Design amphiphilic dipolar π -systems for stimuli-responsive luminescent materials using metastable states. <i>Nature Communications</i> , 2014 , 5, 4013	17.4	268
101	Photocontrol Over Self-Assembled Nanostructures of π -Stacked Dyes Supported by the Parallel Conformer of Diarylethene. <i>Angewandte Chemie</i> , 2014 , 126, 2640-2644	3.6	24
100	Photophysical properties of substituted homoleptic and heteroleptic phenylimidazolinato Ir(III) complexes as a blue phosphorescent material. <i>Inorganic Chemistry</i> , 2013 , 52, 12338-50	5.1	49
99	Indolocarbazoles end-capped with diketopyrrolopyrroles: impact of regioisomerism on the solid-state properties and the performance of solution-processed bulk heterojunction solar cells. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 14686	13	15
98	Cholesterol-aided construction of distinct self-organized materials from a luminescent gold(I)-isocyanide complex exhibiting mechanochromic luminescence. <i>Chemical Communications</i> , 2013 , 49, 11391-3	5.8	46
97	Time-resolved fluorescence of π -di(1-naphthyl)oligosilanes and 1-naphthyloligosilanes: intramolecular excimer formation and charge-transfer interactions. <i>Research on Chemical Intermediates</i> , 2013 , 39, 347-357	2.8	4
96	A colorless functional polydopamine thin layer as a basis for polymer capsules. <i>Polymer Chemistry</i> , 2013 , 4, 2696	4.9	76
95	Alkylated-C60 based soft materials: regulation of self-assembly and optoelectronic properties by chain branching. <i>Journal of Materials Chemistry C</i> , 2013 , 1, 1943	7.1	53

94	Rational design of photoresponsive supramolecular assemblies based on diarylethene. <i>Chemistry - A European Journal</i> , 2013 , 19, 6971-5	4.8	38
93	Covalent modular approach for dimension-controlled self-organization of perylene bisimide dyes. <i>Chemistry - A European Journal</i> , 2013 , 19, 6561-5	4.8	27
92	Guided supramolecular polymerization of oligo(p-phenylenevinylene) functionalized bismelamines. <i>Chemical Communications</i> , 2013 , 49, 4941-3	5.8	14
91	Supramolecular Engineering of Perylene Bisimide Assemblies Based on Complementary Multiple Hydrogen Bonding Interactions. <i>Asian Journal of Organic Chemistry</i> , 2013 , 2, 708-724	3	54
90	Facile synthesis of free-standing polymer brush films based on a colorless polydopamine thin layer. <i>Macromolecular Rapid Communications</i> , 2013 , 34, 1220-4	4.8	50
89	Doping Effect of CBP in Bulk-heterojunction Photovoltaic Devices Composed of P3HT and Soluble Perylene Bisimide. <i>Molecular Crystals and Liquid Crystals</i> , 2013 , 578, 88-94	0.5	4
88	Self-assembled Nanofibrils and Nanorings Formed from Oligo(p-phenylenevinylene) Dimers. <i>Chemistry Letters</i> , 2013 , 42, 799-800	1.7	5
87	Effect of Alkyl Group on the Photocrosslinking of Alkyl Methacrylate Based Copolymers. <i>Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi]</i> , 2013 , 26, 259-270	0.7	3
86	Photoreversible supramolecular polymerisation and hierarchical organization of hydrogen-bonded supramolecular co-polymers composed of diarylethenes and oligothiophenes. <i>Chemistry - A European Journal</i> , 2012 , 18, 2244-53	4.8	50
85	Small molecular host based on carbazole and m-terphenyl derivatives for efficient solution processed organic light-emitting diodes. <i>Synthetic Metals</i> , 2012 , 162, 303-308	3.6	6
84	Control over hierarchy levels in the self-assembly of stackable nanotoroids. <i>Journal of the American Chemical Society</i> , 2012 , 134, 18205-8	16.4	124
83	Photoswitchable Exciton Coupling in MerocyanineDiarylethene Multi-Chromophore Hydrogen-Bonded Complexes. <i>Angewandte Chemie</i> , 2012 , 124, 9817-9821	3.6	13
82	Photoswitchable exciton coupling in merocyanine-diarylethene multi-chromophore hydrogen-bonded complexes. <i>Angewandte Chemie - International Edition</i> , 2012 , 51, 9679-83	16.4	50
81	Perylene bisimide organogels formed by melamine[cyano]urate/barbiturate hydrogen-bonded tapes. <i>Polymer Journal</i> , 2012 , 44, 600-606	2.7	8
80	Self-Organization of Hydrogen-Bonding Naphthalene Chromophores into J-type Nanorings and H-type Nanorods: Impact of Regioisomerism. <i>Angewandte Chemie</i> , 2012 , 124, 6747-6751	3.6	32
79	Self-organization of hydrogen-bonding naphthalene chromophores into J-type nanorings and H-type nanorods: impact of regioisomerism. <i>Angewandte Chemie - International Edition</i> , 2012 , 51, 6643-7	16.4	126
78	Supramolecularly engineered perylene bisimide assemblies exhibiting thermal transition from columnar to multilamellar structures. <i>Journal of the American Chemical Society</i> , 2012 , 134, 7983-94	16.4	115
77	Multifunctional, polymorphic, ionic fullerene supramolecular materials: self-assembly and thermotropic properties. <i>Langmuir</i> , 2011 , 27, 7493-501	4	27

76	Stimuli-Responsive Supramolecular Dye Assemblies 2011 , 77-95		1
75	Functionalized Cyclohexyl methacrylate based Copolymers for Negative Resist. <i>Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi]</i> , 2011 , 24, 535-547	0.7	3
74	Oligocarbazole-silane Connected Host Materials Having High Triplet Energies. <i>Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi]</i> , 2011 , 24, 299-303	0.7	2
73	Rational construction of perylene bisimide columnar superstructures with a biased helical sense. <i>Chemistry - A European Journal</i> , 2011 , 17, 3598-608	4.8	64
72	Catenation of self-assembled nanorings. <i>Chemistry - A European Journal</i> , 2011 , 17, 13657-60	4.8	30
71	Realization of a lateral directional order in nematic and smectic A phases of rodlike molecules by using perfluoroarene π - π interactions. <i>Soft Matter</i> , 2011 , 7, 5176	3.6	19
70	Solution processable hydrogen-bonded perylene bisimide assemblies organizing into lamellar architectures. <i>Chemical Communications</i> , 2011 , 47, 12447-9	5.8	28
69	Photophysics and photochemistry of positionally isomeric 1,2-dianthryltetramethyldisilanes: Investigation of anthryl π -anthryl and anthryl π -Si interactions. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2011 , 218, 204-212	4.7	8
68	Rationally controlled helical organization of a multiple-hydrogen-bonding oligothiophene: guest-induced transition of helical-to-twisted ribbons. <i>Chemical Communications</i> , 2011 , 47, 454-6	5.8	15
67	A complementary guest induced morphology transition in a two-component multiple H-bonding self-assembly. <i>Chemical Communications</i> , 2010 , 46, 1076-8	5.8	50
66	Effect of Nitro-Substitution on the Photochemistry of 3-Piperidino-1,2-benzisothiazole Derivatives: A Mechanistic Investigation. <i>Heterocycles</i> , 2010 , 81, 659	0.8	2
65	Molecular arrangement of alkylated fullerenes in the liquid crystalline phase studied with X-ray diffraction. <i>Langmuir</i> , 2010 , 26, 4339-45	4	20
64	Assembly of fullerene-carbon nanotubes: temperature indicator for photothermal conversion. <i>Journal of the American Chemical Society</i> , 2010 , 132, 8566-8	16.4	76
63	Superstructures and superhydrophobic property in hierarchical organized architectures of fullerenes bearing long alkyl tails. <i>Journal of Materials Chemistry</i> , 2010 , 20, 1253-1260		82
62	Two-dimensional organization of mono- and bisurea supramolecular polymers studied by scanning tunneling microscopy. <i>Journal of Nanoscience and Nanotechnology</i> , 2010 , 10, 803-8	1.3	5
61	Fluorescence Patterning using Photochemical Cycloaddition of Di-9,9 π -anthracene Conjugates linked by Permethylsilyl Chains. <i>Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi]</i> , 2010 , 23, 789-794	0.7	5
60	Synthesis and Photophysical Properties of Substituted Tris(phenylbenzimidazolinato) Ir(III) Carbene Complexes as a Blue Phosphorescent Material. <i>European Journal of Inorganic Chemistry</i> , 2010 , 2010, 926-933	2.3	35
59	Rational design of nanofibers and nanorings through complementary hydrogen-bonding interactions of functional π systems. <i>Chemistry - A European Journal</i> , 2010 , 16, 8652-61	4.8	66

58	Supramolecularly Engineered Aggregation of a Dipolar Dye: Vesicular and Ribbonlike Architectures. <i>Angewandte Chemie</i> , 2010 , 122, 10186-10190	3.6	39
57	Supramolecularly engineered aggregation of a dipolar dye: vesicular and ribbonlike architectures. <i>Angewandte Chemie - International Edition</i> , 2010 , 49, 9990-4	16.4	67
56	Structural and electronic properties of extremely long perylene bisimide nanofibers formed through a stoichiometrically mismatched, hydrogen-bonded complexation. <i>Small</i> , 2010 , 6, 2731-40	11	18
55	Self-Assembly Made Durable: Water-Repellent Materials Formed by Cross-Linking Fullerene Derivatives. <i>Angewandte Chemie</i> , 2009 , 121, 2200-2204	3.6	18
54	Interconvertible oligothiophene nanorods and nanotapes with high charge-carrier mobilities. <i>Chemistry - A European Journal</i> , 2009 , 15, 9320-4	4.8	56
53	Chirality in the Photochemical mer-fac Geometrical Isomerization of Tris(1-phenylpyrazolato,N,C2?)iridium(III). <i>European Journal of Inorganic Chemistry</i> , 2009 , 2009, 2104-2109 ^{2,3}	2.3	27
52	Self-assembly made durable: water-repellent materials formed by cross-linking fullerene derivatives. <i>Angewandte Chemie - International Edition</i> , 2009 , 48, 2166-70	16.4	85
51	Reversible transformation between rings and coils in a dynamic hydrogen-bonded self-assembly. <i>Journal of the American Chemical Society</i> , 2009 , 131, 5408-10	16.4	84
50	Unconventional hydrogen-bond-directed hierarchical co-assembly between perylene bisimide and azobenzene-functionalized melamine. <i>Organic and Biomolecular Chemistry</i> , 2009 , 7, 3926-9	3.9	33
49	Role of complementary H-bonding interaction of a cyanurate in the self-assembly and gelation of melamine linked tri(p-phenyleneethynylene)s. <i>Chemical Communications</i> , 2009 , 5984-6	5.8	65
48	Self-Assemblies of Functional Dyes Controlled by Multiple Hydrogen Bonding Interactions. <i>Yuki Gosei Kagaku Kyokaiishi/Journal of Synthetic Organic Chemistry</i> , 2009 , 67, 1231-1239	0.2	1
47	Supramolecular Polymers Based on Hydrogen Bonds. <i>Oleoscience</i> , 2009 , 9, 3-11	0.1	
46	Recent advances in photoresponsive supramolecular self-assemblies. <i>Chemical Society Reviews</i> , 2008 , 37, 1520-9	58.5	397
45	Cyanurate-guided self-assembly of a melamine-capped oligo(p-phenylenevinylene). <i>Chemical Communications</i> , 2008 , 4466-8	5.8	26
44	Electron transport and electrochemistry of mesomorphic fullerenes with long-range ordered lamellae. <i>Journal of the American Chemical Society</i> , 2008 , 130, 9236-7	16.4	81
43	Formation of supramolecular polymers and discrete dimers of perylene bisimide dyes based on melamine-cyanurates hydrogen-bonding interactions. <i>Journal of Organic Chemistry</i> , 2008 , 73, 3328-35	4.2	71
42	Miniaturization of Nanofibers Composed of Melamine-appended Perylene Bisimides and Cyanurates. <i>Chemistry Letters</i> , 2008 , 37, 764-765	1.7	16
41	Photochemistry of 5-nitro-1,2-benzisothiazole derivatives: effects of substituents, solvents and excitation wavelength. <i>Tetrahedron Letters</i> , 2008 , 49, 3444-3448	2	6

40	Supramolecular polymerization and polymorphs of oligo(p-phenylene vinylene)-functionalized bis- and monoureas. <i>Chemistry - A European Journal</i> , 2008 , 14, 5246-57	4.8	60
39	Transformation from H- to J-aggregated perylene bisimide dyes by complexation with cyanurates. <i>Angewandte Chemie - International Edition</i> , 2008 , 47, 3367-71	16.4	255
38	Toroidal nanoobjects from Rosette assemblies of melamine-linked oligo(p-phenyleneethynylene)s and cyanurates. <i>Angewandte Chemie - International Edition</i> , 2008 , 47, 4691-4	16.4	118
37	Inside Cover: Toroidal Nanoobjects from Rosette Assemblies of Melamine-Linked Oligo(p-phenyleneethynylene)s and Cyanurates (Angew. Chem. Int. Ed. 25/2008). <i>Angewandte Chemie - International Edition</i> , 2008 , 47, 4610-4610	16.4	
36	A Black Perylene Bisimide Super Gelator with an Unexpected J-Type Absorption Band. <i>Advanced Materials</i> , 2008 , 20, 1695-1698	24	161
35	Transformation from H- to J-Aggregated Perylene Bisimide Dyes by Complexation with Cyanurates. <i>Angewandte Chemie</i> , 2008 , 120, 3415-3419	3.6	55
34	Toroidal Nanoobjects from Rosette Assemblies of Melamine-Linked Oligo(p-phenyleneethynylene)s and Cyanurates. <i>Angewandte Chemie</i> , 2008 , 120, 4769-4772	3.6	49
33	Innentitelbild: Toroidal Nanoobjects from Rosette Assemblies of Melamine-Linked Oligo(p-phenyleneethynylene)s and Cyanurates (Angew. Chem. 25/2008). <i>Angewandte Chemie</i> , 2008 , 120, 4688-4688	3.6	
32	Diversification of self-organized architectures in supramolecular dye assemblies. <i>Journal of the American Chemical Society</i> , 2007 , 129, 13277-87	16.4	100
31	Gelation-assisted control over excitonic interaction in merocyanine supramolecular assemblies. <i>Angewandte Chemie - International Edition</i> , 2007 , 46, 8005-9	16.4	73
30	Gelation-Assisted Control over Excitonic Interaction in Merocyanine Supramolecular Assemblies. <i>Angewandte Chemie</i> , 2007 , 119, 8151-8155	3.6	29
29	Blue electroluminescence of silyl substituted anthracene derivatives. <i>Organic Electronics</i> , 2007 , 8, 357-365	3.6	40
28	Supramolecular Structure of Self-assembled Synthetic Zinc-131-oxo-chlorins Possessing a Primary, Secondary or Tertiary Alcoholic 31-Hydroxyl Group: Visible Spectroscopic and Molecular Modeling Studies. <i>Photochemistry and Photobiology</i> , 2007 , 73, 153-163	3.6	1
27	Supramolecular nanoribbons and nanoropes generated from hydrogen-bonded supramolecular polymers containing perylene bisimide chromophores. <i>Organic Letters</i> , 2007 , 9, 1137-40	6.2	90
26	Photoresponsive self-assembly and self-organization of hydrogen-bonded supramolecular tapes. <i>Chemistry - A European Journal</i> , 2006 , 12, 3984-94	4.8	76
25	Tunable interchromophore electronic interaction of a merocyanine dye in hydrogen-bonded supramolecular assemblies scaffolded by bismelamine receptors. <i>Chemical Communications</i> , 2006 , 1500-2	5.8	48
24	Radiative and nonradiative processes of meridional and facial isomers of heteroleptic iridium-tris-chelate complexes. <i>Chemical Physics Letters</i> , 2006 , 424, 353-357	2.5	46
23	Supramolecular complexes of functional chromophores based on multiple hydrogen-bonding interactions. <i>Journal of Photochemistry and Photobiology C: Photochemistry Reviews</i> , 2006 , 7, 164-182	16.4	96

22	Melamine-barbiturate/cyanurate binary organogels possessing rigid azobenzene-tether moiety. <i>Langmuir</i> , 2005 , 21, 11048-52	4	56
21	Dye-Assisted Structural Modulation of Hydrogen-Bonded Binary Supramolecular Polymers. <i>Chemistry of Materials</i> , 2005 , 17, 4392-4398	9.6	58
20	Hierarchical organization of photoresponsive hydrogen-bonded rosettes. <i>Journal of the American Chemical Society</i> , 2005 , 127, 11134-9	16.4	263
19	Photoluminescence and Electroluminescence of 9,10-Bis(silylethynyl)anthracene. <i>Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi]</i> , 2005 , 18, 65-68	0.7	14
18	Determination of the Glucose in Serum by the FT-IR-ATR Method. <i>Bunseki Kagaku</i> , 2005 , 54, 149-154	0.2	4
17	Evaluation of sensitizing ability of barbiturate-functionalized non-ionic cyanine dyes; application for photoinduced radical generation system initiated by near IR light. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2005 , 170, 123-129	4.7	32
16	Generation and reactions of 3-alkylidene-1-pyrazoline radical cations by photoinduced electron transfer. <i>Tetrahedron Letters</i> , 2005 , 46, 261-265	2	1
15	Photocontrollable self-assembly. <i>Chemistry - A European Journal</i> , 2005 , 11, 4054-63	4.8	189
14	Time-resolved fluorescence of π (9-anthryl)- π (1-naphthyl)-oligosilanes: intramolecular electronic energy and charge transfer through π - π interactions. <i>Journal of Organometallic Chemistry</i> , 2004 , 689, 1029-1035	2.3	12
13	Synthesis and noncovalent polymerization of self-complementary hydrogen-bonding supramolecular synthons: N,N'-disubstituted 4,6-diamino-pyrimidin-2(1H)-ones. <i>Chemical Communications</i> , 2004 , 1114-5	5.8	27
12	Binary Supramolecular Gels Based on Bismelamine-Cyanurate/Barbiturate Noncovalent Polymers. <i>Chemistry of Materials</i> , 2004 , 16, 3582-3585	9.6	63
11	MAS NMR Structures of Aggregated Cadmium Chlorins Reveal Molecular Control of Self-Assembly of Chlorosomal Bacteriochlorophylls. <i>Journal of Physical Chemistry B</i> , 2004 , 108, 16556-16566	3.4	28
10	Phototriggered self-assembly of hydrogen-bonded rosette. <i>Journal of the American Chemical Society</i> , 2004 , 126, 11500-8	16.4	94
9	Photochemicalmer-facOne-way Isomerization of Phosphorescent Material. Studies by Time-resolved Spectroscopy for Tris[2-(4?,6?-difluorophenyl)pyridine]iridium(III) in Solution. <i>Chemistry Letters</i> , 2003 , 32, 886-887	1.7	48
8	MAS NMR structure of a microcrystalline Cd-bacteriochlorophyll d analogue. <i>Journal of the American Chemical Society</i> , 2003 , 125, 13374-5	16.4	33
7	Photoresponsive melamine barbiturate hydrogen-bonded assembly. <i>Chemical Communications</i> , 2003 , 1844-5	5.8	34
6	Regio- and stereoisomeric control of the aggregation of zinc-chlorins possessing inverted interactive hydroxyl and carbonyl groups. <i>Journal of Organic Chemistry</i> , 2002 , 67, 49-58	4.2	33
5	Synthesis and self-aggregation of zinc chlorophylls possessing an β hydroxyalkyl group: effect of distance between interactive hydroxy group and chlorin moiety on aggregation. <i>Journal of the Chemical Society, Perkin Transactions 1</i> , 2001 , 3135-3144		22

4	Supramolecular structure of self-assembled synthetic zinc-13(1)-oxo-chlorins possessing a primary, secondary or tertiary alcoholic 3(1)-hydroxyl group: visible spectroscopic and molecular modeling studies. <i>Photochemistry and Photobiology</i> , 2001 , 73, 153-63	3.6	49
3	Self-assembly of synthetic 81-hydroxy-chlorophyll analogues. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 1999 , 52, 74-85	6.7	27
2	Synthetic zinc tetrapyrroles complexing with pyridine as a single axial ligand. <i>Bioorganic and Medicinal Chemistry</i> , 1998 , 6, 2171-8	3.4	102
1	Nanoengineering of Curved Supramolecular Polymers: Toward Single-Chain Mesoscale Materials. <i>Accounts of Materials Research</i> ,	7.5	6