

Jennifer B Keogh

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4688096/jennifer-b-keogh-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

137
papers

6,838
citations

49
h-index

79
g-index

161
ext. papers

7,845
ext. citations

5.2
avg, IF

6.18
L-index

#	Paper	IF	Citations
137	Effect of an energy-restricted, high-protein, low-fat diet relative to a conventional high-carbohydrate, low-fat diet on weight loss, body composition, nutritional status, and markers of cardiovascular health in obese women. <i>American Journal of Clinical Nutrition</i> , 2005 , 81, 1298-306	7	338
136	Health benefits of herbs and spices: the past, the present, the future. <i>Medical Journal of Australia</i> , 2006 , 185, S1-S24	4	318
135	Polyphenols and Glycemic Control. <i>Nutrients</i> , 2016 , 8,	6.7	252
134	Impact of gastric structuring on the lipolysis of emulsified lipids. <i>Soft Matter</i> , 2011 , 7, 3513	3.6	217
133	Long-term effects of a very-low-carbohydrate weight loss diet compared with an isocaloric low-fat diet after 12 mo. <i>American Journal of Clinical Nutrition</i> , 2009 , 90, 23-32	7	183
132	Long-term effects of a high-protein, low-carbohydrate diet on weight control and cardiovascular risk markers in obese hyperinsulinemic subjects. <i>International Journal of Obesity</i> , 2004 , 28, 661-70	5.5	177
131	The role of edible mushrooms in health: Evaluation of the evidence. <i>Journal of Functional Foods</i> , 2012 , 4, 687-709	5.1	171
130	Hand grip dynamometry as a predictor of postoperative complications reappraisal using age standardized grip strengths. <i>Journal of Parenteral and Enteral Nutrition</i> , 1989 , 13, 30-3	4.2	147
129	A high-protein diet with resistance exercise training improves weight loss and body composition in overweight and obese patients with type 2 diabetes. <i>Diabetes Care</i> , 2010 , 33, 969-76	14.6	136
128	Fecal butyrate levels vary widely among individuals but are usually increased by a diet high in resistant starch. <i>Journal of Nutrition</i> , 2011 , 141, 883-9	4.1	133
127	Flow-mediated dilatation is impaired by a high-saturated fat diet but not by a high-carbohydrate diet. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005 , 25, 1274-9	9.4	130
126	Metabolic effects of weight loss on a very-low-carbohydrate diet compared with an isocaloric high-carbohydrate diet in abdominally obese subjects. <i>Journal of the American College of Cardiology</i> , 2008 , 51, 59-67	15.1	128
125	Adherence to a Mediterranean diet and Alzheimer's disease risk in an Australian population. <i>Translational Psychiatry</i> , 2012 , 2, e164	8.6	126
124	Long-term effects of a high-protein weight-loss diet. <i>American Journal of Clinical Nutrition</i> , 2008 , 87, 23-9	7	118
123	Combining wheat bran with resistant starch has more beneficial effects on fecal indexes than does wheat bran alone. <i>American Journal of Clinical Nutrition</i> , 2004 , 79, 1020-8	7	116
122	Effects of weight loss from a very-low-carbohydrate diet on endothelial function and markers of cardiovascular disease risk in subjects with abdominal obesity. <i>American Journal of Clinical Nutrition</i> , 2008 , 87, 567-76	7	115
121	Effects of a low-salt diet on flow-mediated dilatation in humans. <i>American Journal of Clinical Nutrition</i> , 2009 , 89, 485-90	7	111

120	Probiotics, prebiotics, synbiotics and insulin sensitivity. <i>Nutrition Research Reviews</i> , 2018 , 31, 35-51	7	105
119	Meal replacements are as effective as structured weight-loss diets for treating obesity in adults with features of metabolic syndrome. <i>Journal of Nutrition</i> , 2004 , 134, 1894-9	4.1	101
118	Long term weight maintenance after advice to consume low carbohydrate, higher protein diets--a systematic review and meta analysis. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014 , 24, 224-35	4.5	98
117	Carbohydrate-restricted diets high in either monounsaturated fat or protein are equally effective at promoting fat loss and improving blood lipids. <i>American Journal of Clinical Nutrition</i> , 2005 , 81, 762-72	7	95
116	Trans fatty acids in adipose tissue and the food supply are associated with myocardial infarction. <i>Journal of Nutrition</i> , 2004 , 134, 874-9	4.1	94
115	Dietary patterns and cognitive decline in an Australian study of ageing. <i>Molecular Psychiatry</i> , 2015 , 20, 860-6	15.1	90
114	Wholegrain foods made from a novel high-amylose barley variety (Himalaya 292) improve indices of bowel health in human subjects. <i>British Journal of Nutrition</i> , 2008 , 99, 1032-40	3.6	88
113	Low- and high-carbohydrate weight-loss diets have similar effects on mood but not cognitive performance. <i>American Journal of Clinical Nutrition</i> , 2007 , 86, 580-7	7	88
112	The effects of intermittent compared to continuous energy restriction on glycaemic control in type 2 diabetes; a pragmatic pilot trial. <i>Diabetes Research and Clinical Practice</i> , 2016 , 122, 106-112	7.4	86
111	A review of potential metabolic etiologies of the observed association between red meat consumption and development of type 2 diabetes mellitus. <i>Metabolism: Clinical and Experimental</i> , 2015 , 64, 768-79	12.7	85
110	A systematic review of the effect of dietary saturated and polyunsaturated fat on heart disease. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2017 , 27, 1060-1080	4.5	85
109	Comparison of isocaloric very low carbohydrate/high saturated fat and high carbohydrate/low saturated fat diets on body composition and cardiovascular risk. <i>Nutrition and Metabolism</i> , 2006 , 3, 7	4.6	85
108	The effect of milk protein on the bioavailability of cocoa polyphenols. <i>Journal of Food Science</i> , 2007 , 72, S230-3	3.4	83
107	Effect of weight on cardiovascular disease. <i>American Journal of Clinical Nutrition</i> , 1996 , 63, 419S-422S	7	81
106	Long-term effects of weight loss with a very low carbohydrate and low fat diet on vascular function in overweight and obese patients. <i>Journal of Internal Medicine</i> , 2010 , 267, 452-61	10.8	80
105	Women@ Barriers to Weight Loss, Knowledge of Future Diabetes Risk and Opinions of Diet Strategies Following Gestational Diabetes: An Online Survey (OR08-01-19). <i>Current Developments in Nutrition</i> , 2019 , 3,	0.4	78
104	Endothelial function is impaired after a high-salt meal in healthy subjects. <i>American Journal of Clinical Nutrition</i> , 2011 , 93, 500-5	7	76
103	Effect of Intermittent Compared With Continuous Energy Restricted Diet on Glycemic Control in Patients With Type 2 Diabetes: A Randomized Noninferiority Trial. <i>JAMA Network Open</i> , 2018 , 1, e180756	10.4	72

102	Benefits of Nut Consumption on Insulin Resistance and Cardiovascular Risk Factors: Multiple Potential Mechanisms of Actions. <i>Nutrients</i> , 2017 , 9,	6.7	71
101	Impact of different biopolymer networks on the digestion of gastric structured emulsions. <i>Food Hydrocolloids</i> , 2014 , 36, 102-114	10.6	70
100	Effect of weight loss on pulse wave velocity: systematic review and meta-analysis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015 , 35, 243-52	9.4	68
99	Effect of weight loss on inflammatory and endothelial markers and FMD using two low-fat diets. <i>International Journal of Obesity</i> , 2005 , 29, 1445-51	5.5	65
98	Effects of meals with high soluble fibre, high amylose barley variant on glucose, insulin, satiety and thermic effect of food in healthy lean women. <i>European Journal of Clinical Nutrition</i> , 2007 , 61, 597-604	5.2	64
97	Weight-Loss Outcomes: A Systematic Review and Meta-Analysis of Intermittent Energy Restriction Trials Lasting a Minimum of 6 Months. <i>Nutrients</i> , 2016 , 8,	6.7	63
96	Effects of weight loss on a low-carbohydrate diet on flow-mediated dilatation, adhesion molecules and adiponectin. <i>British Journal of Nutrition</i> , 2007 , 98, 852-9	3.6	62
95	The satiating effect of dietary protein is unrelated to postprandial ghrelin secretion. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 5205-11	5.6	61
94	High protein diets decrease total and abdominal fat and improve CVD risk profile in overweight and obese men and women with elevated triacylglycerol. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2009 , 19, 548-54	4.5	57
93	Effect of carbohydrate distribution on postprandial glucose peaks with the use of continuous glucose monitoring in type 2 diabetes. <i>American Journal of Clinical Nutrition</i> , 2008 , 87, 638-44	7	56
92	Slowly and rapidly digested fat emulsions are equally satiating but their triglycerides are differentially absorbed and metabolized in humans. <i>Journal of Nutrition</i> , 2011 , 141, 809-15	4.1	54
91	Estimating food intakes in Australia: validation of the Commonwealth Scientific and Industrial Research Organisation (CSIRO) food frequency questionnaire against weighed dietary intakes. <i>Journal of Human Nutrition and Dietetics</i> , 2009 , 22, 559-66	3.1	52
90	Tailoring the digestion of structured emulsions using mixed monoglyceride-base interfaces. <i>Food Hydrocolloids</i> , 2014 , 36, 151-161	10.6	49
89	Dairy consumption and insulin sensitivity: a systematic review of short- and long-term intervention studies. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2015 , 25, 3-8	4.5	49
88	Moderate weight loss reduces renin and aldosterone but does not influence basal or stimulated pituitary-adrenal axis function. <i>Hormone and Metabolic Research</i> , 2007 , 39, 694-9	3.1	47
87	Bone loss at the proximal femur and reduced lean mass following liver transplantation: a longitudinal study. <i>Nutrition</i> , 1999 , 15, 661-4	4.8	47
86	Red meat, dairy, and insulin sensitivity: a randomized crossover intervention study. <i>American Journal of Clinical Nutrition</i> , 2015 , 101, 1173-9	7	45
85	Can a food frequency questionnaire be used to capture dietary intake data in a 4 week clinical intervention trial?. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2004 , 13, 318-23	1	45

84	Sustained effects of a protein preload on glycaemia and gastric emptying over 4 weeks in patients with type 2 diabetes: A randomized clinical trial. <i>Diabetes Research and Clinical Practice</i> , 2015 , 108, e31-47	4.4	43
83	A reduction of 3 g/day from a usual 9 g/day salt diet improves endothelial function and decreases endothelin-1 in a randomised cross-over study in normotensive overweight and obese subjects. <i>Atherosclerosis</i> , 2014 , 233, 32-8	3.1	42
82	Long-term effects of a low carbohydrate, low fat or high unsaturated fat diet compared to a no-intervention control. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2010 , 20, 599-607	4.5	42
81	Food intake, postprandial glucose, insulin and subjective satiety responses to three different bread-based test meals. <i>Appetite</i> , 2011 , 57, 707-10	4.5	41
80	Effects of intermittent compared to continuous energy restriction on short-term weight loss and long-term weight loss maintenance. <i>Clinical Obesity</i> , 2014 , 4, 150-6	3.6	40
79	Metabolic effects of high-protein diets. <i>Current Atherosclerosis Reports</i> , 2007 , 9, 472-8	6	40
78	Effect of aging on transpyloric flow, gastric emptying, and intragastric distribution in healthy humans--impact on glycemia. <i>Digestive Diseases and Sciences</i> , 2005 , 50, 671-6	4	40
77	Postprandial effects of a high salt meal on serum sodium, arterial stiffness, markers of nitric oxide production and markers of endothelial function. <i>Atherosclerosis</i> , 2014 , 232, 211-6	3.1	39
76	Effect of glycomacropeptide fractions on cholecystokinin and food intake. <i>British Journal of Nutrition</i> , 2010 , 104, 286-90	3.6	38
75	The role of meal replacements in obesity treatment. <i>Obesity Reviews</i> , 2005 , 6, 229-34	10.6	38
74	Effect of a low-resource-intensive lifestyle modification program incorporating gymnasium-based and home-based resistance training on type 2 diabetes risk in Australian adults. <i>Diabetes Care</i> , 2008 , 31, 2244-50	14.6	36
73	Achieving the salt intake target of 6 g/day in the current food supply in free-living adults using two dietary education strategies. <i>Journal of the American Dietetic Association</i> , 2010 , 110, 763-7		35
72	Effects of drink volume and glucose load on gastric emptying and postprandial blood pressure in healthy older subjects. <i>American Journal of Physiology - Renal Physiology</i> , 2005 , 289, G240-8	5.1	34
71	Comparison of 2 weight-loss diets of different protein content on bone health: a randomized trial. <i>American Journal of Clinical Nutrition</i> , 2013 , 98, 1343-52	7	30
70	Long-term weight maintenance and cardiovascular risk factors are not different following weight loss on carbohydrate-restricted diets high in either monounsaturated fat or protein in obese hyperinsulinaemic men and women. <i>British Journal of Nutrition</i> , 2007 , 97, 405-10	3.6	30
69	Effect of intermittent compared to continuous energy restriction on weight loss and weight maintenance after 12 months in healthy overweight or obese adults. <i>International Journal of Obesity</i> , 2019 , 43, 2028-2036	5.5	29
68	Nuts and Cardio-Metabolic Disease: A Review of Meta-Analyses. <i>Nutrients</i> , 2018 , 10,	6.7	28
67	A systematic review of vascular and endothelial function: effects of fruit, vegetable and potassium intake. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2015 , 25, 253-66	4.5	26

66	The association between carotid intima media thickness and individual dietary components and patterns. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014 , 24, 495-502	4.5	26
65	Food label education does not reduce sodium intake in people with type 2 diabetes mellitus. A randomised controlled trial. <i>Appetite</i> , 2013 , 68, 147-51	4.5	23
64	Mushrooms and agaritine: A mini-review. <i>Journal of Functional Foods</i> , 2010 , 2, 91-98	5.1	23
63	Very low-fat (12%) and high monounsaturated fat (35%) diets do not differentially affect abdominal fat loss in overweight, nondiabetic women. <i>Journal of Nutrition</i> , 2004 , 134, 1741-5	4.1	23
62	Sodium intake and excretion in individuals with type 2 diabetes mellitus: a cross-sectional analysis of overweight and obese males and females in Australia. <i>Journal of Human Nutrition and Dietetics</i> , 2012 , 25, 129-39	3.1	21
61	Effects of Two Different Dietary Patterns on Inflammatory Markers, Advanced Glycation End Products and Lipids in Subjects without Type 2 Diabetes: A Randomised Crossover Study. <i>Nutrients</i> , 2017 , 9,	6.7	21
60	Effect of weight loss induced by energy restriction on measures of arterial compliance: A systematic review and meta-analysis. <i>Atherosclerosis</i> , 2016 , 247, 7-20	3.1	20
59	The effect of intermittent compared with continuous energy restriction on glycaemic control in patients with type 2 diabetes: 24-month follow-up of a randomised noninferiority trial. <i>Diabetes Research and Clinical Practice</i> , 2019 , 151, 11-19	7.4	19
58	Digestion of microencapsulated oil powders: in vitro lipolysis and in vivo absorption from a food matrix. <i>Food and Function</i> , 2014 , 5, 2905-12	6.1	19
57	Differential Effects of Red Meat/Refined Grain Diet and Dairy/Chicken/Nuts/Whole Grain Diet on Glucose, Insulin and Triglyceride in a Randomized Crossover Study. <i>Nutrients</i> , 2016 , 8,	6.7	19
56	Dietary predictors of arterial stiffness in a cohort with type 1 and type 2 diabetes. <i>Atherosclerosis</i> , 2015 , 238, 175-81	3.1	17
55	Effects of Different Weight Loss Approaches on CVD Risk. <i>Current Atherosclerosis Reports</i> , 2018 , 20, 27	6	17
54	Effect of high potassium diet on endothelial function. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014 , 24, 983-9	4.5	17
53	Effect of improving dietary quality on carotid intima media thickness in subjects with type 1 and type 2 diabetes: a 12-mo randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2015 , 102, 771-9	7	16
52	Effects of Weight Loss on Advanced Glycation End Products in Subjects with and without Diabetes: A Preliminary Report. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	16
51	Comparative analysis of two FFQ. <i>Public Health Nutrition</i> , 2010 , 13, 1553-8	3.3	16
50	Fructose acute effects on glucose, insulin, and triglyceride after a solid meal compared with sucralose and sucrose in a randomized crossover study. <i>American Journal of Clinical Nutrition</i> , 2016 , 103, 1453-7	7	16
49	Effect of sodium and potassium supplementation on vascular and endothelial function: a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2015 , 101, 939-46	7	15

48	Consumption of red and processed meat and refined grains for 4 weeks decreases insulin sensitivity in insulin-resistant adults: A randomized crossover study. <i>Metabolism: Clinical and Experimental</i> , 2017 , 68, 173-183	12.7	14
47	Changes in Lipids and Inflammatory Markers after Consuming Diets High in Red Meat or Dairy for Four Weeks. <i>Nutrients</i> , 2017 , 9,	6.7	14
46	High protein-high red meat versus high carbohydrate weight loss diets do not differ in effect on genome stability and cell death in lymphocytes of overweight men. <i>Mutagenesis</i> , 2009 , 24, 271-7	2.8	14
45	Attitudes and beliefs of Australian adults on reality television cooking programmes and celebrity chefs. Is there cause for concern? Descriptive analysis presented from a consumer survey. <i>Appetite</i> , 2015 , 91, 7-12	4.5	13
44	Dietary intake in adults with type 1 and type 2 diabetes: validation of the Dietary Questionnaire for Epidemiological Studies version 2 FFQ against a 3-d weighed food record and 24-h urinalysis. <i>British Journal of Nutrition</i> , 2015 , 114, 2056-63	3.6	13
43	Remission of diabetes in patients with long-standing type 2 diabetes following placement of adjustable gastric band: a retrospective case control study. <i>Diabetes, Obesity and Metabolism</i> , 2013 , 15, 383-5	6.7	13
42	Timing of protein ingestion relative to resistance exercise training does not influence body composition, energy expenditure, glycaemic control or cardiometabolic risk factors in a hypocaloric, high protein diet in patients with type 2 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2010 , 12, 1097-105	6.7	13
41	Salt intake and health in the Australian population. <i>Medical Journal of Australia</i> , 2008 , 189, 526	4	13
40	Postprandial effects of potassium supplementation on vascular function and blood pressure: a randomised cross-over study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014 , 24, 148-54	4.5	12
39	Foods contributing to sodium intake and urinary sodium excretion in a group of Australian women. <i>Public Health Nutrition</i> , 2013 , 16, 1837-42	3.3	12
38	Meal replacements for weight loss in type 2 diabetes in a community setting. <i>Journal of Nutrition and Metabolism</i> , 2012 , 2012, 918571	2.7	12
37	Intermittent energy restriction in type 2 diabetes: A short discussion of medication management. <i>World Journal of Diabetes</i> , 2016 , 7, 627-630	4.7	12
36	A pilot comprehensive lifestyle intervention program (CLIP)--comparison with qualitative lifestyle advice and simvastatin on cardiovascular risk factors in overweight hypercholesterolaemic individuals. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2011 , 21, 165-72	4.5	10
35	Dietary Interventions for Night Shift Workers: A Literature Review. <i>Nutrients</i> , 2019 , 11,	6.7	9
34	Effect of Intermittent Energy Restriction on Flow Mediated Dilatation, a Measure of Endothelial Function: A Short Report. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	9
33	Attitudes and beliefs of health risks associated with sodium intake in diabetes. <i>Appetite</i> , 2014 , 83, 97-103	4.5	9
32	Dietary quality in people with type 1 and type 2 diabetes compared to age, sex and BMI matched controls. <i>Diabetes Research and Clinical Practice</i> , 2015 , 107, e7-10	7.4	9
31	Does Nut Consumption Reduce Mortality and/or Risk of Cardiometabolic Disease? An Updated Review Based on Meta-Analyses. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	9

30	Differential Effects of Dietary Patterns on Advanced Glycation end Products: A Randomized Crossover Study. <i>Nutrients</i> , 2020 , 12,	6.7	7
29	Impact of intermittent vs. continuous energy restriction on weight and cardiometabolic factors: a 12-month follow-up. <i>International Journal of Obesity</i> , 2020 , 44, 1236-1242	5.5	7
28	Acute effect of red meat and dairy on glucose and insulin: a randomized crossover study. <i>American Journal of Clinical Nutrition</i> , 2016 , 103, 71-6	7	7
27	Weight Loss, Dietary Intake and Pulse Wave Velocity. <i>Pulse</i> , 2015 , 3, 134-40	1.6	7
26	Non-nutritive Sweeteners and Glycaemic Control. <i>Current Atherosclerosis Reports</i> , 2019 , 21, 49	6	7
25	Dietary quality and carotid intima media thickness in type 1 and type 2 diabetes: Follow-up of a randomised controlled trial. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2018 , 28, 830-838	4.5	7
24	Cholesterol-Lowering Effects of Plant Sterols in One Serve of Wholegrain Wheat Breakfast Cereal Biscuits-a Randomised Crossover Clinical Trial. <i>Foods</i> , 2018 , 7,	4.9	6
23	Increased thiamine intake may be required to maintain thiamine status during weight loss in patients with type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2012 , 98, e40-2	7.4	6
22	Association between dairy intake, lipids and vascular structure and function in diabetes. <i>World Journal of Diabetes</i> , 2017 , 8, 202-212	4.7	6
21	Effect of Improving Dietary Quality on Arterial Stiffness in Subjects with Type 1 and Type 2 Diabetes: A 12 Months Randomised Controlled Trial. <i>Nutrients</i> , 2016 , 8,	6.7	6
20	The Role of Choice in Weight Loss Strategies: A Systematic Review and Meta-Analysis. <i>Nutrients</i> , 2018 , 10,	6.7	6
19	The effect of intermittent energy restriction on weight loss and diabetes risk markers in women with a history of gestational diabetes: a 12-month randomized control trial. <i>American Journal of Clinical Nutrition</i> , 2021 , 114, 794-803	7	5
18	Sodium and potassium excretion are related to bone mineral density in women with coeliac disease. <i>Clinical Nutrition</i> , 2015 , 34, 265-8	5.9	4
17	Weight loss maintenance in women 3 years after following a 12-week structured weight loss program. <i>Obesity Research and Clinical Practice</i> , 2007 , 1, I-II	5.4	4
16	Energy Intake and Satiety Responses of Eggs for Breakfast in Overweight and Obese Adults-A Crossover Study. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	4
15	Evaluation of the Swedish adjustable gastric band VC (SAGB-VC) in an Australian population: early results. <i>Canadian Journal of Surgery</i> , 2013 , 56, 15-20	2	3
14	A comparison of dietary quality and nutritional adequacy of popular energy-restricted diets against the Australian Guide to Healthy Eating and the Mediterranean Diet. <i>British Journal of Nutrition</i> , 2021 , 1-14	3.6	3
13	Salt Restriction in Diabetes. <i>Current Diabetes Reports</i> , 2015 , 15, 58	5.6	2

12	Consumption of a Beverage Containing Aspartame and Acesulfame K for Two Weeks Does Not Adversely Influence Glucose Metabolism in Adult Males and Females: A Randomized Crossover Study. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	2
11	Comparative analysis of the Cancer Council of Victoria and the online Commonwealth Scientific and Industrial Research Organisation FFQ. <i>British Journal of Nutrition</i> , 2015 , 114, 1683-93	3.6	2
10	Effects of Weight Loss on FGF-21 in Human Subjects: An Exploratory Study. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	2
9	Developing and implementing a new methodology to test the affordability of currently popular weight loss diet meal plans and healthy eating principles.. <i>BMC Public Health</i> , 2022 , 22, 23	4.1	1
8	Women@ Barriers to Weight Loss, Perception of Future Diabetes Risk and Opinions of Diet Strategies Following Gestational Diabetes: An Online Survey. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	1
7	Reply to: "Effect of weight loss induced by energy restriction on measures of arterial compliance: A systematic review and meta-analysis". <i>Atherosclerosis</i> , 2016 , 252, 203-204	3.1	1
6	Obesity and type 2 diabetes mellitus. <i>Nutrition and Dietetics</i> , 2007 , 64, S156-S161	2.5	0
5	Dairy foods and the risk of type 2 diabetes. <i>Current Opinion in Lipidology</i> , 2016 , 27, 539-40	4.4	
4	Effect of a moderate dose of fructose in solid foods on TAG, glucose and uric acid before and after a 1-month moderate sugar-feeding period. <i>British Journal of Nutrition</i> , 2021 , 126, 837-843	3.6	
3	Clinical and dietary predictors of common carotid artery intima media thickness in a population with type 1 and type 2 diabetes: A cross-sectional study. <i>World Journal of Diabetes</i> , 2017 , 8, 18-27	4.7	
2	Weight Loss and Adhesion Molecules 2010 , 217-226		
1	Response to the comment by Kuipers and Pruiboom. <i>Metabolism: Clinical and Experimental</i> , 2016 , 65, e5	12.7	