## Peter Schuster

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4689906/publications.pdf

Version: 2024-02-01

1163117 996975 39 224 8 15 citations h-index g-index papers 39 39 39 321 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Colour tissue velocity imaging can show resynchronisation of longitudinal left ventricular contraction pattern by biventricular pacing in patients with severe heart failure. British Heart Journal, 2003, 89, 859-864.	2.1	35
2	Accuracy and usability of single-lead ECG from smartphones - A clinical study. Indian Pacing and Electrophysiology Journal, 2019, 19, 145-149.	0.6	34
3	Color Doppler Tissue Velocity Imaging Can Disclose Systolic Left Ventricular Asynchrony Independent of the QRS Morphology in Patients with Severe Heart Failure. PACE - Pacing and Clinical Electrophysiology, 2004, 27, 460-467.	1.2	25
4	Remote magnetic versus manual catheters: evaluation of ablation effect in atrial fibrillation by myocardial marker levels. Journal of Interventional Cardiac Electrophysiology, 2011, 32, 37-43.	1.3	24
5	Incidence and clinical predictors of subsequent atrial fibrillation requiring additional ablation after cavotricuspid isthmus ablation for typical atrial flutter. Scandinavian Cardiovascular Journal, 2017, 51, 123-128.	1.2	15
6	Reverse remodelling of systolic left ventricular contraction pattern by long term cardiac resynchronisation therapy: colour Doppler shows resynchronisation. Heart, 2004, 90, 1411-1416.	2.9	10
7	Feasibility of color doppler tissue velocity imaging for assessment of regional timing of left ventricular longitudinal movement. Scandinavian Cardiovascular Journal, 2004, 38, 39-45.	1.2	10
8	Proportionality of rate response to metabolic workload provided by a rate adaptive pacemaker with automatic rate profile optimization. Europace, 2005, 7, 54-59.	1.7	10
9	Entrapment and retrieval of a diagnostic electrophysiological catheter in the Chiari network. Journal of Arrhythmia, 2018, 34, 647-649.	1.2	8
10	Premedication and preoperative information reduces pain intensity and increases satisfaction in patients undergoing ablation for atrial fibrillation. A randomised controlled study. Applied Nursing Research, 2015, 28, 268-273.	2.2	7
11	Multicenter, randomized comparison between magnetically navigated and manually guided radiofrequency ablation of atrioventricular nodal reentrant tachycardia (the MagMa-AVNRT-trial). Clinical Research in Cardiology, 2017, 106, 947-952.	3.3	7
12	Color Doppler Tissue Velocity Imaging Demonstrates Significant Asynchronous Regional Left Ventricular Contraction and Relaxation in Patients with Bundle Branch Block and Heart Failure Compared with Control Subjects. Cardiology, 2004, 102, 220-227.	1.4	6
13	Long-term follow-up in patients treated by stent implantation for post-ablation pulmonary vein stenosis. Journal of Interventional Cardiac Electrophysiology, 2018, 53, 309-315.	1.3	6
14	Assessment of regional timing of left ventricular systolic longitudinal movement by Doppler tissue synchronization imaging in structurally normal hearts. European Journal of Echocardiography, 2005, 6, 336-343.	2.3	4
15	10-year follow-up after radiofrequency ablation of idiopathic ventricular arrhythmias from right ventricular outflow tract. Indian Pacing and Electrophysiology Journal, 2016, 16, 88-91.	0.6	4
16	Device treatment of atrial tachycardiaâ€"minor additional effect of repeating pacing sequences. International Journal of Cardiology, 2005, 104, 10-14.	1.7	3
17	Performance of an active fixation bipolar left ventricular lead vs passive fixation quadripolar leads in cardiac resynchronization therapy, a randomized trial. Journal of Arrhythmia, 2021, 37, 212-218.	1.2	3
18	Reducing atrial tachycardia and atrial fibrillation episodes with a prevention and treatment device and tailored treatment. International Journal of Cardiology, 2005, 99, 51-58.	1.7	2

#	Article	IF	CITATIONS
19	TEE time? ICETEE time! IntraCardiac Echocardiography probe used for TransoEsophageal Echocardiography. Europace, 2010, 12, 1787-1788.	1.7	2
20	Clinical outcome of cardiac resynchronization therapy in patients randomized to an active fixation bipolar left ventricular lead <i>versus</i> a passive quadripolar lead. Scandinavian Cardiovascular Journal, 2021, 55, 153-159.	1.2	2
21	Techniques for identification of left ventricular asynchrony for cardiac resynchronization therapy in heart failure. Indian Pacing and Electrophysiology Journal, 2005, 5, 175-85.	0.6	2
22	The Roles of Fractionated Potentials in Non-Macroreentrant Atrial Tachycardias Following Atrial Fibrillation Ablation: Recognition Beyond Three-Dimensional Mapping. Frontiers in Cardiovascular Medicine, 2021, 8, 759563.	2.4	2
23	Atrioventricular nodal ablation in patients with resynchronization therapy and atrial fibrillation – long term results. Scandinavian Cardiovascular Journal, 2017, 51, 138-142.	1.2	1
24	Adherence to oral anticoagulant treatment and risk factor assessment six months after DC-conversion of atrial fibrillation. Scandinavian Cardiovascular Journal, 2020, 54, 179-185.	1.2	1
25	Cryoballoon versus radiofrequency catheter ablation: insights from Norwegian randomized study of persistent atrial fibrillation (NO-PERSAF study). Europace, 2022, 24, .	1.7	1
26	A31-2 The first atrial antiachycardia pacing sequences provide most success. Europace, 2003, 4, B47-B47.	1.7	0
27	P-154 Should cardiac resynchronization therapy of severe heart failure be combined with backup defibrillator?. Europace, 2003, 4, B103-B103.	1.7	0
28	P-023 Atrial tachycardia is even distributed over the day. Europace, 2003, 4, B72-B72.	1.7	0
29	P285Temperature plateau during the thawing phase of cryoballoon ablation correlates with adequate freezing effects. Europace, 2018, 20, i39-i39.	1.7	0
30	Troponin T release comparing manually or magnetically guided radiofrequency ablation for AVNRT- a MAGMA AVNRT substudy. Scandinavian Cardiovascular Journal, 2018, 52, 362-366.	1.2	0
31	P1127Usability of single lead ECG from smartphones: the USELESS pilot?. Europace, 2018, 20, i211-i211.	1.7	O
32	Letter by Schuster Regarding Article, "Outcomes and Management of Patients With Severe Pulmonary Vein Stenosis From Prior Atrial Fibrillation Ablation― Circulation: Arrhythmia and Electrophysiology, 2018, 11, e006581.	4.8	0
33	They still like to get a letter – Patient preference for follow-up after radiofrequency ablation for atrial fibrillation. International Journal of Healthcare Management, 2019, , 1-4.	2.0	O
34	P-023 atrial tachycardia is even distributed over the day. Europace, 2003, 4, B72.	1.7	0
35	P-154 Should cardiac resynchronization therapy of severe heart failure be combined with backup defibrillator?. Europace, 2003, 4, B103.	1.7	0
36	A39-4 Echocardiographic methods are feasible to select heart failure patients that will improve by cardiac resynchronization therapy. Europace, 2003, 4, B61.	1.7	0

#	Article	IF	CITATIONS
37	P-059 Stable treatment success of atrial antitachycardia pacing during long term follow up. Europace, 2003, 4, B81-B81.	1.7	O
38	Thawing plateau time indicating the duration of phase transition from ice to water is the strongest predictor for long-term durable pulmonary vein isolation after cryoablation for atrial fibrillation. Europace, 2022, 24, .	1.7	0
39	Pacemaker and AV node ablation after multiple AF ablation procedures: a patients perspective - The PANAMA PAPER. Europace, 2022, 24, .	1.7	0