Simranjit K Sidhu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4692639/publications.pdf Version: 2024-02-01



SIMPANUT K SIDHU

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Autonomic responses to exercise: Group III/IV muscle afferents and fatigue. Autonomic Neuroscience: Basic and Clinical, 2015, 188, 19-23. | 2.8 | 134 |
| 2 | Group III/IV muscle afferents limit the intramuscular metabolic perturbation during whole body exercise in humans. Journal of Physiology, 2016, 594, 5303-5315. | 2.9 | 127 |
| 3 | Cortical voluntary activation of the human knee extensors can be reliably estimated using transcranial magnetic stimulation. Muscle and Nerve, 2009, 39, 186-196. | 2.2 | 108 |
| 4 | Locomotor exercise induces long-lasting impairments in the capacity of the human motor cortex to voluntarily activate knee extensor muscles. Journal of Applied Physiology, 2009, 106, 556-565. | 2.5 | 104 |
| 5 | Spinal μâ€opioid receptorâ€sensitive lower limb muscle afferents determine corticospinal responsiveness and promote central fatigue in upper limb muscle. Journal of Physiology, 2014, 592, 5011-5024. | 2.9 | 94 |
| 6 | Group III/IV locomotor muscle afferents alter motor cortical and corticospinal excitability and promote central fatigue during cycling exercise. Clinical Neurophysiology, 2017, 128, 44-55. | 1.5 | 92 |
| 7 | Fatigueâ€ŧelated group III/IV muscle afferent feedback facilitates intracortical inhibition during locomotor exercise. Journal of Physiology, 2018, 596, 4789-4801. | 2.9 | 64 |
| 8 | Motor cortex excitability does not increase during sustained cycling exercise to volitional exhaustion. Journal of Applied Physiology, 2012, 113, 401-409. | 2.5 | 57 |
| 9 | Corticospinal modulation induced by sounds depends on action preparedness. Journal of Physiology, 2014, 592, 153-169. | 2.9 | 55 |
| 10 | Corticospinal Responses to Sustained Locomotor Exercises: Moving Beyond Single-Joint Studies of Central Fatigue. Sports Medicine, 2013, 43, 437-449. | 6.5 | 54 |
| 11 | Corticospinal contributions to lower limb muscle activity during cycling in humans. Journal of Neurophysiology, 2012, 107, 306-314. | 1.8 | 53 |
| 12 | Fatigue diminishes motoneuronal excitability during cycling exercise. Journal of Neurophysiology, 2016, 116, 1743-1751. | 1.8 | 39 |
| 13 | Intensity-dependent alterations in the excitability of cortical and spinal projections to the knee extensors during isometric and locomotor exercise. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2015, 308, R998-R1007. | 1.8 | 37 |
| 14 | Lifelong strength training mitigates the age-related decline in efferent drive. Journal of Applied Physiology, 2016, 121, 415-423. | 2.5 | 36 |
| 15 | Sustained Cycling Exercise Increases Intracortical Inhibition. Medicine and Science in Sports and Exercise, 2013, 45, 654-662. | 0.4 | 34 |
| 16 | Acute High-Intensity Exercise Impairs Skeletal Muscle Respiratory Capacity. Medicine and Science in Sports and Exercise, 2018, 50, 2409-2417. | 0.4 | 34 |
| 17 | Shortâ€interval intracortical inhibition in knee extensors during locomotor cycling. Acta Physiologica, 2013, 207, 194-201. | 3.8 | 33 |
| 18 | Aging alters muscle reflex control of autonomic cardiovascular responses to rhythmic contractions in humans. American Journal of Physiology - Heart and Circulatory Physiology, 2015, 309, H1479-H1489. | 3.2 | 30 |

Simranjit K Sidhu

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Cortical inhibition assessed using paired-pulse TMS-EEG is increased in older adults. Brain Stimulation, 2018, 11, 545-557. | 1.6 | 28 |
| 20 | Role of carbohydrate in central fatigue: a systematic review. Scandinavian Journal of Medicine and Science in Sports, 2017, 27, 376-384. | 2.9 | 21 |
| 21 | Intermittent single-joint fatiguing exercise reduces TMS-EEG measures of cortical inhibition. Journal of Neurophysiology, 2019, 121, 471-479. | 1.8 | 20 |
| 22 | Exercise Pressor Reflex Contributes to the Cardiovascular Abnormalities Characterizing. Hypertension, 2019, 74, 1468-1475. | 2.7 | 15 |
| 23 | Impact of age on the development of fatigue during large and small muscle mass exercise. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2018, 315, R741-R750. | 1.8 | 14 |
| 24 | Increasing motor cortex plasticity with spaced paired associative stimulation at different intervals in older adults. European Journal of Neuroscience, 2017, 46, 2674-2683. | 2.6 | 10 |
| 25 | Older Adults Differentially Modulate Transcranial Magnetic Stimulation–Electroencephalography Measures of Cortical Inhibition during Maximal Single-joint Exercise. Neuroscience, 2020, 425, 181-193. | 2.3 | 9 |
| 26 | TMS coil orientation and muscle activation influence lower limb intracortical excitability. Brain Research, 2020, 1746, 147027. | 2.2 | 9 |
| 27 | Ascorbate attenuates cycling exercise-induced neuromuscular fatigue but fails to improve exertional dyspnea and exercise tolerance in COPD. Journal of Applied Physiology, 2021, 130, 69-79. | 2.5 | 8 |
| 28 | Preconditioning cathodal transcranial direct current stimulation facilitates the neuroplastic effect of subsequent anodal transcranial direct current stimulation applied during cycling in young adults. Neuroscience Letters, 2020, 714, 134597. | 2.1 | 4 |
| 29 | Single joint fatiguing exercise decreases long but not short–interval intracortical inhibition in older adults. Experimental Brain Research, 2021, 239, 47-58. | 1.5 | 4 |
| 30 | Acute high-intensity exercise and skeletal muscle mitochondrial respiratory function: role of metabolic perturbation. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2021, 321, R687-R698. | 1.8 | 3 |
| 31 | Freely Chosen Cadence During Cycling Attenuates Intracortical Inhibition and Increases Intracortical Facilitation Compared to a Similar Fixed Cadence. Neuroscience, 2020, 441, 93-101. | 2.3 | 2 |
| 32 | Remote muscle priming anodal transcranial direct current stimulation attenuates short interval intracortical inhibition and increases time to task failure of a constant workload cycling exercise. Experimental Brain Research, 2021, 239, 1975-1985. | 1.5 | 2 |
| 33 | Motor cortex plasticity and visuomotor skill learning in upper and lower limbs of endurance-trained cyclists. European Journal of Applied Physiology, 2022, 122, 169-184. | 2.5 | 2 |
| 34 | Submaximal isometric fatiguing exercise of the elbow flexors has no age-related effect on GABAB mediated inhibition. Journal of Applied Physiology, 2021, , . | 2.5 | 1 |
| 35 | Group III/IV Mediated Muscle Reflexes Restrain Vascular Conductance During Exercise In Patients With Hypertension. Medicine and Science in Sports and Exercise, 2015, 47, 418. | 0.4 | 0 |
| 36 | Group III/IV Muscle Afferents Restrict Intramuscular Metabolic Perturbation In Exercising Humans. Medicine and Science in Sports and Exercise, 2015, 47, 329. | 0.4 | 0 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Fatigue Modulates The Effect Of Group III/IV Muscle Afferents On GABAB-Mediated Inhibition And Corticospinal Excitability. Medicine and Science in Sports and Exercise, 2017, 49, 695. | 0.4 | 0 |
| 38 | The Development of Peripheral and Central Fatigue During Self-Paced Endurance Exercise. Medicine and Science in Sports and Exercise, 2015, 47, 327-328. | 0.4 | 0 |
| 39 | Ascorbate Attenuates the Development of Fatigue During Exercise in Patients with Chronic Obstructive Pulmonary Disease. Medicine and Science in Sports and Exercise, 2016, 48, 284. | 0.4 | 0 |