

Dickson W L Wong

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4692854/publications.pdf>

Version: 2024-02-01

20
papers

767
citations

686830

13
h-index

752256

20
g-index

22
all docs

22
docs citations

22
times ranked

1624
citing authors

#	ARTICLE	IF	CITATIONS
1	Evolving complexity of MIF signaling. <i>Cellular Signalling</i> , 2019, 57, 76-88.	1.7	132
2	The TLR4 antagonist CRX-526 protects against advanced diabetic nephropathy. <i>Kidney International</i> , 2013, 83, 887-900.	2.6	106
3	Kallistatin protects against diabetic nephropathy in \hat{A} db/db mice by suppressing AGE-RAGE-induced oxidative stress. <i>Kidney International</i> , 2016, 89, 386-398.	2.6	75
4	Mesenchymal Stem Cells Modulate Albumin-Induced Renal Tubular Inflammation and Fibrosis. <i>PLoS ONE</i> , 2014, 9, e90883.	1.1	64
5	Complement C5a inhibition moderates lipid metabolism and reduces tubulointerstitial fibrosis in diabetic nephropathy. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 1323-1332.	0.4	62
6	Multisystemic Cellular Tropism of SARS-CoV-2 in Autopsies of COVID-19 Patients. <i>Cells</i> , 2021, 10, 1900.	1.8	50
7	Activated renal tubular Wnt/ \hat{I} ² -catenin signaling \hat{A} triggers renal inflammation during \hat{A} overload proteinuria. <i>Kidney International</i> , 2018, 93, 1367-1383.	2.6	47
8	Glycosaminoglycan Regulation by VEGFA and VEGFC of the Glomerular Microvascular Endothelial Cell Glycocalyx in \hat{A} vitro. <i>American Journal of Pathology</i> , 2013, 183, 604-616.	1.9	46
9	Tissue Kallikrein Mediates Pro-Inflammatory Pathways and Activation of Protease-Activated Receptor-4 in Proximal Tubular Epithelial Cells. <i>PLoS ONE</i> , 2014, 9, e88894.	1.1	36
10	BMP7 reduces inflammation and oxidative stress in diabetic tubulopathy. <i>Clinical Science</i> , 2015, 128, 269-280.	1.8	34
11	Repeated exposure to transient obstructive sleep apnea \hat{A} related conditions causes an atrial fibrillation substrate in a chronic rat model. <i>Heart Rhythm</i> , 2021, 18, 455-464.	0.3	26
12	Human induced pluripotent stem cell-derived mesenchymal stem cells prevent adriamycin nephropathy in mice. <i>Oncotarget</i> , 2017, 8, 103640-103656.	0.8	17
13	Downregulation of renal tubular Wnt/ \hat{I} ² -catenin signaling by Dickkopf-3 induces tubular cell death in proteinuric nephropathy. <i>Cell Death and Disease</i> , 2016, 7, e2155-e2155.	2.7	16
14	Disrupted PI3K subunit p110 \hat{I} signaling protects against pulmonary hypertension and reverses established disease in rodents. <i>Journal of Clinical Investigation</i> , 2021, 131, .	3.9	12
15	N-Acetyl-seryl-aspartyl-lysyl-proline Alleviates Renal Fibrosis Induced by Unilateral Ureteric Obstruction in BALB/C Mice. <i>Mediators of Inflammation</i> , 2015, 2015, 1-10.	1.4	10
16	SARS \hat{A} CoV \hat{A} 2 RNA screening in routine pathology specimens. <i>Microbial Biotechnology</i> , 2021, 14, 1627-1641.	2.0	9
17	Semi-individualised Chinese medicine treatment as an adjuvant management for diabetic nephropathy: a pilot add-on, randomised, controlled, multicentre, open-label pragmatic clinical trial. <i>BMJ Open</i> , 2016, 6, e010741.	0.8	7
18	Renal Denervation Prevents Atrial Arrhythmogenic Substrate Development in CKD. <i>Circulation Research</i> , 2022, 130, 814-828.	2.0	7

#	ARTICLE	IF	CITATIONS
19	Chemokine CCL9 Is Upregulated Early in Chronic Kidney Disease and Counteracts Kidney Inflammation and Fibrosis. <i>Biomedicines</i> , 2022, 10, 420.	1.4	4
20	Coagulation-independent effects of thrombin and Factor Xa: role of protease-activated receptors in pulmonary hypertension. <i>Cardiovascular Research</i> , 2022, 118, 3225-3238.	1.8	3