

Jae-Young Je

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4693695/jae-young-je-publications-by-citations.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

134
papers

6,814
citations

42
h-index

79
g-index

135
ext. papers

7,592
ext. citations

5
avg, IF

6.13
L-index

#	Paper	IF	Citations
134	Purification of a radical scavenging peptide from fermented mussel sauce and its antioxidant properties. <i>Food Research International</i> , 2005 , 38, 175-182	7	463
133	Purification and characterization of antioxidant peptide from hoki (<i>Johnius belengerii</i>) frame protein by gastrointestinal digestion. <i>Journal of Nutritional Biochemistry</i> , 2007 , 18, 31-8	6.3	368
132	Antioxidant activity of a peptide isolated from Alaska pollack (<i>Theragra chalcogramma</i>) frame protein hydrolysate. <i>Food Research International</i> , 2005 , 38, 45-50	7	359
131	Free radical scavenging activities of differently deacetylated chitosans using an ESR spectrometer. <i>Carbohydrate Polymers</i> , 2004 , 55, 17-22	10.3	247
130	Angiotensin I-converting enzyme inhibitory peptide from yellowfin sole (<i>Limanda aspera</i>) frame protein and its antihypertensive effect in spontaneously hypertensive rats. <i>Food Chemistry</i> , 2006 , 94, 26-32	8.5	241
129	Chitosan derivatives killed bacteria by disrupting the outer and inner membrane. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 6629-33	5.7	228
128	Free radical scavenging properties of hetero-chitooligosaccharides using an ESR spectroscopy. <i>Food and Chemical Toxicology</i> , 2004 , 42, 381-7	4.7	177
127	Chitooligosaccharide and its derivatives: preparation and biological applications. <i>BioMed Research International</i> , 2014 , 2014, 654913	3	161
126	Antioxidant and antihypertensive protein hydrolysates produced from tuna liver by enzymatic hydrolysis. <i>Food Research International</i> , 2009 , 42, 1266-1272	7	159
125	Antihypertensive effect of angiotensin i converting enzyme-inhibitory peptide from hydrolysates of Bigeye tuna dark muscle, <i>Thunnus obesus</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 8398-403	5.7	153
124	Biological effects of chitosan and its derivatives. <i>Food Hydrocolloids</i> , 2015 , 51, 200-216	10.6	150
123	A novel angiotensin I converting enzyme inhibitory peptide from Alaska pollack (<i>Theragra chalcogramma</i>) frame protein hydrolysate. <i>Journal of Agricultural and Food Chemistry</i> , 2004 , 52, 7842-5	5.7	149
122	Purification and anti-inflammatory action of tripeptide from salmon pectoral fin byproduct protein hydrolysate. <i>Food Chemistry</i> , 2015 , 168, 151-6	8.5	145
121	Preparation, characterization, and antioxidant properties of gallic acid-grafted-chitosans. <i>Carbohydrate Polymers</i> , 2011 , 83, 1617-1622	10.3	142
120	Free radical scavenging activity of chitooligosaccharides by electron spin resonance spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , 2003 , 51, 4624-7	5.7	138
119	Angiotensin I converting enzyme (ACE) inhibitory peptide derived from the sauce of fermented blue mussel, <i>Mytilus edulis</i> . <i>Bioresource Technology</i> , 2005 , 96, 1624-9	11	132
118	Purification and antioxidant properties of octapeptide from salmon byproduct protein hydrolysate by gastrointestinal digestion. <i>Food Chemistry</i> , 2014 , 147, 78-83	8.5	125

117	Antioxidant activity and γ -aminobutyric acid (GABA) content in sea tangle fermented by <i>Lactobacillus brevis</i> BJ20 isolated from traditional fermented foods. <i>Food Chemistry</i> , 2010 , 122, 271-276	8.5	124
116	Anti-inflammatory action of high molecular weight <i>Mytilus edulis</i> hydrolysates fraction in LPS-induced RAW264.7 macrophage via NF- κ B and MAPK pathways. <i>Food Chemistry</i> , 2016 , 202, 9-14	8.5	115
115	Chitosan-hydroxycinnamic acid conjugates: preparation, antioxidant and antimicrobial activity. <i>Food Chemistry</i> , 2014 , 148, 97-104	8.5	111
114	Antioxidant and anti-inflammatory peptide fraction from salmon byproduct protein hydrolysates by peptic hydrolysis. <i>Food Research International</i> , 2012 , 49, 92-98	7	104
113	Gallic acid-grafted-chitosan inhibits foodborne pathogens by a membrane damage mechanism. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 6574-9	5.7	94
112	Reactive oxygen species scavenging activity of aminoderivatized chitosan with different degree of deacetylation. <i>Bioorganic and Medicinal Chemistry</i> , 2006 , 14, 5989-94	3.4	89
111	Angiotensin I converting enzyme (ACE) inhibitory activity of hetero-chitooligosaccharides prepared from partially different deacetylated chitosans. <i>Journal of Agricultural and Food Chemistry</i> , 2003 , 51, 4930-4	5.7	83
110	Purification and antioxidant properties of bigeye tuna (<i>Thunnus obesus</i>) dark muscle peptide on free radical-mediated oxidative systems. <i>Journal of Medicinal Food</i> , 2008 , 11, 629-37	2.8	80
109	Amino acid changes in fermented oyster (<i>Crassostrea gigas</i>) sauce with different fermentation periods. <i>Food Chemistry</i> , 2005 , 91, 15-18	8.5	75
108	Water-soluble chitosan derivatives as a BACE1 inhibitor. <i>Bioorganic and Medicinal Chemistry</i> , 2005 , 13, 6551-5	3.4	73
107	Factors affecting anti-inflammatory effect of chitooligosaccharides in lipopolysaccharides-induced RAW264.7 macrophage cells. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009 , 19, 6655-8	2.9	63
106	Preparation and antioxidative activity of hoki frame protein hydrolysate using ultrafiltration membranes. <i>European Food Research and Technology</i> , 2005 , 221, 157-162	3.4	61
105	Anti-asthmatic effect of marine red alga (<i>Laurencia undulata</i>) polyphenolic extracts in a murine model of asthma. <i>Food and Chemical Toxicology</i> , 2009 , 47, 293-7	4.7	60
104	Partial purification and identification of three antioxidant peptides with hepatoprotective effects from blue mussel (<i>Mytilus edulis</i>) hydrolysate by peptic hydrolysis. <i>Journal of Functional Foods</i> , 2016 , 20, 88-95	5.1	59
103	Antimicrobial action of novel chitin derivative. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2006 , 1760, 104-9	4	58
102	Gallic Acid-g-Chitosan Modulates Inflammatory Responses in LPS-Stimulated RAW264.7 Cells Via NF- κ B, AP-1, and MAPK Pathways. <i>Inflammation</i> , 2016 , 39, 366-374	5.1	54
101	Antioxidant and angiotensin I converting enzyme inhibitory activity of <i>Bambusae caulis</i> in Liguamen. <i>Food Chemistry</i> , 2009 , 113, 932-935	8.5	51
100	Gliotoxin isolated from marine fungus <i>Aspergillus</i> sp. induces apoptosis of human cervical cancer and chondrosarcoma cells. <i>Marine Drugs</i> , 2013 , 12, 69-87	6	49

99	Anticoagulant activity of heterochitosans and their oligosaccharide sulfates. <i>European Food Research and Technology</i> , 2004 , 219, 529-533	3-4	49
98	Antioxidant effects of fermented sea tangle (<i>Laminaria japonica</i>) by <i>Lactobacillus brevis</i> BJ20 in individuals with high level of EG7: A randomized, double-blind, and placebo-controlled clinical study. <i>Food and Chemical Toxicology</i> , 2012 , 50, 1166-9	4-7	48
97	Enzymatic production of bioactive protein hydrolysates from tuna liver: effects of enzymes and molecular weight on bioactivity. <i>International Journal of Food Science and Technology</i> , 2010 , 45, 562-568	3-8	47
96	Involvement of Nrf2-mediated heme oxygenase-1 expression in anti-inflammatory action of chitosan oligosaccharides through MAPK activation in murine macrophages. <i>European Journal of Pharmacology</i> , 2016 , 793, 43-48	5-3	45
95	Amino acid composition and in vitro antioxidant and cytoprotective activity of abalone viscera hydrolysate. <i>Journal of Functional Foods</i> , 2015 , 16, 94-103	5-1	44
94	<i>Nelumbo nucifera</i> leaves protect hydrogen peroxide-induced hepatic damage via antioxidant enzymes and HO-1/Nrf2 activation. <i>Food and Function</i> , 2015 , 6, 1911-8	6-1	43
93	The mechanism of antibacterial activity of phlorofucofuroeckol-A against methicillin-resistant <i>Staphylococcus aureus</i> . <i>Applied Microbiology and Biotechnology</i> , 2014 , 98, 9795-804	5-7	42
92	Cytotoxic activities of water-soluble chitosan derivatives with different degree of deacetylation. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2006 , 16, 2122-6	2-9	37
91	Radical scavenging activity of hetero-chitooligosaccharides. <i>European Food Research and Technology</i> , 2004 , 219, 60-65	3-4	37
90	Antioxidant and Anti-Inflammatory Activities of Protein Hydrolysates from <i>Mytilus Edulis</i> and Ultrafiltration Membrane Fractions. <i>Journal of Food Biochemistry</i> , 2014 , 38, 460-468	3-3	36
89	Chitooligosaccharides decreases plasma lipid levels in healthy men. <i>International Journal of Food Sciences and Nutrition</i> , 2012 , 63, 103-6	3-7	35
88	Antibacterial and synergic effects of gallic acid-grafted-chitosan with β -lactams against methicillin-resistant <i>Staphylococcus aureus</i> (MRSA). <i>Canadian Journal of Microbiology</i> , 2014 , 60, 629-38	3-2	34
87	pH and NIR-light-responsive magnetic iron oxide nanoparticles for mitochondria-mediated apoptotic cell death induced by chemo-photothermal therapy. <i>International Journal of Pharmaceutics</i> , 2017 , 531, 1-13	6-5	34
86	A novel anticoagulant protein from <i>Scapharca broughtonii</i> . <i>BMB Reports</i> , 2002 , 35, 199-205	5-5	34
85	Fabrication, characterization and determination of biological activities of poly(ϵ -caprolactone)/chitosan-caffeic acid composite fibrous mat for wound dressing application. <i>International Journal of Biological Macromolecules</i> , 2016 , 93, 1549-1558	7-9	33
84	Protective effect of cordycepin-enriched <i>Cordyceps militaris</i> on alcoholic hepatotoxicity in Sprague-Dawley rats. <i>Food and Chemical Toxicology</i> , 2013 , 60, 52-7	4-7	33
83	Chitooligosaccharides suppress the level of protein expression and acetylcholinesterase activity induced by Abeta25-35 in PC12 cells. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009 , 19, 860-2	2-9	33
82	Diethylaminoethyl chitosan induces apoptosis in HeLa cells via activation of caspase-3 and p53 expression. <i>Carbohydrate Polymers</i> , 2011 , 84, 571-578	10-3	33

81	Protective effect of fermented sea tangle against ethanol and carbon tetrachloride-induced hepatic damage in Sprague-Dawley rats. <i>Food and Chemical Toxicology</i> , 2010 , 48, 1123-8	4.7	32
80	Chitooligosaccharides as potential nutraceuticals: production and bioactivities. <i>Advances in Food and Nutrition Research</i> , 2012 , 65, 321-36	6	32
79	Effect of far-infrared radiation drying of citrus press-cakes on free radical scavenging and antioxidant activities. <i>Journal of Food Engineering</i> , 2010 , 97, 168-176	6	32
78	Purification and antioxidant activities of peptides from sea squirt (<i>Halocynthia roretzi</i>) protein hydrolysates using pepsin hydrolysis. <i>Food Bioscience</i> , 2018 , 25, 128-133	4.9	31
77	Chitosan as potential marine nutraceutical. <i>Advances in Food and Nutrition Research</i> , 2012 , 65, 121-35	6	30
76	Chitosan gallate as potential antioxidant biomaterial. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011 , 21, 3070-3	2.9	30
75	Antihypertensive activity of chitin derivatives. <i>Biopolymers</i> , 2006 , 83, 250-4	2.2	30
74	Prolyl endopeptidase inhibitory activity of chitosan sulfates with different degree of deacetylation. <i>Carbohydrate Polymers</i> , 2005 , 60, 553-556	10.3	29
73	Preparation and antioxidant potential of maillard reaction products from (MRPs) chitooligomer. <i>Food Chemistry</i> , 2014 , 145, 173-8	8.5	28
72	Blue mussel (<i>Mytilus edulis</i>) protein hydrolysate promotes mouse mesenchymal stem cell differentiation into osteoblasts through up-regulation of bone morphogenetic protein. <i>Food Chemistry</i> , 2018 , 242, 156-161	8.5	27
71	Matrix metalloproteinases (MMPs) inhibitory effects of an octameric oligopeptide isolated from abalone <i>Haliotis discus hannai</i> . <i>Food Chemistry</i> , 2013 , 141, 503-9	8.5	27
70	Chitooligosaccharides induce apoptosis in human myeloid leukemia HL-60 cells. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012 , 22, 6136-8	2.9	27
69	Hepatoprotective effect of chitooligosaccharides against tert-butylhydroperoxide-induced damage in Chang liver cells. <i>Carbohydrate Polymers</i> , 2011 , 83, 995-1000	10.3	26
68	Antioxidant peptide isolated from muscle protein of bullfrog, <i>Rana catesbeiana</i> Shaw. <i>Journal of Medicinal Food</i> , 2007 , 10, 401-7	2.8	26
67	Characterization of (aminoethyl)chitin/DNA nanoparticle for gene delivery. <i>Biomacromolecules</i> , 2006 , 7, 3448-51	6.9	26
66	Dipeptide Phe-Cys derived from in silico thermolysin-hydrolysed RuBisCO large subunit suppresses oxidative stress in cultured human hepatocytes. <i>Food Chemistry</i> , 2015 , 171, 287-91	8.5	25
65	Purification and characterization of antioxidant peptides from enzymatically hydrolyzed ark shell (<i>Scapharca subcrenata</i>). <i>Process Biochemistry</i> , 2018 , 72, 170-176	4.8	23
64	Almond protein hydrolysate fraction modulates the expression of proinflammatory cytokines and enzymes in activated macrophages. <i>Food and Function</i> , 2013 , 4, 777-83	6.1	23

63	Antioxidant and Cytoprotective Effects of Lotus (<i>Nelumbo nucifera</i>) Leaves Phenolic Fraction. <i>Preventive Nutrition and Food Science</i> , 2015 , 20, 22-8	2.4	23
62	Protective effects against H ₂ O ₂ -induced damage by enzymatic hydrolysates of an edible brown seaweed, sea tangle (<i>Laminaria japonica</i>). <i>Journal of Medicinal Food</i> , 2009 , 12, 159-66	2.8	23
61	Inhibition of acetylcholinesterase by gallic acid-grafted-chitosans. <i>Carbohydrate Polymers</i> , 2011 , 84, 690-693	6.3	23
60	Aminoethyl-chitosan inhibits LPS-induced inflammatory mediators, iNOS and COX-2 expression in RAW264.7 mouse macrophages. <i>Process Biochemistry</i> , 2011 , 46, 465-470	4.8	23
59	Enzymatic extracts from edible red algae, <i>Porphyra tenera</i> , and their antioxidant, anti-acetylcholinesterase, and anti-inflammatory activities. <i>Food Science and Biotechnology</i> , 2010 , 19, 1551-1557	3	23
58	Anti-methicillin-resistant <i>Staphylococcus aureus</i> (MRSA) substance from the marine bacterium <i>Pseudomonas</i> sp. UJ-6. <i>Environmental Toxicology and Pharmacology</i> , 2013 , 35, 171-7	5.8	22
57	Prevention of oxidative stress in Chang liver cells by gallic acid-grafted-chitosans. <i>Carbohydrate Polymers</i> , 2012 , 87, 876-880	10.3	22
56	Antibacterial activity of aminoderivatized chitosans against methicillin-resistant <i>Staphylococcus aureus</i> (MRSA). <i>Bioorganic and Medicinal Chemistry</i> , 2009 , 17, 7108-12	3.4	22
55	Sulfated chitooligosaccharides as prolyl endopeptidase inhibitor. <i>International Journal of Biological Macromolecules</i> , 2007 , 41, 529-33	7.9	22
54	Preparation and antibacterial activities of chitosan-gallic acid/polyvinyl alcohol blend film by LED-UV irradiation. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2017 , 176, 145-149	6.7	20
53	Amino Acid Composition, Antioxidant, and Cytoprotective Effect of Blue Mussel (<i>) Hydrolysate through the Inhibition of Caspase-3 Activation in Oxidative Stress-Mediated Endothelial Cell Injury. <i>Marine Drugs</i>, 2019, 17,</i>	6	20
52	Induction of Nrf2-mediated phase II detoxifying/antioxidant enzymes in vitro by chitosan-caffeic acid against hydrogen peroxide-induced hepatotoxicity through JNK/ERK pathway. <i>Molecular and Cellular Biochemistry</i> , 2017 , 424, 79-86	4.2	20
51	RECOVERY OF FISH BONE FROM HOKI (<i>JOHNIUS BELENGERI</i>) FRAME USING A PROTEOLYTIC ENZYME ISOLATED FROM MACKEREL INTESTINE. <i>Journal of Food Biochemistry</i> , 2003 , 27, 255-266	3.3	20
50	Lotus (<i>Nelumbo nucifera</i>) seed protein isolate exerts anti-inflammatory and antioxidant effects in LPS-stimulated RAW264.7 macrophages via inhibiting NF- κ B and MAPK pathways, and upregulating catalase activity. <i>International Journal of Biological Macromolecules</i> , 2019 , 134, 791-797	7.9	19
49	Protein Hydrolysates and Ultrafiltration Fractions Obtained from Krill (<i>Euphausia superba</i>): Nutritional, Functional, Antioxidant, and ACE-Inhibitory Characterization. <i>Journal of Aquatic Food Product Technology</i> , 2016 , 25, 1266-1277	1.6	19
48	Antioxidant activity of novel chitin derivative. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2006 , 16, 1884-7	7.9	19
47	Purification and characterization of a novel angiotensin I-converting enzyme inhibitory peptide derived from an enzymatic hydrolysate of duck skin byproducts. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 10035-40	5.7	18
46	Bone health-promoting bioactive peptides. <i>Journal of Food Biochemistry</i> , 2019 , 43, e12529	3.3	18

45	Protective effect of enzymatic hydrolysates from seahorse (<i>Hippocampus abdominalis</i>) against HO-mediated human umbilical vein endothelial cell injury. <i>Biomedicine and Pharmacotherapy</i> , 2018 , 108, 103-110	7.5	17
44	Renin inhibition activity by chitoooligosaccharides. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008 , 18, 2471-4	2.9	16
43	Hepatoprotective effect of peptic hydrolysate from salmon pectoral fin protein byproducts on ethanol-induced oxidative stress in SpragueDawley rats. <i>Food Research International</i> , 2013 , 51, 648-653	7	14
42	AMINO ACID CHANGES IN THE KOREAN TRADITIONAL FERMENTATION PROCESS FOR BLUE MUSSEL, MYTILUS EDULIS. <i>Journal of Food Biochemistry</i> , 2005 , 29, 108-116	3.3	13
41	Phenolic Composition and Hepatoprotective Activities of <i>Allium Hookeri</i> Against Hydrogen-Peroxide-Induced Oxidative Stress in Cultured Hepatocytes. <i>Journal of Food Biochemistry</i> , 2016 , 40, 284-293	3.3	13
40	Osteoblastogenic activity of ark shell protein hydrolysates with low molecular weight in mouse mesenchymal stem cells. <i>RSC Advances</i> , 2016 , 6, 29365-29370	3.7	12
39	Antioxidant and tyrosinase inhibitory activities of a novel chitosan-phloroglucinol conjugate. <i>International Journal of Food Science and Technology</i> , 2013 , 48, 1172-1178	3.8	12
38	Antimicrobial Activity of Gallic Acid-Grafted-Chitosan Against Fish Pathogens. <i>Journal of Carbohydrate Chemistry</i> , 2015 , 34, 163-171	1.7	11
37	EVALUATION OF ANTIOXIDANT, ANTI-ALZHEIMER'S AND ANTI-INFLAMMATORY ACTIVITIES OF ENZYMATIC HYDROLYSATES FROM EDIBLE BROWN SEAWEED (<i>LAMINARIA JAPONICA</i>). <i>Journal of Food Biochemistry</i> , 2012 , 36, 207-216	3.3	11
36	Preparation and biological evaluation of enzyme-assisted extracts from edible seaweed (<i>Enteromorpha prolifera</i>) as antioxidant, anti-acetylcholinesterase and inhibition of lipopolysaccharide-induced nitric oxide production in murine macrophages. <i>International Journal of Food Sciences and Nutrition</i> , 2012 , 63, 187-93	3.7	11
35	Antioxidant and Antibacterial Activities of Chitosan-Phloroglucinol Conjugate. <i>Fisheries and Aquatic Sciences</i> , 2013 , 16, 229-235	2.9	11
34	IN VITRO ANTIOXIDANT ACTIVITIES OF THE FERMENTED MARINE MICROALGA PAVLOVA LUTHERI (HAPTOPHYTA) WITH THE YEAST HANSENULA POLYMORPHA(1). <i>Journal of Phycology</i> , 2012 , 48, 475-82 ³		10
33	Phenolic composition and antioxidant effect of aqueous extract of <i>Arisaema cum Bile</i> , the Oriental Herb Medicine, in human fibroblast cells. <i>Immunopharmacology and Immunotoxicology</i> , 2012 , 34, 661-6	3.2	10
32	Fucoxanthin derivatives from <i>Sargassum siliquastrum</i> inhibit matrix metalloproteinases by suppressing NF- κ B and MAPKs in human fibrosarcoma cells. <i>Algae</i> , 2014 , 29, 355-366	2.4	10
31	Synergistic combination of chemo-phototherapy based on temozolomide/ICG-loaded iron oxide nanoparticles for brain cancer treatment. <i>Oncology Reports</i> , 2019 , 42, 1709-1724	3.5	9
30	Ark shell protein hydrolysates inhibit adipogenesis in mouse mesenchymal stem cells through the down-regulation of transcriptional factors. <i>RSC Advances</i> , 2017 , 7, 6223-6228	3.7	8
29	Inulin/PVA biomaterials using thiamine as an alternative plasticizer. <i>Carbohydrate Polymers</i> , 2019 , 220, 86-94	10.3	7
28	Isolation of an antioxidant peptide from krill protein hydrolysates as a novel agent with potential hepatoprotective effects. <i>Journal of Functional Foods</i> , 2020 , 67, 103889	5.1	7

27	Two novel peptides from ark shell protein stimulate osteoblast differentiation and rescue ovariectomy-induced bone loss. <i>Toxicology and Applied Pharmacology</i> , 2019 , 385, 114779	4.6	7
26	Synergistic effects between aminoethyl-chitosans and beta-lactams against methicillin-resistant <i>Staphylococcus aureus</i> (MRSA). <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010 , 20, 975-8	2.9	7
25	Blue Mussel-Derived Peptides PIISVYWK and FSVVSPK Trigger Wnt/ β Catenin Signaling-Mediated Osteogenesis in Human Bone Marrow Mesenchymal Stem Cells. <i>Marine Drugs</i> , 2020 , 18,	6	7
24	Anti-inflammatory effect of polyphenol-rich extract from the red alga <i>Callophyllis japonica</i> in lipopolysaccharide-induced RAW 264.7 macrophages. <i>Algae</i> , 2014 , 29, 343-353	2.4	6
23	ANTIOXIDANT ACTIVITY OF TRADITIONAL KOREAN FERMENTED SOYBEAN (DAMDUSI) EXTRACT ON FREE RADICAL-MEDIATED OXIDATIVE SYSTEMS. <i>Journal of Food Biochemistry</i> , 2011 , 35, 1242-1256	3.3	6
22	Hepatoprotective effect of chitosan-caffeic acid conjugate against ethanol-treated mice. <i>Experimental and Toxicologic Pathology</i> , 2017 , 69, 618-624		5
21	In Vitro Antibacterial and Synergistic Effect of Chitosan-Phytochemical Conjugates Against Antibiotic Resistant Fish Pathogenic Bacteria. <i>Indian Journal of Microbiology</i> , 2019 , 59, 116-120	3.7	5
20	Antihypertensive effects of IleProPhePys from krill (<i>Euphausia superba</i>) protein hydrolysates: purification, identification and in vivo evaluation in spontaneously hypertensive rats. <i>European Food Research and Technology</i> , 2017 , 243, 719-725	3.4	5
19	Ark shell protein-derived bioactive peptides promote osteoblastic differentiation through upregulation of the canonical Wnt/ β catenin signaling in human bone marrow-derived mesenchymal stem cells. <i>Journal of Food Biochemistry</i> , 2020 , 44, e13440	3.3	5
18	Sea Squirt (<i>Halocynthia roretzi</i>) Hydrolysates Induce Apoptosis in Human Colon Cancer HT-29 Cells through Activation of Reactive Oxygen Species. <i>Nutrition and Cancer</i> , 2019 , 71, 118-127	2.8	5
17	Cytoprotective Role of Edible Seahorse (<i>Hippocampus</i>)-Derived Peptides in HO-Induced Oxidative Stress in Human Umbilical Vein Endothelial Cells. <i>Marine Drugs</i> , 2021 , 19,	6	5
16	Insertion of gallic acid onto chitosan promotes the differentiation of osteoblasts from murine bone marrow-derived mesenchymal stem cells. <i>International Journal of Biological Macromolecules</i> , 2021 , 183, 1410-1418	7.9	5
15	Low molecular weight blue mussel hydrolysates inhibit adipogenesis in mouse mesenchymal stem cells through upregulating HO-1/Nrf2 pathway. <i>Food Research International</i> , 2020 , 136, 109603	7	4
14	Anti-Osteoporotic Effects of Antioxidant Peptides PIISVYWK and FSVVSPK from on Ovariectomized Mice. <i>Antioxidants</i> , 2020 , 9,	7.1	4
13	Protective effects of <i>Cornus walteri</i> W. extracts on t-BHP-induced cell damage through antioxidant activity. <i>Biotechnology and Bioprocess Engineering</i> , 2013 , 18, 819-826	3.1	3
12	Antioxidant activity of enzymatic extracts from <i>Stellaria dichotoma</i> . <i>Journal of Medicinal Food</i> , 2008 , 11, 723-32	2.8	3
11	Biological Compounds Extracted from <i>Codium fragile</i> by Enzymatic Hydrolysis and Their Biological Activities. <i>Journal of the Korean Society of Food Science and Nutrition</i> , 2010 , 39, 953-959	1.5	3
10	Abalone Protein Hydrolysates: Preparation, Angiotensin I Converting Enzyme Inhibition and Cellular Antioxidant Activity. <i>Preventive Nutrition and Food Science</i> , 2015 , 20, 176-82	2.4	3

9	FERMENTED SEA TANGLE (LAMINARIA JAPONICA) ATTENUATES ETHANOL-INDUCED OXIDATIVE STRESS IN SPRAGUE-DAWLEY RATS. <i>Journal of Food Biochemistry</i> , 2013 , 37, 80-87	3.3	2
8	Antioxidant and Cytoprotective Activities of Enzymatic Extracts from Rhizoid of. <i>Preventive Nutrition and Food Science</i> , 2017 , 22, 312-319	2.4	2
7	Fermented sea tangle attenuates oxidative stress in individuals with a high level of Eglutamyltransferase: A randomized, double-blind, and placebo-controlled clinical study. <i>Food Science and Biotechnology</i> , 2014 , 23, 937-941	3	1
6	Characterization of the complete mitochondrial genome of brown barracuda, (Perciformes: Sphyraenidae). <i>Mitochondrial DNA Part B: Resources</i> , 2020 , 5, 3042-3043	0.5	1
5	Anti-adipogenic peptides from ark shell protein hydrolysate: Purification, identification and anti-adipogenic effect. <i>Process Biochemistry</i> , 2021 , 109, 143-147	4.8	1
4	Antibacterial Activity of an Ethyl Acetate Extract of Pseudomonas sp. UJ-6 against Methicillin-Resistant Staphylococcus aureus. <i>Fisheries and Aquatic Sciences</i> , 2013 , 16, 79-84	2.9	0
3	Heme oxygenase-1 induction by gallic acid-g-chitosan is an important event in modulating adipocyte differentiation.. <i>Journal of Food Biochemistry</i> , 2022 , e14179	3.3	0
2	Hepatoprotective Effects of Chitosan-Phloroglucinol Conjugate in Cultured Hepatocyte. <i>Journal of Food Biochemistry</i> , 2016 , 40, 766-771	3.3	
1	Characterization of the complete mitochondrial genome of collected from Nakdong River, South Korea. <i>Mitochondrial DNA Part B: Resources</i> , 2019 , 4, 3908-3909	0.5	