

Yong Luo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4694085/publications.pdf>

Version: 2024-02-01

28
papers

848
citations

686830

13
h-index

500791

28
g-index

34
all docs

34
docs citations

34
times ranked

1640
citing authors

#	ARTICLE	IF	CITATIONS
1	Four Novel Prognostic Genes Related to Prostate Cancer Identified Using Co-expression Structure Network Analysis. <i>Frontiers in Genetics</i> , 2021, 12, 584164.	1.1	13
2	Construction of enzalutamide-resistant cell model of prostate cancer and preliminary screening of potential drug-resistant genes. <i>Experimental Biology and Medicine</i> , 2021, 246, 1776-1787.	1.1	6
3	Oncological Outcomes of Patients With Different Pathological Features of pT3a Renal Tumor: A Systematic Review and Quantitative Synthesis. <i>Frontiers in Oncology</i> , 2021, 11, 678459.	1.3	4
4	Overexpression of CXCR7 is a Novel Indicator for Enzalutamide Resistance in Castration-Resistant Prostate Cancer Patients. <i>Disease Markers</i> , 2021, 2021, 1-10.	0.6	2
5	Development and validation of a nomogram to predict postoperative cancer-specific survival of patients with nonmetastatic T3a renal cell carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, 39, 835.e19-835.e27.	0.8	3
6	Immunogenomic Analyses of the Prognostic Predictive Model for Patients With Renal Cancer. <i>Frontiers in Immunology</i> , 2021, 12, 762120.	2.2	7
7	MicroRNA-149 inhibits cancer cell malignant phenotype by regulating Akt1 in C4-2 CRPC cell line. <i>Oncology Reports</i> , 2021, 46, .	1.2	3
8	Enzalutamide-Resistant Progression of Castration-Resistant Prostate Cancer Is Driven via the JAK2/STAT1-Dependent Pathway. <i>Frontiers in Molecular Biosciences</i> , 2021, 8, 652443.	1.6	7
9	Adjuvant chemotherapy after radical nephroureterectomy improves the survival outcome of high-risk upper tract urothelial carcinoma patients with cardiovascular comorbidity. <i>Scientific Reports</i> , 2020, 10, 17674.	1.6	1
10	Comparison of Diagnostic Accuracy of Thyroid Cancer With Ultrasound-Guided Fine-Needle Aspiration and Core-Needle Biopsy: A Systematic Review and Meta-Analysis. <i>Frontiers in Endocrinology</i> , 2020, 11, 44.	1.5	24
11	Intratumor β -catenin heterogeneity driven by genomic rearrangement dictates growth factor dependent prostate cancer progression. <i>Oncogene</i> , 2020, 39, 4358-4374.	2.6	5
12	PARP Inhibition Suppresses GR-MyCN-CDK5-RB1-E2F1 Signaling and Neuroendocrine Differentiation in Castration-Resistant Prostate Cancer. <i>Clinical Cancer Research</i> , 2019, 25, 6839-6851.	3.2	50
13	β -catenin nuclear translocation induced by HIF-1 α overexpression leads to the radioresistance of prostate cancer. <i>International Journal of Oncology</i> , 2018, 52, 1827-1840.	1.4	25
14	Enzalutamide and CXCR7 inhibitor combination treatment suppresses cell growth and angiogenic signaling in castration-resistant prostate cancer models. <i>International Journal of Cancer</i> , 2018, 142, 2163-2174.	2.3	39
15	Long-term oncologic outcomes of radiotherapy combined with maximal androgen blockade for localized, high-risk prostate cancer. <i>World Journal of Surgical Oncology</i> , 2018, 16, 107.	0.8	4
16	Inhibiting β -catenin expression promotes efficiency of radioiodine treatment in aggressive follicular thyroid cancer cells probably through mediating NIS localization. <i>Oncology Reports</i> , 2017, 37, 426-434.	1.2	17
17	Androgen receptor inhibitor-induced α -BRCANess and PARP inhibition are synthetically lethal for castration-resistant prostate cancer. <i>Science Signaling</i> , 2017, 10, .	1.6	200
18	ATRA increases iodine uptake and inhibits the proliferation and invasiveness of human anaplastic thyroid carcinoma SW1736 cells: Involvement of β -catenin phosphorylation inhibition. <i>Oncology Letters</i> , 2017, 14, 7733-7738.	0.8	7

#	ARTICLE	IF	CITATIONS
19	Short hairpin RNA directed against β -catenin inhibits prostate cancer growth and invasion in vitro. <i>Molecular Medicine Reports</i> , 2017, 15, 819-824.	1.1	8
20	Hypoxia inducible factor-1 α -dependent epithelial to mesenchymal transition under hypoxic conditions in prostate cancer cells. <i>Oncology Reports</i> , 2016, 36, 521-527.	1.2	18
21	Downregulated expression of miRNA-149 promotes apoptosis in side population cells sorted from the TSU prostate cancer cell line. <i>Oncology Reports</i> , 2016, 36, 2587-2600.	1.2	15
22	Pure retroperitoneal natural orifice transluminal endoscopic surgery (NOTES) transvaginal nephrectomy using standard laparoscopic instruments: a safety and feasibility study in a porcine model. <i>BMC Urology</i> , 2016, 16, 29.	0.6	2
23	Epithelial-Mesenchymal Transition and Migration of Prostate Cancer Stem Cells Is Driven by Cancer-Associated Fibroblasts in an HIF-1 α / β -Catenin-Dependent Pathway. <i>Molecules and Cells</i> , 2013, 36, 138-144.	1.0	25
24	Isolation and identification of cancer stem-like cells from side population of human prostate cancer cells. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2012, 32, 697-703.	1.0	12
25	Knockdown of β -Catenin Through shRNA Cause a Reversal of EMT and Metastatic Phenotypes Induced by HIF-1 α . <i>Cancer Investigation</i> , 2011, 29, 377-382.	0.6	93
26	Role of Wnt/ β -catenin signaling pathway in epithelial-mesenchymal transition of human prostate cancer induced by hypoxia-inducible factor-1 α . <i>International Journal of Urology</i> , 2007, 14, 1034-1039.	0.5	194
27	Over-expression of hypoxia-inducible factor-1 α increases the invasive potency of LNCaP cells in vitro. <i>BJU International</i> , 2006, 98, 1315-1319.	1.3	40
28	Hypoxia-inducible factor-1 α induces the epithelial-mesenchymal transition of human prostate cancer cells. <i>Chinese Medical Journal</i> , 2006, 119, 713-8.	0.9	16