

Brigitte Picard

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4694112/publications.pdf>

Version: 2024-02-01

48
papers

3,018
citations

147726

31
h-index

214721

47
g-index

48
all docs

48
docs citations

48
times ranked

2181
citing authors

#	ARTICLE	IF	CITATIONS
1	Characterization of Four Rearing Managements and Their Influence on Carcass and Meat Qualities in Charolais Heifers. <i>Foods</i> , 2022, 11, 1262.	1.9	4
2	Molecular signatures of beef tenderness: Underlying mechanisms based on integromics of protein biomarkers from multi-platform proteomics studies. <i>Meat Science</i> , 2021, 172, 108311.	2.7	83
3	The Blonde d'Aquitaine T3811>G3811 mutation in the <i>myostatin</i> gene: association with growth, carcass, and muscle phenotypes in veal calves. <i>Journal of Animal Science</i> , 2021, 99, .	0.2	1
4	Combining label-free and label-based accurate quantifications with SWATH-MS: Comparison with SRM and PRM for the evaluation of bovine muscle type effects. <i>Proteomics</i> , 2021, 21, e2000214.	1.3	5
5	Dark-cutting beef: A brief review and an integromics meta-analysis at the proteome level to decipher the underlying pathways. <i>Meat Science</i> , 2021, 181, 108611.	2.7	40
6	Understanding the Determination of Meat Quality Using Biochemical Characteristics of the Muscle: Stress at Slaughter and Other Missing Keys. <i>Foods</i> , 2021, 10, 84.	1.9	41
7	Meta-proteomics for the discovery of protein biomarkers of beef tenderness: An overview of integrated studies. <i>Food Research International</i> , 2020, 127, 108739.	2.9	82
8	Protein Array-Based Approach to Evaluate Biomarkers of Beef Tenderness and Marbling in Cows: Understanding of the Underlying Mechanisms and Prediction. <i>Foods</i> , 2020, 9, 1180.	1.9	30
9	Muscle Fiber Properties in Cattle and Their Relationships with Meat Qualities: An Overview. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 6021-6039.	2.4	117
10	Current Advances in Meat Nutritional, Sensory and Physical Quality Improvement. <i>Foods</i> , 2020, 9, 321.	1.9	18
11	Quantification of biomarkers for beef meat qualities using a combination of Parallel Reaction Monitoring- and antibody-based proteomics. <i>Food Chemistry</i> , 2020, 317, 126376.	4.2	17
12	Contribution of connective tissue components, muscle fibres and marbling to beef tenderness variability in longissimus thoracis, rectus abdominis, semimembranosus and semitendinosus muscles. <i>Journal of the Science of Food and Agriculture</i> , 2020, 100, 2502-2511.	1.7	35
13	The associations between proteomic biomarkers and beef tenderness depend on the end-point cooking temperature, the country origin of the panelists and breed. <i>Meat Science</i> , 2019, 157, 107871.	2.7	33
14	Pathways and biomarkers of marbling and carcass fat deposition in bovine revealed by a combination of gel-based and gel-free proteomic analyses. <i>Meat Science</i> , 2019, 156, 146-155.	2.7	24
15	Relationships Between Cull Beef Cow Characteristics, Finishing Practices and Meat Quality Traits of Longissimus thoracis and Rectus abdominis. <i>Foods</i> , 2019, 8, 141.	1.9	20
16	Beef tenderness and intramuscular fat proteomic biomarkers: Effect of gender and rearing practices. <i>Journal of Proteomics</i> , 2019, 200, 1-10.	1.2	37
17	Assessment of cattle inter-individual cluster variability: the potential of continuum data from the farm-to-fork for ultimate beef tenderness management. <i>Journal of the Science of Food and Agriculture</i> , 2019, 99, 4129-4141.	1.7	24
18	Reverse phase protein arrays for the identification/validation of biomarkers of beef texture and their use for early classification of carcasses. <i>Food Chemistry</i> , 2018, 250, 245-252.	4.2	40

#	ARTICLE	IF	CITATIONS
19	Beef tenderness and intramuscular fat proteomic biomarkers: muscle type effect. PeerJ, 2018, 6, e4891.	0.9	42
20	Data from the Farmgate-to-Meat Continuum Including Omics-Based Biomarkers to Better Understand the Variability of Beef Tenderness: An Integromics Approach. Journal of Agricultural and Food Chemistry, 2018, 66, 13552-13563.	2.4	35
21	Use of liquid isoelectric focusing (OFFGEL) on the discovery of meat tenderness biomarkers. Journal of Proteomics, 2018, 183, 25-33.	1.2	28
22	Reverse Phase Protein array for the quantification and validation of protein biomarkers of beef qualities: The case of meat color from Charolais breed. Meat Science, 2018, 145, 308-319.	2.7	41
23	Associations among Protein Biomarkers and pH and Color Traits in <i>Longissimus thoracis</i> and <i>Rectus abdominis</i> Muscles in Protected Designation of Origin Maine-Anjou Cull Cows. Journal of Agricultural and Food Chemistry, 2017, 65, 3569-3580.	2.4	38
24	Identification of Biomarkers Associated with the Rearing Practices, Carcass Characteristics, and Beef Quality: An Integrative Approach. Journal of Agricultural and Food Chemistry, 2017, 65, 8264-8278.	2.4	53
25	The study of protein biomarkers to understand the biochemical processes underlying beef color development in young bulls. Meat Science, 2017, 134, 18-27.	2.7	49
26	Proteomic Investigations of Beef Tenderness. , 2017, , 177-197.		37
27	How Muscle Structure and Composition Influence Meat and Flesh Quality. Scientific World Journal, The, 2016, 2016, 1-14.	0.8	432
28	Calcium Homeostasis and Muscle Energy Metabolism Are Modified in HspB1-Null Mice. Proteomes, 2016, 4, 17.	1.7	20
29	ProteINSIDE to Easily Investigate Proteomics Data from Ruminants: Application to Mine Proteome of Adipose and Muscle Tissues in Bovine Foetuses. PLoS ONE, 2015, 10, e0128086.	1.1	33
30	Understanding Early Post-Mortem Biochemical Processes Underlying Meat Color and pH Decline in the <i>Longissimus thoracis</i> Muscle of Young Blond d'Aquitaine Bulls Using Protein Biomarkers. Journal of Agricultural and Food Chemistry, 2015, 63, 6799-6809.	2.4	95
31	Caspases and Thrombin Activity Regulation by Specific Serpin Inhibitors in Bovine Skeletal Muscle. Applied Biochemistry and Biotechnology, 2015, 177, 279-303.	1.4	33
32	Coherent correlation networks among protein biomarkers of beef tenderness: What they reveal. Journal of Proteomics, 2015, 128, 365-374.	1.2	73
33	Inverse Relationships between Biomarkers and Beef Tenderness According to Contractile and Metabolic Properties of the Muscle. Journal of Agricultural and Food Chemistry, 2014, 62, 9808-9818.	2.4	129
34	Meta-analysis of the comparison of the metabolic and contractile characteristics of two bovine muscles: <i>Longissimus thoracis</i> and <i>semitendinosus</i> . Meat Science, 2012, 91, 423-429.	2.7	30
35	Functional analysis of beef tenderness. Journal of Proteomics, 2011, 75, 352-365.	1.2	106
36	Protocol for high-resolution electrophoresis separation of myosin heavy chain isoforms in bovine skeletal muscle. Electrophoresis, 2011, 32, 1804-1806.	1.3	46

#	ARTICLE	IF	CITATIONS
37	Development of image analysis tool for the classification of muscle fibre type using immunohistochemical staining. <i>Histochemistry and Cell Biology</i> , 2010, 134, 307-317.	0.8	38
38	Specific fibre composition and metabolism of the rectus abdominis muscle of bovine Charolais cattle. <i>BMC Biochemistry</i> , 2010, 11, 12.	4.4	35
39	Skeletal muscle proteomics in livestock production. <i>Briefings in Functional Genomics</i> , 2010, 9, 259-278.	1.3	144
40	Evidence for expression of IIb myosin heavy chain isoform in some skeletal muscles of Blonde d'Aquitaine bulls. <i>Meat Science</i> , 2009, 82, 30-36.	2.7	53
41	<i>In vivo</i> proteome dynamics during early bovine myogenesis. <i>Proteomics</i> , 2008, 8, 4236-4248.	1.3	45
42	Muscle proteome and meat eating qualities of Longissimus thoracis of "Blonde d'Aquitaine" young bulls: A central role of HSP27 isoforms. <i>Meat Science</i> , 2008, 78, 297-304.	2.7	131
43	Proteomic analysis of bovine skeletal muscle hypertrophy. <i>Proteomics</i> , 2005, 5, 490-500.	1.3	161
44	Muscle fibre ontogenesis in farm animal species. <i>Reproduction, Nutrition, Development</i> , 2002, 42, 415-431.	1.9	302
45	Grass valorisation and muscular characteristics of blonde d'Aquitaine steers. <i>Animal Research</i> , 2001, 50, 105-118.	0.6	24
46	Muscle fibre characteristics in four muscles of growing bulls. <i>Livestock Science</i> , 1998, 53, 15-23.	1.2	52
47	Regional variations of muscle fibre characteristic in m. semitendinosus of growing cattle. <i>Journal of Muscle Research and Cell Motility</i> , 1997, 18, 57-62.	0.9	20
48	Quantitative determination of type I myosin heavy chain in bovine muscle with anti myosin monoclonal antibodies. <i>Meat Science</i> , 1994, 36, 333-343.	2.7	42