Claudia Wagner-Riddle

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4694899/claudia-wagner-riddle-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

157 papers

4,365 citations

36 h-index

58 g-index

158 ext. papers

5,049 ext. citations

avg, IF

5.75 L-index

#	Paper	IF	Citations
157	Cover crop mixtures: A powerful strategy to reduce post-harvest surplus of soil nitrate and leaching. <i>Agriculture, Ecosystems and Environment</i> , 2022 , 325, 107750	5.7	1
156	Dairy manure acidification reduces CH4 emissions over short and long-term. <i>Environmental Technology (United Kingdom)</i> , 2021 , 42, 2797-2804	2.6	8
155	Long-term variability in NO emissions and emission factors for corn and soybeans induced by weather and management at a cold climate site <i>Science of the Total Environment</i> , 2021 , 815, 152744	10.2	1
154	Assessing variability of soil water balance components measured at a new lysimeter facility dedicated to the study of soil ecosystem services. <i>Journal of Hydrology</i> , 2021 , 603, 127037	6	3
153	The environmental and economic efficacy of on-farm beneficial management practices for mitigating soil-related greenhouse gas emissions in Ontario, Canada. <i>Renewable Agriculture and Food Systems</i> , 2021 , 36, 307-320	1.8	4
152	Economic and environmental consequences of nitrogen application rates, timing and methods on corn in Ontario. <i>Agricultural Systems</i> , 2021 , 188, 103018	6.1	6
151	Altered soil organic matter composition and degradation after a decade of nitrogen fertilization in a temperate agroecosystem. <i>Agriculture, Ecosystems and Environment</i> , 2021 , 310, 107305	5.7	9
150	Contribution of crop residue, soil, and fertilizer nitrogen to nitrous oxide emissions varies with long-term crop rotation and tillage. <i>Science of the Total Environment</i> , 2021 , 767, 145107	10.2	5
149	Long-term crop rotation and different tillage practices alter soil organic matter composition and degradation. <i>Soil and Tillage Research</i> , 2021 , 209, 104960	6.5	13
148	Crop residues contribute minimally to spring-thaw nitrous oxide emissions under contrasting tillage and crop rotations. <i>Soil Biology and Biochemistry</i> , 2021 , 152, 108057	7.5	6
147	In-Situ Estimation of Soil Water Retention Curve in Silt Loam and Loamy Sand Soils at Different Soil Depths. <i>Sensors</i> , 2021 , 21,	3.8	5
146	Spatial variation of nitrous oxide fluxes during growing and non-growing seasons at a location subjected to seasonally frozen soils. <i>Canadian Journal of Soil Science</i> , 2021 , 101, 555-564	1.4	1
145	Identifying hotspots and representative monitoring locations of field scale NO emissions from agricultural soils: A time stability analysis. <i>Science of the Total Environment</i> , 2021 , 788, 147955	10.2	1
144	Evidence for microbial rather than aggregate origin of substrates fueling freeze-thaw induced N2O emissions. <i>Soil Biology and Biochemistry</i> , 2021 , 160, 108352	7.5	2
143	Economic and environmental nitrate leaching consequences of 4R nitrogen management practices including use of inhibitors for corn production in Ontario. <i>Journal of Environmental Management</i> , 2021 , 300, 113739	7.9	1
142	Mitigation of nitrous oxide emissions in the context of nitrogen loss reduction from agroecosystems: managing hot spots and hot moments. <i>Current Opinion in Environmental Sustainability</i> , 2020 , 47, 46-53	7.2	9
141	Does overwintering change the inoculum effect on methane emissions from stored liquid manure?. Journal of Environmental Quality, 2020 , 49, 247-255	3.4	1

(2019-2020)

140	Soil Organic Matter as Catalyst of Crop Resource Capture. <i>Frontiers in Environmental Science</i> , 2020 , 8,	4.8	17
139	High temporal resolution nitrous oxide fluxes from corn (Zea mays L.) in response to the combined use of nitrification and urease inhibitors. <i>Agriculture, Ecosystems and Environment</i> , 2020 , 300, 106996	5.7	11
138	A Review of Ongoing Advancements in Soil and Water Assessment Tool (SWAT) for Nitrous Oxide (N2o) Modeling. <i>Atmosphere</i> , 2020 , 11, 450	2.7	3
137	Towards an improved methodology for modelling climate change impacts on cropping systems in cool climates. <i>Science of the Total Environment</i> , 2020 , 728, 138845	10.2	6
136	Increased dairy farm methane concentrations linked to anaerobic digester in a five-year study. Journal of Environmental Quality, 2020 , 49, 509-515	3.4	O
135	Modifying fertilizer rate and application method reduces environmental nitrogen losses and increases corn yield in Ontario. <i>Science of the Total Environment</i> , 2020 , 722, 137851	10.2	20
134	Assessment of Open-path Spectrometer Accuracy at Low Path-integrated Methane Concentrations. <i>Atmosphere</i> , 2020 , 11, 184	2.7	5
133	An improved laboratory method shows that freezing intensity increases N2O emissions. <i>Canadian Journal of Soil Science</i> , 2020 , 1-14	1.4	2
132	Short-term response of soil N-cycling genes and transcripts to fertilization with nitrification and urease inhibitors, and relationship with field-scale N2O emissions. <i>Soil Biology and Biochemistry</i> , 2020 , 142, 107703	7.5	16
131	Crop rotations differ in soil carbon stabilization efficiency, but the response to quality of structural plant inputs is ambiguous. <i>Plant and Soil</i> , 2020 , 457, 207-224	4.2	7
130	Long-term diverse rotation alters nitrogen cycling bacterial groups and nitrous oxide emissions after nitrogen fertilization. <i>Soil Biology and Biochemistry</i> , 2020 , 149, 107917	7.5	22
129	Tracing crop residue N into subsequent crops: Insight from long-term crop rotations that vary in diversity. <i>Field Crops Research</i> , 2020 , 255, 107904	5.5	7
128	Global Research Alliance N O chamber methodology guidelines: Guidelines for gap-filling missing measurements. <i>Journal of Environmental Quality</i> , 2020 , 49, 1186-1202	3.4	6
127	A 1-year greenhouse gas budget of a peatland exposed to long-term nutrient infiltration and altered hydrology: high carbon uptake and methane emission. <i>Environmental Monitoring and Assessment</i> , 2019 , 191, 533	3.1	1
126	Diurnal Variation and Sampling Frequency Effects on Nitrous Oxide Emissions Following Nitrogen Fertilization and Spring-Thaw Events. <i>Soil Science Society of America Journal</i> , 2019 , 83, 743-750	2.5	15
125	Assessment of nitrification and urease inhibitors on nitrate leaching in corn (Zea mays L.). <i>Canadian Journal of Soil Science</i> , 2019 , 99, 80-91	1.4	4
124	Surface and subsurface N2O losses from dairy cropping systems. <i>Nutrient Cycling in Agroecosystems</i> , 2019 , 114, 277-293	3.3	
123	Quantifying the relationships between soil fraction mass, fraction carbon, and total soil carbon to assess mechanisms of physical protection. <i>Soil Biology and Biochemistry</i> , 2019 , 135, 95-107	7.5	24

122	Improving farm profitability also reduces the carbon footprint of milk production in intensive dairy production systems. <i>Journal of Cleaner Production</i> , 2019 , 229, 1018-1028	10.3	14
121	Evaluating a Lagrangian inverse model for inferring isotope CO2 exchange in plant canopies. <i>Agricultural and Forest Meteorology</i> , 2019 , 276-277, 107651	5.8	1
120	Greenhouse Gas Mitigation through Dairy Manure Acidification. <i>Journal of Environmental Quality</i> , 2019 , 48, 1435-1443	3.4	7
119	Agricultural management practices and environmental drivers of nitrous oxide emissions over a decade for an annual and an annual-perennial crop rotation. <i>Agricultural and Forest Meteorology</i> , 2019 , 276-277, 107636	5.8	10
118	Comparison of two gap-filling techniques for nitrous oxide fluxes from agricultural soil. <i>Canadian Journal of Soil Science</i> , 2019 , 99, 12-24	1.4	9
117	Ammonia emissions from the field application of liquid dairy manure after anaerobic digestion or mechanical separation in Ontario, Canada. <i>Agricultural and Forest Meteorology</i> , 2018 , 258, 89-95	5.8	13
116	Comparing the performance of the DNDC, Holos, and VSMB models for predicting the water partitioning of various crops and sites across Canada. <i>Canadian Journal of Soil Science</i> , 2018 , 98, 212-23	1 ^{1.4}	8
115	Targeting Bacteria and Methanogens To Understand the Role of Residual Slurry as an Inoculant in Stored Liquid Dairy Manure. <i>Applied and Environmental Microbiology</i> , 2018 , 84,	4.8	8
114	Ammonia emissions from liquid manure storages are affected by anaerobic digestion and solid-liquid separation. <i>Agricultural and Forest Meteorology</i> , 2018 , 258, 80-88	5.8	15
113	Year-round methane emissions from liquid dairy manure in a cold climate reveal hysteretic pattern. <i>Agricultural and Forest Meteorology</i> , 2018 , 258, 56-65	5.8	16
112	Characterization of the heavy, hydrolysable and non-hydrolysable fractions of soil organic carbon in conventional and no-tillage soils. <i>Soil and Tillage Research</i> , 2018 , 181, 144-151	6.5	12
111	AFM special issue Greenhouse gas and ammonia emissions from livestock production. <i>Agricultural and Forest Meteorology</i> , 2018 , 258, 1-2	5.8	
110	Methane emissions from storage of digestate at a dairy manure biogas facility. <i>Agricultural and Forest Meteorology</i> , 2018 , 258, 96-107	5.8	25
109	Characterising effects of management practices, snow cover, and soil texture on soil temperature: Model development in DNDC. <i>Biosystems Engineering</i> , 2018 , 168, 54-72	4.8	33
108	Potential methane emission reductions for two manure treatment technologies. <i>Environmental Technology (United Kingdom)</i> , 2018 , 39, 851-858	2.6	16
107	Long-term Trends in Corn Yields and Soil Carbon under Diversified Crop Rotations. <i>Journal of Environmental Quality</i> , 2018 , 47, 635-643	3.4	50
106	Predicting manure volatile solid output of lactating dairy cows. <i>Journal of Dairy Science</i> , 2018 , 101, 820-	829	12
105	Nitrous oxide emissions and biogeochemical responses to soil freezing-thawing and drying-wetting. <i>Soil Biology and Biochemistry</i> , 2018 , 117, 5-15	7.5	83

(2016-2018)

104	Reduction in Methane Emissions From Acidified Dairy Slurry Is Related to Inhibition of Species. <i>Frontiers in Microbiology</i> , 2018 , 9, 2806	5.7	20
103	Sodium Persulfate and Potassium Permanganate Inhibit Methanogens and Methanogenesis in Stored Liquid Dairy Manure. <i>Journal of Environmental Quality</i> , 2018 , 47, 786-794	3.4	1
102	Evaluation of a lower-powered analyzer and sampling system for eddy-covariance measurements of nitrous oxide fluxes. <i>Atmospheric Measurement Techniques</i> , 2018 , 11, 1583-1597	4	4
101	Differences in field-scale N2O flux linked to crop residue removal under two tillage systems in cold climates. <i>GCB Bioenergy</i> , 2017 , 9, 666-680	5.6	36
100	Greenhouse gas balance and carbon footprint of beef cattle in three contrasting pasture-management systems in Brazil. <i>Journal of Cleaner Production</i> , 2017 , 142, 420-431	10.3	65
99	Year-Round Nitrous Oxide Emissions as Affected by Timing and Method of Dairy Manure Application to Corn. <i>Soil Science Society of America Journal</i> , 2017 , 81, 166-178	2.5	18
98	Stable Isotopes Reveal Rapid Cycling of Soil Nitrogen after Manure Application. <i>Journal of Environmental Quality</i> , 2017 , 46, 261-271	3.4	14
97	Globally important nitrous oxide emissions from croplands induced by freezethaw cycles. <i>Nature Geoscience</i> , 2017 , 10, 279-283	18.3	138
96	Greenhouse gas mitigation potential of annual and perennial dairy feed crop systems. <i>Agriculture, Ecosystems and Environment</i> , 2017 , 245, 52-62	5.7	4
95	Assessment of random errors in multi-plot nitrous oxide flux gradient measurements. <i>Agricultural and Forest Meteorology</i> , 2017 , 242, 10-20	5.8	5
94	Greenhouse gas and ammonia emissions from production of compost bedding on a dairy farm. <i>Waste Management</i> , 2017 , 70, 45-52	8.6	29
93	Dairy Manure Total Solid Levels Impact CH Flux and Abundance of Methanogenic Archaeal Communities. <i>Journal of Environmental Quality</i> , 2017 , 46, 232-236	3.4	7
92	Scenario analysis of fertilizer management practices for NO mitigation from corn systems in Canada. <i>Science of the Total Environment</i> , 2016 , 573, 356-365	10.2	31
91	Methane and nitrous oxide emissions from Canadian dairy farms and mitigation options: An updated review. <i>Canadian Journal of Animal Science</i> , 2016 , 96, 306-331	0.9	25
90	Measured versus modeled methane emissions from separated liquid dairy manure show large model underestimates. <i>Agriculture, Ecosystems and Environment</i> , 2016 , 230, 261-270	5.7	35
89	Residue management leading to higher field-scale N 2 O flux is associated with different soil bacterial nitrifier and denitrifier gene community structures. <i>Applied Soil Ecology</i> , 2016 , 108, 288-299	5	14
88	Methane emissions from digestate at an agricultural biogas plant. <i>Bioresource Technology</i> , 2016 , 216, 914-22	11	41
87	Evapotranspiration, water use efficiency, and energy partitioning of a mature switchgrass stand. <i>Agricultural and Forest Meteorology</i> , 2016 , 217, 108-119	5.8	40

86	The Extent of Manure Removal from Storages and Its Impact on Gaseous Emissions. <i>Journal of Environmental Quality</i> , 2016 , 45, 2023-2029	3.4	10
85	Greenhouse Gas Emissions from Stored Dairy Slurry from Multiple Farms. <i>Journal of Environmental Quality</i> , 2016 , 45, 1822-1828	3.4	12
84	Micrometeorological measurements over 3 years reveal differences in N2 O emissions between annual and perennial crops. <i>Global Change Biology</i> , 2016 , 22, 1244-55	11.4	53
83	Field Nitrogen Losses Induced by Application Timing of Digestate from Dairy Manure Biogas Production. <i>Journal of Environmental Quality</i> , 2016 , 45, 1829-1837	3.4	12
82	How does climate variability influence nitrogen loss in temperate agroecosystems under contrasting management systems?. <i>Agriculture, Ecosystems and Environment,</i> 2016 , 227, 33-41	5.7	26
81	Improving fertilizer management in the U.S. and Canada for N2O mitigation: Understanding potential positive and negative side-effects on corn yields. <i>Agriculture, Ecosystems and Environment</i> , 2016 , 221, 214-221	5.7	44
80	Carbon dioxide exchange dynamics over a mature switchgrass stand. GCB Bioenergy, 2016, 8, 428-442	5.6	13
79	Soil microbial communities as potential regulators of in situ N2O fluxes in annual and perennial cropping systems. <i>Soil Biology and Biochemistry</i> , 2016 , 103, 262-273	7.5	32
78	Comparison of carbon budget, evapotranspiration, and albedo effect between the biofuel crops switchgrass and corn. <i>Agriculture, Ecosystems and Environment</i> , 2016 , 231, 271-282	5.7	21
77	Optimizing ration formulation as a strategy for greenhouse gas mitigation in intensive dairy production systems. <i>Agricultural Systems</i> , 2015 , 137, 1-11	6.1	12
76	Determining the influence of Itaipu Lake on thermal conditions for soybean development in adjacent lands. <i>International Journal of Biometeorology</i> , 2015 , 59, 1499-509	3.7	2
75	Short communication: Field study of air ammonia concentrations in Ontario dairy calf housing microenvironments. <i>Canadian Journal of Animal Science</i> , 2015 , 95, 539-542	0.9	2
74	Conventional and No-Tillage Effects on the Distribution of Crop Residues and Light Fraction Organic Matter. <i>Soil Science Society of America Journal</i> , 2015 , 79, 74-80	2.5	20
73	Molecular techniques and stable isotope ratios at natural abundance give complementary inferences about N2O production pathways in an agricultural soil following a rainfall event. <i>Soil Biology and Biochemistry</i> , 2015 , 88, 197-213	7.5	41
72	Abundance and gene expression in nitrifier and denitrifier communities associated with a field scale spring thaw N2O flux event. <i>Soil Biology and Biochemistry</i> , 2014 , 73, 1-9	7.5	66
71	Quantifying body water kinetics and fecal and urinary water output from lactating Holstein dairy cows. <i>Journal of Dairy Science</i> , 2014 , 97, 6177-95	4	19
7º	Gas emissions from liquid dairy manure: complete versus partial storage emptying. <i>Nutrient Cycling in Agroecosystems</i> , 2014 , 99, 95-105	3.3	22
69	Comparison of Simultaneous Soil Profile N2O Concentration and Surface N2O Flux Measurements Overwinter and at Spring Thaw in an Agricultural Soil. <i>Soil Science Society of America Journal</i> , 2014 ,	2.5	30

68	Energy and greenhouse gas intensity of corn (Zea mays L.) production in Ontario: A regional assessment. <i>Canadian Journal of Soil Science</i> , 2014 , 94, 77-95	1.4	35
67	Greenhouse gas emissions intensity of Ontario milk production in 2011 compared with 1991. Canadian Journal of Animal Science, 2014 , 94, 155-173	0.9	18
66	Nitrogen application rate, timing and history effects on nitrous oxide emissions from corn (Zea maysL.). <i>Canadian Journal of Soil Science</i> , 2014 , 94, 563-573	1.4	22
65	Temporal dynamics of oxygen isotope compositions of soil and canopy CO2 fluxes in a temperate deciduous forest. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2014 , 119, 996-1013	3.7	5
64	Development of mathematical models to predict volume and nutrient composition of fresh manure from lactating Holstein cows. <i>Animal Production Science</i> , 2014 , 54, 1927	1.4	9
63	Potential carbon sequestration in rubber tree plantations in the northwestern region of the Paran State, Brazil. <i>Acta Scientiarum - Agronomy</i> , 2014 , 36, 239	0.6	25
62	Measurements of emission factors from a naturally ventilated commercial barn for dairy cows in a cold climate. <i>Biosystems Engineering</i> , 2014 , 127, 103-114	4.8	21
61	Biases in discrete CH4 and N2O sampling protocols associated with temporal variation of gas fluxes from manure storage systems. <i>Agricultural and Forest Meteorology</i> , 2013 , 171-172, 295-305	5.8	20
60	Anti-methanogenic effects of monensin in dairy and beef cattle: a meta-analysis. <i>Journal of Dairy Science</i> , 2013 , 96, 5161-73	4	61
59	Estimating a Lagrangian Length Scale Using Measurements of CO2 in a Plant Canopy. Boundary-Layer Meteorology, 2013 , 147, 83-102	3.4	2
58	Mechanisms leading to enhanced soil nitrous oxide fluxes induced by freezethaw cycles. <i>Canadian Journal of Soil Science</i> , 2013 , 93, 401-414	1.4	93
57	Using DayCENT to Simulate Carbon Dynamics in Conventional and No-Till Agriculture. <i>Soil Science Society of America Journal</i> , 2013 , 77, 941-950	2.5	22
56	Nitrous oxide emissions from an annual crop rotation on poorly drained soil on the Canadian Prairies. <i>Agricultural and Forest Meteorology</i> , 2012 , 166-167, 41-49	5.8	38
55	Relationships between dairy slurry total solids, gas emissions, and surface crusts. <i>Journal of Environmental Quality</i> , 2012 , 41, 694-704	3.4	48
54	Use of the isotope flux ratio approach to investigate the C¹⁸O¹⁶O and ¹³CO₂ exchange near the floor of a temperate deciduous forest. <i>Biogeosciences</i> , 2012 , 9, 2385-2399	4.6	18
53	Contributions of carbonates to soil CO2 emissions. <i>Canadian Journal of Soil Science</i> , 2012 , 92, 599-607	1.4	47
52	Micrometeorological Methods for Assessing Greenhouse Gas Flux 2012 , 367-383		5
51	Non-growing season nitrous oxide fluxes from an agricultural soil as affected by application of liquid and composted swine manure. <i>Canadian Journal of Soil Science</i> , 2012 , 92, 315-327	1.4	22

50	Applying a Lagrangian dispersion analysis to infer carbon dioxide and latent heat fluxes in a corn canopy. <i>Agricultural and Forest Meteorology</i> , 2011 , 151, 620-632	5.8	11
49	Contribution of crop residue carbon to soil respiration at a northern Prairie site using stable isotope flux measurements. <i>Agricultural and Forest Meteorology</i> , 2011 , 151, 1045-1054	5.8	13
48	Strategies to mitigate nitrous oxide emissions from land applied manure. <i>Animal Feed Science and Technology</i> , 2011 , 166-167, 464-479	3	49
47	Methane emissions from stored liquid dairy manure in a cold climate. <i>Animal Feed Science and Technology</i> , 2011 , 166-167, 581-589	3	27
46	Carbonate removal by acid fumigation for measuring the 🛭 3C of soil organic carbon. <i>Canadian Journal of Soil Science</i> , 2011 , 91, 247-250	1.4	66
45	Assessing Spring Thaw Nitrous Oxide Fluxes Simulated by the DNDC Model for Agricultural Soils. <i>Soil Science Society of America Journal</i> , 2011 , 75, 678-690	2.5	30
44	Comparing methane fluxes from stored liquid manure using micrometeorological mass balance and floating chamber methods. <i>Agricultural and Forest Meteorology</i> , 2010 , 150, 175-181	5.8	16
43	Carbon dioxide exchange in a northern Prairie cropping system over three years. <i>Agricultural and Forest Meteorology</i> , 2010 , 150, 908-918	5.8	38
42	Season and management related changes in the diversity of nitrifying and denitrifying bacteria over winter and spring. <i>Applied Soil Ecology</i> , 2010 , 44, 138-146	5	73
41	Transformations and losses of swine manure 15N as affected by application timing at two contrasting sites. <i>Canadian Journal of Soil Science</i> , 2010 , 90, 55-73	1.4	20
40	Nitrous oxide fluxes related to soil freeze and thaw periods identified using heat pulse probes. <i>Canadian Journal of Soil Science</i> , 2010 , 90, 409-418	1.4	22
39	Methane Emission Patterns from Stored Liquid Swine Manure. <i>Asian-Australasian Journal of Animal Sciences</i> , 2010 , 23, 1229-1235	2.4	6
38	Technical note: Laboratory evaluation of a tunable diode laser system for eddy covariance measurements of ammonia flux. <i>Agricultural and Forest Meteorology</i> , 2009 , 149, 385-391	5.8	18
37	Isotopic CO2 measurements of soil respiration over conventional and no-till plots in fall and spring. <i>Agricultural and Forest Meteorology</i> , 2009 , 149, 614-622	5.8	21
36	Wavelet analysis of wintertime and spring thaw CO2 and N2O fluxes from agricultural fields. <i>Agricultural and Forest Meteorology</i> , 2008 , 148, 1305-1317	5.8	38
35	Estimation of N2O emissions from agricultural soils in Canada. I. Development of a country-specific methodology. <i>Canadian Journal of Soil Science</i> , 2008 , 88, 641-654	1.4	181
34	Linking Nitrous Oxide Flux During Spring Thaw to Nitrate Denitrification in the Soil Profile. <i>Soil Science Society of America Journal</i> , 2008 , 72, 908-916	2.5	100
33	Analysis of Scaling-Up Resistances from Leaf to Canopy Using Numerical Simulations. <i>Agronomy Journal</i> , 2007 , 99, 1483-1491	2.2	9

(2000-2007)

32	Intensive measurement of nitrous oxide emissions from a cornboybean wheat rotation under two contrasting management systems over 5 years. <i>Global Change Biology</i> , 2007 , 13, 1722-1736	11.4	206
31	Minimizing nitrogen losses from a cornBoybeanWinter wheat rotation with best management practices. <i>Nutrient Cycling in Agroecosystems</i> , 2007 , 79, 141-159	3.3	66
30	Greenhouse gas emissions from stored liquid swine manure in a cold climate. <i>Atmospheric Environment</i> , 2006 , 40, 618-627	5.3	73
29	Towards standards for measuring greenhouse gas fluxes from agricultural fields using instrumented towers. <i>Canadian Journal of Soil Science</i> , 2006 , 86, 373-400	1.4	53
28	Methane and nitrous oxide emissions from Canadian animal agriculture: A review. <i>Canadian Journal of Animal Science</i> , 2006 , 86, 135-157	0.9	147
27	A micrometeorological mass balance approach for greenhouse gas flux measurements from stored animal manure. <i>Agricultural and Forest Meteorology</i> , 2006 , 136, 175-187	5.8	26
26	New Method to Simulate Soil Freezing and Thawing Cycles for Studying Nitrous Oxide Flux. <i>Soil Science Society of America Journal</i> , 2006 , 70, 2106-2113	2.5	8
25	Using automated soil water content measurements to estimate soil water budgets. <i>Canadian Journal of Soil Science</i> , 2006 , 86, 47-56	1.4	20
24	Toward Improved Coefficients for Predicting Direct N2O Emissions from Soil in Canadian Agroecosystems. <i>Nutrient Cycling in Agroecosystems</i> , 2005 , 72, 87-99	3.3	80
23	Micrometeorological measurements of N2O and CH4 emissions from a municipal solid waste landfill. Waste Management and Research, 2005, 23, 409-19	4	30
22	Laboratory-scale measurements of N2O and CH4 emissions from hybrid poplars (Populus deltoides x Populus nigra). <i>Waste Management and Research</i> , 2004 , 22, 454-65	4	9
21	Evaluating a flux-gradient approach for flux and deposition velocity of nitrogen dioxide over short-grass surfaces. <i>Atmospheric Environment</i> , 2004 , 38, 2619-2626	5.3	16
20	Emissions of N2O and CH4 during the composting of liquid swine manure. <i>Environmental Monitoring and Assessment</i> , 2004 , 91, 87-104	3.1	42
19	A diode laser based gas monitor suitable for measurement of trace gas exchange using micrometeorological techniques. <i>Agricultural and Forest Meteorology</i> , 2003 , 115, 71-89	5.8	50
18	Nitrous oxide flux from a solid dairy manure pile measured using a micrometeorological mass balance method. <i>Nutrient Cycling in Agroecosystems</i> , 2002 , 62, 53-60	3.3	14
17	Winter and Spring Thaw Measurements of N2O, NO and NOx Fluxes using a Micrometeorological Method. <i>Water, Air and Soil Pollution</i> , 2001 , 1, 89-98		15
16	Seasonal leaching and biodegradation of dicamba in turfgrass. <i>Journal of Environmental Quality</i> , 2001 , 30, 1360-70	3.4	20
15	Nitrous and Nitrogen Oxide Emissions from Turfgrass Receiving Different Forms of Nitrogen Fertilizer. <i>Journal of Environmental Quality</i> , 2000 , 29, 621-630	3.4	57

14	Nitrous Oxide Flux from Solid Dairy Manure in Storage as Affected by Water Content and Redox Potential. <i>Journal of Environmental Quality</i> , 2000 , 29, 630-638	3.4	26
13	Water Flow in Unsaturated Soil Below Turfgrass Observations and LEACHM (within EXPRES) Predictions. <i>Soil Science Society of America Journal</i> , 2000 , 64, 86-93	2.5	18
12	Evaluating annual nitrous oxide fluxes at the ecosystem scale. <i>Global Biogeochemical Cycles</i> , 2000 , 14, 1061-1070	5.9	84
11	ESTIMATED SEASONAL AND ANNUAL WATER SURPLUS IN ONTARIO. <i>Canadian Water Resources Journal</i> , 1999 , 24, 277-292	1.7	13
10	Nitrous oxide emissions from agricultural fields during winter and spring thaw as affected by management practices. <i>Nutrient Cycling in Agroecosystems</i> , 1998 , 52, 151-163	3.3	149
9	Estimates of nitrous oxide emissions from agricultural fields over 28 months. <i>Canadian Journal of Soil Science</i> , 1997 , 77, 135-144	1.4	165
8	Three methods to estimate N2O fluxes as impacted by agricultural management. <i>Canadian Journal of Soil Science</i> , 1997 , 77, 125-134	1.4	29
7	Modeling a Rye Cover Crop and Subsequent Soybean Yield. <i>Agronomy Journal</i> , 1997 , 89, 208-218	2.2	19
	Due mulch characterization for the purpose of microclimatic modelling. Agricultural and Forest		
6	Rye mulch characterization for the purpose of microclimatic modelling. <i>Agricultural and Forest Meteorology</i> , 1996 , 78, 67-81	5.8	26
5		5.8 3.4	70
	Meteorology, 1996 , 78, 67-81 Nitrous Oxide and Carbon Dioxide Fluxes from a Bare Soil Using a Micrometeorological Approach.		
5	Meteorology, 1996, 78, 67-81 Nitrous Oxide and Carbon Dioxide Fluxes from a Bare Soil Using a Micrometeorological Approach. Journal of Environmental Quality, 1996, 25, 898-907 Micrometeorological measurements of trace gas fluxes from agricultural and natural ecosystems.	3.4	70
5	Meteorology, 1996, 78, 67-81 Nitrous Oxide and Carbon Dioxide Fluxes from a Bare Soil Using a Micrometeorological Approach. Journal of Environmental Quality, 1996, 25, 898-907 Micrometeorological measurements of trace gas fluxes from agricultural and natural ecosystems. Infrared Physics and Technology, 1996, 37, 51-58 Rye cover crop management impact on soil water content, soil temperature and soybean growth.	3.4	70 18