

Nagisa Sugaya

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4695272/publications.pdf>

Version: 2024-02-01

67
papers

1,353
citations

394390

19
h-index

395678

33
g-index

73
all docs

73
docs citations

73
times ranked

1864
citing authors

#	ARTICLE	IF	CITATIONS
1	Descriptive review of internet-based cognitive behavior therapy on anxiety-related problems in children under the circumstances of COVID-19. <i>BioPsychoSocial Medicine</i> , 2022, 16, 3.	2.1	3
2	The Transition of Social Isolation and Related Psychological Factors in 2 Mild Lockdown Periods During the COVID-19 Pandemic in Japan: Longitudinal Survey Study. <i>JMIR Public Health and Surveillance</i> , 2022, 8, e32694.	2.6	4
3	Socio-economic and behavioral characteristics associated with COVID-19 vaccine hesitancy under a declared state of emergency in Japan. <i>Brain, Behavior, & Immunity - Health</i> , 2022, 22, 100448.	2.5	2
4	Effects of Electrocardiographic Monitoring Education on Nurses's Confidence and Psychological Stress: An Online Cross-Sectional Survey in Japan. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 4742.	2.6	0
5	Mental health and social isolation under repeated mild lockdowns in Japan. <i>Scientific Reports</i> , 2022, 12, 8452.	3.3	17
6	Effects of Interoceptive Sensibility on Mental Health during the Coronavirus Disease 2019 Pandemic. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4616.	2.6	12
7	Effect of interprofessional collaboration among nursing home professionals on end-of-life care in nursing homes. <i>Drug Discoveries and Therapeutics</i> , 2021, 15, 93-100.	1.5	6
8	A validation study on fingernail cortisol: correlations with one-month cortisol levels estimated by hair and saliva samples. <i>Stress</i> , 2021, 24, 734-741.	1.8	8
9	Association between swallowing function and muscle strength in elderly individuals with dysphagia. <i>Auris Nasus Larynx</i> , 2021, 48, 261-264.	1.2	11
10	Social isolation and its psychosocial factors in mild lockdown for the COVID-19 pandemic: a cross-sectional survey of the Japanese population. <i>BMJ Open</i> , 2021, 11, e048380.	1.9	23
11	Cognitive-behavioral therapy for management of mental health and stress-related disorders: Recent advances in techniques and technologies. <i>BioPsychoSocial Medicine</i> , 2021, 15, 16.	2.1	44
12	Cognitive behavioral treatment for irritable bowel syndrome: a recent literature review. <i>BioPsychoSocial Medicine</i> , 2021, 15, 23.	2.1	9
13	The association between problematic internet use and neck pain among Japanese schoolteachers. <i>Journal of Occupational Health</i> , 2021, 63, e12298.	2.1	1
14	Alcohol Use and Its Related Psychosocial Effects during the Prolonged COVID-19 Pandemic in Japan: A Cross-Sectional Survey. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 13318.	2.6	11
15	Imbalance Between Salivary Cortisol and DHEA Responses Is Associated with Social Cost and Self-perception to Social Evaluative Threat in Japanese Healthy Young Adults. <i>International Journal of Behavioral Medicine</i> , 2020, 27, 316-324.	1.7	3
16	A real-time survey on the psychological impact of mild lockdown for COVID-19 in the Japanese population. <i>Scientific Data</i> , 2020, 7, 372.	5.3	30
17	Sensitivity to gene dosage and gene expression affects genes with copy number variants observed among neuropsychiatric diseases. <i>BMC Medical Genomics</i> , 2020, 13, 55.	1.5	15
18	Association between hair cortisol and diurnal basal cortisol levels: A 30-day validation study. <i>Psychoneuroendocrinology</i> , 2020, 116, 104650.	2.7	20

#	ARTICLE	IF	CITATIONS
19	End-of-life care conferences in Japanese nursing homes. <i>Drug Discoveries and Therapeutics</i> , 2019, 13, 47-51.	1.5	1
20	Bio-psychosocial factors of children and adolescents with internet gaming disorder: a systematic review. <i>BioPsychoSocial Medicine</i> , 2019, 13, 3.	2.1	107
21	Psychiatric disorders in patients with intractable dizziness in the department of otolaryngology. <i>Acta Oto-Laryngologica</i> , 2018, 138, 646-647.	0.9	8
22	Altered Gamma-Band Activity as a Potential Biomarker for the Recurrence of Major Depressive Disorder. <i>Frontiers in Psychiatry</i> , 2018, 9, 691.	2.6	8
23	Problematic Internet Use and Its Relationship with Psychological Distress, Insomnia, and Alcoholism Among Schoolteachers in Japan. <i>Cyberpsychology, Behavior, and Social Networking</i> , 2018, 21, 788-796.	3.9	8
24	Changes in cognitive function in patients with intractable dizziness following vestibular rehabilitation. <i>Scientific Reports</i> , 2018, 8, 9984.	3.3	22
25	Prevalence and Risk Factors of Internet Addiction Among Employed Adults in Japan. <i>Journal of Epidemiology</i> , 2018, 28, 202-206.	2.4	18
26	Analysis of Factors Affecting the Outcomes of In-hospitalized Vestibular Rehabilitation in Patients With Intractable Dizziness. <i>Otology and Neurotology</i> , 2017, 38, 368-372.	1.3	9
27	The effect of sleep disturbance in patients with chronic dizziness. <i>Acta Oto-Laryngologica</i> , 2017, 137, 47-52.	0.9	18
28	The effect of vestibular rehabilitation on sleep disturbance in patients with chronic dizziness. <i>Acta Oto-Laryngologica</i> , 2017, 137, 275-278.	0.9	13
29	Is the Headache in Patients with Vestibular Migraine Attenuated by Vestibular Rehabilitation?. <i>Frontiers in Neurology</i> , 2017, 8, 124.	2.4	32
30	The Effect of Comorbidity between Tinnitus and Dizziness on Perceived Handicap, Psychological Distress, and Quality of Life. <i>Frontiers in Neurology</i> , 2017, 8, 722.	2.4	13
31	End-of-life care bonus promoting end-of-life care in nursing homes: An 11-year retrospective longitudinal prefecture-wide study in Japan. <i>BioScience Trends</i> , 2017, 11, 54-61.	3.4	11
32	Was Internet Usage Effective on Radiation Protection After the Nuclear Disasters among General Workers in Fukushima?. <i>Prehospital and Disaster Medicine</i> , 2017, 32, S210.	1.3	0
33	Polymorphisms in the TMEM132D region are associated with panic disorder in HLA-DRB1*13:02-negative individuals of a Japanese population. <i>Human Genome Variation</i> , 2016, 3, 16001.	0.7	12
34	Evaluation of polygenic risks for narcolepsy and essential hypersomnia. <i>Journal of Human Genetics</i> , 2016, 61, 873-878.	2.3	18
35	Cortisol Reactivity to Psychosocial Stress and Attentional Disengagement from Threat Stimuli. <i>Japanese Journal of Physiological Psychology and Psychophysiology</i> , 2016, 34, 41-51.	0.1	1
36	Immune-related pathways including HLA-DRB1*13:02 are associated with panic disorder. <i>Brain, Behavior, and Immunity</i> , 2015, 46, 96-103.	4.1	15

#	ARTICLE	IF	CITATIONS
37	Effect of prolonged stress on the adrenal hormones of individuals with irritable bowel syndrome. <i>BioPsychoSocial Medicine</i> , 2015, 9, 4.	2.1	16
38	Anger tendency may be associated with duration of illness in panic disorder. <i>BioPsychoSocial Medicine</i> , 2015, 9, 6.	2.1	2
39	Salivary 3-methoxy-4-hydroxyphenylglycol increases after awakening in healthy young adults. <i>Psychophysiology</i> , 2015, 52, 425-428.	2.4	6
40	Internet usage and knowledge of radiation health effects and preventive behaviours among workers in Fukushima after the Fukushima Daiichi nuclear power plant accident. <i>Emergency Medicine Journal</i> , 2014, 31, e60-e65.	1.0	3
41	Japan's emerging challenge for child abuse: System coordination for early prevention of child abuse is needed. <i>BioScience Trends</i> , 2014, 8, 240-241.	3.4	1
42	An increase in salivary interleukin-6 level following acute psychosocial stress and its biological correlates in healthy young adults. <i>Biological Psychology</i> , 2013, 94, 249-254.	2.2	59
43	The biological effects of acute psychosocial stress on delay discounting. <i>Psychoneuroendocrinology</i> , 2013, 38, 2300-2308.	2.7	54
44	Prevalence of bipolar disorder in panic disorder patients in the Japanese population. <i>Journal of Affective Disorders</i> , 2013, 147, 411-415.	4.1	10
45	Irritable bowel syndrome, its cognition, anxiety sensitivity, and anticipatory anxiety in panic disorder patients. <i>Psychiatry and Clinical Neurosciences</i> , 2013, 67, 397-404.	1.8	13
46	General Workers Living with Younger Children in Fukushima Performed more Preventive Behavior against Radiation during and after the Nuclear Disaster. <i>Asian Pacific Journal of Cancer Prevention</i> , 2013, 14, 6893-6897.	1.2	6
47	The effects of attention retraining on depressive mood and cortisol responses to depression-related stimuli. <i>Japanese Psychological Research</i> , 2012, 54, 400-411.	1.1	10
48	Adrenal hormone response and psychophysiological correlates under psychosocial stress in individuals with irritable bowel syndrome. <i>International Journal of Psychophysiology</i> , 2012, 84, 39-44.	1.0	21
49	Relationship Between Cognitive Factors and Anxiety in Individuals with Irritable Bowel Syndrome. <i>International Journal of Behavioral Medicine</i> , 2012, 19, 308-315.	1.7	32
50	Effects of prolonged stress on salivary cortisol and dehydroepiandrosterone: A study of a two-week teaching practice. <i>Psychoneuroendocrinology</i> , 2012, 37, 852-858.	2.7	39
51	An association analysis of Per2 with panic disorder in the Japanese population. <i>Journal of Human Genetics</i> , 2011, 56, 748-750.	2.3	3
52	Association study of PDE4B with panic disorder in the Japanese population. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011, 35, 545-549.	4.8	12
53	Family Dysfunction Differentially Affects Alcohol and Methamphetamine Dependence: A View from the Addiction Severity Index in Japan. <i>International Journal of Environmental Research and Public Health</i> , 2011, 8, 3922-3937.	2.6	9
54	Association of RGS2 variants with panic disorder in a Japanese population. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011, 156, 430-434.	1.7	33

#	ARTICLE	IF	CITATIONS
55	A genome-wide CNV association study on panic disorder in a Japanese population. <i>Journal of Human Genetics</i> , 2011, 56, 852-856.	2.3	30
56	Effect of day-to-day variations in adrenal cortex hormone levels on abdominal symptoms. <i>BioPsychoSocial Medicine</i> , 2010, 4, 2.	2.1	6
57	Replication of a genome-wide association study of panic disorder in a Japanese population. <i>Journal of Human Genetics</i> , 2010, 55, 91-96.	2.3	48
58	Genome-wide association study of panic disorder in the Japanese population. <i>Journal of Human Genetics</i> , 2009, 54, 122-126.	2.3	104
59	A reply to Dr. Shailendra Kapoor. <i>Scandinavian Journal of Gastroenterology</i> , 2009, 44, 123-123.	1.5	0
60	No association between the brain-derived neurotrophic factor gene and panic disorder in Japanese population. <i>Journal of Human Genetics</i> , 2009, 54, 437-439.	2.3	16
61	Salivary cortisol and DHEA reactivity to psychosocial stress in socially anxious males. <i>International Journal of Psychophysiology</i> , 2009, 72, 198-203.	1.0	65
62	Relationship between cognitive appraisals of symptoms and negative mood for subtypes of irritable bowel syndrome. <i>BioPsychoSocial Medicine</i> , 2008, 2, 9.	2.1	22
63	Characteristics of fatigue in panic disorder patients. <i>Psychiatry and Clinical Neurosciences</i> , 2008, 62, 234-237.	1.8	7
64	Salivary dehydroepiandrosterone secretion in response to acute psychosocial stress and its correlations with biological and psychological changes. <i>Biological Psychology</i> , 2008, 79, 294-298.	2.2	98
65	Relationship between subtypes of irritable bowel syndrome and severity of symptoms associated with panic disorder. <i>Scandinavian Journal of Gastroenterology</i> , 2008, 43, 675-681.	1.5	23
66	Episodic stress associated with writing a graduation thesis and free cortisol secretion after awakening. <i>International Journal of Psychophysiology</i> , 2007, 64, 141-145.	1.0	28
67	The Application of Saliva to an Assessment of Stress: Procedures for Collecting and Analyzing Saliva and Characteristics of Salivary Substances. <i>Japanese Journal of Complementary and Alternative Medicine</i> , 2007, 4, 91-101.	1.0	41