

Pascal Landais

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4697037/pascal-landais-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

75
papers

457
citations

12
h-index

17
g-index

113
ext. papers

594
ext. citations

2.3
avg, IF

3.39
L-index

#	Paper	IF	Citations
75	Optical Frequency Comb Expansion Using Mutually Injection-Locked Gain-Switched Lasers. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 7108	2.6	0
74	Characterization of a multifunctional active demultiplexer for optical frequency combs. <i>Optics and Laser Technology</i> , 2021 , 134, 106637	4.2	4
73	Characterization and Direct Modulation of a Multi-Section PIC Suited for Short Reach Optical Communication Systems. <i>Photonics</i> , 2020 , 7, 55	2.2	2
72	Performance analysis of semiconductor optical amplifier as a gate switch 2019 ,		2
71	Compact gain switched optical frequency comb generator for sensing applications. <i>Journal of Physics: Conference Series</i> , 2019 , 1289, 012048	0.3	
70	Expansion and phase correlation of a wavelength tunable gain-switched optical frequency comb. <i>Optics Express</i> , 2019 , 27, 16560-16570	3.3	10
69	Expansion and phase correlation of gain-switched optical frequency combs through FWM in an SOA 2019 ,		2
68	Optimum optical frequency comb generation via externally injection of a gain switched VCSEL 2019 ,		2
67	Performance of an injection-locked active demultiplexer for FSR-tunable optical frequency combs 2019 ,		1
66	Compensation of nonlinearity in a fiber-optic transmission system using frequency-degenerate phase conjugation through counter-propagating dual pump FWM in a semiconductor optical amplifier. <i>Journal of Optics (United Kingdom)</i> , 2018 , 20, 045702	1.7	1
65	Performance evaluation of TCP over software-defined optical burst-switched data centre network. <i>Journal of Computational Science</i> , 2018 , 24, 44-53	3.4	1
64	A novel scheme of cascaded four-wave mixing for phase-sensitive amplification in nonlinear optical fibre. <i>Journal of Modern Optics</i> , 2018 , 65, 1750-1758	1.1	
63	Numerical investigation of a feed-forward linewidth reduction scheme using a mode-locked laser model of reduced complexity. <i>Applied Optics</i> , 2018 , 57, E89-E100	1.7	
62	EKF for Joint Mitigation of Phase Noise, Frequency Offset and Nonlinearity in 400 Gb/s PM-16-QAM and 200 Gb/s PM-QPSK Systems. <i>IEEE Photonics Journal</i> , 2017 , 9, 1-10	1.8	9
61	Integrated frequency combs for flexible optical networks 2017 ,		1
60	Estimation of the Performance Improvement of Pre-Amplified PAM4 Systems When Using Multi-Section Semiconductor Optical Amplifiers. <i>Applied Sciences (Switzerland)</i> , 2017 , 7, 908	2.6	2
59	Experimental demonstration of 12.5 GHz wideband chaos in symmetric dual-port EDFRL. <i>Applied Optics</i> , 2017 , 56, 7939-7943	1.7	3

58	Sub-harmonic injection locking of quantum-dash lasers using spectral enrichment from semiconductor optical amplifiers. <i>Applied Optics</i> , 2017 , 56, 9913	1.7	1
57	Performance evaluation of hybrid optical switch architecture for data center networks. <i>Optical Switching and Networking</i> , 2016 , 21, 1-15	1.6	15
56	Frequency-shift free optical phase conjugation using counter-propagating dual pump four-wave mixing in fiber. <i>Journal of Optics (United Kingdom)</i> , 2016 , 18, 035503	1.7	2
55	Experimental demonstration of optical phase conjugation using counter-propagating dual pumped four-wave mixing in semiconductor optical amplifier. <i>Optics Communications</i> , 2016 , 369, 106-110	2	7
54	Extended Kalman Filter For Estimation of Phase Noises and Frequency Offset in 400G PM-16-QAM systems 2016 ,		2
53	Simple dispersion estimate for single-section quantum-dash and quantum-dot mode-locked laser diodes. <i>Optics Letters</i> , 2016 , 41, 5676-5679	3	4
52	Mitigation of nonlinear effects through frequency shift free mid-span spectral inversion using counter-propagating dual pumped FWM in fiber. <i>Journal of Optics (United Kingdom)</i> , 2016 , 18, 105703	1.7	2
51	Software-Defined Optical Burst Switching for HPC and Cloud Computing Data Centers. <i>Journal of Optical Communications and Networking</i> , 2016 , 8, 610	4.1	10
50	Performance analysis of optical burst switching with fast optical switches for data center networks 2015 ,		4
49	HOSA 2015 ,		10
48	A data center network featuring low latency and energy efficiency based on all optical core interconnect 2015 ,		2
47	Simultaneous Phase Noise Reduction of 30 Comb Lines from a Quantum-Dash Mode-Locked Laser Diode Enabling Coherent Tbit/s Data Transmission 2015 ,		7
46	Software-Controlled Next Generation Optical Circuit Switching for HPC and Cloud Computing Datacenters. <i>Electronics (Switzerland)</i> , 2015 , 4, 909-921	2.6	1
45	Characterization of 60 GHz Multi Quantum well passively mode-locked laser under optical self-injection locking. <i>Optik</i> , 2014 , 125, 1517-1521	2.5	
44	Subharmonic All-Optical Clock Recovery of up to 320 Gb/s Signal Using a Quantum Dash Fabry-Pot Mode-Locked Laser. <i>Journal of Lightwave Technology</i> , 2013 , 31, 3127-3134	4	2
43	Performance Assessment of 40 Gb/s Burst Optical Clock Recovery Based on Quantum Dash Laser. <i>IEEE Photonics Technology Letters</i> , 2013 , 25, 2221-2224	2.2	5
42	InP-Based Integrated Optical Pulse Shaper: Demonstration of Chirp Compensation. <i>IEEE Photonics Technology Letters</i> , 2013 , 25, 450-453	2.2	20
41	Characterization of 60 GHz multi quantum well passively mode-locked laser under optical self injection locking. <i>Optik</i> , 2013 , 124, 1075-1078	2.5	

40	320 Gb/s all-optical clock recovery and time de-multiplexing after transmission enabled by single quantum dash mode-locked laser. <i>Optics Letters</i> , 2013 , 38, 4805-8	3	5
39	320 Gb/s all-optical clock recovery and time demultiplexing enabled by a single Quantum Dash Mode-Locked Laser Fabry-Perot Optical Clock Pulse Generator 2013 ,		3
38	Method to improve the noise figure and saturation power in multi-contact semiconductor optical amplifiers: simulation and experiment. <i>Optics Express</i> , 2013 , 21, 7180-95	3.3	6
37	Finite element method analysis of band gap and transmission of two-dimensional metallic photonic crystals at terahertz frequencies. <i>Applied Optics</i> , 2013 , 52, 7367-75	0.2	11
36	Experimental Investigation of the Optical Injection Locking Dynamics in Single-Section Quantum-Dash Fabry-Perot Laser Diode for Packet-Based Clock Recovery Applications. <i>Journal of Lightwave Technology</i> , 2013 , 31, 860-865	4	8
35	Integrated InP based modelocked lasers and pulse shapers 2013 ,		1
34	Quantum Dash Mode-Locked Laser based Open-Loop Optical Clock Recovery for 160 Gb/s Transmission System 2013 ,		2
33	Spectral amplitude and phase measurement of a 40 GHz free-running quantum-dash modelocked laser diode. <i>Optics Express</i> , 2011 , 19, 13628-35	3.3	12
32	Experimental investigation of harmonic and subharmonic synchronization of 40 GHz mode-locked quantum-dash laser diodes. <i>Optics Letters</i> , 2011 , 36, 1569-71	3	5
31	Impact of bias current distribution on the noise figure and power saturation of a multicontact semiconductor optical amplifier. <i>Optics Letters</i> , 2011 , 36, 2521-3	3	6
30	40 GHz mode-beating with 8 Hz linewidth and 64 fs timing jitter from a synchronized mode-locked quantum-dash laser diode. <i>Optics Letters</i> , 2011 , 36, 3142-4	3	7
29	Wavelength Tunability of All-Optical Clock-Recovery Based on Quantum-Dash Mode-Locked Laser Diode Under Injection of a 40-Gb/s NRZ Data Stream. <i>IEEE Photonics Technology Letters</i> , 2011 , 23, 531-533 ²		9
28	THz Waveguide and Bends Based on Metallic Photonic Crystals. <i>NATO Science for Peace and Security Series B: Physics and Biophysics</i> , 2011 , 23-27	0.2	
27	Semiconductor optical amplifier-based heterodyning detection for resolving optical terahertz beat-tone signals from passively mode-locked semiconductor lasers. <i>Applied Physics Letters</i> , 2010 , 97, 081113	3.4	2
26	Characterization of a multi-electrode bulk-SOA for low NF in-line amplification in passive optical networks 2010 ,		1
25	Timing jitter and all-optical clock recovery based on a quantum-dash Fabry-Perot semiconductor laser 2010 ,		1
24	Analysis of a narrowband terahertz signal generated by a unitravelling carrier photodiode coupled with a dual-mode semiconductor Fabry-Perot laser. <i>Applied Physics Letters</i> , 2010 , 96, 241106	3.4	14
23	Improved photonic crystal based 90° bends for THz transmission 2010 ,		1

22	Noise controlled semiconductor optical amplifier based on lateral cavity laser. <i>Electronics Letters</i> , 2010 , 46, 1288	1.1	2
21	Timing-jitter, optical, and mode-beating linewidths analysis on subpicosecond optical pulses generated by a quantum-dash passively mode-locked semiconductor laser. <i>Optics Letters</i> , 2010 , 35, 1184-6	3.6	19
20	Linewidth analysis of 40-GHz passively mode-locked multi-mode semiconductor lasers. <i>Optics Communications</i> , 2010 , 283, 299-303	2	8
19	All-optical synchronization of a 40GHz self-pulsating distributed Bragg reflector laser to return-to-zero 10, 20 and 40Gbit/s data streams. <i>Optics Communications</i> , 2009 , 282, 2053-2058	2	4
18	Sub-picosecond pulse generation by 40-GHz passively mode-locked quantum-dash 1-mm-long Fabry-Pérot laser diode. <i>Optics Express</i> , 2009 , 17, 19166-72	3.3	23
17	Short pulse generation with 40 GHz passively-mode locked Q-dashed Fabry-Pérot laser 2009 ,		1
16	Experimental Investigation of Polarization Effects in Semiconductor Optical Amplifiers and Implications for All-Optical Switching. <i>Journal of Lightwave Technology</i> , 2008 , 26, 2977-2985	4	3
15	Polarization dependence of non-linear gain compression factor in semiconductor optical amplifier. <i>Optics Express</i> , 2008 , 16, 8641-8	3.3	3
14	Terahertz wave generation from a dc-biased multimode laser. <i>Applied Physics Letters</i> , 2008 , 92, 081109	3.4	13
13	Investigation on the origin of terahertz waves generated by dc-biased multimode semiconductor lasers at room temperature. <i>Applied Physics Letters</i> , 2008 , 93, 241110	3.4	10
12	THE USE OF POLARIZATION EFFECTS IN SEMICONDUCTOR OPTICAL AMPLIFIERS TO PERFORM ALL-OPTICAL SIGNAL PROCESSING. <i>Ingeniare</i> , 2007 , 15,	0.7	1
11	Investigation of polarization dependent gain dynamics in a bulk SOA. <i>Optics Communications</i> , 2007 , 272, 490-495	2	1
10	Round-Robin Measurements of Linewidth Enhancement Factor of Semiconductor Lasers in COST 288 Action 2007 ,		2
9	Linewidth Enhancement Factor of Semiconductor Lasers: Results from Round-Robin Measurements in COST 288 2007 ,		3
8	Phase Correlation and Linewidth Reduction of 40 GHz Self-Pulsation in Distributed Bragg Reflector Semiconductor Lasers. <i>IEEE Journal of Quantum Electronics</i> , 2007 , 43, 147-156	2	44
7	Investigation of optimum wavelength converter based on nonlinear polarisation rotation in a bulk SOA. <i>IET Optoelectronics</i> , 2007 , 1, 55-60	1.5	4
6	Self-pulsating semiconductor lasers: theory and experiment. <i>IEEE Journal of Quantum Electronics</i> , 1999 , 35, 764-770	2	41
5	A theoretical analysis of optical clock extraction using a self-pulsating laser diode. <i>IEEE Journal of Quantum Electronics</i> , 1999 , 35, 221-227	2	13

4	. <i>IEEE Photonics Technology Letters</i> , 1995 , 7, 278-280	2.2	13
3	. <i>IEEE Journal of Quantum Electronics</i> , 1995 , 31, 1029-1037	2	2
2	Modeling and measurement of bistable semiconductor lasers. <i>IEEE Journal of Quantum Electronics</i> , 1994 , 30, 2507-2515	2	16
1	Transition time and turn-on jitter of optically triggered bistable lasers incorporating a proton bombarded absorber. <i>Applied Physics Letters</i> , 1993 , 63, 2615-2617	3.4	1