Gabriela Turk

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4697829/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Antiretroviral activity of fucoidans extracted from the brown seaweed <i>Adenocystis utricularis</i> . Phytotherapy Research, 2009, 23, 707-712.	2.8	96
2	MicroRNAs differentially present in the plasma of HIV elite controllers reduce HIV infection in vitro. Scientific Reports, 2014, 4, 5915.	1.6	82
3	Acute retroviral syndrome and high baseline viral load are predictors of rapid HIV progression among untreated Argentinean seroconverters. Journal of the International AIDS Society, 2011, 14, 40-40.	1.2	55
4	Early Gag Immunodominance of the HIV-Specific T-Cell Response during Acute/Early Infection Is Associated with Higher CD8 ⁺ T-Cell Antiviral Activity and Correlates with Preservation of the CD4 ⁺ T-Cell Compartment. Journal of Virology, 2013, 87, 7445-7462.	1,5	53
5	HIV Type 1 BF Recombinant Strains Exhibit Different pol Gene Mosaic Patterns: Descriptive Analysis from 284 Patients under Treatment Failure. AIDS Research and Human Retroviruses, 2004, 20, 1100-1107.	0.5	47
6	Th17 and Th17/Treg ratio at early HIV infection associate with protective HIV-specific CD8+ T-cell responses and disease progression. Scientific Reports, 2015, 5, 11511.	1.6	47
7	Env-Specific IgA from Viremic HIV-Infected Subjects Compromises Antibody-Dependent Cellular Cytotoxicity. Journal of Virology, 2016, 90, 670-681.	1.5	39
8	Design, synthesis and biological evaluation of quinoxaline compounds as anti-HIV agents targeting reverse transcriptase enzyme. European Journal of Medicinal Chemistry, 2020, 188, 111987.	2.6	39
9	A Possible Sterilizing Cure of HIV-1 Infection Without Stem Cell Transplantation. Annals of Internal Medicine, 2022, 175, 95-100.	2.0	36
10	Magnitude, Breadth, and Functional Profile of T-Cell Responses during Human Immunodeficiency Virus Primary Infection with B and BF Viral Variants. Journal of Virology, 2008, 82, 2853-2866.	1.5	34
11	Early Skewed Distribution of Total and HIV-Specific CD8+ T-Cell Memory Phenotypes during Primary HIV Infection Is Related to Reduced Antiviral Activity and Faster Disease Progression. PLoS ONE, 2014, 9, e104235.	1.1	28
12	IL-12 and GM-CSF in DNA/MVA Immunizations against HIV-1 CRF12_BF Nef Induced T-Cell Responses With an Enhanced Magnitude, Breadth and Quality. PLoS ONE, 2012, 7, e37801.	1.1	23
13	HLA-Driven Convergence of HIV-1 Viral Subtypes B and F Toward the Adaptation to Immune Responses in Human Populations. PLoS ONE, 2008, 3, e3429.	1.1	22
14	PD-1 Expression in HIV-Specific CD8+ T cells Before Antiretroviral Therapy Is Associated With HIV Persistence. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 80, 1-6.	0.9	21
15	Antiretroviral activity and cytotoxicity of novel zidovudine (AZT) derivatives and the relation to their chemical structure. International Journal of Antimicrobial Agents, 2002, 20, 282-288.	1.1	20
16	Higher transactivation activity associated with LTR and Tat elements from HIV-1 BF intersubtype recombinant variants. Retrovirology, 2006, 3, 14.	0.9	18
17	Nef Performance in Macrophages: The Master Orchestrator of Viral Persistence and Spread. Current HIV Research, 2011, 9, 505-513.	0.2	17
18	Genetic and Functional Analysis of HIV Type 1 <i>nef</i> Gene Derived from Long-Term Nonprogressor Children: Association of Attenuated Variants with Slow Progression to Pediatric AIDS. AIDS Research and Human Retroviruses, 2012, 28, 1617-1626.	0.5	16

GABRIELA TURK

#	Article	IF	CITATIONS
19	Evaluation of Different Parameters of Humoral and Cellular Immune Responses in HIV Serodiscordant Heterosexual Couples: Humoral Response Potentially Implicated in Modulating Transmission Rates. EBioMedicine, 2017, 26, 25-37.	2.7	15
20	Host Genetic Factors Associated with Symptomatic Primary HIV Infection and Disease Progression among Argentinean Seroconverters. PLoS ONE, 2014, 9, e113146.	1.1	15
21	Single Nef Proteins from HIV Type 1 Subtypes C and F Fail to Upregulate Invariant Chain Cell Surface Expression But Are Active for Other Functions. AIDS Research and Human Retroviruses, 2009, 25, 285-296.	0.5	13
22	Synthesis and anti-HIV activity of novel 2′,3′-dideoxy-3′-thiacytidine prodrugs. Bioorganic and Medicinal Chemistry, 2009, 17, 6407-6413.	1.4	13
23	Analysis of HIV Type 1 BF Recombinant Sequences from South America Dates the Origin of CRF12_BF to a Recombination Event in the 1970s. AIDS Research and Human Retroviruses, 2011, 27, 569-578.	0.5	13
24	Phenotype, Polyfunctionality, and Antiviral Activity of in vitro Stimulated CD8+ T-Cells From HIV+ Subjects Who Initiated cART at Different Time-Points After Acute Infection. Frontiers in Immunology, 2018, 9, 2443.	2.2	12
25	HIV–TB coinfection impairs CD8 ⁺ Tâ€cell differentiation and function while dehydroepiandrosterone improves cytotoxic antitubercular immune responses. European Journal of Immunology, 2015, 45, 2529-2541.	1.6	11
26	Hepatitis C Virus (HCV) Clearance After Treatment With Direct-Acting Antivirals in Human Immunodeficiency Virus (HIV)-HCV Coinfection Modulates Systemic Immune Activation and HIV Transcription on Antiretroviral Therapy. Open Forum Infectious Diseases, 2020, 7, ofaa115.	0.4	11
27	Viral replication is enhanced by an HIV-1 intersubtype recombination-derived Vpu protein. Virology Journal, 2010, 7, 259.	1.4	10
28	HIV-mediated up-regulation of invariant chain (CD74) correlates with generalized immune activation in HIV+ subjects. Virus Research, 2012, 163, 380-384.	1.1	10
29	Deciphering How HIVâ€1 Intersubtype Recombination Shapes Viral Fitness and Disease Progression. EBioMedicine, 2015, 2, 188-189.	2.7	10
30	Biomarkers of Progression after HIV Acute/Early Infection: Nothing Compares to CD4+ T-cell Count?. Viruses, 2018, 10, 34.	1.5	10
31	In vitro dynamics of HIV-1 BF intersubtype recombinants genomic regions involved in the regulation of gene expression. Virology Journal, 2009, 6, 107.	1.4	8
32	Interaction Between Macrophage Migration Inhibitory Factor and CD74 in Human Immunodeficiency Virus Type I Infected Primary Monocyte-Derived Macrophages Triggers the Production of Proinflammatory Mediators and Enhances Infection of Unactivated CD4+ T Cells. Frontiers in Immunology 2018 9 1494	2.2	8
33	Synthesis and antiretroviral evaluation of derivatives of zidovudine. Journal of the Brazilian Chemical Society, 2009, 20, 1870-1877.	0.6	7
34	Dynamics of SARS-CoV-2-specific antibodies among COVID19 biobank donors in Argentina. Heliyon, 2021, 7, e08140.	1.4	7
35	Acute HIV Seroconversion Presenting with Active Tuberculosis and Associated with High Levels of T-Regulatory Cells. Viral Immunology, 2011, 24, 347-349.	0.6	6
36	Modification of the HIV-specific CD8+ T-cell response in an HIV elite controller after chikungunya virus infection. Aids, 2016, 30, 1905-1911.	1.0	6

GABRIELA TURK

#	Article	IF	CITATIONS
37	SARS-CoV-2 humoral and cellular immune responses in COVID-19 convalescent individuals with HIV. Journal of Infection, 2022, 85, 334-363.	1.7	4
38	CD4 ⁺ T cells and natural killer cells: Biomarkers for hepatic fibrosis in human immunodeficiency virus/hepatitis C virus-coinfected patients. World Journal of Hepatology, 2017, 9, 1073.	0.8	3
39	Pre-cART Immune Parameters in People Living With HIV Might Help Predict CD8+ T-Cell Characteristics, Inflammation Levels, and Reservoir Composition After Effective cART. Pathogens and Immunity, 2021, 6, 60-89.	1.4	2
40	Biological evaluation and molecular modelling of didanosine derivatives. MedChemComm, 2014, 5, 622-631.	3.5	1
41	Computational comparison of availability in CTL/gag epitopes among patients with acute and chronic HIV-1 infection. Vaccine, 2018, 36, 4142-4151.	1.7	1
42	Immune variations throughout the course of tuberculosis treatment and its relationship with adrenal hormone changes in HIV-1 patients co-infected with Mycobacterium tuberculosis. Tuberculosis, 2021, 127, 102045.	0.8	0