## Gabriela Turk

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4697829/publications.pdf

Version: 2024-02-01

471371 501076 42 889 17 28 citations h-index g-index papers 42 42 42 1523 citing authors all docs docs citations times ranked

#	Article	IF	CITATIONS
1	A Possible Sterilizing Cure of HIV-1 Infection Without Stem Cell Transplantation. Annals of Internal Medicine, 2022, 175, 95-100.	2.0	36
2	SARS-CoV-2 humoral and cellular immune responses in COVID-19 convalescent individuals with HIV. Journal of Infection, 2022, 85, 334-363.	1.7	4
3	Immune variations throughout the course of tuberculosis treatment and its relationship with adrenal hormone changes in HIV-1 patients co-infected with Mycobacterium tuberculosis. Tuberculosis, 2021, 127, 102045.	0.8	O
4	Pre-cART Immune Parameters in People Living With HIV Might Help Predict CD8+ T-Cell Characteristics, Inflammation Levels, and Reservoir Composition After Effective cART. Pathogens and Immunity, 2021, 6, 60-89.	1.4	2
5	Dynamics of SARS-CoV-2-specific antibodies among COVID19 biobank donors in Argentina. Heliyon, 2021, 7, e08140.	1.4	7
6	Design, synthesis and biological evaluation of quinoxaline compounds as anti-HIV agents targeting reverse transcriptase enzyme. European Journal of Medicinal Chemistry, 2020, 188, 111987.	2.6	39
7	Hepatitis C Virus (HCV) Clearance After Treatment With Direct-Acting Antivirals in Human Immunodeficiency Virus (HIV)-HCV Coinfection Modulates Systemic Immune Activation and HIV Transcription on Antiretroviral Therapy. Open Forum Infectious Diseases, 2020, 7, ofaa115.	0.4	11
8	PD-1 Expression in HIV-Specific CD8+ T cells Before Antiretroviral Therapy Is Associated With HIV Persistence. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 80, 1-6.	0.9	21
9	Phenotype, Polyfunctionality, and Antiviral Activity of in vitro Stimulated CD8+ T-Cells From HIV+ Subjects Who Initiated cART at Different Time-Points After Acute Infection. Frontiers in Immunology, 2018, 9, 2443.	2.2	12
10	Computational comparison of availability in CTL/gag epitopes among patients with acute and chronic HIV-1 infection. Vaccine, 2018, 36, 4142-4151.	1.7	1
11	Interaction Between Macrophage Migration Inhibitory Factor and CD74 in Human Immunodeficiency Virus Type I Infected Primary Monocyte-Derived Macrophages Triggers the Production of Proinflammatory Mediators and Enhances Infection of Unactivated CD4+ T Cells. Frontiers in Immunology, 2018, 9, 1494.	2.2	8
12	Biomarkers of Progression after HIV Acute/Early Infection: Nothing Compares to CD4+ T-cell Count?. Viruses, 2018, 10, 34.	1.5	10
13	Evaluation of Different Parameters of Humoral and Cellular Immune Responses in HIV Serodiscordant Heterosexual Couples: Humoral Response Potentially Implicated in Modulating Transmission Rates. EBioMedicine, 2017, 26, 25-37.	2.7	15
14	CD4 <sup>+</sup> T cells and natural killer cells: Biomarkers for hepatic fibrosis in human immunodeficiency virus/hepatitis C virus-coinfected patients. World Journal of Hepatology, 2017, 9, 1073.	0.8	3
15	Modification of the HIV-specific CD8+ T-cell response in an HIV elite controller after chikungunya virus infection. Aids, 2016, 30, 1905-1911.	1.0	6
16	Env-Specific IgA from Viremic HIV-Infected Subjects Compromises Antibody-Dependent Cellular Cytotoxicity. Journal of Virology, 2016, 90, 670-681.	1.5	39
17	Th17 and Th17/Treg ratio at early HIV infection associate with protective HIV-specific CD8+ T-cell responses and disease progression. Scientific Reports, 2015, 5, 11511.	1.6	47
18	HIV–TB coinfection impairs CD8 <sup>+</sup> Tâ€eell differentiation and function while dehydroepiandrosterone improves cytotoxic antitubercular immune responses. European Journal of Immunology, 2015, 45, 2529-2541.	1.6	11

#	Article	IF	CITATIONS
19	Deciphering How HIVâ€1 Intersubtype Recombination Shapes Viral Fitness and Disease Progression. EBioMedicine, 2015, 2, 188-189.	2.7	10
20	Biological evaluation and molecular modelling of didanosine derivatives. MedChemComm, 2014, 5, 622-631.	<b>3.</b> 5	1
21	MicroRNAs differentially present in the plasma of HIV elite controllers reduce HIV infection in vitro. Scientific Reports, 2014, 4, 5915.	1.6	82
22	Early Skewed Distribution of Total and HIV-Specific CD8+ T-Cell Memory Phenotypes during Primary HIV Infection Is Related to Reduced Antiviral Activity and Faster Disease Progression. PLoS ONE, 2014, 9, e104235.	1.1	28
23	Host Genetic Factors Associated with Symptomatic Primary HIV Infection and Disease Progression among Argentinean Seroconverters. PLoS ONE, 2014, 9, e113146.	1.1	15
24	Early Gag Immunodominance of the HIV-Specific T-Cell Response during Acute/Early Infection Is Associated with Higher CD8 <sup>+</sup> T-Cell Antiviral Activity and Correlates with Preservation of the CD4 <sup>+</sup> T-Cell Compartment. Journal of Virology, 2013, 87, 7445-7462.	1.5	53
25	HIV-mediated up-regulation of invariant chain (CD74) correlates with generalized immune activation in HIV+ subjects. Virus Research, 2012, 163, 380-384.	1.1	10
26	Genetic and Functional Analysis of HIV Type $1 < i > nef <   i > Gene Derived from Long-Term Nonprogressor Children: Association of Attenuated Variants with Slow Progression to Pediatric AIDS. AIDS Research and Human Retroviruses, 2012, 28, 1617-1626.$	0.5	16
27	IL-12 and GM-CSF in DNA/MVA Immunizations against HIV-1 CRF12_BF Nef Induced T-Cell Responses With an Enhanced Magnitude, Breadth and Quality. PLoS ONE, 2012, 7, e37801.	1.1	23
28	Acute retroviral syndrome and high baseline viral load are predictors of rapid HIV progression among untreated Argentinean seroconverters. Journal of the International AIDS Society, 2011, 14, 40-40.	1.2	55
29	Nef Performance in Macrophages: The Master Orchestrator of Viral Persistence and Spread. Current HIV Research, 2011, 9, 505-513.	0.2	17
30	Analysis of HIV Type 1 BF Recombinant Sequences from South America Dates the Origin of CRF12_BF to a Recombination Event in the 1970s. AIDS Research and Human Retroviruses, 2011, 27, 569-578.	0.5	13
31	Acute HIV Seroconversion Presenting with Active Tuberculosis and Associated with High Levels of T-Regulatory Cells. Viral Immunology, 2011, 24, 347-349.	0.6	6
32	Viral replication is enhanced by an HIV-1 intersubtype recombination-derived Vpu protein. Virology Journal, 2010, 7, 259.	1.4	10
33	Single Nef Proteins from HIV Type 1 Subtypes C and F Fail to Upregulate Invariant Chain Cell Surface Expression But Are Active for Other Functions. AIDS Research and Human Retroviruses, 2009, 25, 285-296.	0.5	13
34	Antiretroviral activity of fucoidans extracted from the brown seaweed <i>Adenocystis utricularis</i> . Phytotherapy Research, 2009, 23, 707-712.	2.8	96
35	Synthesis and anti-HIV activity of novel 2′,3′-dideoxy-3′-thiacytidine prodrugs. Bioorganic and Medicinal Chemistry, 2009, 17, 6407-6413.	1.4	13
36	In vitro dynamics of HIV-1 BF intersubtype recombinants genomic regions involved in the regulation of gene expression. Virology Journal, 2009, 6, 107.	1.4	8

#	Article	IF	CITATION
37	Synthesis and antiretroviral evaluation of derivatives of zidovudine. Journal of the Brazilian Chemical Society, 2009, 20, 1870-1877.	0.6	7
38	Magnitude, Breadth, and Functional Profile of T-Cell Responses during Human Immunodeficiency Virus Primary Infection with B and BF Viral Variants. Journal of Virology, 2008, 82, 2853-2866.	1.5	34
39	HLA-Driven Convergence of HIV-1 Viral Subtypes B and F Toward the Adaptation to Immune Responses in Human Populations. PLoS ONE, 2008, 3, e3429.	1.1	22
40	Higher transactivation activity associated with LTR and Tat elements from HIV-1 BF intersubtype recombinant variants. Retrovirology, 2006, 3, 14.	0.9	18
41	HIV Type 1 BF Recombinant Strains Exhibit Different pol Gene Mosaic Patterns: Descriptive Analysis from 284 Patients under Treatment Failure. AIDS Research and Human Retroviruses, 2004, 20, 1100-1107.	0.5	47
42	Antiretroviral activity and cytotoxicity of novel zidovudine (AZT) derivatives and the relation to their chemical structure. International Journal of Antimicrobial Agents, 2002, 20, 282-288.	1.1	20