

Vuslat Yilmaz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4698130/publications.pdf>

Version: 2024-02-01

63
papers

1,101
citations

471509

17
h-index

434195

31
g-index

64
all docs

64
docs citations

64
times ranked

1728
citing authors

#	ARTICLE	IF	CITATIONS
1	Elevated sTREM2 and NFL levels in patients with sepsis associated encephalopathy. <i>International Journal of Neuroscience</i> , 2023, 133, 327-333.	1.6	12
2	CXCL13 Levels Indicate Treatment Responsiveness to Fingolimod in MS Patients. <i>European Neurology</i> , 2022, 85, 69-71.	1.4	3
3	Classical complement pathway factor alterations in narcolepsy. <i>Acta Neuropsychiatrica</i> , 2022, 34, 212-219.	2.1	2
4	Fingolimod impairs inactivated vaccine (CoronaVac)-induced antibody response to SARS-CoV-2 spike protein in persons with multiple sclerosis. <i>Multiple Sclerosis and Related Disorders</i> , 2022, 58, 103524.	2.0	8
5	IgG4 Autoantibodies in Organ-Specific Autoimmunopathies: Reviewing Class Switching, Antibody-Producing Cells, and Specific Immunotherapies. <i>Frontiers in Immunology</i> , 2022, 13, 834342.	4.8	14
6	Effects of Teriflunomide on B Cell Subsets in MuSK-Induced Experimental Autoimmune Myasthenia Gravis and Multiple Sclerosis. <i>Immunological Investigations</i> , 2021, 50, 671-684.	2.0	11
7	A Case of HaNDL with Low Cerebrospinal Fluid Level of Neurofilament Light Chain. <i>Case Reports in Neurology</i> , 2021, 12, 334-338.	0.7	3
8	CSF levels of HoxB3 and YKL-40 may predict conversion from clinically isolated syndrome to relapsing remitting multiple sclerosis. <i>Multiple Sclerosis and Related Disorders</i> , 2021, 48, 102697.	2.0	7
9	Cytokine and chemokine and cognitive profile of multiple sclerosis patients with predominant optic nerve and spinal cord involvement. <i>Journal of Spinal Cord Medicine</i> , 2021, 44, 411-417.	1.4	5
10	Serum anti-ganglioside antibodies in patients with autoimmune limbic encephalitis. <i>Turkish Journal of Medical Sciences</i> , 2021, , .	0.9	1
11	Inflammation and regulatory T cell genes are differentially expressed in peripheral blood mononuclear cells of Parkinson's disease patients. <i>Scientific Reports</i> , 2021, 11, 2316.	3.3	20
12	Adaptive immunity cells are differentially distributed in the peripheral blood of glycine receptor antibody-positive patients with focal epilepsy of unknown cause. <i>Epilepsy Research</i> , 2021, 170, 106542.	1.6	4
13	MO678 DISTRIBUTION OF PERIPHERAL BLOOD T CELL SUBTYPES IN HEMODIALYSIS PATIENTS TREATED WITH MEDIUM CUT-OFF MEMBRANES AND HIGH-FLUX MEMBRANES. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, .	0.7	0
14	Genetic Association of a Gain-of-Function <i>IFNGR1</i> Polymorphism and the Intergenic Region <i>LNCAROD/DKK1</i> With Behçet's Disease. <i>Arthritis and Rheumatology</i> , 2021, 73, 1244-1252.	5.6	21
15	Peripheral blood B cell subset ratios and expression levels of B cell-associated genes are altered in benign multiple sclerosis. <i>Multiple Sclerosis and Related Disorders</i> , 2021, 52, 103019.	2.0	5
16	Evaluation of Patients with Suspicion of COVID-19 in Pediatric Emergency Department. <i>Sisli Etfal Hastanesi Tip Bulteni</i> , 2021, 55, 179-187.	0.3	2
17	miR-132-3p, miR-106b-5p, and miR-19b-3p Are Associated with Brain-Derived Neurotrophic Factor Production and Clinical Activity in Multiple Sclerosis: A Pilot Study. <i>Genetic Testing and Molecular Biomarkers</i> , 2021, 25, 720-726.	0.7	10
18	The Effect of Cognitive Rehabilitation on Peripheral Blood B Cell Distribution and Specific Gene Expression Levels in MS patients. , 2021, 1, 32-39.		0

#	ARTICLE	IF	CITATIONS
19	Sleep disturbance and cognitive decline in multiple sclerosis patients with isolated optic neuritis as the first demyelinating event. <i>International Ophthalmology</i> , 2020, 40, 151-158.	1.4	4
20	Late-onset generalized myasthenia gravis: clinical features, treatment, and outcome. <i>Acta Neurologica Belgica</i> , 2020, 120, 133-140.	1.1	19
21	The treatment effect on peripheral B cell markers in antibody positive myasthenia gravis patients. <i>Journal of Neuroimmunology</i> , 2020, 349, 577402.	2.3	1
22	Expression of Akt1 and p-Akt1 in peripheral T cell subsets of multiple sclerosis patients. <i>Acta Neurologica Belgica</i> , 2020, 121, 1777-1782.	1.1	5
23	Comparison of Circulating Levels of Uremic Toxins in Hemodialysis Patients Treated with Medium Cut-Off Membranes and High-Flux Membranes: TheraNova in Sisli Hamidiye Etfal (THE SHE) Randomized Control Study. <i>Blood Purification</i> , 2020, 49, 733-742.	1.8	26
24	Peripheral blood expression levels of inflammasome complex components in two different focal epilepsy syndromes. <i>Journal of Neuroimmunology</i> , 2020, 347, 577343.	2.3	16
25	Common Denominators in the Immunobiology of IgG4 Autoimmune Diseases: What Do Glomerulonephritis, Pemphigus Vulgaris, Myasthenia Gravis, Thrombotic Thrombocytopenic Purpura and Autoimmune Encephalitis Have in Common?. <i>Frontiers in Immunology</i> , 2020, 11, 605214.	4.8	21
26	Expression Levels of Inflammasome Complexes in Experimental Autoimmune Myasthenia Gravis Mouse Model (EAMG). <i>Experimed</i> , 2020, 9, 79-85.	0.1	1
27	Impact of autoimmune demyelinating brain disease sera on pericyte survival. <i>Noropsikiyatri Arsivi</i> , 2020, 58, 83-86.	0.3	3
28	B Cell Immunophenotyping and Expression Analysis of B Cell Specific Molecules of Patients with Benign Multiple Sclerosis. <i>Experimed</i> , 2020, 9, 105-112.	0.1	0
29	Impact of fingolimod on CD4+ T cell subset and cytokine profile of relapsing remitting multiple sclerosis patients. <i>Journal of Neuroimmunology</i> , 2019, 337, 577065.	2.3	9
30	Enhanced NLRP3 and DEFA1B Expression During the Active Stage of Parenchymal Neuro-Behçet's Disease. <i>In Vivo</i> , 2019, 33, 1493-1497.	1.3	8
31	Relation of HLA-DRB1 to IgG4 autoantibody and cytokine production in muscle-specific tyrosine kinase myasthenia gravis (MuSK-MG). <i>Clinical and Experimental Immunology</i> , 2019, 197, 214-221.	2.6	6
32	Serum orexin-A levels are associated with disease progression and motor impairment in multiple sclerosis. <i>Neurological Sciences</i> , 2019, 40, 1067-1070.	1.9	19
33	Acute ophthalmoparesis and persistent mydriasis: expanding the clinical spectrum of anti-gq1b positive cranial neuropathy in a 5.5-year-old girl. <i>Turkish Journal of Pediatrics</i> , 2019, 61, 794.	0.6	2
34	Peripheral blood memory B cell frequency predicts conversion from clinically isolated syndrome to multiple sclerosis. <i>Multiple Sclerosis and Related Disorders</i> , 2018, 23, 9-14.	2.0	8
35	Regulatory B cells in myasthenia gravis are differentially affected by therapies. <i>Annals of Clinical and Translational Neurology</i> , 2018, 5, 1408-1414.	3.7	18
36	Viability of SH-SY5Y cells is associated with purinergic P2 receptor expression alterations. <i>Acta Biologica Hungarica</i> , 2017, 68, 22-34.	0.7	0

#	ARTICLE	IF	CITATIONS
37	Immunization with Recombinantly Expressed LRP4 Induces Experimental Autoimmune Myasthenia Gravis in C57BL/6 Mice. <i>Immunological Investigations</i> , 2017, 46, 490-499.	2.0	19
38	Prompt Response to Prednisone Predicts Benign Course in MuSK-MG. <i>European Neurology</i> , 2017, 78, 137-142.	1.4	5
39	Flow Cytometry Analysis of Peripheral Blood B Cell Distribution of Patients with Multiple Sclerosis. <i>Turk Noroloji Dergisi = Turkish Journal of Neurology</i> , 2017, 23, 219-224.	0.3	1
40	Genetic heterogeneity within the HLA region in three distinct clinical subgroups of myasthenia gravis. <i>Clinical Immunology</i> , 2016, 166-167, 81-88.	3.2	38
41	Chemokine and Chemokine Receptor Polymorphisms in Bipolar Disorder. <i>Psychiatry Investigation</i> , 2016, 13, 541.	1.6	7
42	Activation of the JAK/STAT pathway in Behçet's disease. <i>Genes and Immunity</i> , 2015, 16, 170-175.	4.1	59
43	cFLIP overexpression in T cells in thymoma-associated myasthenia gravis. <i>Annals of Clinical and Translational Neurology</i> , 2015, 2, 894-905.	3.7	3
44	B cells produce less IL-10, IL-6 and TNF- α in myasthenia gravis. <i>Autoimmunity</i> , 2015, 48, 201-207.	2.6	26
45	Differential Cytokine Changes in Patients with Myasthenia Gravis with Antibodies against AChR and MuSK. <i>PLoS ONE</i> , 2015, 10, e0123546.	2.5	40
46	Preferential production of IgG1, IL-4 and IL-10 in MuSK-immunized mice. <i>Clinical Immunology</i> , 2014, 151, 155-163.	3.2	35
47	Prepubertal anti-Musk positive myasthenia gravis with long remission. <i>Neuromuscular Disorders</i> , 2014, 24, 36-39.	0.6	6
48	Differential cytokine changes in myasthenia gravis patients with antibodies against AChR and Musk. <i>Journal of Neuroimmunology</i> , 2014, 275, 212-213.	2.3	0
49	The Association of PTPN22 R620W Polymorphism Is Stronger with Late-Onset AChR-Myasthenia Gravis in Turkey. <i>PLoS ONE</i> , 2014, 9, e104760.	2.5	10
50	Association of HLA-DRB1*14, -DRB1*16 and -DQB1*05 with MuSK-myasthenia gravis in patients from Turkey. <i>Human Immunology</i> , 2013, 74, 1633-1635.	2.4	43
51	Aquaporin-4 antibody seropositivity in myasthenia gravis patients with thymoma. <i>Muscle and Nerve</i> , 2013, 47, 306-307.	2.2	0
52	Identification of multiple independent susceptibility loci in the HLA region in Behçet's disease. <i>Nature Genetics</i> , 2013, 45, 319-324.	21.4	130
53	Takayasu's arteritis is associated with HLA-B*52, but not with HLA-B*51, in Turkey. <i>Arthritis Research and Therapy</i> , 2012, 14, R27.	3.5	60
54	A putative functional variant within the <i>UBAC2</i> gene is associated with increased risk of Behçet's disease. <i>Arthritis and Rheumatism</i> , 2011, 63, 3607-3612.	6.7	39

#	ARTICLE	IF	CITATIONS
55	Increased Complement Consumption in MuSK-Antibody-Positive Myasthenia Gravis Patients. <i>Medical Principles and Practice</i> , 2011, 20, 581-583.	2.4	9
56	Mannose-binding lectin pathway is not involved in myasthenia gravis pathogenesis. <i>Journal of Neuroimmunology</i> , 2009, 208, 40-45.	2.3	7
57	Long Remission in Muscle-Specific Kinase Antibody-Positive Juvenile Myasthenia. <i>Pediatric Neurology</i> , 2009, 40, 455-456.	2.1	22
58	Polymorphisms of interferon- \hat{I}^3 , interleukin-10, and interleukin-12 genes in myasthenia gravis. <i>Human Immunology</i> , 2007, 68, 544-549.	2.4	17
59	Interleukin (IL)-12, IL-2, interferon- \hat{I}^3 gene polymorphisms in subacute sclerosing panencephalitis patients. <i>Journal of NeuroVirology</i> , 2007, 13, 410-415.	2.1	27
60	Interleukin (IL)-12, IL-2, and IL-6 Gene Polymorphisms in Takayasu's Arteritis from Turkey. <i>Human Immunology</i> , 2006, 67, 735-740.	2.4	47
61	IL-12 and IL-10 polymorphisms and their effects on cytokine production. <i>Cytokine</i> , 2005, 30, 188-194.	3.2	144
62	Polymorphisms of the IL-8 and CXCR2 genes are not associated with Behçet's disease. <i>Journal of Rheumatology</i> , 2005, 32, 93-7.	2.0	13
63	Impact of Intraventricular Administration of SWAP-70 Antibody Positive Multiple Sclerosis Serum Antibodies on Motor Activity and Brain Histology. <i>Experimed</i> , 0, , .	0.0	0