

Frede Frihagen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4699274/publications.pdf>

Version: 2024-02-01

66
papers

2,149
citations

201674

27
h-index

243625

44
g-index

66
all docs

66
docs citations

66
times ranked

2228
citing authors

#	ARTICLE	IF	CITATIONS
1	Hemiarthroplasty or internal fixation for intracapsular displaced femoral neck fractures: randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2007, 335, 1251-1254.	2.3	205
2	Cemented versus Uncemented Hemiarthroplasty for Displaced Femoral Neck Fractures. <i>Clinical Orthopaedics and Related Research</i> , 2009, 467, 2426-2435.	1.5	198
3	Randomized Trial Comparing Suture Button with Single Syndesmotic Screw for Syndesmosis Injury. <i>Journal of Bone and Joint Surgery - Series A</i> , 2018, 100, 2-12.	3.0	115
4	Screw Fixation Versus Hemiarthroplasty for Nondisplaced Femoral Neck Fractures in Elderly Patients. <i>Journal of Bone and Joint Surgery - Series A</i> , 2019, 101, 136-144.	3.0	94
5	Volar Locking Plates Versus External Fixation and Adjuvant Pin Fixation in Unstable Distal Radius Fractures: A Randomized, Controlled Study. <i>Journal of Hand Surgery</i> , 2013, 38, 1469-1476.	1.6	89
6	Outcome after femoral neck fractures: A comparison of Harris Hip Score, Eq-5d and Barthel Index. <i>Injury</i> , 2008, 39, 1147-1156.	1.7	81
7	MRI diagnosis of occult hip fractures. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2005, 76, 524-530.	3.3	73
8	Associations Between Delirium and Preoperative Cerebrospinal Fluid C-reactive Protein, Interleukin-6, and Interleukin-6 Receptor in Individuals with Acute Hip Fracture. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 1456-1463.	2.6	70
9	Preoperative posterior tilt of at least 20° increased the risk of fixation failure in Garden-I and -II femoral neck fractures. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016, 87, 252-256.	3.3	57
10	Hip fracture evaluation with alternatives of total hip arthroplasty versus hemiarthroplasty (HEALTH): protocol for a multicentre randomised trial. <i>BMJ Open</i> , 2015, 5, e006263-e006263.	1.9	54
11	Importance of Syndesmotic Reduction on Clinical Outcome After Syndesmosis Injuries. <i>Journal of Orthopaedic Trauma</i> , 2019, 33, 397-403.	1.4	53
12	External Fixation and Adjuvant Pins Versus Volar Locking Plate Fixation in Unstable Distal Radius Fractures: A Randomized, Controlled Study With a 5-Year Follow-Up. <i>Journal of Hand Surgery</i> , 2015, 40, 1333-1340.	1.6	52
13	Better outcome for suture button compared with single syndesmotic screw for syndesmosis injury: five-year results of a randomized controlled trial. <i>Bone and Joint Journal</i> , 2020, 102-B, 212-219.	4.4	52
14	Delirium is a risk factor for further cognitive decline in cognitively impaired hip fracture patients. <i>Archives of Gerontology and Geriatrics</i> , 2016, 64, 38-44.	3.0	47
15	High failure rate after internal fixation and beneficial outcome after arthroplasty in treatment of displaced femoral neck fractures in patients between 55 and 70 years. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2018, 89, 53-58.	3.3	46
16	Posterior versus lateral approach for hemiarthroplasty after femoral neck fracture: Early complications in a prospective cohort of 583 patients. <i>Injury</i> , 2017, 48, 1565-1569.	1.7	45
17	High complication rate after syndesmotic screw removal. <i>Injury</i> , 2015, 46, 2283-2287.	1.7	42
18	Effects of Teriparatide Compared with Risedronate on Recovery After Pertrochanteric Hip Fracture. <i>Journal of Bone and Joint Surgery - Series A</i> , 2016, 98, 1868-1878.	3.0	42

#	ARTICLE	IF	CITATIONS
19	Neurofilament Light in Serum and Cerebrospinal Fluid of Hip Fracture Patients with Delirium. <i>Dementia and Geriatric Cognitive Disorders</i> , 2018, 46, 346-357.	1.5	41
20	Vitamin K1 and 25(OH)D are independently and synergistically associated with a risk for hip fracture in an elderly population: A case control study. <i>Clinical Nutrition</i> , 2015, 34, 101-106.	5.0	40
21	Cast immobilization is non-inferior to volar locking plates in relation to QuickDASH after one year in patients aged 65 years and older: a randomized controlled trial of displaced distal radius fractures. <i>Bone and Joint Journal</i> , 2021, 103-B, 247-255.	4.4	39
22	Prosthetic joint infection—a devastating complication of hemiarthroplasty for hip fracture. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2017, 88, 383-389.	3.3	38
23	Perioperative hemodynamics and risk for delirium and new onset dementia in hip fracture patients; A prospective follow-up study. <i>PLoS ONE</i> , 2017, 12, e0180641.	2.5	38
24	The cost of hemiarthroplasty compared to that of internal fixation for femoral neck fractures. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2010, 81, 446-452.	3.3	37
25	Preclinical Amyloid- β^2 and Axonal Degeneration Pathology in Delirium. <i>Journal of Alzheimer's Disease</i> , 2016, 55, 371-379.	2.6	35
26	Comparison of re-operation rates following primary and secondary hemiarthroplasty of the hip. <i>Injury</i> , 2007, 38, 815-819.	1.7	34
27	Effect of Teriparatide or Risedronate in Elderly Patients With a Recent Pertrochanteric Hip Fracture: Final Results of a 78-Week Randomized Clinical Trial. <i>Journal of Bone and Mineral Research</i> , 2017, 32, 1040-1051.	2.8	32
28	Cerebrospinal Fluid S100B and Alzheimer's Disease Biomarkers in Hip Fracture Patients with Delirium. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2018, 7, 374-385.	1.3	31
29	Increased CSF levels of aromatic amino acids in hip fracture patients with delirium suggests higher monoaminergic activity. <i>BMC Geriatrics</i> , 2016, 16, 149.	2.7	29
30	Decreases in heart rate variability are associated with postoperative complications in hip fracture patients. <i>PLoS ONE</i> , 2017, 12, e0180423.	2.5	29
31	Cerebrospinal fluid levels of neopterin are elevated in delirium after hip fracture. <i>Journal of Neuroinflammation</i> , 2016, 13, 170.	7.2	26
32	Interdisciplinary care of hip fractures.. <i>Best Practice and Research in Clinical Rheumatology</i> , 2019, 33, 205-226.	3.3	24
33	Randomized trial comparing suture button with single 3.5-mm syndesmotomic screw for ankle syndesmosis injury: similar results at 2 years. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2020, 91, 770-775.	3.3	20
34	Results after introduction of a hip fracture care pathway: comparison with usual care. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2020, 91, 139-145.	3.3	18
35	Effectiveness of Gentamicin-Containing Collagen Sponges for Prevention of Surgical Site Infection After Hip Arthroplasty: A Multicenter Randomized Trial. <i>Clinical Infectious Diseases</i> , 2015, 60, 1752-1759.	5.8	17
36	High prevalence of vertebral fractures and low trabecular bone score in patients with fragility fractures: A cross-sectional sub-study of NoFRACT. <i>Bone</i> , 2019, 122, 14-21.	2.9	16

#	ARTICLE	IF	CITATIONS
37	Effects of nutritional intervention upon bone turnover in elderly hip fracture patients. Randomized controlled trial. <i>Clinical Nutrition ESPEN</i> , 2019, 29, 52-58.	1.2	15
38	Post-fracture Risk Assessment: Target the Centrally Sited Fractures First! A Substudy of NoFRACT. <i>Journal of Bone and Mineral Research</i> , 2019, 34, 2036-2044.	2.8	14
39	Effect of a Fracture Liaison Service on the Rate of Subsequent Fracture Among Patients With a Fragility Fracture in the Norwegian Capture the Fracture Initiative (NoFRACT). <i>JAMA Network Open</i> , 2018, 1, e185701.	5.9	13
40	Higher cartilage wear in unipolar than bipolar hemiarthroplasties of the hip at 2 years: A randomized controlled radiostereometric study in 19 fit elderly patients with femoral neck fractures. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2018, 89, 503-508.	3.3	13
41	Taylor Spatial Frame or Reamed Intramedullary Nailing for Closed Fractures of the Tibial Shaft: A Randomized Controlled Trial. <i>Journal of Orthopaedic Trauma</i> , 2020, 34, 612-619.	1.4	13
42	Arthroplasty Versus Internal Fixation for the Treatment of Undisplaced Femoral Neck Fractures: A Retrospective Cohort Study. <i>Journal of Orthopaedic Trauma</i> , 2020, 34, S9-S14.	1.4	12
43	Micronutrients and the risk of hip fracture: Case-control study. <i>Clinical Nutrition</i> , 2017, 36, 438-443.	5.0	11
44	Low bone density and high morbidity in patients between 55 and 70 years with displaced femoral neck fractures: a case-control study of 50 patients vs 150 normal controls. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 371.	1.9	10
45	Implants for trochanteric fractures in Norway: the role of the trochanteric stabilizing plate—a study on 20,902 fractures from the Norwegian hip fracture register 2011–2017. <i>Journal of Orthopaedic Surgery and Research</i> , 2021, 16, 26.	2.3	10
46	The proximal hamstring avulsion clinical trial (PHACT)—a randomised controlled non-inferiority trial of operative versus non-operative treatment of proximal hamstrings avulsions: study protocol. <i>BMJ Open</i> , 2019, 9, e031607.	1.9	9
47	Orthogeriatrics prevents functional decline in hip fracture patients: report from two randomized controlled trials. <i>BMC Geriatrics</i> , 2021, 21, 208.	2.7	9
48	Total Hip Arthroplasty Leads to Better Results After Low-Energy Displaced Femoral Neck Fracture in Patients Aged 55 to 70 Years. <i>Journal of Bone and Joint Surgery - Series A</i> , 2022, 104, 1341-1351.	3.0	8
49	Prognostic value of the Haraguchi classification in posterior malleolar fractures in A0 44-C type ankle fractures. <i>Injury</i> , 2021, 52, 3150-3155.	1.7	7
50	Team Approach: Multidisciplinary Treatment of Hip Fractures in Elderly Patients. <i>JBJS Reviews</i> , 2019, 7, e6-e6.	2.0	5
51	Heterotopic Ossification Following Arthroplasty for Femoral Neck Fracture. <i>Journal of Bone and Joint Surgery - Series A</i> , 2021, 103, 1328-1334.	3.0	5
52	Cerebrospinal Fluid Phosphate in Delirium after Hip Fracture. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2018, 7, 309-317.	1.3	4
53	Cerebrospinal fluid catecholamines in delirium and dementia. <i>Brain Communications</i> , 2021, 3, fcb121.	3.3	4
54	Low Heart Rate Variability Predicts Stroke and Other Complications in the First Six Postoperative Months After a Hip Fracture Operation. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 640970.	2.4	4

#	ARTICLE	IF	CITATIONS
55	Trochanteric stabilizing plate in the treatment of trochanteric fractures: a scoping review. Monthly Notices of the Royal Astronomical Society: Letters, 2021, 92, 733-738.	3.3	4
56	Twenty-Year Experience With Primary Distal Radioulnar Joint Arthroplasty From a Single Institution. Journal of Hand Surgery, 2023, 48, 53-67.	1.6	4
57	The FAITH and HEALTH Trials: Are We Studying Different Hip Fracture Patient Populations?. Journal of Orthopaedic Trauma, 2020, 34, S1-S8.	1.4	3
58	Predicting secondary surgery after operative fixation of olecranon fractures: a model using data from 800 patients. JSES International, 2021, 5, 948-953.	1.6	3
59	Surgical treatment is not cost-effective compared to nonoperative treatment for displaced distal radius fractures in patients 65 years and over. Bone & Joint Open, 2021, 2, 1027-1034.	2.6	3
60	Steady State Acetabular Cartilage Wear after Bipolar Hemiarthroplasty: A Case Series of 10 Patients with Radiostereometric Analysis. HIP International, 2017, 27, 193-197.	1.7	2
61	CSF sodium at toxic levels precedes delirium in hip fracture patients. NeuroToxicology, 2018, 69, 11-16.	3.0	1
62	What Predicts Health-Related Quality of Life for Patients With Displaced Femoral Neck Fractures Managed With Arthroplasty? A Secondary Analysis of the HEALTH Trial. Journal of Orthopaedic Trauma, 2020, 34, S29-S36.	1.4	1
63	An 80 year old woman who fell in her home. BMJ: British Medical Journal, 2009, 339, b4839-b4839.	2.3	1
64	Outcomes following Distal Radioulnar Joint Arthroplasty in the Setting of Total or Partial Wrist Fusion. Journal of Wrist Surgery, 2022, 11, 501-508.	0.7	1
65	How to navigate the landscape of trochanteric hip fracture implants. Monthly Notices of the Royal Astronomical Society: Letters, 2022, 93, 358-359.	3.3	1
66	Infographic: Cast immobilization is non-inferior to volar locking plates in relation to QuickDASH after one year in patients aged 65 years and older: a randomized controlled trial of displaced distal radius fractures. Bone and Joint Journal, 2021, 103-B, 245-246.	4.4	0