

Frede Frihagen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4699274/publications.pdf>

Version: 2024-02-01

66
papers

2,149
citations

230014

27
h-index

274796

44
g-index

66
all docs

66
docs citations

66
times ranked

2306
citing authors

#	ARTICLE	IF	CITATIONS
1	Twenty-Year Experience With Primary Distal Radioulnar Joint Arthroplasty From a Single Institution. <i>Journal of Hand Surgery</i> , 2023, 48, 53-67.	0.7	4
2	Outcomes following Distal Radioulnar Joint Arthroplasty in the Setting of Total or Partial Wrist Fusion. <i>Journal of Wrist Surgery</i> , 2022, 11, 501-508.	0.3	1
3	How to navigate the landscape of trochanteric hip fracture implants. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2022, 93, 358-359.	1.2	1
4	Total Hip Arthroplasty Leads to Better Results After Low-Energy Displaced Femoral Neck Fracture in Patients Aged 55 to 70 Years. <i>Journal of Bone and Joint Surgery - Series A</i> , 2022, 104, 1341-1351.	1.4	8
5	Cerebrospinal fluid catecholamines in delirium and dementia. <i>Brain Communications</i> , 2021, 3, fcb121.	1.5	4
6	Cast immobilization is non-inferior to volar locking plates in relation to QuickDASH after one year in patients aged 65 years and older: a randomized controlled trial of displaced distal radius fractures. <i>Bone and Joint Journal</i> , 2021, 103-B, 247-255.	1.9	39
7	Infographic: Cast immobilization is non-inferior to volar locking plates in relation to QuickDASH after one year in patients aged 65 years and older: a randomized controlled trial of displaced distal radius fractures. <i>Bone and Joint Journal</i> , 2021, 103-B, 245-246.	1.9	0
8	Orthogeriatrics prevents functional decline in hip fracture patients: report from two randomized controlled trials. <i>BMC Geriatrics</i> , 2021, 21, 208.	1.1	9
9	Low Heart Rate Variability Predicts Stroke and Other Complications in the First Six Postoperative Months After a Hip Fracture Operation. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 640970.	1.1	4
10	Heterotopic Ossification Following Arthroplasty for Femoral Neck Fracture. <i>Journal of Bone and Joint Surgery - Series A</i> , 2021, 103, 1328-1334.	1.4	5
11	Trochanteric stabilizing plate in the treatment of trochanteric fractures: a scoping review. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2021, 92, 733-738.	1.2	4
12	Prognostic value of the Haraguchi classification in posterior malleolar fractures in A0 44-C type ankle fractures. <i>Injury</i> , 2021, 52, 3150-3155.	0.7	7
13	Predicting secondary surgery after operative fixation of olecranon fractures: a model using data from 800 patients. <i>JSES International</i> , 2021, 5, 948-953.	0.7	3
14	Implants for trochanteric fractures in Norway: the role of the trochanteric stabilizing plate—a study on 20,902 fractures from the Norwegian hip fracture register 2011–2017. <i>Journal of Orthopaedic Surgery and Research</i> , 2021, 16, 26.	0.9	10
15	Surgical treatment is not cost-effective compared to nonoperative treatment for displaced distal radius fractures in patients 65 years and over. <i>Bone & Joint Open</i> , 2021, 2, 1027-1034.	1.1	3
16	The FAITH and HEALTH Trials: Are We Studying Different Hip Fracture Patient Populations?. <i>Journal of Orthopaedic Trauma</i> , 2020, 34, S1-S8.	0.7	3
17	Arthroplasty Versus Internal Fixation for the Treatment of Undisplaced Femoral Neck Fractures: A Retrospective Cohort Study. <i>Journal of Orthopaedic Trauma</i> , 2020, 34, S9-S14.	0.7	12
18	Taylor Spatial Frame or Reamed Intramedullary Nailing for Closed Fractures of the Tibial Shaft: A Randomized Controlled Trial. <i>Journal of Orthopaedic Trauma</i> , 2020, 34, 612-619.	0.7	13

#	ARTICLE	IF	CITATIONS
19	Randomized trial comparing suture button with single 3.5mm syndesmotic screw for ankle syndesmosis injury: similar results at 2 years. Monthly Notices of the Royal Astronomical Society: Letters, 2020, 91, 770-775.	1.2	20
20	What Predicts Health-Related Quality of Life for Patients With Displaced Femoral Neck Fractures Managed With Arthroplasty? A Secondary Analysis of the HEALTH Trial. Journal of Orthopaedic Trauma, 2020, 34, S29-S36.	0.7	1
21	Better outcome for suture button compared with single syndesmotic screw for syndesmosis injury: five-year results of a randomized controlled trial. Bone and Joint Journal, 2020, 102-B, 212-219.	1.9	52
22	Results after introduction of a hip fracture care pathway: comparison with usual care. Monthly Notices of the Royal Astronomical Society: Letters, 2020, 91, 139-145.	1.2	18
23	Low bone density and high morbidity in patients between 55 and 70 years with displaced femoral neck fractures: a case-control study of 50 patients vs 150 normal controls. BMC Musculoskeletal Disorders, 2019, 20, 371.	0.8	10
24	Post-fracture Risk Assessment: Target the Centrally Sited Fractures First! A Substudy of NoFRACT. Journal of Bone and Mineral Research, 2019, 34, 2036-2044.	3.1	14
25	The proximal hamstring avulsion clinical trial (PHACT) – a randomised controlled non-inferiority trial of operative versus non-operative treatment of proximal hamstrings avulsions: study protocol. BMJ Open, 2019, 9, e031607.	0.8	9
26	Interdisciplinary care of hip fractures.. Best Practice and Research in Clinical Rheumatology, 2019, 33, 205-226.	1.4	24
27	High prevalence of vertebral fractures and low trabecular bone score in patients with fragility fractures: A cross-sectional sub-study of NoFRACT. Bone, 2019, 122, 14-21.	1.4	16
28	Importance of Syndesmotic Reduction on Clinical Outcome After Syndesmosis Injuries. Journal of Orthopaedic Trauma, 2019, 33, 397-403.	0.7	53
29	Team Approach: Multidisciplinary Treatment of Hip Fractures in Elderly Patients. JBJS Reviews, 2019, 7, e6-e6.	0.8	5
30	Effects of nutritional intervention upon bone turnover in elderly hip fracture patients. Randomized controlled trial. Clinical Nutrition ESPEN, 2019, 29, 52-58.	0.5	15
31	Screw Fixation Versus Hemiarthroplasty for Nondisplaced Femoral Neck Fractures in Elderly Patients. Journal of Bone and Joint Surgery - Series A, 2019, 101, 136-144.	1.4	94
32	Cerebrospinal Fluid Phosphate in Delirium after Hip Fracture. Dementia and Geriatric Cognitive Disorders Extra, 2018, 7, 309-317.	0.6	4
33	Cerebrospinal Fluid S100B and Alzheimer's Disease Biomarkers in Hip Fracture Patients with Delirium. Dementia and Geriatric Cognitive Disorders Extra, 2018, 7, 374-385.	0.6	31
34	Randomized Trial Comparing Suture Button with Single Syndesmotic Screw for Syndesmosis Injury. Journal of Bone and Joint Surgery - Series A, 2018, 100, 2-12.	1.4	115
35	High failure rate after internal fixation and beneficial outcome after arthroplasty in treatment of displaced femoral neck fractures in patients between 55 and 70 years. Monthly Notices of the Royal Astronomical Society: Letters, 2018, 89, 53-58.	1.2	46
36	Effect of a Fracture Liaison Service on the Rate of Subsequent Fracture Among Patients With a Fragility Fracture in the Norwegian Capture the Fracture Initiative (NoFRACT). JAMA Network Open, 2018, 1, e185701.	2.8	13

#	ARTICLE	IF	CITATIONS
37	Neurofilament Light in Serum and Cerebrospinal Fluid of Hip Fracture Patients with Delirium. <i>Dementia and Geriatric Cognitive Disorders</i> , 2018, 46, 346-357.	0.7	41
38	Higher cartilage wear in unipolar than bipolar hemiarthroplasties of the hip at 2 years: A randomized controlled radiostereometric study in 19 fit elderly patients with femoral neck fractures. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2018, 89, 503-508.	1.2	13
39	CSF sodium at toxic levels precedes delirium in hip fracture patients. <i>NeuroToxicology</i> , 2018, 69, 11-16.	1.4	1
40	Micronutrients and the risk of hip fracture: Case-control study. <i>Clinical Nutrition</i> , 2017, 36, 438-443.	2.3	11
41	Prosthetic joint infection—a devastating complication of hemiarthroplasty for hip fracture. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2017, 88, 383-389.	1.2	38
42	Posterior versus lateral approach for hemiarthroplasty after femoral neck fracture: Early complications in a prospective cohort of 583 patients. <i>Injury</i> , 2017, 48, 1565-1569.	0.7	45
43	Effect of Teriparatide or Risedronate in Elderly Patients With a Recent Pertrochanteric Hip Fracture: Final Results of a 78-Week Randomized Clinical Trial. <i>Journal of Bone and Mineral Research</i> , 2017, 32, 1040-1051.	3.1	32
44	Steady State Acetabular Cartilage Wear after Bipolar Hemiarthroplasty: A Case Series of 10 Patients with Radiostereometric Analysis. <i>HIP International</i> , 2017, 27, 193-197.	0.9	2
45	Decreases in heart rate variability are associated with postoperative complications in hip fracture patients. <i>PLoS ONE</i> , 2017, 12, e0180423.	1.1	29
46	Perioperative hemodynamics and risk for delirium and new onset dementia in hip fracture patients; A prospective follow-up study. <i>PLoS ONE</i> , 2017, 12, e0180641.	1.1	38
47	Preclinical Amyloid- β^2 and Axonal Degeneration Pathology in Delirium. <i>Journal of Alzheimer's Disease</i> , 2016, 55, 371-379.	1.2	35
48	Associations Between Delirium and Preoperative Cerebrospinal Fluid C-reactive Protein, Interleukin-6, and Interleukin-6 Receptor in Individuals with Acute Hip Fracture. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 1456-1463.	1.3	70
49	Cerebrospinal fluid levels of neopterin are elevated in delirium after hip fracture. <i>Journal of Neuroinflammation</i> , 2016, 13, 170.	3.1	26
50	Effects of Teriparatide Compared with Risedronate on Recovery After Pertrochanteric Hip Fracture. <i>Journal of Bone and Joint Surgery - Series A</i> , 2016, 98, 1868-1878.	1.4	42
51	Preoperative posterior tilt of at least 20° increased the risk of fixation failure in Garden-I and -II femoral neck fractures. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016, 87, 252-256.	1.2	57
52	Increased CSF levels of aromatic amino acids in hip fracture patients with delirium suggests higher monoaminergic activity. <i>BMC Geriatrics</i> , 2016, 16, 149.	1.1	29
53	Delirium is a risk factor for further cognitive decline in cognitively impaired hip fracture patients. <i>Archives of Gerontology and Geriatrics</i> , 2016, 64, 38-44.	1.4	47
54	External Fixation and Adjuvant Pins Versus Volar Locking Plate Fixation in Unstable Distal Radius Fractures: A Randomized, Controlled Study With a 5-Year Follow-Up. <i>Journal of Hand Surgery</i> , 2015, 40, 1333-1340.	0.7	52

#	ARTICLE	IF	CITATIONS
55	Effectiveness of Gentamicin-Containing Collagen Sponges for Prevention of Surgical Site Infection After Hip Arthroplasty: A Multicenter Randomized Trial. <i>Clinical Infectious Diseases</i> , 2015, 60, 1752-1759.	2.9	17
56	Hip fracture evaluation with alternatives of total hip arthroplasty versus hemiarthroplasty (HEALTH): protocol for a multicentre randomised trial. <i>BMJ Open</i> , 2015, 5, e006263-e006263.	0.8	54
57	High complication rate after syndesmotic screw removal. <i>Injury</i> , 2015, 46, 2283-2287.	0.7	42
58	Vitamin K1 and 25(OH)D are independently and synergistically associated with a risk for hip fracture in an elderly population: A case control study. <i>Clinical Nutrition</i> , 2015, 34, 101-106.	2.3	40
59	Volar Locking Plates Versus External Fixation and Adjuvant Pin Fixation in Unstable Distal Radius Fractures: A Randomized, Controlled Study. <i>Journal of Hand Surgery</i> , 2013, 38, 1469-1476.	0.7	89
60	The cost of hemiarthroplasty compared to that of internal fixation for femoral neck fractures. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2010, 81, 446-452.	1.2	37
61	Cemented versus Uncemented Hemiarthroplasty for Displaced Femoral Neck Fractures. <i>Clinical Orthopaedics and Related Research</i> , 2009, 467, 2426-2435.	0.7	198
62	An 80 year old woman who fell in her home. <i>BMJ: British Medical Journal</i> , 2009, 339, b4839-b4839.	2.4	1
63	Outcome after femoral neck fractures: A comparison of Harris Hip Score, Eq-5d and Barthel Index. <i>Injury</i> , 2008, 39, 1147-1156.	0.7	81
64	Hemiarthroplasty or internal fixation for intracapsular displaced femoral neck fractures: randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2007, 335, 1251-1254.	2.4	205
65	Comparison of re-operation rates following primary and secondary hemiarthroplasty of the hip. <i>Injury</i> , 2007, 38, 815-819.	0.7	34
66	MRI diagnosis of occult hip fractures. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2005, 76, 524-530.	1.2	73