

Toshihide Kobayashi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4699304/toshihide-kobayashi-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

180
papers

8,919
citations

51
h-index

89
g-index

198
ext. papers

10,017
ext. citations

6.1
avg, IF

5.75
L-index

#	Paper	IF	Citations
180	PMP2/FABP8 induces PI(4,5)P-dependent transbilayer reorganization of sphingomyelin in the plasma membrane. <i>Cell Reports</i> , 2021 , 37, 109935	10.6	2
179	Direct homophilic interaction of LAMP2A with the two-domain architecture revealed by site-directed photo-crosslinks and steric hindrances in mammalian cells. <i>Autophagy</i> , 2021 , 1-19	10.2	1
178	Extreme deformability of insect cell membranes is governed by phospholipid scrambling. <i>Cell Reports</i> , 2021 , 35, 109219	10.6	5
177	Imaging Sphingomyelin- and Cholesterol-Enriched Domains in the Plasma Membrane Using a Novel Probe and Super-Resolution Microscopy. <i>Advances in Experimental Medicine and Biology</i> , 2021 , 1310, 81-90	3.6	1
176	Impact of Intrinsic and Extrinsic Factors on Cellular Sphingomyelin Imaging with Specific Reporter Proteins. <i>Contact (Thousand Oaks (Ventura County, Calif))</i> , 2021 , 4, 251525642110424	2.6	1
175	Imaging cholesterol depletion at the plasma membrane by methyl- β -cyclodextrin. <i>Journal of Lipid Research</i> , 2021 , 62, 100077	6.3	1
174	The use of pore-forming toxins to image lipids and lipid domains. <i>Methods in Enzymology</i> , 2021 , 649, 503-542	1.7	4
173	Cholesterol asymmetry at the tip of filopodia during cell adhesion. <i>FASEB Journal</i> , 2020 , 34, 6185-6197	0.9	5
172	Wrapping axons in mammals and Drosophila: Different lipids, same principle. <i>Biochimie</i> , 2020 , 178, 39-48	4.6	2
171	Formation of tubules and helical ribbons by ceramide phosphoethanolamine-containing membranes. <i>Scientific Reports</i> , 2019 , 9, 5812	4.9	5
170	Intracellular and Plasma Membrane Cholesterol Labeling and Quantification Using Filipin and GFP-D4. <i>Methods in Molecular Biology</i> , 2019 , 1949, 137-152	1.4	21
169	NPC1 enables cholesterol mobilization during long-term potentiation that can be restored in Niemann-Pick disease type C by CYP46A1 activation. <i>EMBO Reports</i> , 2019 , 20, e48143	6.5	18
168	Plasma membrane sphingomyelin modulates thymocyte development by inhibiting TCR-induced apoptosis. <i>International Immunology</i> , 2019 , 31, 211-223	4.9	7
167	Transbilayer lipid asymmetry. <i>Current Biology</i> , 2018 , 28, R386-R391	6.3	59
166	Molecular mechanisms of action of sphingomyelin-specific pore-forming toxin, lysenin. <i>Seminars in Cell and Developmental Biology</i> , 2018 , 73, 188-198	7.5	21
165	Protein probes to visualize sphingomyelin and ceramide phosphoethanolamine. <i>Chemistry and Physics of Lipids</i> , 2018 , 216, 132-141	3.7	12
164	Raft-based sphingomyelin interactions revealed by new fluorescent sphingomyelin analogs. <i>Journal of Cell Biology</i> , 2017 , 216, 1183-1204	7.3	79

163	STARD3 mediates endoplasmic reticulum-to-endosome cholesterol transport at membrane contact sites. <i>EMBO Journal</i> , 2017 , 36, 1412-1433	13	124
162	Photoswitchable phospholipid FRET acceptor: Detergent free intermembrane transfer assay of fluorescent lipid analogs. <i>Scientific Reports</i> , 2017 , 7, 2900	4.9	2
161	In Situ STM and Vibrational Study of Nanometer-Scale Reorganization of a Phospholipid Monolayer Accompanied by Potential-Driven Headgroup Digestion. <i>Langmuir</i> , 2017 , 33, 13157-13167	4	3
160	Eudicot plant-specific sphingolipids determine host selectivity of microbial NLP cytolysins. <i>Science</i> , 2017 , 358, 1431-1434	33.3	84
159	Dynamics of sphingomyelin- and cholesterol-enriched lipid domains during cytokinesis. <i>Methods in Cell Biology</i> , 2017 , 137, 15-24	1.8	11
158	A novel sphingomyelin/cholesterol domain-specific probe reveals the dynamics of the membrane domains during virus release and in Niemann-Pick type C. <i>FASEB Journal</i> , 2017 , 31, 1301-1322	0.9	23
157	PDMP, a ceramide analogue, acts as an inhibitor of mTORC1 by inducing its translocation from lysosome to endoplasmic reticulum. <i>Experimental Cell Research</i> , 2017 , 350, 103-114	4.2	14
156	Revisiting transbilayer distribution of lipids in the plasma membrane. <i>Chemistry and Physics of Lipids</i> , 2016 , 194, 58-71	3.7	35
155	Activation of STING requires palmitoylation at the Golgi. <i>Nature Communications</i> , 2016 , 7, 11932	17.4	229
154	Crystal structure of an invertebrate cytolysin pore reveals unique properties and mechanism of assembly. <i>Nature Communications</i> , 2016 , 7, 11598	17.4	54
153	Intrinsically disordered region of influenza A NP regulates viral genome packaging via interactions with viral RNA and host PI(4,5)P2. <i>Virology</i> , 2016 , 496, 116-126	3.6	10
152	Phospholipase C β induces membrane tubulation and is involved in caveolae formation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 7834-9	11.5	21
151	Effect of Cholesterol on the Interaction of Cytochrome P450 Substrate Drug Chlorzoxazone with the Phosphatidylcholine Bilayer. <i>Biochemistry</i> , 2016 , 55, 3888-98	3.2	10
150	Detectors for evaluating the cellular landscape of sphingomyelin- and cholesterol-rich membrane domains. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2016 , 1861, 812-829	5	27
149	Pore-forming toxins: Properties, diversity, and uses as tools to image sphingomyelin and ceramide phosphoethanolamine. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2016 , 1858, 576-92	3.8	22
148	Assemblies of pore-forming toxins visualized by atomic force microscopy. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2016 , 1858, 500-11	3.8	24
147	Complementation analysis reveals a potential role of human ARV1 in GPI anchor biosynthesis. <i>Yeast</i> , 2016 , 33, 37-42	3.4	12
146	Plasma Membrane Origin of the Steroidogenic Pool of Cholesterol Used in Hormone-induced Acute Steroid Formation in Leydig Cells. <i>Journal of Biological Chemistry</i> , 2016 , 291, 26109-26125	5.4	33

145	Psychosine-triggered endomitosis is modulated by membrane sphingolipids through regulation of phosphoinositide 4,5-bisphosphate production at the cleavage furrow. <i>Molecular Biology of the Cell</i> , 2016 , 27, 2037-50	3.5	5
144	Stimulatory effects of combined endocrine disruptors on MA-10 Leydig cell steroid production and lipid homeostasis. <i>Toxicology</i> , 2016 , 355-356, 21-30	4.4	23
143	Acute accumulation of free cholesterol induces the degradation of perilipin 2 and Rab18-dependent fusion of ER and lipid droplets in cultured human hepatocytes. <i>Molecular Biology of the Cell</i> , 2016 , 27, 3293-3304	3.5	17
142	Detection of Sphingomyelin Clusters by Raman Spectroscopy. <i>Biophysical Journal</i> , 2016 , 111, 999-1007	2.9	26
141	Probing phosphoethanolamine-containing lipids in membranes with duramycin/cinnamycin and aegerolysin proteins. <i>Biochimie</i> , 2016 , 130, 81-90	4.6	17
140	Formation of Ordered Phospholipid Monolayer on a Hydrophilically Modified Au(111) Substrate. <i>ACS Nano</i> , 2016 , 10, 7811-20	16.7	4
139	Visualization of Lipid Membrane Reorganization Induced by a Pore-Forming Toxin Using High-Speed Atomic Force Microscopy. <i>ACS Nano</i> , 2015 , 9, 7960-7	16.7	39
138	Evaluation of aegerolysins as novel tools to detect and visualize ceramide phosphoethanolamine, a major sphingolipid in invertebrates. <i>FASEB Journal</i> , 2015 , 29, 3920-34	0.9	27
137	Properties and functions of lactosylceramide from mouse neutrophils. <i>Glycobiology</i> , 2015 , 25, 655-68	5.8	23
136	Transport through recycling endosomes requires EHD1 recruitment by a phosphatidylserine translocase. <i>EMBO Journal</i> , 2015 , 34, 669-88	13	86
135	Transbilayer distribution of lipids at nano scale. <i>Journal of Cell Science</i> , 2015 , 128, 1627-38	5.3	72
134	Scanning tunneling microscope observation of the phosphatidylserine domains in the phosphatidylcholine monolayer. <i>Langmuir</i> , 2015 , 31, 5449-55	4	10
133	CARTS biogenesis requires VAP-lipid transfer protein complexes functioning at the endoplasmic reticulum-Golgi interface. <i>Molecular Biology of the Cell</i> , 2015 , 26, 4686-99	3.5	39
132	Deficiency in the Lipid Exporter ABCA1 Impairs Retrograde Sterol Movement and Disrupts Sterol Sensing at the Endoplasmic Reticulum. <i>Journal of Biological Chemistry</i> , 2015 , 290, 23464-77	5.4	43
131	Visualization of the heterogeneous membrane distribution of sphingomyelin associated with cytokinesis, cell polarity, and sphingolipidosis. <i>FASEB Journal</i> , 2015 , 29, 477-93	0.9	61
130	Asymmetrical diacylglycerol dynamics on the cytosolic and luminal sides of a single endomembrane in living cells. <i>Scientific Reports</i> , 2015 , 5, 12960	4.9	5
129	Development of a Novel Tetravalent Synthetic Peptide That Binds to Phosphatidic Acid. <i>PLoS ONE</i> , 2015 , 10, e0131668	3.7	4
128	Targeting cholesterol in a liquid-disordered environment by theonellamides modulates cell membrane order and cell shape. <i>Chemistry and Biology</i> , 2015 , 22, 604-10		15

127	A weight averaged approach for predicting amide vibrational bands of a sphingomyelin bilayer. <i>Physical Chemistry Chemical Physics</i> , 2015 , 17, 29113-23	3.6	11
126	Clostridium perfringens Alpha-Toxin Induces Gm1a Clustering and Trka Phosphorylation in the Host Cell Membrane. <i>PLoS ONE</i> , 2015 , 10, e0120497	3.7	15
125	Transbilayer Lipid Distribution in Nano Scale. <i>FASEB Journal</i> , 2015 , 29, 568.15	0.9	
124	Imaging local sphingomyelin-rich domains in the plasma membrane using specific probes and advanced microscopy. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2014 , 1841, 720-6	5	25
123	Lipid compartmentalization in the endosome system. <i>Seminars in Cell and Developmental Biology</i> , 2014 , 31, 48-56	7.5	54
122	Regulation of the transbilayer movement of diacylglycerol in the plasma membrane. <i>Biochimie</i> , 2014 , 107 Pt A, 43-50	4.6	10
121	Homologous genes, Pe.pleurotolysin A and Pe.ostreolysin, are both specifically and highly expressed in primordia and young fruiting bodies of <i>Pleurotus eryngii</i> . <i>Mycoscience</i> , 2014 , 55, 113-117	1.2	6
120	Sphingomyelin regulates the transbilayer movement of diacylglycerol in the plasma membrane of Madin-Darby canine kidney cells. <i>FASEB Journal</i> , 2013 , 27, 3284-97	0.9	22
119	Antibody-induced acetylcholine receptor clusters inhabit liquid-ordered and liquid-disordered domains. <i>Biophysical Journal</i> , 2013 , 105, 1601-11	2.9	9
118	Real-time visualization of assembling of a sphingomyelin-specific toxin on planar lipid membranes. <i>Biophysical Journal</i> , 2013 , 105, 1397-405	2.9	42
117	Clot retraction is mediated by factor XIII-dependent fibrin- α bb-myosin axis in platelet sphingomyelin-rich membrane rafts. <i>Blood</i> , 2013 , 122, 3340-8	2.2	59
116	A bilirubin-inducible fluorescent protein from eel muscle. <i>Cell</i> , 2013 , 153, 1602-11	56.2	187
115	Binding of a pleurotolysin ortholog from <i>Pleurotus eryngii</i> to sphingomyelin and cholesterol-rich membrane domains. <i>Journal of Lipid Research</i> , 2013 , 54, 2933-43	6.3	34
114	Bis(monoacylglycero)phosphate accumulation in macrophages induces intracellular cholesterol redistribution, attenuates liver-X receptor/ATP-Binding cassette transporter A1/ATP-binding cassette transporter G1 pathway, and impairs cholesterol efflux. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013 , 33, 1803-11	9.4	19
113	Role for phospholipid flippase complex of ATP8A1 and CDC50A proteins in cell migration. <i>Journal of Biological Chemistry</i> , 2013 , 288, 4922-34	5.4	63
112	1P191 Actin dynamics in cells cultured on engineered micro-topographical substrate(12.Cell biology,Poster,The 51st Annual Meeting of the Biophysical Society of Japan). <i>Seibutsu Butsuri</i> , 2013 , 53, S137	0	
111	Visualization of sterol-rich membrane domains with fluorescently-labeled theonellamides. <i>PLoS ONE</i> , 2013 , 8, e83716	3.7	26
110	Rapid flip-flop motions of diacylglycerol and ceramide in phospholipid bilayers. <i>Chemical Physics Letters</i> , 2012 , 522, 96-102	2.5	39

109	Evaluation of the influence of ionization states and spacers in the thermotropic phase behaviour of amino acid-based cationic lipids and the transfection efficiency of their assemblies. <i>International Journal of Pharmaceutics</i> , 2012 , 422, 364-73	6.5	22
108	Subcellular localization of sphingomyelin revealed by two toxin-based probes in mammalian cells. <i>Genes To Cells</i> , 2012 , 17, 720-7	2.3	35
107	Spectroscopic Evidence for the Unusual Stereochemical Configuration of an Endosome-Specific Lipid. <i>Angewandte Chemie</i> , 2012 , 124, 548-550	3.6	1
106	Spectroscopic evidence for the unusual stereochemical configuration of an endosome-specific lipid. <i>Angewandte Chemie - International Edition</i> , 2012 , 51, 533-5	16.4	31
105	The single-giant unilamellar vesicle method reveals lysenin-induced pore formation in lipid membranes containing sphingomyelin. <i>Biochemistry</i> , 2012 , 51, 5160-72	3.2	39
104	Nanomechanical recognition of sphingomyelin-rich membrane domains by atomic force microscopy. <i>Biochemistry</i> , 2012 , 51, 74-82	3.2	14
103	On the origin of the 1602 cm ⁻¹ Raman band of yeasts; contribution of ergosterol. <i>Journal of Biophotonics</i> , 2012 , 5, 724-8	3.1	25
102	Phosphatidylglucoside: its structure, thermal behavior, and domain formation in plasma membranes. <i>Chemistry and Physics of Lipids</i> , 2012 , 165, 197-206	3.7	8
101	A role for sphingomyelin-rich lipid domains in the accumulation of phosphatidylinositol-4,5-bisphosphate to the cleavage furrow during cytokinesis. <i>Molecular and Cellular Biology</i> , 2012 , 32, 1396-407	4.8	96
100	Lipid polarity is maintained in absence of tight junctions. <i>Journal of Biological Chemistry</i> , 2012 , 287, 9525-33	5.3	36
99	Limonoid compounds inhibit sphingomyelin biosynthesis by preventing CERT protein-dependent extraction of ceramides from the endoplasmic reticulum. <i>Journal of Biological Chemistry</i> , 2012 , 287, 24397-411	5.4	19
98	Fluorescent probes for superresolution imaging of lipid domains on the plasma membrane. <i>Chemical Science</i> , 2011 , 2, 1548	9.4	95
97	alpha 7-type acetylcholine receptor localization and its modulation by nicotine and cholesterol in vascular endothelial cells. <i>Journal of Cellular Biochemistry</i> , 2011 , 112, 3276-88	4.7	24
96	Fluorescence image screening for chemical compounds modifying cholesterol metabolism and distribution. <i>Journal of Lipid Research</i> , 2011 , 52, 2084-94	6.3	30
95	Sphingomyelin synthase 1-generated sphingomyelin plays an important role in transferrin trafficking and cell proliferation. <i>Journal of Biological Chemistry</i> , 2011 , 286, 36053-36062	5.4	48
94	Multiplex analysis of sphingolipids using amine-reactive tags (iTRAQ). <i>Journal of Lipid Research</i> , 2011 , 52, 1294-1302	6.3	11
93	Gangliosides and beta1-integrin are required for caveolae and membrane domains. <i>Traffic</i> , 2010 , 11, 348-60	5.7	41
92	Marine antifungal theonellamides target 3beta-hydroxysterol to activate Rho1 signaling. <i>Nature Chemical Biology</i> , 2010 , 6, 519-26	11.7	99

91	2P237 Effect of the degree of saturation on membrane thickness of cardiolipin bilayers : implications for Barth syndrome(The 48th Annual Meeting of the Biophysical Society of Japan). <i>Seibutsu Butsuri</i> , 2010 , 50, S124	0	
90	Duramycin-induced destabilization of a phosphatidylethanolamine monolayer at the air-water interface observed by vibrational sum-frequency generation spectroscopy. <i>Langmuir</i> , 2010 , 26, 16055-62	4	29
89	Phosphatidylglucoside forms specific lipid domains on the outer leaflet of the plasma membrane. <i>Biochemistry</i> , 2010 , 49, 4732-9	3.2	32
88	Small-angle and wide-angle X-ray scattering study on the bilayer structure of synthetic and bovine heart cardiolipins. <i>Journal of Physics: Conference Series</i> , 2010 , 247, 012021	0.3	
87	Single channel properties of lysenin measured in artificial lipid bilayers and their applications to biomolecule detection. <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , 2010 , 86, 920-5	4	11
86	Fyn tyrosine kinase regulates the surface expression of glycosylphosphatidylinositol-linked ephrin via the modulation of sphingomyelin metabolism. <i>Journal of Biological Chemistry</i> , 2009 , 284, 9206-14	5.4	10
85	Selective decrease of bis(monoacylglycero)phosphate content in macrophages by high supplementation with docosahexaenoic acid. <i>Journal of Lipid Research</i> , 2009 , 50, 243-55	6.3	31
84	Binding of laminin-1 to monosialoganglioside GM1 in lipid rafts is crucial for neurite outgrowth. <i>Journal of Cell Science</i> , 2009 , 122, 289-99	5.3	91
83	Dynamic clustering and dispersion of lipid rafts contribute to fusion competence of myogenic cells. <i>Experimental Cell Research</i> , 2009 , 315, 3052-63	4.2	39
82	Cholesterol regulation of rab-mediated sphingolipid endocytosis. <i>Glycoconjugate Journal</i> , 2009 , 26, 705-10	3	4
81	Visualization of phospholipid particle fusion induced by duramycin. <i>Langmuir</i> , 2009 , 25, 8200-7	4	10
80	Glycosphingolipid deficiency increases the sterol regulatory element-mediated gene transcription. <i>Biochemical and Biophysical Research Communications</i> , 2009 , 378, 240-3	3.4	3
79	Molecular interaction of imino sugars with human alpha-galactosidase: Insight into the mechanism of complex formation and pharmacological chaperone action in Fabry disease. <i>Molecular Genetics and Metabolism</i> , 2009 , 96, 233-8	3.7	31
78	Novel lipogenic enzyme ELOVL7 is involved in prostate cancer growth through saturated long-chain fatty acid metabolism. <i>Cancer Research</i> , 2009 , 69, 8133-40	10.1	140
77	Imaging lipid membrane domains with lipid-specific probes. <i>Methods in Molecular Biology</i> , 2009 , 580, 203-20	1.4	6
76	Strategy of Cinnamycin and Duramycin, Peptide Toxins that Target Ethanolamine Phospholipids. <i>Seibutsu Butsuri</i> , 2009 , 49, 122-125	0	
75	Lysenin: a sphingomyelin specific pore-forming toxin. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2008 , 1780, 612-8	4	65
74	Binding parameters and thermodynamics of the interaction of imino sugars with a recombinant human acid alpha-glucosidase (alglucosidase alfa): insight into the complex formation mechanism. <i>Clinica Chimica Acta</i> , 2008 , 391, 68-73	6.2	32

73	Lipid bilayers at the gel interface for single ion channel recordings. <i>Analytical Chemistry</i> , 2008 , 80, 7792-5.8		27
72	3P-222 Lysenin channel as a nanopore for biosensing applications(The 46th Annual Meeting of the Biophysical Society of Japan). <i>Seibutsu Butsuri</i> , 2008 , 48, S161-S162	0	
71	Involvement of very long fatty acid-containing lactosylceramide in lactosylceramide-mediated superoxide generation and migration in neutrophils. <i>Glycoconjugate Journal</i> , 2008 , 25, 357-74	3	87
70	Lipid Bilayers at Gel/Gel Interface for Ion Channel Recordings. <i>E-Journal of Surface Science and Nanotechnology</i> , 2008 , 6, 130-133	0.7	5
69	Cholesterol and lipid/protein ratio control the oligomerization of a sphingomyelin-specific toxin, lysenin. <i>Biochemistry</i> , 2007 , 46, 1495-502	3.2	37
68	pH-dependent formation of membranous cytoplasmic body-like structure of ganglioside G(M1)/bis(monoacylglycero)phosphate mixed membranes. <i>Biophysical Journal</i> , 2007 , 92, L13-6	2.9	21
67	Curvature-dependent recognition of ethanolamine phospholipids by duramycin and cinnamycin. <i>Biophysical Journal</i> , 2007 , 93, 1608-19	2.9	107
66	Structural characterization of N-lignoceroyl (C24:0) sphingomyelin bilayer membranes: a re-evaluation. <i>Journal of Applied Crystallography</i> , 2007 , 40, s312-s317	3.8	11
65	Monitoring the distribution and dynamics of signaling microdomains in living cells with lipid-specific probes. <i>Cellular and Molecular Life Sciences</i> , 2007 , 64, 2492-504	10.3	34
64	Cholesterol controls lipid endocytosis through Rab11. <i>Molecular Biology of the Cell</i> , 2007 , 18, 2667-77	3.5	51
63	Anti-bis(monoacylglycero)phosphate antibody accumulates acetylated LDL-derived cholesterol in cultured macrophages. <i>Journal of Lipid Research</i> , 2007 , 48, 543-52	6.3	28
62	Stage-specific association of apolipoprotein A-I and E in developing mouse retina. <i>Investigative Ophthalmology and Visual Science</i> , 2007 , 48, 1815-23		14
61	Increased lipid rafts and accelerated lipopolysaccharide-induced tumor necrosis factor-alpha secretion in Abca1-deficient macrophages. <i>Journal of Lipid Research</i> , 2007 , 48, 299-306	6.3	114
60	Membrane Properties of Dipalmitoyl Bis (monoacylglycero) phosphate. <i>Membrane</i> , 2007 , 32, 221-228	0	2
59	2P296 Single channel properties of lysenin measured in the artificial lipid bilayer. II : effect of lipid composition and poly-L-lysin(Native and artificial biomembranes-excitation and channels,Poster Presentations). <i>Seibutsu Butsuri</i> , 2007 , 47, S187	0	
58	De novo biosynthesis of the late endosome lipid, bis(monoacylglycero)phosphate. <i>Journal of Lipid Research</i> , 2007 , 48, 1997-2008	6.3	51
57	Selective incorporation of docosahexaenoic acid into lysobisphosphatidic acid in cultured THP-1 macrophages. <i>Lipids</i> , 2006 , 41, 189-96	1.6	16
56	Caveolar endocytosis and microdomain association of a glycosphingolipid analog is dependent on its sphingosine stereochemistry. <i>Journal of Biological Chemistry</i> , 2006 , 281, 30660-8	5.4	48

55	Differential membrane packing of stereoisomers of bis(monoacylglycerol)phosphate. <i>Biochemistry</i> , 2006 , 45, 9198-209	3.2	18
54	D-threo-1-phenyl-2-decanoylamino-3-morpholino-1-propanol alters cellular cholesterol homeostasis by modulating the endosome lipid domains. <i>Biochemistry</i> , 2006 , 45, 4530-41	3.2	37
53	2P271 Structural investigation on highly asymmetric sphingomyelin (C24:0 SM) bilayers(40. Membrane structure,Poster Session,Abstract,Meeting Program of EABS & BSJ 2006). <i>Seibutsu Butsuri</i> , 2006 , 46, S363	0	
52	Lipid rafts: new tools and a new component. <i>Biological and Pharmaceutical Bulletin</i> , 2006 , 29, 1526-31	2.3	29
51	Corrective effect on Fabry mice of yeast recombinant human alpha-galactosidase with N-linked sugar chains suitable for lysosomal delivery. <i>Journal of Human Genetics</i> , 2006 , 51, 341-352	4.3	24
50	Lysenin: A New Probe for Sphingomyelin 2006 , 475-482		
49	Synthesis and inhibition mechanism of Delta lac-acetogenins, a novel type of inhibitor of bovine heart mitochondrial complex I. <i>Biochemistry</i> , 2005 , 44, 816-25	3.2	36
48	Fungal metabolite sulfamisterin suppresses sphingolipid synthesis through inhibition of serine palmitoyltransferase. <i>Biochemistry</i> , 2005 , 44, 268-77	3.2	27
47	Human CHMP6, a myristoylated ESCRT-III protein, interacts directly with an ESCRT-II component EAP20 and regulates endosomal cargo sorting. <i>Biochemical Journal</i> , 2005 , 387, 17-26	3.8	90
46	Total synthesis and biological activities of (+)-sulfamisterin (AB5366) and its analogues. <i>Journal of Antibiotics</i> , 2005 , 58, 37-49	3.7	16
45	Spatial and functional heterogeneity of sphingolipid-rich membrane domains. <i>Journal of Biological Chemistry</i> , 2005 , 280, 24072-84	5.4	143
44	Imaging lipid rafts. <i>Journal of Biochemistry</i> , 2005 , 137, 249-54	3.1	58
43	Role of membrane sphingomyelin and ceramide in platform formation for Fas-mediated apoptosis. <i>Journal of Experimental Medicine</i> , 2005 , 202, 249-59	16.6	133
42	Distribution and transport of cholesterol-rich membrane domains monitored by a membrane-impermeant fluorescent polyethylene glycol-derivatized cholesterol. <i>Journal of Biological Chemistry</i> , 2004 , 279, 23790-6	5.4	77
41	Mast cell- and dendritic cell-derived exosomes display a specific lipid composition and an unusual membrane organization. <i>Biochemical Journal</i> , 2004 , 380, 161-71	3.8	436
40	Lysenin: a new tool for investigating membrane lipid organization. <i>Kaibogaku Zasshi Journal of Anatomy</i> , 2004 , 79, 184-90		30
39	Local exposure of phosphatidylethanolamine on the yeast plasma membrane is implicated in cell polarity. <i>Genes To Cells</i> , 2004 , 9, 891-903	2.3	63
38	Clinical, biochemical, and cytochemical studies on a Japanese Salla disease case associated with a renal disorder. <i>Journal of Human Genetics</i> , 2004 , 49, 656-663	4.3	4

37	Recognition of sphingomyelin by lysenin and lysenin-related proteins. <i>Biochemistry</i> , 2004 , 43, 9766-73	3.2	61
36	A lipid-specific toxin reveals heterogeneity of sphingomyelin-containing membranes. <i>Biophysical Journal</i> , 2004 , 86, 296-307	2.9	122
35	Oligomerization and pore formation of a sphingomyelin-specific toxin, lysenin. <i>Journal of Biological Chemistry</i> , 2003 , 278, 22762-70	5.4	104
34	Cinnamycin (Ro 09-0198) promotes cell binding and toxicity by inducing transbilayer lipid movement. <i>Journal of Biological Chemistry</i> , 2003 , 278, 3204-9	5.4	67
33	Carbohydrate-dependent signaling from the phosphatidylglucoside-based microdomain induces granulocytic differentiation of HL60 cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 7454-9	11.5	58
32	Long-term systemic therapy of Fabry disease in a knockout mouse by adeno-associated virus-mediated muscle-directed gene transfer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 13777-82	11.5	80
31	Separation and characterization of late endosomal membrane domains. <i>Journal of Biological Chemistry</i> , 2002 , 277, 32157-64	5.4	279
30	A novel membrane protein, Ros3p, is required for phospholipid translocation across the plasma membrane in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2002 , 277, 37855-62	5.4	107
29	Cross-talk between caveolae and glycosylphosphatidylinositol-rich domains. <i>Journal of Biological Chemistry</i> , 2001 , 276, 30729-36	5.4	77
28	Localization of lysobisphosphatidic acid-rich membrane domains in late endosomes. <i>Biological Chemistry</i> , 2001 , 382, 483-5	4.5	58
27	Lipid domains in the endocytic pathway. <i>Seminars in Cell and Developmental Biology</i> , 2001 , 12, 173-82	7.5	23
26	Mitochondrial phospholipid hydroperoxide glutathione peroxidase inhibits the release of cytochrome c from mitochondria by suppressing the peroxidation of cardiolipin in hypoglycaemia-induced apoptosis. <i>Biochemical Journal</i> , 2000 , 351, 183-93	3.8	177
25	Lipid membrane domains in cell surface and vacuolar systems. <i>Glycoconjugate Journal</i> , 2000 , 17, 163-71	3	22
24	The tetraspanin CD63/lamp3 cycles between endocytic and secretory compartments in human endothelial cells. <i>Molecular Biology of the Cell</i> , 2000 , 11, 1829-43	3.5	234
23	Interaction of anti-phospholipid antibodies with late endosomes of human endothelial cells. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2000 , 20, 563-74	9.4	59
22	Rapid access to synthetic lysobisphosphatidic acids using P(III) chemistry. <i>Organic Letters</i> , 2000 , 2, 1859-61	6.2	47
21	Late endosomal membranes rich in lysobisphosphatidic acid regulate cholesterol transport. <i>Nature Cell Biology</i> , 1999 , 1, 113-8	23.4	520
20	A lipid associated with the antiphospholipid syndrome regulates endosome structure and function. <i>Nature</i> , 1998 , 392, 193-7	50.4	652

19	Mechanisms regulating membrane traffic in the endocytic pathway. <i>Biology of the Cell</i> , 1998 , 90, 105-105.	5.5	
18	Lipids, lipid domains and lipid-protein interactions in endocytic membrane traffic. <i>Seminars in Cell and Developmental Biology</i> , 1998 , 9, 517-26	7.5	95
17	A Chinese hamster ovary cell mutant resistant to phosphatidylserine is defective in transbilayer movement of cell surface phosphatidylserine. <i>Experimental Cell Research</i> , 1996 , 228, 341-6	4.2	9
16	Redistribution of phosphatidylethanolamine at the cleavage furrow of dividing cells during cytokinesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996 , 93, 12867-72	11.5	222
15	Glycosphingolipid-enriched, detergent-insoluble complexes in protein sorting in epithelial cells. <i>Biochemistry</i> , 1993 , 32, 6365-73	3.2	239
14	Sphingolipid transport from the trans-Golgi network to the apical surface in permeabilized MDCK cells. <i>FEBS Letters</i> , 1992 , 300, 227-31	3.8	42
13	A functional barrier to movement of lipids in polarized neurons. <i>Nature</i> , 1992 , 359, 647-50	50.4	137
12	Transport of exogenous fluorescent phosphatidylserine analogue to the Golgi apparatus in cultured fibroblasts. <i>Journal of Cell Biology</i> , 1991 , 113, 235-44	7.3	53
11	ATP-dependent fusion of liposomes with the Golgi apparatus of perforated cells. <i>Cell</i> , 1988 , 55, 797-805.	56.2	47
10	Altered interaction between Sendai virus and a Chinese hamster cell mutant with defective cholesterol synthesis. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1987 , 904, 159-64	3.8	7
9	Light-induced potential and current across a large bacteriorhodopsin- <i>asolectin</i> planar membrane stabilized on a polyacrylamide gel surface. <i>Journal of Biochemistry</i> , 1986 , 99, 777-83	3.1	2
8	Effects of chlorpromazine and other calmodulin antagonists on phosphatidylcholine-induced vesiculation of platelet plasma membranes. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1986 , 855, 58-62	3.8	8
7	Membrane phospholipid synthesis in <i>Escherichia coli</i> : alteration by glycerol and physiological consequences in a <i>pss</i> mutant. <i>Journal of Biochemistry</i> , 1986 , 99, 1393-400	3.1	9
6	Inhibition of platelet aggregation by synthetic phosphatidylcholines: possible involvement of vesiculation of platelet plasma membranes. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1985 , 817, 307-12	3.8	4
5	Peroxidation of liposomes in the presence of human erythrocytes and induction of membrane damage of erythrocytes by peroxidized liposomes. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1985 , 814, 170-8	3.8	35
4	Vesiculation of platelet plasma membranes. Dilauroylglycerophosphocholine-induced shedding of a platelet plasma membrane fraction enriched in acetylcholinesterase activity. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1984 , 778, 210-8	3.8	27
3	Lysis of erythrocytes by phosphatidylcholine containing polyunsaturated fatty acid. <i>Journal of Biochemistry</i> , 1983 , 93, 675-80	3.1	8
2	Release of vesicles containing acetylcholinesterase from erythrocyte membranes by treatment with dilauroylglycerophosphocholine. <i>Journal of Biochemistry</i> , 1983 , 93, 1691-99	3.1	20

1 The Use of Lipid-Binding Toxins to Study the Distribution and Dynamics of Sphingolipids and Cholesterol 53-71 4