Yuji Narukawa

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/470048/publications.pdf

Version: 2024-02-01

		1040056	888059	
18	285	9	17	
papers	citations	h-index	g-index	
20	20	20	530	
20	20	20	330	
all docs	docs citations	times ranked	citing authors	

#	Article	IF	CITATIONS
1	Anti-trypanosomal screening of Salvadoran flora. Journal of Natural Medicines, 2022, 76, 259-267.	2.3	4
2	Oxidation of methylophiopogonanone A on the surface of TLC plate. Journal of Natural Medicines, 2022, 76, 504.	2.3	O
3	Solubility enhancement of berberine–baicalin complex by the constituents of Gardenia Fruit. Journal of Natural Medicines, 2021, 75, 76-83.	2.3	6
4	LC–MS analysis of saponins of Achyranthes root in the Japanese market. Journal of Natural Medicines, 2020, 74, 135-141.	2.3	8
5	Five new 2-(2-phenylethyl)chromone derivatives from agarwood. Journal of Natural Medicines, 2020, 74, 561-570.	2.3	11
6	Preparation of menisdaurigenin and related compounds. Journal of Natural Medicines, 2019, 73, 236-243.	2.3	0
7	Quantitative analysis of the anti-inflammatory activity of orengedokuto II: berberine is responsible for the inhibition of NO production. Journal of Natural Medicines, 2018, 72, 706-714.	2.3	22
8	Three new 5,6,7,8-tetrahydroxy-5,6,7,8-tetrahydrochromone derivatives enantiomeric to agarotetrol from agarwood. Journal of Natural Medicines, 2018, 72, 667-674.	2.3	10
9	Synergistic effect of baicalein, wogonin and oroxylin A mixture: multistep inhibition of the NF-κB signalling pathway contributes to an anti-inflammatory effect of Scutellaria root flavonoids. Journal of Natural Medicines, 2018, 72, 181-191.	2.3	39
10	Taxodione induces apoptosis in BCR-ABL-positive cells through ROS generation. Biochemical Pharmacology, 2018, 154, 357-372.	4.4	21
11	New 2-(2-Phenylethyl)chromone Derivatives and Inhibitors of Phosphodiesterase (PDE) 3A from Agarwood. Natural Product Communications, 2016, 11, 1934578X1601100.	0.5	5
12	Two new lignans and melanogenesis inhibitors from Schisandra nigra. Journal of Natural Medicines, 2016, 70, 460-466.	2.3	8
13	Application of a new method, orthogonal projection to latent structure (OPLS) combined with principal component analysis (PCA), to screening of prostaglandin E2 production inhibitory flavonoids in Scutellaria Root. Journal of Natural Medicines, 2016, 70, 731-739.	2.3	14
14	LC-MS-based quantification method for Achyranthes root saponins. Journal of Natural Medicines, 2016, 70, 102-106.	2.3	19
15	Nepetaefuran and leonotinin isolated from Leonotis nepetaefolia R. Br. potently inhibit the LPS signaling pathway by suppressing the transactivation of NF-κB. International Immunopharmacology, 2015, 28, 967-976.	3.8	10
16	Anti-inflammatory activity of flavonoids in Nepalese propolis is attributed to inhibition of the IL-33 signaling pathway. International Immunopharmacology, 2015, 25, 189-198.	3.8	75
17	Two new diterpenoids from Leonotis leonurus R. Br Journal of Natural Medicines, 2015, 69, 130-134.	2.3	5
18	New diterpenoids with estrogen sulfotransferase inhibitory activity from Leonurus sibiricus L Journal of Natural Medicines, 2014, 68, 125-131.	2.3	27