

Bin Dong

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4702094/publications.pdf>

Version: 2024-02-01

237
papers

11,488
citations

16411

64
h-index

40881

93
g-index

237
all docs

237
docs citations

237
times ranked

10454
citing authors

#	ARTICLE	IF	CITATIONS
1	Self-supported Fe _x Ni _{1-x} MoO ₄ with synergistic morphology and composition for efficient overall water splitting at large current density. Chinese Chemical Letters, 2023, 34, 107422.	4.8	6
2	An overview of the active sites in transition metal electrocatalysts and their practical activity for hydrogen evolution reaction. Chemical Engineering Journal, 2022, 430, 132312.	6.6	24
3	Motivating high-valence Nb doping by fast molten salt method for NiFe hydroxides toward efficient oxygen evolution reaction. Chemical Engineering Journal, 2022, 427, 131643.	6.6	78
4	Nickel hydroxide armour promoted CoP nanowires for alkaline hydrogen evolution at large current density. International Journal of Hydrogen Energy, 2022, 47, 1016-1025.	3.8	11
5	High-density ultrafine RuP ₂ with strong catalyst-support interaction driven by dual-ligand and tungsten-oxygen sites for hydrogen evolution at 1.0 V. Applied Catalysis B: Environmental, 2022, 304, 120917.	10.8	17
6	Controlled high-density interface engineering of Fe ₃ O ₄ -FeS nanoarray for efficient hydrogen evolution. Journal of Energy Chemistry, 2022, 68, 96-103.	7.1	15
7	Modulation engineering of alkaline oxygen evolution reaction based on microwave activation of Ni, Fe bimetal doped MnO ₂ . Catalysis Communications, 2022, 162, 106380.	1.6	5
8	Directional regulating dynamic equilibrium to continuously update electrocatalytic interface for oxygen evolution reaction. Chemical Engineering Journal, 2022, 431, 134040.	6.6	90
9	Motivating borate doped FeNi layered double hydroxides by molten salt method toward efficient oxygen evolution. Journal of Colloid and Interface Science, 2022, 610, 173-181.	5.0	25
10	Vanadium doped FeP nanoflower with optimized electronic structure for efficient hydrogen evolution. Journal of Colloid and Interface Science, 2022, 615, 445-455.	5.0	29
11	Amorphous-crystalline cobalt phosphide hollow nanocubes induced by dual ligand environment for highly efficient hydrogen evolution. Journal of Colloid and Interface Science, 2022, 614, 84-91.	5.0	9
12	Boosting oxygen evolution by nickel nitrate hydroxide with abundant grain boundaries via segregated high-valence molybdenum. Journal of Colloid and Interface Science, 2022, 613, 224-233.	5.0	5
13	Tailoring the d-band centers of FeP nanobelts arrays by fluorine doping for enhanced hydrogen evolution at high current density. Fuel, 2022, 316, 123206.	3.4	24
14	Triple captured iron by defect abundant NiO for efficient water oxidation. Inorganic Chemistry Frontiers, 2022, 9, 1281-1292.	3.0	0
15	The role of Nb ₂ O ₅ in controlling metal-acid sites of CoMoS ₄ -Al ₂ O ₃ catalyst for the enhanced hydrodeoxygenation of guaiacol into hydrocarbons. Journal of Catalysis, 2022, 407, 19-28.	3.1	15
16	Amorphous-crystalline FeNi ₂ S ₄ @NiFe-LDH nanograsses with molten salt as an industrially promising electrocatalyst for oxygen evolution. Inorganic Chemistry Frontiers, 2022, 9, 2068-2080.	3.0	22
17	Phosphorus doped two-dimensional CoFe ₂ O ₄ nanobelts decorated with Ru nanoclusters and CoFe hydroxide as efficient electrocatalysts toward hydrogen generation. Inorganic Chemistry Frontiers, 2022, 9, 1847-1855.	3.0	34
18	An <i>in situ</i> generated 3D porous nanostructure on 2D nanosheets to boost the oxygen evolution reaction for water-splitting. Nanoscale, 2022, 14, 4566-4572.	2.8	36

#	ARTICLE	IF	CITATIONS
19	Crystal ² amorphous NiO/MoO ₂ with a high-density interface for hydrogen evolution. <i>Inorganic Chemistry Frontiers</i> , 2022, 9, 2087-2096.	3.0	10
20	Constructing partially amorphous borate doped iron-nickel nitrate hydroxide nanoarrays by rapid microwave activation for oxygen evolution. <i>Applied Surface Science</i> , 2022, 592, 153245.	3.1	6
21	Interface design and composition regulation of cobalt-based electrocatalysts for oxygen evolution reaction. <i>International Journal of Hydrogen Energy</i> , 2022, 47, 10547-10572.	3.8	34
22	Facile synthesis of hierarchical Nb-Doped Mo ²⁺ Ni ²⁺ S nanospheres as efficient electrocatalyst toward hydrogen generation in alkaline media. <i>International Journal of Hydrogen Energy</i> , 2022, 47, 14414-14421.	3.8	9
23	Active Microstructure Transformation and Enhanced Stability of Iron Foam Derived from Industrial Water Oxidation. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 17229-17239.	4.0	0
24	Microwave-assisted molybdenum-nickel alloy for efficient water electrolysis under large current density through spillover and Fe doping. <i>Nano Research</i> , 2022, 15, 5873-5883.	5.8	17
25	Metallic MoO layer promoting high-valence Mo doping into CoP nanowires with ultrahigh activity for hydrogen evolution at 2000 mA cm ⁻² . <i>Applied Catalysis B: Environmental</i> , 2022, 309, 121230.	10.8	29
26	Strong ion interaction inducing ultrahigh activity of NiCoP nanowires for overall water splitting at large current density. <i>Applied Surface Science</i> , 2022, 589, 152837.	3.1	11
27	Crystal facet engineering of perovskite cobaltite with optimized electronic regulation for water splitting. <i>Science China Materials</i> , 2022, 65, 2665-2674.	3.5	4
28	Underpotential deposition promoting low Pt loading on MoO ₂ /MoS ₂ heterostructure towards wide pH green hydrogen evolution. <i>Fuel</i> , 2022, 324, 124343.	3.4	23
29	Metal-rich heterostructure of Ag-doped FeS/Fe ₂ P for robust hydrogen evolution. <i>International Journal of Hydrogen Energy</i> , 2022, 47, 20518-20528.	3.8	8
30	Dynamic anion regulation to construct S-doped FeOOH realizing 1000 mA cm ⁻² level current density oxygen evolution over 1000 h. <i>Applied Catalysis B: Environmental</i> , 2022, 315, 121571.	10.8	24
31	Rapid self-healing behavior induced by chloride anions to renew the Fe ²⁺ Ni(oxy)hydroxide surface for long-term alkaline seawater electrolysis. <i>Inorganic Chemistry Frontiers</i> , 2022, 9, 4216-4224.	3.0	8
32	Hydrodeoxygenation of guaiacol to bio-hydrocarbons over Ni catalyst supported on activated coconut carbon in alkaline condition. <i>Biomass and Bioenergy</i> , 2022, 163, 106506.	2.9	2
33	Spin-state regulating of cobalt assisted by iron doping and coordination for enhanced oxygen evolution reaction. <i>International Journal of Hydrogen Energy</i> , 2022, 47, 27508-27515.	3.8	3
34	Accelerating Fe sites saturation coverage through Bi-metal dynamic balances on double-layer hollow MOF nanocages for oxygen evolution. <i>Materials Today Physics</i> , 2022, 27, 100778.	2.9	6
35	Hierarchical CoSeS nanostructures assisted by Nb doping for enhanced hydrogen evolution reaction. <i>Chinese Journal of Catalysis</i> , 2021, 42, 431-438.	6.9	37
36	Carbon-based transition metal sulfides/selenides nanostructures for electrocatalytic water splitting. <i>Journal of Alloys and Compounds</i> , 2021, 852, 156810.	2.8	58

#	ARTICLE	IF	CITATIONS
37	Tailoring electron transfer with Ce integration in ultrathin Co(OH) ₂ nanosheets by fast microwave for oxygen evolution reaction. <i>Journal of Energy Chemistry</i> , 2021, 59, 299-305.	7.1	26
38	Reduction tuning of ultrathin carbon shell armor covering IrP ₂ for accelerated hydrogen evolution kinetics with Pt-like performance. <i>Journal of Materials Chemistry A</i> , 2021, 9, 2195-2204.	5.2	20
39	Oriented and robust anchoring of Fe <i>via</i> anodic interfacial coordination assembly on ultrathin Co hydroxides for efficient water oxidation. <i>Nanoscale</i> , 2021, 13, 13463-13472.	2.8	16
40	Ultrafine RuP ₂ nanoparticles supported on nitrogen-doped carbon based on coordination effect for efficient hydrogen evolution. <i>International Journal of Hydrogen Energy</i> , 2021, 46, 7964-7973.	3.8	9
41	Recent development on self-supported transition metal-based catalysts for water electrolysis at large current density. <i>Applied Materials Today</i> , 2021, 22, 100913.	2.3	42
42	High-pressure microwave-assisted synthesis of WS _x /Ni ₉ S ₈ /NF hetero-catalyst for efficient oxygen evolution reaction. <i>Rare Metals</i> , 2021, 40, 1048-1055.	3.6	26
43	Fe(Co)OOH Dynamically Stable Interface Based on Self-Sacrificial Reconstruction for Long-Term Electrochemical Water Oxidation. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 17450-17458.	4.0	32
44	Double doping of V and F on Co ₃ O ₄ nanoneedles as efficient electrocatalyst for oxygen evolution. <i>International Journal of Hydrogen Energy</i> , 2021, 46, 19962-19970.	3.8	68
45	Promoting Oxygen Evolution by Deep Reconstruction via Dynamic Migration of Fluorine Anions. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 34438-34446.	4.0	24
46	Structure optimization and electronic modulation of sulfur-incorporated cobalt nanocages for enhanced oxygen evolution. <i>International Journal of Hydrogen Energy</i> , 2021, 46, 28537-28544.	3.8	4
47	Amorphous-crystalline catalytic interface of CoFeOH/CoFeP with double sites based on ultrafast hydrolysis for hydrogen evolution at high current density. <i>Journal of Power Sources</i> , 2021, 507, 230279.	4.0	24
48	Recent advances and prospects of MXene-based materials for electrocatalysis and energy storage. <i>Materials Today Physics</i> , 2021, 20, 100469.	2.9	34
49	S-doped nickel-iron hydroxides synthesized by room-temperature electrochemical activation for efficient oxygen evolution. <i>Applied Catalysis B: Environmental</i> , 2021, 292, 120150.	10.8	122
50	Uniform W-NiCoP microneedles by molten salt decomposition as bifunctional electrocatalyst for alkaline water splitting. <i>Applied Materials Today</i> , 2021, 24, 101154.	2.3	12
51	Microwave rapid hydrolysis induced two-dimensional NiFeSe nanosheets for efficient oxygen evolution reaction. <i>International Journal of Hydrogen Energy</i> , 2021, 46, 35311-35318.	3.8	10
52	Hollow and substrate-supported Prussian blue, its analogs, and their derivatives for green water splitting. <i>Chinese Journal of Catalysis</i> , 2021, 42, 1843-1864.	6.9	19
53	Bimetallic NiSe _{0.1} MoS _{6.4} sulfoselenide nanosheets supported on nickel foam for efficient hydrogen evolution. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2021, 628, 127228.	2.3	1
54	In situ construction of Fe(Co)OOH through ultra-fast electrochemical activation as real catalytic species for enhanced water oxidation. <i>Chemical Engineering Journal</i> , 2021, 426, 131943.	6.6	84

#	ARTICLE	IF	CITATIONS
55	Ultrahigh activity of molybdenum/vanadium-doped Ni-Co phosphides nanoneedles based on ion-exchange for hydrogen evolution at large current density. <i>Journal of Colloid and Interface Science</i> , 2021, 604, 141-149.	5.0	17
56	The rational design of Ni ₃ S ₂ nanosheets@Ag nanorods on Ni foam with improved hydrogen adsorption sites for the hydrogen evolution reaction. <i>Sustainable Energy and Fuels</i> , 2021, 5, 3428-3435.	2.5	12
57	Transformation of silver ions to silver nanoparticles mediated by humic acid under dark conditions at ambient temperature. <i>Journal of Hazardous Materials</i> , 2020, 383, 121190.	6.5	36
58	Effect on sludge disintegration by EDTA-enhanced thermal-alkaline treatment. <i>Water Environment Research</i> , 2020, 92, 42-50.	1.3	8
59	Effects of reduced graphene oxide on humic acid-mediated transformation and environmental risks of silver ions. <i>Journal of Hazardous Materials</i> , 2020, 385, 121597.	6.5	11
60	Copper and cobalt co-doped Ni ₃ S ₂ grown on nickel foam for highly efficient oxygen evolution reaction. <i>Applied Surface Science</i> , 2020, 502, 144172.	3.1	65
61	N-doped FeP nanorods derived from Fe-MOFs as bifunctional electrocatalysts for overall water splitting. <i>Applied Surface Science</i> , 2020, 507, 145096.	3.1	57
62	Ternary metal sulfides MoCoNiS derived from metal organic frameworks for efficient oxygen evolution. <i>International Journal of Hydrogen Energy</i> , 2020, 45, 2745-2753.	3.8	130
63	Surface construction of loose Co(OH) ₂ shell derived from ZIF-67 nanocube for efficient oxygen evolution. <i>Journal of Colloid and Interface Science</i> , 2020, 562, 279-286.	5.0	53
64	Optimized Mo-doped cobalt selenides coupled carbon nanospheres for efficient hydrogen evolution. <i>Applied Surface Science</i> , 2020, 531, 147404.	3.1	13
65	Synergistic effect of metallic nickel and cobalt oxides with nitrogen-doped carbon nanospheres for highly efficient oxygen evolution. <i>Chinese Journal of Catalysis</i> , 2020, 41, 1782-1789.	6.9	44
66	Ultrafast surface modification of FeS nanosheet arrays with Fe-Ni bimetallic hydroxides for efficient oxygen evolution. <i>Journal of Alloys and Compounds</i> , 2020, 835, 155298.	2.8	12
67	Modulation engineering of <i>in situ</i> cathodic activation of FeP _x based on W-incorporation for the hydrogen evolution reaction. <i>Nanoscale</i> , 2020, 12, 12364-12373.	2.8	11
68	Advances and Challenges of Fe-MOFs Based Materials as Electrocatalysts for Water Splitting. <i>Applied Materials Today</i> , 2020, 20, 100692.	2.3	35
69	In situ electro-reduction to modulate the surface electronic structure of Fe ₃ O ₄ for enhancing oxygen evolution reaction. <i>International Journal of Hydrogen Energy</i> , 2020, 45, 15476-15482.	3.8	17
70	Roles of molecular weight-fractionated extracellular polymeric substance in transformation of Au(III) to Au nanoparticles in aqueous environments. <i>Science of the Total Environment</i> , 2020, 728, 138889.	3.9	7
71	Zinc ion induced three-dimensional Co ₉ S ₈ nano-neuron network for efficient hydrogen evolution. <i>Renewable Energy</i> , 2020, 157, 415-423.	4.3	88
72	Hydrogen evolution under large-current-density based on fluorine-doped cobalt-iron phosphides. <i>Chemical Engineering Journal</i> , 2020, 399, 125831.	6.6	120

#	ARTICLE	IF	CITATIONS
73	RuO ₂ /Co ₃ O ₄ Nanocubes based on Ru ions impregnation into prussian blue precursor for oxygen evolution. <i>International Journal of Hydrogen Energy</i> , 2020, 45, 9575-9582.	3.8	79
74	Template confined strategy for constructing nickel cobalt selenide nanoarrays for efficient oxygen evolution reaction. <i>Materials Today Energy</i> , 2020, 17, 100468.	2.5	7
75	Design and modulation principles of molybdenum carbide-based materials for green hydrogen evolution. <i>Journal of Energy Chemistry</i> , 2020, 48, 398-423.	7.1	39
76	Fe-doped CoP core-shell structure with open cages as efficient electrocatalyst for oxygen evolution. <i>Journal of Energy Chemistry</i> , 2020, 48, 328-333.	7.1	95
77	Recent advances of nonprecious and bifunctional electrocatalysts for overall water splitting. <i>Sustainable Energy and Fuels</i> , 2020, 4, 3211-3228.	2.5	63
78	Identification of an Immune-Related Signature for Predicting Prognosis in Patients With Pancreatic Ductal Adenocarcinoma. <i>Frontiers in Oncology</i> , 2020, 10, 618215.	1.3	15
79	In situ electro-oxidation modulation of Ru(OH) _x /Ag supported on nickel foam for efficient hydrogen evolution reaction in alkaline media. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 21683-21691.	3.8	12
80	Double-catalytic-site engineering of nickel-based electrocatalysts by group VB metals doping coupling with in-situ cathodic activation for hydrogen evolution. <i>Applied Catalysis B: Environmental</i> , 2019, 258, 117984.	10.8	29
81	In-situ synthesis of Co-N supported on nickel foam for efficient hydrogen evolution reaction. <i>AIP Conference Proceedings</i> , 2019, , .	0.3	0
82	Modulation of Inverse Spinel Fe ₃ O ₄ by Phosphorus Doping as an Industrially Promising Electrocatalyst for Hydrogen Evolution. <i>Advanced Materials</i> , 2019, 31, e1905107.	11.1	225
83	Pitaya-like cobalt/molybdenum carbide encapsulated in N-doped carbon nanospheres toward efficient hydrogen evolution. <i>AIP Conference Proceedings</i> , 2019, , .	0.3	0
84	Interface Charge Engineering of Ultrafine Ru/Ni ₂ P Nanoparticles Encapsulated in N,P-Codoped Hollow Carbon Nanospheres for Efficient Hydrogen Evolution. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 17714-17722.	3.2	33
85	Facile synthesis of V-doped CoP nanoparticles as bifunctional electrocatalyst for efficient water splitting. <i>Journal of Energy Chemistry</i> , 2019, 39, 182-187.	7.1	74
86	Embedding RhP _x in N, P Co-Doped Carbon Nanoshells Through Synergetic Phosphorization and Pyrolysis for Efficient Hydrogen Evolution. <i>Advanced Functional Materials</i> , 2019, 29, 1901790.	7.8	76
87	In situ construction of surface defects of carbon-doped ternary cobalt-nickel-iron phosphide nanocubes for efficient overall water splitting. <i>Science China Materials</i> , 2019, 62, 1285-1296.	3.5	92
88	Tungsten-doped Ni-Co phosphides with multiple catalytic sites as efficient electrocatalysts for overall water splitting. <i>Journal of Materials Chemistry A</i> , 2019, 7, 16859-16866.	5.2	144
89	In situ formation of ultrathin C ₃ N ₄ layers on metallic WO ₂ nanorods for efficient hydrogen evolution. <i>Applied Surface Science</i> , 2019, 487, 945-950.	3.1	20
90	Ultrafine and highly-dispersed bimetal Ni ₂ P/Co ₂ P encapsulated by hollow N-doped carbon nanospheres for efficient hydrogen evolution. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 14908-14917.	3.8	90

#	ARTICLE	IF	CITATIONS
91	Nano-hybridization of VS with Ni Fe layered double hydroxides for efficient oxygen evolution in alkaline media. <i>Applied Surface Science</i> , 2019, 484, 1010-1018.	3.1	14
92	Three-dimensional VOx/NiS/NF nanosheets as efficient electrocatalyst for oxygen evolution reaction. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 10156-10162.	3.8	75
93	Controllable Transformation of Aligned ZnO Nanorods to ZIF-8 as Solid-Phase Microextraction Coatings with Tunable Porosity, Polarity, and Conductivity. <i>Analytical Chemistry</i> , 2019, 91, 5091-5097.	3.2	57
94	Highly sensitive H ₂ O ₂ sensor based on porous bimetallic oxide Ce _{1-x} Tb _x O _y derived from homeotypic Ln-MOFs. <i>Applied Surface Science</i> , 2019, 470, 91-98.	3.1	12
95	N-Doped Sandwich-Structured Mo ₂ C@C@Pt Interface with Ultralow Pt Loading for pH-Universal Hydrogen Evolution Reaction. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 4047-4056.	4.0	79
96	Recent Progress in Decoupled H ₂ and O ₂ Production from Electrolytic Water Splitting. <i>ChemElectroChem</i> , 2019, 6, 2157-2166.	1.7	49
97	Optimized bimetallic nickel-iron phosphides with rich defects as enhanced electrocatalysts for oxygen evolution reaction. <i>Journal of Colloid and Interface Science</i> , 2019, 537, 11-19.	5.0	25
98	Bimetallic CoFeP hollow microspheres as highly efficient bifunctional electrocatalysts for overall water splitting in alkaline media. <i>Applied Surface Science</i> , 2019, 465, 816-823.	3.1	96
99	N, P dual-doped hollow carbon spheres supported MoS ₂ hybrid electrocatalyst for enhanced hydrogen evolution reaction. <i>Catalysis Today</i> , 2019, 330, 259-267.	2.2	39
100	Probing the active sites of Co ₃ O ₄ for the acidic oxygen evolution reaction by modulating the Co ²⁺ /Co ³⁺ ratio. <i>Journal of Materials Chemistry A</i> , 2018, 6, 5678-5686.	5.2	134
101	Tuning the morphology and Fe/Ni ratio of a bimetallic Fe-Ni-S film supported on nickel foam for optimized electrolytic water splitting. <i>Journal of Colloid and Interface Science</i> , 2018, 523, 121-132.	5.0	48
102	Urchin-Like Nanorods of Binary NiCoS Supported on Nickel Foam for Electrocatalytic Overall Water Splitting. <i>Journal of the Electrochemical Society</i> , 2018, 165, H102-H108.	1.3	41
103	Porous core-shell N-doped Mo ₂ C@C nanospheres derived from inorganic-organic hybrid precursors for highly efficient hydrogen evolution. <i>Journal of Catalysis</i> , 2018, 360, 9-19.	3.1	124
104	Intramolecular singlet fission in a face-to-face stacked tetracene trimer. <i>Physical Chemistry Chemical Physics</i> , 2018, 20, 6330-6336.	1.3	19
105	Ni-Se nanostructures dependent on different solvent as efficient electrocatalysts for hydrogen evolution reaction in alkaline media. <i>Materials Chemistry and Physics</i> , 2018, 207, 389-395.	2.0	16
106	Mesoporous Ag-doped Co ₃ O ₄ nanowire arrays supported on FTO as efficient electrocatalysts for oxygen evolution reaction in acidic media. <i>Renewable Energy</i> , 2018, 119, 54-61.	4.3	136
107	Heterostructured binary Ni-W sulfides nanosheets as pH-universal electrocatalyst for hydrogen evolution. <i>Applied Surface Science</i> , 2018, 445, 445-453.	3.1	32
108	Triple Ni-Co-Mo metal sulfides with one-dimensional and hierarchical nanostructures towards highly efficient hydrogen evolution reaction. <i>Journal of Catalysis</i> , 2018, 361, 204-213.	3.1	115

#	ARTICLE	IF	CITATIONS
109	Optimized expanding of interlayer distance for molybdenum disulfide towards enhanced hydrogen evolution reaction. <i>Applied Surface Science</i> , 2018, 428, 948-953.	3.1	10
110	Organic-inorganic hybrids-directed ternary NiFeMoS anemone-like nanorods with scaly surface supported on nickel foam for efficient overall water splitting. <i>Chemical Engineering Journal</i> , 2018, 334, 922-931.	6.6	216
111	Ripple-like NiFeCo sulfides on nickel foam derived from in-situ sulfurization of precursor oxides as efficient anodes for water oxidation. <i>Applied Surface Science</i> , 2018, 428, 370-376.	3.1	24
112	Hydrogen Evolution Activity of Ruthenium Phosphides Encapsulated in Nitrogen- and Phosphorous-Codoped Hollow Carbon Nanospheres. <i>ChemSusChem</i> , 2018, 11, 743-752.	3.6	81
113	Nitrogen, phosphorus dual-doped molybdenum-carbide/molybdenum-phosphide@-carbon nanospheres for efficient hydrogen evolution over the whole pH range. <i>Journal of Colloid and Interface Science</i> , 2018, 513, 151-160.	5.0	49
114	A MOF-derived coral-like NiSe@NC nanohybrid: an efficient electrocatalyst for the hydrogen evolution reaction at all pH values. <i>Nanoscale</i> , 2018, 10, 22758-22765.	2.8	78
115	Comparison of two water oxidation electrocatalysts by copper or zinc supermolecule complexes based on porphyrin ligand. <i>RSC Advances</i> , 2018, 8, 40054-40059.	1.7	8
116	Electrochemical Corrosion Engineering for Ni-Fe Oxides with Superior Activity toward Water Oxidation. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 42217-42224.	4.0	38
117	Heterointerface engineering of trilayer-shelled ultrathin MoS ₂ /MoP/N-doped carbon hollow nanobubbles for efficient hydrogen evolution. <i>Journal of Materials Chemistry A</i> , 2018, 6, 24783-24792.	5.2	79
118	Pt-C Interfaces Based on Electronegativity-Functionalized Hollow Carbon Spheres for Highly Efficient Hydrogen Evolution. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 43561-43569.	4.0	32
119	Microwave annealing promoted in-situ electrochemical activation of Ni ₃ S ₂ nanowires for water electrolysis. <i>Journal of Catalysis</i> , 2018, 368, 112-119.	3.1	15
120	Surface phosphorsulfurization of NiCo ₂ O ₄ nanoneedles supported on carbon cloth with enhanced electrocatalytic activity for hydrogen evolution. <i>Electrochimica Acta</i> , 2018, 290, 339-346.	2.6	30
121	Facile synthesis of Fe-doped Co ₉ S ₈ nano-microspheres grown on nickel foam for efficient oxygen evolution reaction. <i>Applied Surface Science</i> , 2018, 454, 46-53.	3.1	84
122	A triple synergistic effect from pitaya-like MoNi _x -MoC _x hybrids encapsulated in N-doped C nanospheres for efficient hydrogen evolution. <i>Sustainable Energy and Fuels</i> , 2018, 2, 1610-1620.	2.5	19
123	Controllable phosphorsulfurization of uniform binary Ni-Fe nanocubes for enhanced water oxidation. <i>Materials Letters</i> , 2018, 229, 248-251.	1.3	7
124	Induced Phosphorization-Derived Well-Dispersed Molybdenum Phosphide Nanoparticles Encapsulated in Hollow N-Doped Carbon Nanospheres for Efficient Hydrogen Evolution. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 7676-7686.	3.2	37
125	In-situ electrochemical activation designed hybrid electrocatalysts for water electrolysis. <i>Science Bulletin</i> , 2018, 63, 853-876.	4.3	107
126	Electrodeposited MoS _x films assisted by liquid crystal template with ultrahigh electrocatalytic activity for hydrogen evolution reaction. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 5132-5138.	3.8	78

#	ARTICLE	IF	CITATIONS
127	Facile synthesis of pyrite-type binary nickel iron diselenides as efficient electrocatalyst for oxygen evolution reaction. <i>Applied Surface Science</i> , 2017, 401, 17-24.	3.1	63
128	Novel Ni ₃ S ₂ @NiOOH hybrid nanostructure supported on Ni foam as high-efficient electrocatalyst for hydrogen evolution reaction. <i>AIP Conference Proceedings</i> , 2017, , .	0.3	1
129	Oxidized carbon fiber supported vertical WS ₂ nanosheets arrays as efficient 3 D nanostructure electrocatalysts for hydrogen evolution reaction. <i>Applied Surface Science</i> , 2017, 402, 120-128.	3.1	68
130	Electrodeposition-Solvothermal Access to Ternary Mixed Metal Ni-Co-Fe Sulfides for Highly Efficient Electrocatalytic Water Oxidation in Alkaline Media. <i>Electrochimica Acta</i> , 2017, 230, 151-159.	2.6	54
131	Solvothermal access to rich nitrogen-doped molybdenum carbide nanowires as efficient electrocatalyst for hydrogen evolution reaction. <i>Journal of Alloys and Compounds</i> , 2017, 714, 26-34.	2.8	34
132	Ternary mixed metal Fe-doped NiCo ₂ O ₄ nanowires as efficient electrocatalysts for oxygen evolution reaction. <i>Applied Surface Science</i> , 2017, 416, 371-378.	3.1	98
133	Ternary MnO ₂ /NiCo ₂ O ₄ /NF with hierarchical structure and synergistic interaction as efficient electrocatalysts for oxygen evolution reaction. <i>Journal of Alloys and Compounds</i> , 2017, 719, 314-321.	2.8	57
134	In situ cathodic activation of V-incorporated Ni _x S _y nanowires for enhanced hydrogen evolution. <i>Nanoscale</i> , 2017, 9, 12353-12363.	2.8	143
135	Novel WS ₂ /WO ₃ heterostructured nanosheets as efficient electrocatalyst for hydrogen evolution reaction. <i>Materials Chemistry and Physics</i> , 2017, 197, 123-128.	2.0	59
136	Ternary CoS ₂ /MoS ₂ /RGO electrocatalyst with CoMoS phase for efficient hydrogen evolution. <i>Applied Surface Science</i> , 2017, 412, 138-145.	3.1	84
137	Microbial synthesis of bimetallic PdPt nanoparticles for catalytic reduction of 4-nitrophenol. <i>Environmental Science and Pollution Research</i> , 2017, 24, 5249-5258.	2.7	59
138	Oriented Stacking along Vertical (002) Planes of MoS ₂ : A Novel Assembling Style to Enhance Activity for Hydrogen Evolution. <i>Electrochimica Acta</i> , 2017, 224, 25-31.	2.6	116
139	In situ sulfurized CoMoS/CoMoO ₄ shell-core nanorods supported on N-doped reduced graphene oxide (NRGO) as efficient electrocatalyst for hydrogen evolution reaction. <i>Journal of Materials Chemistry A</i> , 2017, 5, 2885-2896.	5.2	91
140	Ternary Ni-Fe-V sulfides bundles on nickel foam as free-standing hydrogen evolution electrodes in alkaline medium. <i>Electrochimica Acta</i> , 2017, 256, 241-251.	2.6	20
141	Hierarchically three-level Ni ₃ (VO ₄) ₂ @NiCo ₂ O ₄ nanostructure based on nickel foam towards highly efficient alkaline hydrogen evolution. <i>Electrochimica Acta</i> , 2017, 256, 100-109.	2.6	45
142	Nitrogen-doped oxidized carbon fiber as metal-free electrode towards highly efficient water oxidation. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 28287-28297.	3.8	13
143	Coupling Ag-doping and rich oxygen vacancies in mesoporous NiCoO nanorods supported on nickel foam for highly efficient oxygen evolution. <i>Inorganic Chemistry Frontiers</i> , 2017, 4, 1783-1790.	3.0	34
144	A facile method for reduced CoFe ₂ O ₄ nanosheets with rich oxygen vacancies for efficient oxygen evolution reaction. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 24150-24158.	3.8	56

#	ARTICLE	IF	CITATIONS
145	Mo ₂ C@NC@MoS _x porous nanospheres with sandwich shell based on MoO ₄ ²⁻ -polymer precursor for efficient hydrogen evolution in both acidic and alkaline media. <i>Carbon</i> , 2017, 124, 555-564.	5.4	57
146	Controlling electrodeposited ultrathin amorphous Fe hydroxides film on V-doped nickel sulfide nanowires as efficient electrocatalyst for water oxidation. <i>Journal of Power Sources</i> , 2017, 363, 44-53.	4.0	109
147	Vanadium sulfides interwoven nanoflowers based on in-situ sulfurization of vanadium oxides octahedron on nickel foam for efficient hydrogen evolution. <i>Applied Surface Science</i> , 2017, 423, 1090-1096.	3.1	20
148	Trimetallic Ni Fe Co selenides nanoparticles supported on carbon fiber cloth as efficient electrocatalyst for oxygen evolution reaction. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 20599-20607.	3.8	133
149	Boosting Electrocatalytic Activity of Binary Ag-Fe-doped Co ₂ P Nanospheres as Bifunctional Electrocatalysts for Overall Water Splitting. <i>Electrochimica Acta</i> , 2017, 249, 16-25.	2.6	23
150	Enhanced bioreduction of nitrobenzene by reduced graphene oxide materials: effects of surface modification and coexisting soluble electron shuttles. <i>Environmental Science and Pollution Research</i> , 2017, 24, 26874-26880.	2.7	19
151	Binary metal Fe _{0.5} Co _{0.5} Se ₂ spheres supported on carbon fiber cloth for efficient oxygen evolution reaction. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 15189-15195.	3.8	30
152	Facile synthesis of binary NiCoS nanorods supported on nickel foam as efficient electrocatalysts for oxygen evolution reaction. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 17129-17135.	3.8	50
153	Electrodeposited hybrid Ni ²⁺ /P/MoS _x film as efficient electrocatalyst for hydrogen evolution in alkaline media. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 2952-2960.	3.8	87
154	Activating MoS ₂ /CNs by tuning (001) plane as efficient electrocatalysts for hydrogen evolution reaction. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 2088-2095.	3.8	75
155	Novel CoxSy/WS ₂ nanosheets supported on carbon cloth as efficient electrocatalyst for hydrogen evolution reaction. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 4165-4173.	3.8	78
156	Template-assisted synthesis of highly dispersed MoS ₂ nanosheets with enhanced activity for hydrogen evolution reaction. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 2054-2060.	3.8	40
157	Facile synthesis of hollow SnO ₂ nanospheres uniformly coated by Ag for electro-oxidation of hydrazine. <i>Materials Letters</i> , 2017, 189, 9-12.	1.3	17
158	Tuning crystal phase of NiS _x through electro-oxidized nickel foam: A novel route for preparing efficient electrocatalysts for oxygen evolution reaction. <i>Applied Surface Science</i> , 2017, 396, 1034-1043.	3.1	57
159	Carbon fiber cloth supported interwoven WS ₂ nanosplates with highly enhanced performances for supercapacitors. <i>Applied Surface Science</i> , 2017, 392, 708-714.	3.1	78
160	Superior mesenteric artery margin in pancreaticoduodenectomy for pancreatic adenocarcinoma. <i>Oncotarget</i> , 2017, 8, 7766-7776.	0.8	9
161	Structure–function relationship of electrodeposited MoS _x film in N, N-dimethyl-formamide/H ₂ O mixture solvent as electrocatalyst for hydrogen evolution. <i>International Journal of Hydrogen Energy</i> , 2016, 41, 1635-1644.	3.8	10
162	Controllable synthesis of three dimensional electrodeposited Co ²⁺ /P nanosphere arrays as efficient electrocatalysts for overall water splitting. <i>RSC Advances</i> , 2016, 6, 52761-52771.	1.7	51

#	ARTICLE	IF	CITATIONS
163	In situ growth of Ni _x S _y controlled by surface treatment of nickel foam as efficient electrocatalyst for oxygen evolution reaction. <i>Applied Surface Science</i> , 2016, 378, 15-21.	3.1	61
164	In situ Grown Pyramid Structures of Nickel Diselenides Dependent on Oxidized Nickel Foam as Efficient Electrocatalyst for Oxygen Evolution Reaction. <i>Electrochimica Acta</i> , 2016, 205, 77-84.	2.6	96
165	One-pot synthesis of hierarchical Ni ₂ P/MoS ₂ hybrid electrocatalysts with enhanced activity for hydrogen evolution reaction. <i>Applied Surface Science</i> , 2016, 383, 276-282.	3.1	81
166	Facile one-pot synthesis of CoS ₂ -MoS ₂ /CNTs as efficient electrocatalyst for hydrogen evolution reaction. <i>Applied Surface Science</i> , 2016, 384, 51-57.	3.1	121
167	Self-sacrificial template method of Mo ₃ O ₁₀ (C ₆ H ₈ N) ₂ ·2H ₂ O to fabricate MoS ₂ /carbon-doped MoO ₂ nanobelts as efficient electrocatalysts for hydrogen evolution reaction. <i>Electrochimica Acta</i> , 2016, 216, 397-404.	2.6	26
168	Facile synthesis of ternary Ag/C/SnO ₂ hollow spheres with enhanced activity for hydrazine electro-oxidation. <i>Materials Letters</i> , 2016, 185, 346-350.	1.3	5
169	Two-step synthesis of binary Ni-Fe sulfides supported on nickel foam as highly efficient electrocatalysts for the oxygen evolution reaction. <i>Journal of Materials Chemistry A</i> , 2016, 4, 13499-13508.	5.2	250
170	Direct Observation of Photoinduced Charge Separation in Ruthenium Complex/Ni(OH) ₂ Nanoparticle Hybrid. <i>Scientific Reports</i> , 2016, 5, 18505.	1.6	6
171	In-situ grown interwoven NiSe on Ni foam as a catalyst for hydrazine oxidation. <i>International Journal of Materials Research</i> , 2016, 107, 586-589.	0.1	3
172	NiSe@NiOOH Core-Shell Hyacinth-like Nanostructures on Nickel Foam Synthesized by in Situ Electrochemical Oxidation as an Efficient Electrocatalyst for the Oxygen Evolution Reaction. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 20057-20066.	4.0	221
173	Electrochemically activated NiSe-Ni _x S _y hybrid nanorods as efficient electrocatalysts for oxygen evolution reaction. <i>Electrochimica Acta</i> , 2016, 220, 536-544.	2.6	60
174	Novel CoP Hollow Prisms as Bifunctional Electrocatalysts for Hydrogen Evolution Reaction in Acid media and Overall Water-splitting in Basic media. <i>Electrochimica Acta</i> , 2016, 220, 98-106.	2.6	64
175	A facile synthesis of reduced Co ₃ O ₄ nanoparticles with enhanced Electrocatalytic activity for oxygen evolution. <i>International Journal of Hydrogen Energy</i> , 2016, 41, 12976-12982.	3.8	56
176	Four Pb(<i>scp</i>) metal-organic frameworks with increasing dimensions: structural diversities by varying the ligands. <i>New Journal of Chemistry</i> , 2016, 40, 6867-6873.	1.4	12
177	Crystalline phase-function relationship of in situ growth Ni _x S _y controlled by sulfuration degree for oxygen evolution reaction. <i>International Journal of Hydrogen Energy</i> , 2016, 41, 13032-13038.	3.8	12
178	Facile synthesis of novel NiSe-Ni _x S _y nanocubes supported on nickel foam with enhanced activity for hydrazine electrooxidation. <i>Materials Letters</i> , 2016, 175, 118-121.	1.3	10
179	Self-sacrificial template method to MnO ₂ microspheres as highly efficient electrocatalyst for oxygen evolution reaction. <i>Journal of Solid State Electrochemistry</i> , 2016, 20, 2907-2912.	1.2	15
180	MoS _x supported graphene oxides with different degree of oxidation as efficient electrocatalysts for hydrogen evolution. <i>Carbon</i> , 2016, 100, 236-242.	5.4	103

#	ARTICLE	IF	CITATIONS
181	Effect of pH on the growth of MoS ₂ (002) plane and electrocatalytic activity for HER. International Journal of Hydrogen Energy, 2016, 41, 294-299.	3.8	99
182	Crystallographic Structure and Morphology Transformation of MnO ₂ Nanorods as Efficient Electrocatalysts for Oxygen Evolution Reaction. Journal of the Electrochemical Society, 2016, 163, H67-H73.	1.3	72
183	Facile Synthesis of Ni Foam-Based Ni ₃ N with Enhanced Electrocatalytic Activity for Oxygen Evolution. Science of Advanced Materials, 2016, 8, 1478-1483.	0.1	0
184	Microbial synthesis of Pd/Fe ₃ O ₄ , Au/Fe ₃ O ₄ and PdAu/Fe ₃ O ₄ nanocomposites for catalytic reduction of nitroaromatic compounds. Scientific Reports, 2015, 5, 13515.	1.6	110
185	Facile Hydrothermal Synthesis of Monodispersed MoS ₂ Ultrathin Nanosheets Assisted by Ionic Liquid Brij56. Journal of Nanomaterials, 2015, 2015, 1-5.	1.5	2
186	Facile Synthesis of Highly Dispersed WO ₃ ·H ₂ O and WO ₃ Nanoplates for Electrocatalytic Hydrogen Evolution. Journal of Nanomaterials, 2015, 2015, 1-6.	1.5	22
187	One-pot facile synthesis of Ag/TiO ₂ spheres with enhanced electrocatalytic activity for hydrazine. Materials Letters, 2015, 143, 181-184.	1.3	7
188	Facile Synthesis of One-Dimensional MoO _x -Based Nanostructure for Electrocatalytic Hydrogen Evolution. ECS Electrochemistry Letters, 2015, 4, H5-H9.	1.9	9
189	Syntheses, Crystal Structures, and Properties of Four Metal-Organic Complexes Based on 1,4,5,6,7,7-Hexachlorobicyclo[2.2.1]hept-5-ene-2,3-dicarboxylic Acid. Crystal Growth and Design, 2015, 15, 4198-4205.	1.4	10
190	Ultrathin MoS ₂ -coated carbon nanospheres as highly efficient electrocatalysts for hydrogen evolution reaction. International Journal of Hydrogen Energy, 2015, 40, 6552-6558.	3.8	104
191	Facile synthesis of MoS ₂ /RGO in dimethyl-formamide solvent as highly efficient catalyst for hydrogen evolution. Materials Letters, 2015, 161, 120-123.	1.3	45
192	WS ₂ nanosheets based on liquid exfoliation as effective electrocatalysts for hydrogen evolution reaction. Materials Chemistry and Physics, 2015, 167, 271-277.	2.0	78
193	Three dimensional nickel oxides/nickel structure by in situ electro-oxidation of nickel foam as robust electrocatalyst for oxygen evolution reaction. Applied Surface Science, 2015, 359, 172-176.	3.1	106
194	Facile synthesis of TiO ₂ nanoplates decorated with Ag nanoparticles for electro-oxidation of hydrazine. International Journal of Materials Research, 2015, 106, 919-922.	0.1	0
195	Biogenic gold nanoparticles-reduced graphene oxide nanohybrid: synthesis, characterization and application in chemical and biological reduction of nitroaromatics. RSC Advances, 2015, 5, 97798-97806.	1.7	26
196	Accurate layers determination of graphene on transparent substrate based on polarization-sensitive absorption effect. Applied Physics Letters, 2013, 103, .	1.5	17
197	Preparation of porous MoS ₂ via a sol-gel route using (NH ₄) ₂ MoS ₄ as precursor. Materials Letters, 2012, 88, 112-115.	1.3	18
198	A facile hydrothermal synthesis and growth mechanism of novel hollow MnO ₂ polyhedral nanorods. Materials Chemistry and Physics, 2012, 136, 831-836.	2.0	9

#	ARTICLE	IF	CITATIONS
199	The effect of pH and anions on the anisotropic growth of MnO ₂ . Materials Research Bulletin, 2012, 47, 3377-3382.	2.7	4
200	Ionic liquid assisted hydrothermal synthesis of hollow vesicle-like MoS ₂ microspheres. Materials Letters, 2012, 66, 236-238.	1.3	45
201	Dispersion of carbon nanotubes by carbazole-tailed amphiphilic imidazolium ionic liquids in aqueous solutions. Journal of Colloid and Interface Science, 2011, 356, 190-195.	5.0	35
202	Facile Synthesis and High Activity of Novel Ag/TiO ₂ -NTs Composites for Hydrazine Oxidation. Advanced Materials Research, 2011, 197-198, 1073-1078.	0.3	1
203	The study on electronic density topology and bond character of amorphous alloy FeB ₂ (n=1-4) clusters by density functional theory. Computational and Theoretical Chemistry, 2010, 953, 151-156.	1.5	1
204	Aggregation behavior of long-chain imidazolium ionic liquids in ethylammonium nitrate. Colloid and Polymer Science, 2010, 288, 1225-1232.	1.0	38
205	Novel Pt nanoclusters/titanium dioxide nanotubes composites for hydrazine oxidation. Materials Chemistry and Physics, 2010, 120, 404-408.	2.0	34
206	An approach for synthesizing PtRu/MWCNT nanocomposite for methanol electro-oxidation. Materials Chemistry and Physics, 2010, 124, 785-790.	2.0	10
207	Microporous Silica Hollow Microspheres and Hollow Wormlike Materials: A Simple Method for Their Synthesis and Their Application in Controlled Release. European Journal of Inorganic Chemistry, 2010, 2010, 975-982.	1.0	9
208	Electrodeposition of free-standing poly(2,2'-dihydroxybenzene-1,1'-dicarbonyl-3,3'-methylthiophene) films with tunable fluorescence properties. Journal of Applied Polymer Science, 2010, 115, 3273-3281.	1.3	4
209	Novel mesoporous MnO ₂ for high-rate electrochemical capacitive energy storage. Electrochimica Acta, 2010, 55, 5117-5122.	2.6	68
210	Self-Aggregation Behavior of Fluorescent Carbazole-Tailed Imidazolium Ionic Liquids in Aqueous Solutions. Journal of Physical Chemistry B, 2010, 114, 340-348.	1.2	92
211	Performance of polyaniline/multi-walled carbon nanotubes composites as cathode for rechargeable lithium batteries. Materials Chemistry and Physics, 2009, 114, 371-375.	2.0	64
212	High dispersion and electrocatalytic activity of Pd/titanium dioxide nanotubes catalysts for hydrazine oxidation. Journal of Power Sources, 2008, 175, 266-271.	4.0	83
213	Preparation and tribological properties of poly(methyl methacrylate)/styrene/MWNTs copolymer nanocomposites. Journal of Applied Polymer Science, 2008, 108, 1675-1679.	1.3	22
214	Salt-induced viscoelastic wormlike micelles formed in surface active ionic liquid aqueous solution. Journal of Colloid and Interface Science, 2008, 319, 338-343.	5.0	102
215	Electrodeposition of mesoporous manganese dioxide films from lyotropic liquid crystalline phases. Microporous and Mesoporous Materials, 2008, 112, 627-631.	2.2	37
216	A study on microhardness and tribological behavior of carbon nanotubes reinforced AMMA-CNTs copolymer nanocomposites. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2008, 478, 314-318.	2.6	33

#	ARTICLE	IF	CITATIONS
217	Synthesis and Characterization of Mesoporous Silica Templated by Amphiphilic RTILs. Journal of Dispersion Science and Technology, 2008, 29, 1066-1071.	1.3	11
218	Synthesis and Characterization of Microscale Gold Nanoplates Using Langmuir Monolayers of Long-Chain Ionic Liquid. Crystal Growth and Design, 2008, 8, 3840-3846.	1.4	55
219	Stability analysis for uncertain linear systems. , 2008, , .		2
220	ZrO ₂ Nanoparticles Synthesized using Ionic Liquid Microemulsion. Journal of Dispersion Science and Technology, 2007, 28, 1030-1033.	1.3	26
221	Surface Adsorption and Micelle Formation of Surface Active Ionic Liquids in Aqueous Solution. Langmuir, 2007, 23, 4178-4182.	1.6	486
222	Preparation and electrochemical properties of Ag-modified TiO ₂ nanotube anode material for lithium-ion battery. Electrochemistry Communications, 2007, 9, 425-430.	2.3	306
223	Preparation and electrochemical characterization of polyaniline/multi-walled carbon nanotubes composites for supercapacitor. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2007, 143, 7-13.	1.7	199
224	Densely packed single-crystal Bi ₂ Fe ₄ O ₉ nanowires fabricated from a template-induced sol-gel route. Journal of Solid State Chemistry, 2006, 179, 3324-3329.	1.4	50
225	Sol-gel template synthesis and characterization of LaCoO ₃ nanowires. Applied Physics A: Materials Science and Processing, 2006, 84, 117-122.	1.1	23
226	Controlled synthesis of highly ordered LaFeO ₃ nanowires using a citrate-based sol-gel route. Materials Research Bulletin, 2006, 41, 274-281.	2.7	41
227	Enhanced wear resistance and micro-hardness of polystyrene nanocomposites by carbon nanotubes. Materials Chemistry and Physics, 2005, 94, 109-113.	2.0	73
228	A study on carbon nanotubes reinforced poly(methyl methacrylate) nanocomposites. Materials Letters, 2005, 59, 2128-2132.	1.3	78
229	Fabrication and structural properties of LaFeO ₃ nanowires by an ethanol-ammonia-based sol-gel template route. Applied Physics A: Materials Science and Processing, 2005, 81, 453-457.	1.1	19
230	Template induced sol-gel synthesis of highly ordered LaNiO ₃ nanowires. Journal of Solid State Chemistry, 2005, 178, 1157-1164.	1.4	32
231	Study on Tribological Properties of Multi-walled Carbon Nanotubes/Epoxy Resin Nanocomposites. Tribology Letters, 2005, 20, 251-254.	1.2	88
232	Preparation and tribological properties of poly(methyl methacrylate)/multi-walled carbon nanotubes composites. Journal of Materials Science, 2005, 40, 4379-4382.	1.7	9
233	Preparation and characterization of ruthenium-doped polypyrrole composites for supercapacitor. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2004, 374, 322-326.	2.6	39
234	Hydrothermal Synthesis and Characterization of Novel MoS ₂ Nanoflowers Directed by Ionic Liquid. Advanced Materials Research, 0, 194-196, 785-789.	0.3	4

#	ARTICLE	IF	CITATIONS
235	Facile Synthesis of MoS ₂ Modified TiO ₂ Nanospheres with Enhanced Photoelectrocatalytic activity. International Journal of Electrochemical Science, 0, , 3039-3049.	0.5	11
236	Template Synthesis of Hollow MoS ₂ Microspheres with Enhanced Electrocatalytic Activity for Hydrogen Evolution. International Journal of Electrochemical Science, 0, , 2846-2853.	0.5	6
237	F, P double-doped Fe ₃ O ₄ with abundant defect sites for efficient hydrogen evolution at high current density. Journal of Materials Chemistry A, 0, , .	5.2	35