

# Mark Haddad

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/4704445/mark-haddad-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

60  
papers

980  
citations

18  
h-index

29  
g-index

71  
ext. papers

1,146  
ext. citations

2.8  
avg, IF

4.21  
L-index

| #  | Paper  | IF  | Citations |
|----|--|-----|-----------|
| 60 | Investigating the feasibility of MePlusMe, an online intervention to support mental health, well-being, and study skills in higher education students.. <i>Journal of Mental Health</i> , <b>2022</b> , 1-11   | 2.7 | 0         |
| 59 | Is an individually tailored programme of intense leg resistance and dynamic exercise acceptable to adults with an acute lateral patellar dislocation? A feasibility study. <i>Pilot and Feasibility Studies</i> , <b>2021</b> , 7, 197   | 1.9 | 1         |
| 58 | Economic evaluation of a complex intervention (Engager) for prisoners with common mental health problems, near to and after release: a cost-utility and cost-consequences analysis. <i>European Journal of Health Economics</i> , <b>2021</b> , 1                                  | 3.6 | 1         |
| 57 | Objectively quantified lower limb strength recovery in people treated surgically or non-surgically after patellar dislocation: A systematic review. <i>Physical Therapy in Sport</i> , <b>2021</b> , 51, 110-138   | 3   | 1         |
| 56 | The experiences of carers looking after people with Parkinson's disease who exhibit impulsive and compulsive behaviours: An exploratory qualitative study. <i>Journal of Clinical Nursing</i> , <b>2020</b> , 29, 4623-4632 <sup>3,2</sup>   | 3.2 | 1         |
| 55 | Initial psychometric evaluation of the physical health attitude scale and a survey of mental health nurses. <i>Journal of Psychiatric and Mental Health Nursing</i> , <b>2020</b> , 27, 62-76  | 2.4 | 1         |
| 54 | Exploring the feasibility and acceptability of the contents, design, and functionalities of an online intervention promoting mental health, wellbeing, and study skills in Higher Education students. <i>International Journal of Mental Health Systems</i> , <b>2019</b> , 13, 51 | 3.6 | 10        |
| 53 | Spanish Validation Of The Revised Depression Attitude Questionnaire (R-DAQ). <i>Psychology Research and Behavior Management</i> , <b>2019</b> , 12, 1051-1058  | 3.8 | 2         |
| 52 | Management of type 2 diabetes mellitus in people with severe mental illness: an online cross-sectional survey of healthcare professionals. <i>BMJ Open</i> , <b>2018</b> , 8, e019400  | 3   | 7         |
| 51 | The effect of a training programme on school nurses' knowledge, attitudes, and depression recognition skills: The QUEST cluster randomised controlled trial. <i>International Journal of Nursing Studies</i> , <b>2018</b> , 83, 1-10  | 5.8 | 8         |
| 50 | Validation of the Internet Addiction Test in Students at a Pakistani Medical and Dental School. <i>Psychiatric Quarterly</i> , <b>2018</b> , 89, 235-247   | 4.1 | 6         |
| 49 | Barriers to effective diabetes management - a survey of people with severe mental illness. <i>BMC Psychiatry</i> , <b>2018</b> , 18, 165   | 4.2 | 13        |
| 48 | Pilot randomised controlled trial of the ENGAGER collaborative care intervention for prisoners with common mental health problems, near to and after release. <i>Pilot and Feasibility Studies</i> , <b>2018</b> , 4, 15   | 1.9 | 14        |
| 47 | Survey to Inform the Development of an Online Support System for Higher Education Students & Higher Education and Online Support. <i>Health</i> , <b>2018</b> , 10, 351-364  | 0.4 | 5         |
| 46 | Evaluation of a complex intervention (Engager) for prisoners with common mental health problems, near to and after release: study protocol for a randomised controlled trial. <i>BMJ Open</i> , <b>2018</b> , 8, e017931   | 3   | 9         |
| 45 | Barriers and enablers of type 2 diabetes self-management in people with severe mental illness. <i>Health Expectations</i> , <b>2017</b> , 20, 1020-1030  | 3.7 | 20        |
| 44 | The psychometric characteristics of the revised depression attitude questionnaire (R-DAQ) in Pakistani medical practitioners: a cross-sectional study of doctors in Lahore. <i>BMC Research Notes</i> , <b>2017</b> , 10, 333  | 2.3 | 7         |

|    |  |     |     |
|----|--|-----|-----|
| 43 | Cross-national mixed-methods comparative case study of recovery-focused mental health care planning and co-ordination in acute inpatient mental health settings (COCAPP-A). <i>Health Services and Delivery Research</i> , <b>2017</b> , 5, 1-234  | 1.5 | 8   |
| 42 | Use and relevance of bibliometrics for nursing. <i>Nursing Standard (Royal College of Nursing (Great Britain): 1987)</i> , <b>2017</b> , 31, 55-63   | 1.1 | 5   |
| 41 | Improving the physical health of people with severe mental illness in a low secure forensic unit: An uncontrolled evaluation study of staff training and physical health care plans. <i>International Journal of Mental Health Nursing</i> , <b>2016</b> , 25, 554-565                   | 3.8 | 17  |
| 40 | Implementation of recommended type 2 diabetes care for people with severe mental illness - a qualitative exploration with healthcare professionals. <i>BMC Psychiatry</i> , <b>2016</b> , 16, 222  | 4.2 | 13  |
| 39 | The attitudes and beliefs of Pakistani medical practitioners about depression: a cross-sectional study in Lahore using the Revised Depression Attitude Questionnaire (R-DAQ). <i>BMC Psychiatry</i> , <b>2016</b> , 16, 349  | 4.2 | 19  |
| 38 | Self management interventions for type 2 diabetes in adult people with severe mental illness. <i>The Cochrane Library</i> , <b>2016</b> , 4, CD011361  | 5.2 | 21  |
| 37 | Severe mental illness and type 2 diabetes: using theory and research evidence to develop complex behaviour change interventions. <i>Journal of Psychiatric and Mental Health Nursing</i> , <b>2016</b> , 23, 312-21  | 2.4 | 2   |
| 36 | Online support system for students in higher education: Proof-of-concept study. <i>Digital Health</i> , <b>2016</b> , 2, 2055207616655012  | 4   | 10  |
| 35 | The development and psychometric properties of a measure of clinicians' attitudes to depression: the revised Depression Attitude Questionnaire (R-DAQ). <i>BMC Psychiatry</i> , <b>2015</b> , 15, 7  | 4.2 | 25  |
| 34 | Study protocol: cross-national comparative case study of recovery-focused mental health care planning and coordination (COCAPP). <i>BMC Psychiatry</i> , <b>2015</b> , 15, 145   | 4.2 | 10  |
| 33 | Online intervention, MePlusMeR supporting mood, wellbeing, study skills, and everyday functioning in students in higher education: a protocol for a feasibility study. <i>Pilot and Feasibility Studies</i> , <b>2015</b> , 1, 34  | 1.9 | 6   |
| 32 | Measuring the well-being of health care professionals in the Punjab: a psychometric evaluation of the Warwick-Edinburgh Mental Well-being Scale in a Pakistani population. <i>PeerJ</i> , <b>2015</b> , 3, e1264   | 3.1 | 23  |
| 31 | Self-management interventions for type 2 diabetes in adult people with severe mental illness <b>2014</b> ,   |     | 2   |
| 30 | The UPBEAT nurse-delivered personalized care intervention for people with coronary heart disease who report current chest pain and depression: a randomised controlled pilot study. <i>PLoS ONE</i> , <b>2014</b> , 9, e98704  | 3.7 | 27  |
| 29 | Smoking cessation and serious mental illness: a service evaluation of a drop-in stop smoking clinic on an acute in-patient unit. <i>Journal of Clinical Nursing</i> , <b>2013</b> , 22, 405-13   | 3.2 | 8   |
| 28 | The development and first use of the QUEST measures to evaluate school nurses' knowledge and skills for depression recognition and management. <i>Journal of School Health</i> , <b>2013</b> , 83, 36-44   | 2.1 | 8   |
| 27 | Mental health nursing and physical health care: a cross-sectional study of nurses' attitudes, practice, and perceived training needs for the physical health care of people with severe mental illness. <i>International Journal of Mental Health Nursing</i> , <b>2013</b> , 22, 409-17 | 3.8 | 108 |
| 26 | Promoting mental health in men. <i>Nursing Standard (Royal College of Nursing (Great Britain): 1987)</i> , <b>2013</b> , 27, 48-57; quiz 58, 60  | 1.1 | 1   |

|    |   |     |    |
|----|---|-----|----|
| 25 | Adaptation and psychometric evaluation of the Italian version of the depression attitude questionnaire (DAQ). <i>Epidemiology and Psychiatric Sciences</i> , <b>2013</b> , 22, 93-100   | 5.1 | 3  |
| 24 | Detecting depression in patients with coronary heart disease: a diagnostic evaluation of the PHQ-9 and HADS-D in primary care, findings from the UPBEAT-UK study. <i>PLoS ONE</i> , <b>2013</b> , 8, e78493   | 3.7 | 55 |
| 23 | Mental health nurses' attitudes towards the physical health care of people with severe and enduring mental illness: the development of a measurement tool. <i>International Journal of Nursing Studies</i> , <b>2012</b> , 49, 72-83                                    | 5.8 | 51 |
| 22 | School nurses' perspectives on managing mental health problems in children and young people. <i>Journal of Clinical Nursing</i> , <b>2012</b> , 21, 850-9   | 3.2 | 49 |
| 21 | Commentary on Haws J, Ramjeet J & Gray R (2011) A national survey of GP and nurse attitudes and beliefs towards depression after myocardial infarction. <i>Journal of Clinical Nursing</i> 20, 3215-3223. <i>Journal of Clinical Nursing</i> , <b>2012</b> , 21, 1794-5 | 3.2 |    |
| 20 | The UPBEAT depression and coronary heart disease programme: using the UK Medical Research Council framework to design a nurse-led complex intervention for use in primary care. <i>BMC Family Practice</i> , <b>2012</b> , 13, 119                                      | 2.6 | 11 |
| 19 | Attitudes toward depression among Japanese non-psychiatric medical doctors: a cross-sectional study. <i>BMC Research Notes</i> , <b>2012</b> , 5, 441   | 2.3 | 16 |
| 18 | A pilot randomised controlled trial of personalised care for depressed patients with symptomatic coronary heart disease in South London general practices: the UPBEAT-UK RCT protocol and recruitment. <i>BMC Psychiatry</i> , <b>2012</b> , 12, 58                     | 4.2 | 11 |
| 17 | Clinicians' attitudes to depression in Europe: a pooled analysis of Depression Attitude Questionnaire findings. <i>Family Practice</i> , <b>2012</b> , 29, 121-30   | 1.9 | 25 |
| 16 | Understanding the use of antidepressants. <i>Practice Nursing</i> , <b>2011</b> , 22, 347-352   | 0.1 |    |
| 15 | Heart and mind: coronary heart disease and depression. <i>British Journal of Wellbeing</i> , <b>2011</b> , 2, 37-42   |     |    |
| 14 | Beliefs and attitudes of French family practitioners toward depression: the impact of training in mental health. <i>International Journal of Psychiatry in Medicine</i> , <b>2011</b> , 41, 107-22  | 1   | 11 |
| 13 | Up-beat UK: a programme of research into the relationship between coronary heart disease and depression in primary care patients. <i>BMC Family Practice</i> , <b>2011</b> , 12, 38   | 2.6 | 23 |
| 12 | Case identification of depression in patients with chronic physical health problems: a diagnostic accuracy meta-analysis of 113 studies. <i>British Journal of General Practice</i> , <b>2011</b> , 61, e808-20   | 1.6 | 92 |
| 11 | School nurses' involvement, attitudes and training needs for mental health work: a UK-wide cross-sectional study. <i>Journal of Advanced Nursing</i> , <b>2010</b> , 66, 2471-80  | 3.1 | 36 |
| 10 | Caring for patients with long-term conditions and depression. <i>Nursing Standard (Royal College of Nursing (Great Britain): 1987)</i> , <b>2010</b> , 24, 40-9; quiz 50  | 1.1 | 2  |
| 9  | Different attitudes towards mental health revealed in a survey of nurses across five European countries; more positive attitudes found in Portugal, in women and in those in senior roles. <i>Evidence-based Nursing</i> , <b>2010</b> , 13, 115-6                      | 0.3 | 2  |
| 8  | Mood disorders in primary care. <i>Psychiatry (Abingdon, England)</i> , <b>2009</b> , 8, 71-75  |     | 7  |

|   |  |         |    |
|---|--|---------|----|
| 7 | Depression in adults with long term conditions 1: how to identify and assess symptoms. <i>Nursing Times</i> , <b>2009</b> , 105, 14-7  |         |    |
| 6 | Depression in adults with long term conditions 2: antidepressant and psychological treatments. <i>Nursing Times</i> , <b>2009</b> , 105, 20-3  |         | 39 |
| 5 | District nursing staff and depression: a psychometric evaluation of Depression Attitude Questionnaire findings. <i>International Journal of Nursing Studies</i> , <b>2007</b> , 44, 447-56                 | 5.8     | 33 |
| 4 | Managing complex problems: treatment for common mental disorders in the UK. <i>Epidemiology and Psychiatric Sciences</i> , <b>2007</b> , 16, 302-8   | 5.1     | 8  |
| 3 | District nurses' involvement and attitudes to mental health problems: a three-area cross-sectional study. <i>Journal of Clinical Nursing</i> , <b>2005</b> , 14, 976-85                                    | 3.2     | 39 |
| 2 | The detection of psychological problems by General Practitioners--influence of ethnicity and other demographic variables. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2004</b> , 39, 464-71 | 4.5     | 29 |
| 1 | The Role of the Primary Care Team  | 373-385 |    |