## I Shoham-Vardi

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4706093/i-shoham-vardi-publications-by-year.pdf

Version: 2024-04-04

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

3,495 145 50 34 h-index g-index citations papers 2.6 5.08 147 4,024 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
145	Social and structural determinants and their associations with patient experience in the emergency department <i>International Emergency Nursing</i> , <b>2022</b> , 61, 101131	2.4	O
144	Temporal trends in the incidence of and associations between the risk factors for obstetrical anal sphincter injuries. <i>American Journal of Obstetrics &amp; Discourage Memory Memory</i>	7.4	3
143	Peritoneal adhesions during cesarean delivery are an independent risk factor for peri-partum hemorrhagic complications. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2020</b> , 251, 188-193	2.4	
142	In utero exposure to pre-eclampsia as an independent risk factor for long-term respiratory disease. <i>Pediatric Pulmonology</i> , <b>2020</b> , 55, 723-728	3.5	2
141	Patterns of healthcare services utilization associated with intimate partner violence (IPV): Effects of IPV screening and receiving information on support services in a cohort of perinatal women. <i>PLoS ONE</i> , <b>2020</b> , 15, e0228088	3.7	O
140	Peritoneal adhesions do not increase intra-operative organ injury or adverse neonatal outcomes during a repeated cesarean delivery. <i>Archives of Gynecology and Obstetrics</i> , <b>2020</b> , 302, 879-886	2.5	
139	Intimate Partner Violence Prevalence, Recurrence, Types, and Risk Factors Among Arab, and Jewish Immigrant and Nonimmigrant Women of Childbearing Age in Israel. <i>Journal of Interpersonal Violence</i> , <b>2020</b> , 35, 2869-2896	2.2	21
138	Polygamy and birth outcomes among Bedouin women of the Negev: The contribution of social determinants and pregnancy complications. <i>Health Care for Women International</i> , <b>2020</b> , 41, 54-74	1.5	2
137	Patterns of healthcare services utilization associated with intimate partner violence (IPV): Effects of IPV screening and receiving information on support services in a cohort of perinatal women <b>2020</b> , 15, e0228088		
136	Patterns of healthcare services utilization associated with intimate partner violence (IPV): Effects of IPV screening and receiving information on support services in a cohort of perinatal women <b>2020</b> , 15, e0228088		
135	Patterns of healthcare services utilization associated with intimate partner violence (IPV): Effects of IPV screening and receiving information on support services in a cohort of perinatal women <b>2020</b> , 15, e0228088		
134	Patterns of healthcare services utilization associated with intimate partner violence (IPV): Effects of IPV screening and receiving information on support services in a cohort of perinatal women <b>2020</b> , 15, e0228088		
133	Patterns of healthcare services utilization associated with intimate partner violence (IPV): Effects of IPV screening and receiving information on support services in a cohort of perinatal women <b>2020</b> , 15, e0228088		
132	Patterns of healthcare services utilization associated with intimate partner violence (IPV): Effects of IPV screening and receiving information on support services in a cohort of perinatal women <b>2020</b> , 15, e0228088		
131	Long-term neuropsychiatric morbidity in children exposed prenatally to preeclampsia. <i>Early Human Development</i> , <b>2019</b> , 130, 96-100	2.2	25
130	Screening and receiving information for intimate partner violence in healthcare settings: a cross-sectional study of Arab and Jewish women of childbearing age in Israel. <i>BMJ Open</i> , <b>2019</b> , 9, e022	996	7
129	Peritoneal adhesions are an independent risk factor for peri- and post-partum infectious morbidity. European Journal of Obstetrics, Gynecology and Reproductive Biology, <b>2019</b> , 241, 60-65	2.4	3

128	Adherence to NSTEMI Guidelines in the Emergency Department: Regression to Reality. <i>Critical Pathways in Cardiology</i> , <b>2019</b> , 18, 40-46	1.3	2
127	Term Elective Cesarean Delivery and Offspring Infectious Morbidity: A Population-Based Cohort Study. <i>Pediatric Infectious Disease Journal</i> , <b>2019</b> , 38, 176-180	3.4	17
126	Oligohydramnios is an independent risk factor for perinatal morbidity among women with pre-eclampsia who delivered preterm. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2019</b> , 32, 1776-	1 <sup>2</sup> 782	2
125	Like mother like daughter: low birth weight and preeclampsia tend to reoccur at the next generation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2019</b> , 32, 1478-1484	2	1
124	Autism Prevalence and Severity in Bedouin-Arab and Jewish Communities in Southern Israel. <i>Community Mental Health Journal</i> , <b>2019</b> , 55, 156-160	2.1	16
123	The association between birth weight at term and long-term endocrine morbidity of the offspring. Journal of Maternal-Fetal and Neonatal Medicine, <b>2019</b> , 32, 2657-2661	2	15
122	Maternal Asthma Is an Independent Risk Factor for Long-Term Respiratory Morbidity of the Offspring. <i>American Journal of Perinatology</i> , <b>2018</b> , 35, 1065-1070	3.3	3
121	Early Postpartum Hemoglobin Less Than 10 g/dL Is Associated with Future Maternal Atherosclerotic Morbidity. <i>Journal of Womenls Health</i> , <b>2018</b> , 27, 1257-1262	3	O
120	Routine blood tests during pregnancy for predicting future increases in risk of cardiovascular morbidity. <i>International Journal of Gynecology and Obstetrics</i> , <b>2018</b> , 143, 178-183	4	
119	In utero exposure to gestational diabetes mellitus and long term endocrine morbidity of the offspring. <i>Diabetes Research and Clinical Practice</i> , <b>2018</b> , 144, 231-235	7.4	19
118	Prenatal exposure to preeclampsia as an independent risk factor for long-term cardiovascular morbidity of the offspring. <i>Pregnancy Hypertension</i> , <b>2018</b> , 13, 181-186	2.6	43
117	Fertility treatments and pediatric neoplasms of the offspring: results of a population-based cohort with almedian follow-up of 10 years. <i>American Journal of Obstetrics and Gynecology</i> , <b>2017</b> , 216, 314.e1-3	14 <sup>4</sup> e14	<sub>1</sub> 34
116	Disorganization Theory, Neighborhood Social Capital, and Ethnic Inequalities in Intimate Partner Violence between Arab and Jewish Women Citizens of Israel. <i>Journal of Urban Health</i> , <b>2017</b> , 94, 648-665	5 <sup>5.8</sup>	12
115	Fertility and anogenital distance in women. <i>Reproductive Toxicology</i> , <b>2017</b> , 73, 345-349	3.4	15
114	Comparing Pregnancy Outcomes of Immigrants from Ethiopia and the Former Soviet Union to Israel, to those of Native-Born Israelis. <i>Journal of Immigrant and Minority Health</i> , <b>2017</b> , 19, 1296-1303	2.2	5
113	High potassium level during pregnancy is associated with future cardiovascular morbidity. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2016</b> , 29, 1021-4	2	5
112	Renal function during pregnancy may predict risk of future hospitalization due to atherosclerotic-related morbidity. <i>Nephrology</i> , <b>2016</b> , 21, 116-21	2.2	2
111	Obesity in pregnancy: whatß next? Long-term cardiovascular morbidity in a follow-up period of more than a decade. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2016</b> , 29, 619-23	2	14

110	Twin pregnancy: is it a risk factor for long-term cardiovascular disease?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2016</b> , 29, 1626-30	2	2
109	Can slight glucose intolerance during pregnancy predict future maternal atherosclerotic morbidity?. <i>Diabetic Medicine</i> , <b>2016</b> , 33, 920-5	3.5	11
108	Prenatal exposure to gestational diabetes mellitus as an independent risk factor for long-term neuropsychiatric morbidity of the offspring. <i>American Journal of Obstetrics and Gynecology</i> , <b>2016</b> , 215, 380.e1-7	6.4	77
107	Placenta previa and long-term morbidity of the term offspring. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2016</b> , 203, 1-4	2.4	4
106	Fertility Treatments in Women Who Become Pregnant and Carried to Viability, and the Risk for Long-Term Maternal Cardiovascular Morbidity. <i>American Journal of Perinatology</i> , <b>2016</b> , 33, 1388-1393	3.3	10
105	The association between sociodemographic characteristics and postpartum depression symptoms among Arab-Bedouin women in Southern Israel. <i>Depression and Anxiety</i> , <b>2015</b> , 32, 120-8	8.4	30
104	Can we identify risk factors during pregnancy for thrombo-embolic events during the puerperium and later in life?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2015</b> , 28, 1005-9	2	5
103	Is there an association between a history of placental abruption and long-term maternal renal complications?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2015</b> , 28, 1641-6	2	3
102	Maternal anemia during pregnancy and subsequent risk for cardiovascular disease. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2015</b> , 28, 1762-5	2	9
101	Maternal perceptions of social context and adherence to maternal and child health (MCH) clinic recommendations among marginalized Bedouin mothers. <i>Maternal and Child Health Journal</i> , <b>2015</b> , 19, 538-47	2.4	7
100	High Uric Acid Levels During Pregnancy Linked to Increased Risk for Future Atherosclerotic-Related Hospitalization. <i>Journal of Clinical Hypertension</i> , <b>2015</b> , 17, 481-5	2.3	4
99	Gestational diabetes mellitus is a significant risk factor for long-term maternal renal disease. Journal of Clinical Endocrinology and Metabolism, <b>2015</b> , 100, 1412-6	5.6	48
98	Fetal sex modifies effects of prenatal stress exposure and adverse birth outcomes. <i>Stress</i> , <b>2015</b> , 18, 49-	·5 <sub>9</sub> 6	39
97	Long-term maternal atherosclerotic morbidity in women with pre-eclampsia. <i>Heart</i> , <b>2015</b> , 101, 442-6	5.1	113
96	Is stillbirth associated with long-term atherosclerotic morbidity?. <i>American Journal of Obstetrics and Gynecology</i> , <b>2014</b> , 211, 416.e1-12	6.4	11
95	Calcium level during the first trimester of pregnancy as a predictor of preeclampsia. <i>Hypertension in Pregnancy</i> , <b>2014</b> , 33, 311-21	2	6
94	Exposure to life-threatening stressful situations and the risk of preterm birth and low birth weight. <i>International Journal of Gynecology and Obstetrics</i> , <b>2014</b> , 125, 28-32	4	19
93	Recurrent pregnancy loss: a risk factor for long-term maternal atherosclerotic morbidity?. <i>American Journal of Obstetrics and Gynecology</i> , <b>2014</b> , 211, 414.e1-11	6.4	30

## (2011-2014)

92	Polygamy and poor mental health among Arab Bedouin women: do socioeconomic position and social support matter?. <i>Ethnicity and Health</i> , <b>2014</b> , 19, 385-405	2.2	29
91	Pregnancy outcome of patients following bariatric surgery as compared with obese women: a population-based study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2014</b> , 27, 275-8	2	30
90	Placental abruption as a significant risk factor for long-term cardiovascular mortality in a follow-up period of more than a decade. <i>Paediatric and Perinatal Epidemiology</i> , <b>2014</b> , 28, 32-8	2.7	39
89	Understanding utilization of outpatient clinics for children with special health care needs in southern Israel. <i>Maternal and Child Health Journal</i> , <b>2014</b> , 18, 1831-45	2.4	3
88	Association between delivery of a small-for-gestational-age neonate and long-term maternal cardiovascular morbidity. <i>International Journal of Gynecology and Obstetrics</i> , <b>2013</b> , 123, 68-71	4	32
87	Effect of interpregnancy interval on outcomes of pregnancy after recurrent pregnancy loss. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2013</b> , 26, 1459-64	2	9
86	Is preeclampsia a significant risk factor for long-term hospitalizations and morbidity?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2013</b> , 26, 13-5	2	27
85	An association between preterm delivery and long-term maternal cardiovascular morbidity. <i>American Journal of Obstetrics and Gynecology</i> , <b>2013</b> , 209, 368.e1-8	6.4	72
84	Prenatal stress and risk of spontaneous abortion. <i>Psychosomatic Medicine</i> , <b>2013</b> , 75, 228-35	3.7	35
83	The association between prenatal maternal objective stress, perceived stress, preterm birth and low birthweight. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2013</b> , 26, 973-7	2	25
82	An association between gestational diabetes mellitus and long-term maternal cardiovascular morbidity. <i>Heart</i> , <b>2013</b> , 99, 1118-21	5.1	119
81	Is induction of labor risky for twins compare to singleton pregnancies?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2013</b> , 26, 1804-6	2	6
80	Lack of prenatal care in a traditional community: trends and perinatal outcomes. <i>Archives of Gynecology and Obstetrics</i> , <b>2012</b> , 285, 1237-42	2.5	55
79	Obstetric and perinatal outcomes in women with eating disorders. <i>Journal of Womenls Health</i> , <b>2012</b> , 21, 61-5	3	27
78	The social ecology of maternal infant care in socially and economically marginalized community in southern Israel. <i>Health Education Research</i> , <b>2012</b> , 27, 1018-30	1.8	21
77	Primary vs. secondary recurrent pregnancy lossepidemiological characteristics, etiology, and next pregnancy outcome. <i>Journal of Perinatal Medicine</i> , <b>2012</b> , 40, 389-96	2.7	32
76	Two vs. three or more primary recurrent pregnancy lossesare there any differences in epidemiologic characteristics and index pregnancy outcome?. <i>Journal of Perinatal Medicine</i> , <b>2012</b> , 40, 365-71	2.7	15
75	The role of prenatal care in recurrent preterm birth. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2011</b> , 154, 40-4	2.4	20

74	Management of problems related to the new morbidity by community-based paediatricians in Israel. <i>Child: Care, Health and Development</i> , <b>2011</b> , 37, 703-10	2.8	3
73	Trends and seasonality in birth frequency: a comparison of Muslim and Jewish populations in southern Israel: daily time series analysis of 200 009 births, 1988-2005. <i>Human Reproduction</i> , <b>2009</b> , 24, 1492-500	5.7	18
72	Breast cancer, psychological distress and life events among young women. <i>BMC Cancer</i> , <b>2008</b> , 8, 245	4.8	50
71	Infant hospitalization and breastfeeding post-caesarean section. <i>British Journal of Nursing</i> , <b>2008</b> , 17, 786-91	0.7	7
70	The safety of a trial of labor after cesarean section in a grandmultiparous population. <i>Archives of Gynecology and Obstetrics</i> , <b>2008</b> , 277, 339-44	2.5	15
69	Primiparity, assisted reproduction, and preterm birth in twin pregnancies: a population based study. <i>Archives of Gynecology and Obstetrics</i> , <b>2008</b> , 277, 311-7	2.5	13
68	Suspected macrosomia? Better not tell. Archives of Gynecology and Obstetrics, 2008, 278, 225-30	2.5	33
67	First-trimester sonography: is the fetus exposed to high levels of acoustic energy?. <i>Journal of Clinical Ultrasound</i> , <b>2007</b> , 35, 245-9	1	25
66	A comparison between acoustic output indices in 2D and 3D/4D ultrasound in obstetrics. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2007</b> , 29, 326-8	5.8	30
65	Early post partum discharge: is it possible?. Archives of Gynecology and Obstetrics, 2007, 276, 65-70	2.5	2
64	An increased thermal index can be achieved when performing Doppler studies in obstetric sonography. <i>Journal of Ultrasound in Medicine</i> , <b>2007</b> , 26, 71-6	2.9	27
63	What do clinical users know regarding safety of ultrasound during pregnancy?. <i>Journal of Ultrasound in Medicine</i> , <b>2007</b> , 26, 319-25; quiz 326-7	2.9	53
62	Moderate to severe thrombocytopenia during pregnancy. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2006</b> , 128, 163-8	2.4	64
61	The effect of women's occupational psychologic stress on outcome of fertility treatments. <i>Journal of Occupational and Environmental Medicine</i> , <b>2006</b> , 48, 56-62	2	19
60	Risk factors for early neonatal sepsis. Archives of Gynecology and Obstetrics, 2006, 274, 198-202	2.5	17
59	Is there a higher prevalence of pregnancy complications in a live-birth preceding the appearance of recurrent abortions?. <i>Archives of Gynecology and Obstetrics</i> , <b>2005</b> , 271, 350-4	2.5	21
58	Hydramnios and small for gestational age are independent risk factors for neonatal mortality and maternal morbidity. <i>Archives of Gynecology and Obstetrics</i> , <b>2005</b> , 271, 296-301	2.5	11
57	The association between maternal obesity, glucose intolerance and hypertensive disorders of pregnancy in nondiabetic pregnant women. <i>Hypertension in Pregnancy</i> , <b>2005</b> , 24, 125-36	2	17

## (2001-2004)

56	Preterm deliveries among women with MacDonald cerclage performed due to cervical incompetence. <i>Fetal Diagnosis and Therapy</i> , <b>2004</b> , 19, 361-5	2.4	5	
55	A retrospective study of unplanned out-of-hospital deliveries. <i>Archives of Gynecology and Obstetrics</i> , <b>2004</b> , 269, 85-8	2.5	6	
54	Termination of pregnancy: attitudes and behavior of women in a traditional society. <i>Prenatal Diagnosis</i> , <b>2004</b> , 24, 869-75	3.2	26	
53	Risk factors for recurrent preterm delivery. European Journal of Obstetrics, Gynecology and Reproductive Biology, <b>2004</b> , 113, 160-3	2.4	21	
52	Four-month breastfeeding duration in postcesarean women of different cultures in the Israeli Negev. <i>Journal of Perinatal and Neonatal Nursing</i> , <b>2004</b> , 18, 145-60	1.5	14	
51	The relationship between occupational psychological stress and female fertility. <i>Occupational Medicine</i> , <b>2003</b> , 53, 265-9	2.1	19	
50	Placental abruption in term pregnancies: clinical significance and obstetric risk factors. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2003</b> , 13, 45-9	2	67	
49	Between acculturation and ambivalence: knowledge of genetics and attitudes towards genetic testing in a consanguineous bedouin community. <i>Public Health Genomics</i> , <b>2003</b> , 6, 88-95	1.9	17	
48	Maternal hypertensive disorders are an independent risk factor for the development of necrotizing enterocolitis in very low birth weight infants. <i>Fetal Diagnosis and Therapy</i> , <b>2003</b> , 18, 404-7	2.4	33	
47	Potential association between male infertility and occupational psychological stress. <i>Journal of Occupational and Environmental Medicine</i> , <b>2002</b> , 44, 1093-9	2	60	
46	Incidence, obstetric risk factors and pregnancy outcome of preterm placental abruption: a retrospective analysis. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2002</b> , 11, 34-9	2	56	
45	Teenage pregnancy: risk factors for adverse perinatal outcome. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2001</b> , 10, 393-397	2	86	
44	Neoangiogenesis in squamous cell carcinoma of the larynx - biological and prognostic associations. <i>Pathology Research and Practice</i> , <b>2001</b> , 197, 1-5	3.4	17	
43	Infertility treatment is an independent risk factor for cesarean section among nulliparous women aged 40 and above. <i>American Journal of Obstetrics and Gynecology</i> , <b>2001</b> , 185, 888-92	6.4	62	
42	Abnormal fetal heart rate tracing patterns during the first stage of labor: effect on perinatal outcome. <i>American Journal of Obstetrics and Gynecology</i> , <b>2001</b> , 185, 863-8	6.4	26	
41	Knowledge, action and resistance: the selective use of pre-natal screening among Bedouin women of the Negev, Israel. <i>Social Science and Medicine</i> , <b>2001</b> , 52, 561-9	5.1	34	
40	Placenta previa: obstetric risk factors and pregnancy outcome. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2001</b> , 10, 414-419	2	65	
39	Preterm premature rupture of membranes is not an independent risk factor for neonatal morbidity. Journal of Maternal-Fetal and Neonatal Medicine, <b>2001</b> , 10, 107-111	2	5	

38	Comparison study between induced and spontaneous term and preterm births of small-for-gestational-age neonates. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2001</b> , 97, 141-6	2.4	29
37	Risk factors associated with true knots of the umbilical cord. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2001</b> , 98, 36-9	2.4	91
36	Lack of prenatal care in two different societies living in the same region and sharing the same medical facilities. <i>Journal of Obstetrics and Gynaecology</i> , <b>2001</b> , 21, 453-8	1.3	15
35	Lack of prenatal care in a traditional society. Is it an obstetric hazard?. <i>Journal of reproductive medicine, The</i> , <b>2001</b> , 46, 662-8		24
34	Factors Affecting the Use of Prenatal Testing for Fetal Anomalities in a Traditional Society. <i>Public Health Genomics</i> , <b>2000</b> , 3, 61-70	1.9	9
33	Predictors of recommendation and acceptance of intrapartum epidural analgesia. <i>Anesthesia and Analgesia</i> , <b>2000</b> , 90, 109-13	3.9	42
32	Prevalence and clinical significance of postpartum endometritis and wound infection. <i>Infectious Diseases in Obstetrics and Gynecology</i> , <b>2000</b> , 8, 77-82	2.4	109
31	Hydramnios and small for gestational age: prevalence and clinical significance. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , <b>2000</b> , 79, 31-36	3.8	2
30	The impact of early amniotomy on mode of delivery and pregnancy outcome. <i>Archives of Gynecology and Obstetrics</i> , <b>2000</b> , 264, 63-7	2.5	7
29	A comparison between the effectiveness of epidural analgesia and parenteral pethidine during labor. <i>Archives of Gynecology and Obstetrics</i> , <b>2000</b> , 263, 95-8	2.5	10
28	Women's health custom made: building on the 40 days postpartum for Arab women. <i>Health Care for Women International</i> , <b>2000</b> , 21, 529-42	1.5	16
27	Differences in preterm delivery rates and outcomes in Jews and Bedouins in Southern Israel. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2000</b> , 93, 41-6	2.4	17
26	Breech presentation is a risk factor for intrapartum and neonatal death in preterm delivery. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2000</b> , 93, 47-51	2.4	30
25	Treatment outcome in women with a single ovary versus patients with two ovaries undergoing in vitro fertilization and embryo transfer (IVF/ET). <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2000</b> , 88, 197-200	2.4	12
24	Congenital anomalies are an independent risk factor for neonatal morbidity and perinatal mortality in preterm birth. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2000</b> , 90, 43-9	2.4	44
23	Overestimation and underestimation of labor pain. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2000</b> , 91, 37-40	2.4	33
22	Clinical significance and outcome of preterm prelabor rupture of membranes: population-based study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2000</b> , 92, 209-16	2.4	70
21	Prevalence and clinical significance of postpartum endometritis and wound infection <b>2000</b> , 8, 77		36

20	Prevalence and clinical significance of postpartum endometritis and wound infection <b>2000</b> , 8, 77		2
19	Characteristics of parturients who choose to deliver without analgesia. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , <b>1999</b> , 20, 165-9	3.6	11
18	Ethnic differences influence care giver® estimates of pain during labour. <i>Pain</i> , <b>1999</b> , 81, 299-305	8	57
17	Early amniotomy high risk factor for cesarean section. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>1999</b> , 86, 145-9	2.4	9
16	Perinatal outcome and peripartum complications in preterm singleton and twins deliveries: a comparative study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>1999</b> , 87, 55-67	1 <sup>2.4</sup>	25
15	Maternal factors associated with severity of birth defects. <i>International Journal of Gynecology and Obstetrics</i> , <b>1999</b> , 64, 227-32	4	14
14	Decisions regarding pregnancy termination among Bedouin couples referred to third level ultrasound clinic. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>1998</b> , 76, 141-6	2.4	73
13	Isolated hydramnios at term gestation and the occurrence of peripartum complications. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>1998</b> , 77, 157-61	2.4	44
12	Meconium stained amniotic fluid in very low risk pregnancies at term gestation. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>1998</b> , 80, 169-73	2.4	51
11	Meconium stained amniotic fluid in preterm delivery is an independent risk factor for perinatal complications. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>1998</b> , 81, 9-13	2.4	24
10	Peripartum complications in grand multiparous women: para 6-9 versus para > or =10. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>1998</b> , 81, 21-5	2.4	18
9	The relationship between parity and labor pain. <i>International Journal of Gynecology and Obstetrics</i> , <b>1998</b> , 63, 287-8	4	32
8	Lowering the burden of hereditary diseases in a traditional, inbred community: ethical aspects of genetic research and its application. <i>Science in Context</i> , <b>1998</b> , 11, 391-95	0.2	12
7	Utilisation of prenatal services and birth outcomes: a community-based study in Israel. <i>Paediatric and Perinatal Epidemiology</i> , <b>1997</b> , 11, 271-86	2.7	8
6	Polyhydramnios is an independent risk factor for perinatal mortality and intrapartum morbidity in preterm delivery. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>1996</b> , 70, 41-7	2.4	36
5	Intra-uterine infection in women with preterm premature rupture of membranes: maternal and neonatal characteristics. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>1995</b> , 62, 25-9	2.4	42
4	Maternal and perinatal outcome of patients with preterm labor and meconium-stained amniotic fluid. <i>Obstetrics and Gynecology</i> , <b>1995</b> , 86, 830-3	4.9	63
3	The association of primiparity with intrauterine growth retardation. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>1994</b> , 53, 95-101	2.4	19

Perinatal mortality in hypertensive disorders of Jewish and Bedouin populations. *European Journal of Obstetrics, Gynecology and Reproductive Biology,* **1993**, 48, 159-67

2.4 4

Meconium stained amniotic fluid is associated with maternal infectious morbidity in pre term delivery. *Acta Obstetricia Et Gynecologica Scandinavica*, **1993**, 72, 538-42

3.8 19