

Yufang Bi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4707788/publications.pdf>

Version: 2024-02-01

126
papers

6,583
citations

218677

26
h-index

71685

76
g-index

127
all docs

127
docs citations

127
times ranked

10200
citing authors

#	ARTICLE	IF	CITATIONS
1	Individual and Combined Cardiometabolic Morbidities and the Subsequent Risk of Cardiovascular Events in Chinese Adults. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e84-e94.	3.6	6
2	Causal Associations of Obesity With Chronic Kidney Disease and Arterial Stiffness: A Mendelian Randomization Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e825-e835.	3.6	11
3	Metabolomics study reveals systematic metabolic dysregulation and early detection markers associated with incident pancreatic cancer. <i>International Journal of Cancer</i> , 2022, 150, 1091-1100.	5.1	12
4	Hypertension Defined by 2017 ACC/AHA Guideline, Ideal Cardiovascular Health Metrics, and Risk of Cardiovascular Disease: A Nationwide Prospective Cohort Study. <i>The Lancet Regional Health - Western Pacific</i> , 2022, 20, 100350.	2.9	15
5	Interaction between smoking and diabetes in relation to subsequent risk of cardiovascular events. <i>Cardiovascular Diabetology</i> , 2022, 21, 14.	6.8	22
6	Association of soy food with cardiovascular outcomes and all-cause mortality in a Chinese population: a nationwide prospective cohort study. <i>European Journal of Nutrition</i> , 2022, 61, 1609-1620.	3.9	3
7	Association of education levels with the risk of hypertension and hypertension control: a nationwide cohort study in Chinese adults. <i>Journal of Epidemiology and Community Health</i> , 2022, 76, 451-457.	3.7	11
8	Pan-€risk factor for a comprehensive cardiovascular health management. <i>Journal of Diabetes</i> , 2022, 14, 179-191.	1.8	2
9	Impact of visit-€to-€visit fasting plasma glucose variability on the development of diabetes: The mediation by insulin resistance. <i>Journal of Diabetes</i> , 2022, 14, 205-215.	1.8	4
10	Negative Risk Markers for Cardiovascular Risk Evaluation in Chinese Adults. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 800671.	2.4	0
11	GREM2 is associated with human central obesity and inhibits visceral preadipocyte browning. <i>EBioMedicine</i> , 2022, 78, 103969.	6.1	4
12	Changes in adiposity modulate the APOA5 genetic effect on blood lipids: A longitudinal cohort study. <i>Atherosclerosis</i> , 2022, 350, 1-8.	0.8	0
13	New clusters of serum electrolytes aid in stratification of diabetes and metabolic risk. <i>Journal of Diabetes</i> , 2022, 14, 121-133.	1.8	4
14	New definition of metabolic dysfunction-associated fatty liver disease with elevated brachial-ankle pulse wave velocity and albuminuria: a prospective cohort study. <i>Frontiers of Medicine</i> , 2022, 16, 714-722.	3.4	4
15	Depression Status, Lifestyle, and Metabolic Factors With Subsequent Risk for Major Cardiovascular Events: The China Cardiometabolic Disease and Cancer Cohort (4C) Study. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, .	2.4	0
16	The Causal Effect of Systolic Blood Pressure Lowering on Vascular Outcomes in Diabetes: A Mendelian Randomization Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, 2616-2625.	3.6	7
17	Use of the new guidelines on an earlier age threshold of 35Âyears for diabetes screening can identify an additional 6.3 million undiagnosed individuals with diabetes and 72.3 million individuals with prediabetes among Chinese adults: An analysis of a nationally representative survey. <i>Metabolism: Clinical and Experimental</i> . 2022. 134. 155238.	3.4	2
18	Association Between Insulin Resistance and Cardiovascular Disease Risk Varies According to Glucose Tolerance Status: A Nationwide Prospective Cohort Study. <i>Diabetes Care</i> , 2022, 45, 1863-1872.	8.6	30

#	ARTICLE	IF	CITATIONS
19	Comprehensive risk profiles of family history and lifestyle and metabolic risk factors in relation to diabetes: A prospective cohort study. <i>Journal of Diabetes</i> , 2022, 14, 414-424.	1.8	2
20	Diabesity phenotype and the risks of cardiovascular disease and subclinical atherosclerosis: A prospective cohort study. <i>Obesity</i> , 2022, 30, 1681-1690.	3.0	6
21	Age at menarche, ideal cardiovascular health metrics, and risk of diabetes in adulthood: Findings from the REACTION study. <i>Journal of Diabetes</i> , 2021, 13, 458-468.	1.8	10
22	The association of low-grade albuminuria with incident non-alcoholic fatty liver disease and non-invasive markers of liver fibrosis by glycaemia status. <i>Liver International</i> , 2021, 41, 101-109.	3.9	5
23	A validation study of UCSD-Mayo risk score in predicting hospital-acquired acute kidney injury in COVID-19 patients. <i>Renal Failure</i> , 2021, 43, 1115-1123.	2.1	6
24	Hypophosphatemia is an independent risk factor for AKI among hospitalized patients with COVID-19 infection. <i>Renal Failure</i> , 2021, 43, 1329-1337.	2.1	12
25	Visit-to-visit blood pressure variability is associated with arterial stiffness in Chinese adults: A prospective analysis. <i>Journal of Clinical Hypertension</i> , 2021, 23, 802-812.	2.0	10
26	Chinese Adults Are More Susceptible to Effects of Overall Obesity and Fat Distribution on Cardiometabolic Risk Factors. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e2775-e2788.	3.6	9
27	Type 2 diabetes RCTs in mainland China: insights from a systematic review. <i>Lancet Diabetes and Endocrinology</i> , 2021, 9, 64-66.	11.4	2
28	Fat mass to fat-free mass ratio and the risk of non-alcoholic fatty liver disease and fibrosis in non-obese and obese individuals. <i>Nutrition and Metabolism</i> , 2021, 18, 21.	3.0	16
29	The 2017 ACC/AHA stage 1 hypertension is associated with arterial stiffness: a prospective analysis. <i>Aging</i> , 2021, 13, 10075-10086.	3.1	2
30	Urinary albumin-to-creatinine ratio levels are associated with subclinical atherosclerosis and predict CVD events and all-cause deaths: a prospective analysis. <i>BMJ Open</i> , 2021, 11, e040890.	1.9	9
31	Cardiovascular Risk Based on ASCVD and KDIGO Categories in Chinese Adults: A Nationwide, Population-Based, Prospective Cohort Study. <i>Journal of the American Society of Nephrology: JASN</i> , 2021, 32, 927-937.	6.1	9
32	Associations between parity, pregnancy loss, and breastfeeding duration and risk of maternal type 2 diabetes: An observational cohort study. <i>Journal of Diabetes</i> , 2021, 13, 857-867.	1.8	7
33	Genetic susceptibility, family history of diabetes and healthy lifestyle factors in relation to diabetes: A gene-environment interaction analysis in Chinese adults. <i>Journal of Diabetes Investigation</i> , 2021, 12, 2089-2098.	2.4	8
34	Association of early adulthood weight and subsequent weight change with cardiovascular diseases: Findings from REACTION study. <i>International Journal of Cardiology</i> , 2021, 332, 209-215.	1.7	7
35	New Nonalcoholic Fatty Liver Disease and Fibrosis Progression Associate With the Risk of Incident Chronic Kidney Disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e3957-e3968.	3.6	10
36	The association between age at diagnosis of type 2 diabetes and albuminuria in Chinese adults: A nationwide population study. <i>Journal of Diabetes</i> , 2021, 13, 987-997.	1.8	2

#	ARTICLE	IF	CITATIONS
37	The progression and regression of metabolic dysfunction-associated fatty liver disease are associated with the development of subclinical atherosclerosis: A prospective analysis. <i>Metabolism: Clinical and Experimental</i> , 2021, 120, 154779.	3.4	23
38	Dietary inflammatory index and cardiorenal function in women with diabetes and prediabetes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 2319-2327.	2.6	2
39	Impact of diabetes on subclinical atherosclerosis and major cardiovascular events in individuals with and without non-alcoholic fatty liver disease. <i>Diabetes Research and Clinical Practice</i> , 2021, 177, 108873.	2.8	9
40	High concentrations of triglycerides are associated with diabetic kidney disease in new-onset type 2 diabetes in China: Findings from the China Cardiometabolic Disease and Cancer Cohort (4C Study). <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 2551-2560.	4.4	10
41	Long-Term Glycemic Variability Is Associated With Arterial Stiffness in Chinese Adults. <i>Frontiers in Endocrinology</i> , 2021, 12, 711540.	3.5	4
42	Age-specific modifiable risk factor profiles for cardiovascular disease and all-cause mortality: a nationwide, population-based, prospective cohort study. <i>The Lancet Regional Health - Western Pacific</i> , 2021, 17, 100277.	2.9	31
43	The ChinaMAP reference panel for the accurate genotype imputation in Chinese populations. <i>Cell Research</i> , 2021, 31, 1308-1310.	12.0	24
44	Gestational hyperglycemia and the risk of cardiovascular diseases among elderly Chinese women: Findings from the REACTION study. <i>Journal of Diabetes</i> , 2021, 13, 949-959.	1.8	2
45	Age-related disparities in diabetes risk attributable to modifiable risk factor profiles in Chinese adults: a nationwide, population-based, cohort study. <i>The Lancet Healthy Longevity</i> , 2021, 2, e618-e628.	4.6	24
46	Non-alcoholic fatty liver disease, metabolic goal achievement with incident cardiovascular disease and eGFR-based chronic kidney disease in patients with prediabetes and diabetes. <i>Metabolism: Clinical and Experimental</i> , 2021, 124, 154874.	3.4	20
47	Fruit intake, genetic risk and type 2 diabetes: a population-based gene-diet interaction analysis. <i>European Journal of Nutrition</i> , 2021, 60, 2769-2779.	3.9	12
48	Association of Serum Bile Acids Profile and Pathway Dysregulation With the Risk of Developing Diabetes Among Normoglycemic Chinese Adults: Findings From the 4C Study. <i>Diabetes Care</i> , 2021, 44, 499-510.	8.6	40
49	Association Between Age at Diagnosis of Type 2 Diabetes and Cardiovascular Diseases: A Nationwide, Population-Based, Cohort Study. <i>Frontiers in Endocrinology</i> , 2021, 12, 717069.	3.5	14
50	Novel Subgroups and Chronic Complications of Diabetes in Middle-Aged and Elderly Chinese: A Prospective Cohort Study. <i>Frontiers in Endocrinology</i> , 2021, 12, 802114.	3.5	7
51	Individual and Combined Associations of Glucose Metabolic Components With Cognitive Function Modified by Obesity. <i>Frontiers in Endocrinology</i> , 2021, 12, 769120.	3.5	6
52	Sexual dimorphism in glucose metabolism is shaped by androgen-driven gut microbiome. <i>Nature Communications</i> , 2021, 12, 7080.	12.8	45
53	Associations of body shapes with insulin resistance and cardiometabolic risk in middle-aged and elderly Chinese. <i>Nutrition and Metabolism</i> , 2021, 18, 103.	3.0	5
54	Discordance between the triglyceride glucose index and HOMA-IR in incident albuminuria: a cohort study from China. <i>Lipids in Health and Disease</i> , 2021, 20, 176.	3.0	10

#	ARTICLE	IF	CITATIONS
55	Association between birth weight and diabetes: Role of body mass index and lifestyle in later life. <i>Journal of Diabetes</i> , 2020, 12, 10-20.	1.8	12
56	Association of insulin resistance and β -cell dysfunction with incident diabetes among adults in China: a nationwide, population-based, prospective cohort study. <i>Lancet Diabetes and Endocrinology</i> , 2020, 8, 115-124.	11.4	127
57	Serum lipoprotein (a) associates with a higher risk of reduced renal function: a prospective investigation. <i>Journal of Lipid Research</i> , 2020, 61, 1320-1327.	4.2	17
58	A comparative analysis of current blood pressure management guidelines in people with and without diabetes. <i>Journal of Diabetes</i> , 2020, 12, 781-790.	1.8	3
59	Regional difference in the susceptibility of non-alcoholic fatty liver disease in China. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e001311.	2.8	3
60	Individual and Combined Associations of Modifiable Lifestyle and Metabolic Health Status With New-Onset Diabetes and Major Cardiovascular Events: The China Cardiometabolic Disease and Cancer Cohort (4C) Study. <i>Diabetes Care</i> , 2020, 43, 1929-1936.	8.6	36
61	Protein acetylation derepresses Serotonin Synthesis to potentiate Pancreatic Beta-Cell Function through HDAC1-PKA-Tph1 signaling. <i>Theranostics</i> , 2020, 10, 7351-7368.	10.0	9
62	Early Life Famine Exposure, Ideal Cardiovascular Health Metrics, and Risk of Incident Diabetes: Findings From the 4C Study. <i>Diabetes Care</i> , 2020, 43, 1902-1909.	8.6	36
63	Early life famine exposure, adulthood obesity patterns and the risk of nonalcoholic fatty liver disease. <i>Liver International</i> , 2020, 40, 2694-2705.	3.9	18
64	Bisphenol A exposure in relation to altered lipid profile and dyslipidemia among Chinese adults: A repeated measures study. <i>Environmental Research</i> , 2020, 184, 109382.	7.5	24
65	Glycemic Measures and Development and Resolution of Nonalcoholic Fatty Liver Disease in Nondiabetic Individuals. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, 1416-1426.	3.6	17
66	Spatial transmission of COVID-19 via public and private transportation in China. <i>Travel Medicine and Infectious Disease</i> , 2020, 34, 101626.	3.0	190
67	Serum total bile acids associate with risk of incident type 2 diabetes and longitudinal changes in glucose-related metabolic traits. <i>Journal of Diabetes</i> , 2020, 12, 616-625.	1.8	11
68	Detection of diabetes and prediabetes using glycosylated hemoglobin in Chinese adults living in Shanghai: A prospective analysis. <i>Journal of Diabetes</i> , 2020, 12, 573-582.	1.8	2
69	Transition of metabolic phenotypes and risk of subclinical atherosclerosis according to BMI: a prospective study. <i>Diabetologia</i> , 2020, 63, 1312-1323.	6.3	48
70	Glucocorticoids improve severe or critical COVID-19 by activating ACE2 and reducing IL-6 levels. <i>International Journal of Biological Sciences</i> , 2020, 16, 2382-2391.	6.4	63
71	The ChinaMAP analytics of deep whole genome sequences in 10,588 individuals. <i>Cell Research</i> , 2020, 30, 717-731.	12.0	165
72	Association of bedtime with the risk of non-alcoholic fatty liver disease among middle-aged and elderly Chinese adults with pre-diabetes and diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2020, 36, e3322.	4.0	11

#	ARTICLE	IF	CITATIONS
73	Serum Dickkopf-3 Level Is Inversely Associated with Significant Coronary Stenosis in an Asymptomatic Chinese Cohort. <i>International Heart Journal</i> , 2020, 61, 1107-1113.	1.0	2
74	The Association and Predictive Ability of ECG Abnormalities with Cardiovascular Diseases: A Prospective Analysis. <i>Global Heart</i> , 2020, 15, 59.	2.3	5
75	Association of QTc Interval with Risk of Cardiovascular Diseases and Related Vascular Traits: A Prospective and Longitudinal Analysis. <i>Global Heart</i> , 2020, 15, 13.	2.3	9
76	The association and joint effect of serum cholesterol, glycemic status with the risk of incident cancer among middle-aged and elderly population in china cardiometabolic disease and cancer cohort (4C)-study. <i>American Journal of Cancer Research</i> , 2020, 10, 975-986.	1.4	4
77	Serum lipoprotein (a) is associated with increased risk of stroke in Chinese adults: A prospective study. <i>Atherosclerosis</i> , 2019, 289, 8-13.	0.8	14
78	Ideal Cardiovascular Health Metrics and Major Cardiovascular Events in Patients With Prediabetes and Diabetes. <i>JAMA Cardiology</i> , 2019, 4, 874.	6.1	70
79	High-Coverage Targeted Lipidomics Reveals Novel Serum Lipid Predictors and Lipid Pathway Dysregulation Antecedent to Type 2 Diabetes Onset in Normoglycemic Chinese Adults. <i>Diabetes Care</i> , 2019, 42, 2117-2126.	8.6	100
80	The Reply. <i>American Journal of Medicine</i> , 2019, 132, e627.	1.5	0
81	The pivotal role of protein acetylation in linking glucose and fatty acid metabolism to β -cell function. <i>Cell Death and Disease</i> , 2019, 10, 66.	6.3	44
82	Predictive Value of Fasting Glucose, Postload Glucose, and Hemoglobin A1c on Risk of Diabetes and Complications in Chinese Adults. <i>Diabetes Care</i> , 2019, 42, 1539-1548.	8.6	102
83	Urinary bisphenol A concentration and glucose homeostasis in non-diabetic adults: a repeated-measures, longitudinal study. <i>Diabetologia</i> , 2019, 62, 1591-1600.	6.3	35
84	Resting heart rate is associated with metabolic syndrome and predicted 10-year risk of cardiovascular disease: a cross-sectional study. <i>Journal of Diabetes</i> , 2019, 11, 884-894.	1.8	19
85	Association between mid-upper arm circumference and cardiometabolic risk in Chinese population: a cross-sectional study. <i>BMJ Open</i> , 2019, 9, e028904.	1.9	21
86	Association between Depression and Renal Hyperfiltration in a General Chinese Population. <i>Kidney and Blood Pressure Research</i> , 2019, 44, 1441-1452.	2.0	4
87	Early life exposure to famine and reproductive aging among Chinese women. <i>Menopause</i> , 2019, 26, 463-468.	2.0	12
88	Serum apolipoprotein B is associated with increased risk of metabolic syndrome among middle-aged and elderly Chinese: A cross-sectional and prospective cohort study. <i>Journal of Diabetes</i> , 2019, 11, 752-760.	1.8	11
89	Is waist circumference a negative predictor of calcaneal bone mineral density in adult Chinese men with normal weight?. <i>Annals of Translational Medicine</i> , 2019, 7, 201-201.	1.7	10
90	Hemoglobin A1c and diagnosis of diabetes. <i>Journal of Diabetes</i> , 2018, 10, 365-372.	1.8	30

#	ARTICLE	IF	CITATIONS
91	Urinary bisphenol A concentration and the risk of central obesity in Chinese adults: A prospective study. <i>Journal of Diabetes</i> , 2018, 10, 442-448.	1.8	36
92	Self-reported sleep duration and daytime napping are associated with renal hyperfiltration in general population. <i>Sleep and Breathing</i> , 2018, 22, 223-232.	1.7	20
93	Association between smoking and glycemic control in diabetic patients: Results from the Risk Evaluation of Cardiovascular Ancillary in Chinese diabetic individuals: ACTION longitudinal (REACTION) study. <i>Journal of Diabetes</i> , 2018, 10, 408-418.	1.8	24
94	Thiazolidinedione therapy and breast cancer risk in diabetic women: A systematic review and meta-analysis. <i>Diabetes/Metabolism Research and Reviews</i> , 2018, 34, e2961.	4.0	19
95	Associations of Hemoglobin A1c With Cardiovascular Disease and Mortality in Chinese Adults With Diabetes. <i>Journal of the American College of Cardiology</i> , 2018, 72, 3224-3225.	2.8	11
96	Carotid intima-media thickness and plaques are associated with indicators of peripheral artery diseases in patients with diabetes. <i>Diabetes Research and Clinical Practice</i> , 2018, 144, 245-251.	2.8	3
97	Association of branched chain amino acids related variant rs1440581 with risk of incident diabetes and longitudinal changes in insulin resistance in Chinese. <i>Acta Diabetologica</i> , 2018, 55, 901-908.	2.5	8
98	Ideal Cardiovascular Health Is Inversely Associated with Nonalcoholic Fatty Liver Disease: A Prospective Analysis. <i>American Journal of Medicine</i> , 2018, 131, 1515.e1-1515.e10.	1.5	26
99	Association between serum CA 19-9 and metabolic syndrome: A cross-sectional study. <i>Journal of Diabetes</i> , 2017, 9, 1040-1047.	1.8	18
100	Rare Loss-of-Function Variants in <i>NPC1</i> Predispose to Human Obesity. <i>Diabetes</i> , 2017, 66, 935-947.	0.6	54
101	Metabolically healthy obesity and incident chronic kidney disease: The role of systemic inflammation in a prospective study. <i>Obesity</i> , 2017, 25, 634-641.	3.0	40
102	Gut microbiome and serum metabolome alterations in obesity and after weight-loss intervention. <i>Nature Medicine</i> , 2017, 23, 859-868.	30.7	1,074
103	Association of a gain-of-function variant in <i>LGR4</i> with central obesity. <i>Obesity</i> , 2017, 25, 252-260.	3.0	26
104	Glucose potentiates β -cell function by inducing <i>Tph1</i> expression in rat islets. <i>FASEB Journal</i> , 2017, 31, 5342-5355.	0.5	17
105	Association Between Bone Mineral Density and Pancreatic β -Cell Function in Elderly Men and Postmenopausal Women. <i>Journal of the Endocrine Society</i> , 2017, 1, 1085-1094.	0.2	4
106	Analyses of gut microbiota and plasma bile acids enable stratification of patients for antidiabetic treatment. <i>Nature Communications</i> , 2017, 8, 1785.	12.8	312
107	Glycemic status and chronic kidney disease in Chinese adults: Findings from the REACTION study. <i>Journal of Diabetes</i> , 2017, 9, 837-845.	1.8	6
108	Serum CA 19-9 and risk of incident diabetes in middle-aged and elderly Chinese: a prospective cohort study. <i>Acta Diabetologica</i> , 2017, 54, 201-208.	2.5	7

#	ARTICLE	IF	CITATIONS
109	Associations of smoking and alcohol consumption with impaired β -cell function in Chinese men. <i>Journal of Diabetes</i> , 2016, 8, 434-441.	1.8	10
110	Association between the change in body mass index from early adulthood to midlife and subsequent type 2 diabetes mellitus. <i>Obesity</i> , 2016, 24, 703-709.	3.0	13
111	Curbing the obesity epidemic in China. <i>Lancet Diabetes and Endocrinology</i> , 2016, 4, 470-471.	11.4	33
112	Type 2 Diabetes, Diabetes Genetic Score and Risk of Decreased Renal Function and Albuminuria: A Mendelian Randomization Study. <i>EBioMedicine</i> , 2016, 6, 162-170.	6.1	27
113	Association of Serum Fetuin-A Levels With the Risk of Albuminuria in Middle-Aged and Elderly Chinese. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 1235-1242.	3.6	5
114	Diabetes and Risk of Arterial Stiffness: A Mendelian Randomization Analysis. <i>Diabetes</i> , 2016, 65, 1731-1740.	0.6	62
115	Discrete associations of the GCKR variant with metabolic risk in a Chinese population: longitudinal change analysis. <i>Diabetologia</i> , 2016, 59, 307-315.	6.3	9
116	Status of Cardiovascular Health in Chinese Adults. <i>Journal of the American College of Cardiology</i> , 2015, 65, 1013-1025.	2.8	131
117	Advanced fibrosis associates with atherosclerosis in subjects with nonalcoholic fatty liver disease. <i>Atherosclerosis</i> , 2015, 241, 145-150.	0.8	60
118	Afternoon nap and nighttime sleep with risk of micro- and macrovascular disease in middle-aged and elderly population. <i>International Journal of Cardiology</i> , 2015, 187, 553-555.	1.7	7
119	Cohort profile: Risk evaluation of cancers in Chinese diabetic individuals: a longitudinal (<i>REACTION</i>) study	1.8	147
120	Serum potassium level is associated with metabolic syndrome: A population-based study. <i>Clinical Nutrition</i> , 2014, 33, 521-527.	5.0	25
121	The relationship between insulin-sensitive obesity and cardiovascular diseases in a Chinese population. <i>International Journal of Cardiology</i> , 2014, 172, 388-394.	1.7	82
122	Is Alanine Aminotransferase Associated with Osteopenia in Middle-Aged and Elderly Chinese?. <i>Endocrine Practice</i> , 2014, 20, 775-784.	2.1	0
123	Prevalence and Control of Diabetes in Chinese Adults. <i>JAMA - Journal of the American Medical Association</i> , 2013, 310, 948.	7.4	2,335
124	Low Serum Magnesium Level Is Associated with Microalbuminuria in Chinese Diabetic Patients. <i>International Journal of Endocrinology</i> , 2013, 2013, 1-6.	1.5	22
125	Advanced research on risk factors of type 2 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2012, 28, 32-39.	4.0	68
126	The Relative Body Weight Gain From Early to Middle Life Adulthood Associated With Later Life Risk of Diabetes: A Nationwide Cohort Study. <i>Frontiers in Endocrinology</i> , 2013, 3, 1-6.	3.5	1