

Zdravko A Kamenov

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4707954/zdravko-a-kamenov-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

81
papers

1,089
citations

19
h-index

29
g-index

92
ext. papers

1,344
ext. citations

3
avg, IF

4.73
L-index

#	Paper	IF	Citations
81	Results from the International Consensus Conference on Myo-inositol and d-chiro-inositol in Obstetrics and Gynecology: the link between metabolic syndrome and PCOS. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015 , 195, 72-6	2.4	91
80	Effects of Inositol(s) in Women with PCOS: A Systematic Review of Randomized Controlled Trials. <i>International Journal of Endocrinology</i> , 2016 , 2016, 1849162	2.7	66
79	Results from the International Consensus Conference on myo-inositol and D-chiro-inositol in Obstetrics and Gynecology--assisted reproduction technology. <i>Gynecological Endocrinology</i> , 2015 , 31, 441-6	2.4	52
78	A comprehensive review of erectile dysfunction in men with diabetes. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2015 , 123, 141-58	2.3	47
77	Cognitive dysfunction profile and arterial stiffness in type 2 diabetes. <i>Journal of the Neurological Sciences</i> , 2012 , 322, 152-6	3.2	44
76	Ovulation induction with myo-inositol alone and in combination with clomiphene citrate in polycystic ovarian syndrome patients with insulin resistance. <i>Gynecological Endocrinology</i> , 2015 , 31, 131-34	2.4	43
75	Congenital cataracts facial dysmorphism neuropathy syndrome, a novel complex genetic disease in Balkan gypsies: Clinical and electrophysiological observations. <i>Annals of Neurology</i> , 1999 , 45, 742-750	9.4	43
74	Evaluation of the efficacy and safety of Tribulus terrestris in male sexual dysfunction-A prospective, randomized, double-blind, placebo-controlled clinical trial. <i>Maturitas</i> , 2017 , 99, 20-26	5	41
73	Inositols in Polycystic Ovary Syndrome: An Overview on the Advances. <i>Trends in Endocrinology and Metabolism</i> , 2020 , 31, 435-447	8.8	38
72	ExpertsOpinion on inositols in treating polycystic ovary syndrome and non-insulin dependent diabetes mellitus: a further help for human reproduction and beyond. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2020 , 16, 255-274	5.5	38
71	A comparison of the clinical usefulness of neck circumference and waist circumference in individuals with severe obesity. <i>Endocrine Research</i> , 2017 , 42, 6-14	1.9	34
70	The use of inositol(s) isomers in the management of polycystic ovary syndrome: a comprehensive review. <i>Gynecological Endocrinology</i> , 2018 , 34, 545-550	2.4	34
69	Transcriptome-wide effects of a POLR3A gene mutation in patients with an unusual phenotype of striatal involvement. <i>Human Molecular Genetics</i> , 2016 , 25, 4302-4314	5.6	30
68	Diagnosis of diabetic neuropathy using simple somatic and a new autonomic (neuropad) tests in the clinical practice. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2010 , 118, 226-33	2.3	27
67	Breakthroughs in the Use of Inositols for Assisted Reproductive Treatment (ART). <i>Trends in Endocrinology and Metabolism</i> , 2020 , 31, 570-579	8.8	27
66	Earlier development of diabetic neuropathy in men than in women with type 2 diabetes mellitus. <i>Gender Medicine</i> , 2010 , 7, 600-15		22
65	Inositols: From Established Knowledge to Novel Approaches. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	21

64	Treatment outcome results from the Bulgarian Acromegaly Database: adjuvant dopamine agonist therapy is efficient in less than one fifth of non-irradiated patients. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2015 , 123, 66-71	2.3	20
63	Physiological characteristics of diabetic neuropathy in sucrose-fed Otsuka Long-Evans Tokushima fatty rats. <i>Methods and Findings in Experimental and Clinical Pharmacology</i> , 2006 , 28, 13-8		19
62	Inositols in PCOS. <i>Molecules</i> , 2020 , 25,	4.8	19
61	Irisin in the Glucose Continuum. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2016 , 124, 22-7	2.3	18
60	Interleukin-18 serum level is elevated in type 2 diabetes and latent autoimmune diabetes. <i>Endocrine Connections</i> , 2018 , 7, 179-185	3.5	17
59	Diabetic autonomic neuropathy. <i>Advances in Experimental Medicine and Biology</i> , 2012 , 771, 176-93	3.6	15
58	Interleukin-18 and testosterone levels in men with metabolic syndrome. <i>Aging Male</i> , 2018 , 21, 130-137	2.1	15
57	Effect of amlodipine and hormone replacement therapy on blood pressure and bone markers in menopause. <i>Methods and Findings in Experimental and Clinical Pharmacology</i> , 2003 , 25, 209-13		13
56	25(OH) vitamin D levels in premenopausal women with polycystic ovary syndrome and/or obesity. <i>International Journal for Vitamin and Nutrition Research</i> , 2012 , 82, 399-404	1.7	12
55	Endorsement by Central European experts of the revised ESCEO algorithm for the management of knee osteoarthritis. <i>Rheumatology International</i> , 2019 , 39, 1117-1123	3.6	11
54	Early prevention of diabetes microvascular complications in people with hyperglycaemia in Europe. ePREDICE randomized trial. Study protocol, recruitment and selected baseline data. <i>PLoS ONE</i> , 2020 , 15, e0231196	3.7	11
53	Irisin and Testosterone in Men with Metabolic Syndrome. <i>Hormone and Metabolic Research</i> , 2017 , 49, 755-759	3.1	11
52	Effect of tibolone on sexual function in late postmenopausal women. <i>Folia Medica</i> , 2007 , 49, 41-8	0.5	11
51	Erectile dysfunction in diabetic men is linked more to microangiopathic complications and neuropathy than to macroangiopathic disturbances. <i>The Journal of Mens Health & Gender: the Official Journal of the International Society for Mens Health & Gender</i> , 2007 , 4, 64-73		10
50	Preserved postischemic heart function in sucrose-fed type 2 diabetic OLETF rats. <i>Life Sciences</i> , 2003 , 72, 2839-51	6.8	10
49	Comparison of the first intake of vardenafil and tadalafil in patients with diabetic neuropathy and diabetic erectile dysfunction. <i>Journal of Sexual Medicine</i> , 2011 , 8, 851-64	1.1	9
48	Cardiovascular Risk Factors in Bulgarian Patients with Polycystic Ovary Syndrome and/or Obesity. <i>Obstetrics and Gynecology International</i> , 2012 , 2012, 306347	2	9
47	Testosterone replacement therapy improves erythrocyte membrane lipid composition in hypogonadal men. <i>Aging Male</i> , 2012 , 15, 173-9	2.1	9

46	Differential changes of aorta and carotid vasodilation in type 2 diabetic GK and OLETF rats: paradoxical roles of hyperglycemia and insulin. <i>Experimental Diabetes Research</i> , 2012 , 2012, 429020		9
45	Prediabetes is Characterized by Higher FGF23 Levels and Higher Prevalence of Vitamin D Deficiency Compared to Normal Glucose Tolerance Subjects. <i>Hormone and Metabolic Research</i> , 2019 , 51, 106-111	3.1	9
44	Myostatin and carbohydrate disturbances. <i>Endocrine Research</i> , 2017 , 42, 102-109	1.9	8
43	TLR4 polymorphisms seem not to be associated with prediabetes and type 2 diabetes but predispose to diabetic retinopathy; TLR4 polymorphisms in glucose continuum. <i>Endocrine Regulations</i> , 2017 , 51, 137-144	1.9	8
42	PCOS and Inositols: Controversial Results and Necessary Clarifications. Basic Differences Between D-Chiro and Myo-Inositol. <i>Frontiers in Endocrinology</i> , 2021 , 12, 660381	5.7	8
41	Increased kallistatin levels in patients with obesity and prediabetes compared to normal glucose tolerance. <i>Endocrine Research</i> , 2017 , 42, 163-168	1.9	7
40	Higher levels of thioredoxin interacting protein (TXNIP) in patients with prediabetes compared to obese normoglycemic subjects. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2019 , 13, 734-737	8.9	7
39	Effect of short-term standard therapeutic regimens on neuropeptide Y and adipose tissue hormones in overweight insulin-resistant women with polycystic ovary syndrome. <i>Folia Medica</i> , 2011 , 53, 15-24	0.5	6
38	Increased peroxiredoxin 4 levels in patients with prediabetes compared to normal glucose tolerance subjects. <i>Clinical Endocrinology</i> , 2016 , 85, 551-5	3.4	6
37	Anticardiolipin antibodies during hormone replacement therapy in healthy postmenopausal women. <i>Maturitas</i> , 2004 , 48, 393-7	5	5
36	PNPLA3 I148M Polymorphism in Patients with Nonalcoholic Fatty Liver Disease, Obesity and Prediabetes. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2019 , 28, 433-438	1.4	5
35	Adoption of the ADA/EASD guidelines in 10 Eastern and Southern European countries: Physician survey and good clinical practice recommendations from an international expert panel. <i>Diabetes Research and Clinical Practice</i> , 2021 , 172, 108535	7.4	5
34	Soluble CD40L is associated with insulin resistance, but not with glucose tolerance in obese nondiabetic patients. <i>Archives of Physiology and Biochemistry</i> , 2016 , 122, 161-5	2.2	4
33	Dryness of Foot Skin Assessed by the Visual Indicator Test and Risk of Diabetic Foot Ulceration: A Prospective Observational Study. <i>Frontiers in Endocrinology</i> , 2020 , 11, 625	5.7	4
32	The role of Sudoscan feet asymmetry in the diabetic foot. <i>Primary Care Diabetes</i> , 2020 , 14, 47-52	2.4	4
31	Diabetic somatic neuropathy. <i>Advances in Experimental Medicine and Biology</i> , 2012 , 771, 155-75	3.6	4
30	Metabolic disturbances in women with polycystic ovary syndrome. <i>Folia Medica</i> , 2003 , 45, 12-20	0.5	4
29	Serum AGEs and sRAGE levels are not related to vascular complications in patients with prediabetes. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2019 , 13, 1005-1010	8.9	3

28	Evaluation of the efficacy and safety of Tribulus terrestris in male sexual dysfunction [a] prospective, randomized, double blinded, placebo-controlled clinical trial. <i>Maturitas</i> , 2015 , 81, 208	5	3
27	Endothelial dysfunction and intima media thickness are selectively related to the different carbohydrate disturbances across the glucose continuum. <i>Archives of Physiology and Biochemistry</i> , 2019 , 125, 430-434	2.2	3
26	A report on the demographic characteristics and the state of men's health in Bulgaria. <i>The Journal of Men's Health & Gender: the Official Journal of the International Society for Men's Health & Gender</i> , 2004 , 1, 191-196		3
25	Inflammatory activity and anticardiolipin antibodies during tibolone treatment of healthy postmenopausal women. <i>Methods and Findings in Experimental and Clinical Pharmacology</i> , 2006 , 28, 147-9		3
24	Relationship between circulating netrin-1 levels, obesity, prediabetes and newly diagnosed type 2 diabetes. <i>Archives of Physiology and Biochemistry</i> , 2020 , 1-6	2.2	3
23	Polycystic ovary syndrome and (pre)osteoarthritis: assessing the link between hyperandrogenism in young women and cartilage oligomeric matrix protein as a marker of cartilage breakdown. <i>Clinical Rheumatology</i> , 2021 , 40, 4217-4223	3.9	3
22	Reduced soluble Toll-like receptors 2 in type 2 diabetes. <i>Archives of Physiology and Biochemistry</i> , 2018 , 124, 326-329	2.2	3
21	Peroxiredoxin 4 levels in patients with PCOS and/or obesity. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2019 , 48, 739-743	1.9	2
20	MCP-1 and fetuin A levels in patients with PCOS and/or obesity before and after metformin treatment. <i>Open Medicine (Poland)</i> , 2013 , 8, 679-684	2.2	2
19	Effectiveness and Tolerability of Second-Line Therapy with Vildagliptin Versus Other Oral Agents in Type 2 Diabetes (EDGE): Post Hoc Sub-Analysis of Bulgarian Data. <i>Diabetes Therapy</i> , 2014 , 5, 483-98	3.6	2
18	Effect of μ -endorphin and delta sleep-inducing peptide on resistance to emotional stress. <i>Bulletin of Experimental Biology and Medicine</i> , 1989 , 108, 1461-1463	0.8	2
17	Fibroblast growth factor 23 and 25(OH)D levels are related to abdominal obesity and cardiovascular risk in patients with polycystic ovarian syndrome. <i>Gynecological Endocrinology</i> , 2020 , 36, 402-405	2.4	2
16	Serum Paraoxonase-1 Levels are Significantly Decreased in the Presence of Insulin Resistance. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2016 , 124, 444-7	2.3	2
15	Serum lipids, uric acid and leptin/adiponectin ratio in clinically healthy normal weight and overweight young men, aged 17-20 years. <i>Journal of Men's Health</i> , 2009 , 6, 63-69	1.2	1
14	Ambulatory blood pressure monitoring and active renin in menopausal women treated with amlodipine and hormone replacement therapy. <i>Gynecological Endocrinology</i> , 2004 , 19, 26-32	2.4	1
13	Anticardiolipin antibodies in spontaneously hypertensive rats (SHR), stroke-prone SHR and normal Wistar rats. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2000 , 27, 705-8	3	1
12	Delta sleep-inducing peptide in blood and hypothalamus of rats differing in tolerance to emotional stress. <i>Bulletin of Experimental Biology and Medicine</i> , 1988 , 106, 1215-1216	0.8	1
11	Lumican in Obese Patients with Nonalcoholic Fatty Liver Disease With or Without Prediabetes. <i>Metabolic Syndrome and Related Disorders</i> , 2020 , 18, 443-448	2.6	1

10	The relationship between thyroid dysfunction during pregnancy and gestational diabetes mellitus. <i>Endokrynologia Polska</i> , 2021 , 72, 226-231	1.1	1
9	Higher levels of IL-18 in patients with prediabetes compared to obese normoglycaemic controls. <i>Archives of Physiology and Biochemistry</i> , 2020 , 126, 449-452	2.2	1
8	Inositols in the ovaries: activities and potential therapeutic applications.. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2022 , 18, 123-133	5.5	1
7	Serum anti- β -crystallin antibodies in women with endocrine disorders. <i>Biotechnology and Biotechnological Equipment</i> , 2017 , 31, 574-580	1.6	0
6	Omentin-1 and diabetic foot.. <i>International Journal of Lower Extremity Wounds</i> , 2022 , 15347346211069815	1.5	0
5	Real-World Effectiveness and Safety of Insulin Glargine 300U/mL in Patients with T2D Uncontrolled on NPH or Premixed Insulins as Part of Routine Clinical Practice in Bulgaria: ToUPGRADE Study. <i>Diabetes Therapy</i> , 2021 , 12, 913-930	3.6	0
4	Elevated levels of interleukin-18 are associated with several indices of general and visceral adiposity and insulin resistance in women with polycystic ovary syndrome.. <i>Archives of Endocrinology and Metabolism</i> , 2022 , 66, 3-11	2.2	0
3	Neopterin in the Evolution from Obesity to Prediabetes and Newly Diagnosed Type 2 Diabetes. <i>Metabolic Syndrome and Related Disorders</i> , 2021 , 19, 249-255	2.6	0
2	Concomitant insulinoma and type 2 diabetes mellitus diagnoses: a case report. <i>Journal of Diabetes</i> , 2016 , 8, 740-2	3.8	0
1	Fibroblast Growth Factor 21 as a Marker of Prediabetes in Patients with Non-alcoholic Fatty Liver Disease.. <i>Turkish Journal of Gastroenterology</i> , 2022 , 33, 233-239	1	0