

Karin Nylander

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4708641/publications.pdf>

Version: 2024-02-01

55
papers

1,665
citations

361413

20
h-index

315739

38
g-index

56
all docs

56
docs citations

56
times ranked

2214
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Mapping human papillomavirus, Epstein-Barr virus, cytomegalovirus, adenovirus, and p16 in laryngeal cancer. <i>Discover Oncology</i> , 2022, 13, 18. | 2.1 | 4 |
| 2 | Comparison of Quality of Life among Patients with Oro-Hypopharyngeal Cancer after Tonsillectomy and Panscopy Using Transoral Robotic Surgery: A Pilot Study. <i>Case Reports in Oncology</i> , 2021, 13, 1295-1303. | 0.7 | 3 |
| 3 | Low potential of circulating interleukin 1 receptor antagonist as a prediction marker for squamous cell carcinoma of the head and neck. <i>Journal of Oral Pathology and Medicine</i> , 2021, 50, 785-794. | 2.7 | 6 |
| 4 | High Levels of Low-Density Lipoproteins Correlate with Improved Survival in Patients with Squamous Cell Carcinoma of the Head and Neck. <i>Biomedicines</i> , 2021, 9, 506. | 3.2 | 4 |
| 5 | Variation in Plasma Levels of TRAF2 Protein During Development of Squamous Cell Carcinoma of the Oral Tongue. <i>Frontiers in Oncology</i> , 2021, 11, 753699. | 2.8 | 4 |
| 6 | Transfer-RNA-Derived Fragments Are Potential Prognostic Factors in Patients with Squamous Cell Carcinoma of the Head and Neck. <i>Genes</i> , 2020, 11, 1344. | 2.4 | 16 |
| 7 | Downregulation of TAP1 in Tumor-Free Tongue Contralateral to Squamous Cell Carcinoma of the Oral Tongue, an Indicator of Better Survival. <i>International Journal of Molecular Sciences</i> , 2020, 21, 6220. | 4.1 | 9 |
| 8 | Comparison of Preoperative Positron Emission Tomography/Computed Tomography with Panscopy and Ultrasound in Patients with Head and Neck Cancer. <i>Oncology</i> , 2020, 98, 889-892. | 1.9 | 0 |
| 9 | PD-L1 in squamous cell carcinoma of the oral tongue shows gender-specific association with prognosis. <i>Oral Diseases</i> , 2020, 26, 1414-1423. | 3.0 | 7 |
| 10 | Low Epstein-Barr virus count in sinonasal inverted papilloma. <i>Acta Oto-Laryngologica</i> , 2020, 140, 413-417. | 0.9 | 1 |
| 11 | Keratin 36, a specific marker of tongue filiform papillae, is downregulated in squamous cell carcinoma of the mobile tongue. <i>Molecular and Clinical Oncology</i> , 2020, 12, 421-428. | 1.0 | 1 |
| 12 | Levels of MUC1 in tumours and serum of patients with different subtypes of squamous cell carcinoma of the head and neck. <i>Oncology Letters</i> , 2020, 20, 1709-1718. | 1.8 | 8 |
| 13 | High podoplanin and low E-cadherin levels correlate with better prognosis in adenoid cystic carcinoma. <i>Clinical and Experimental Dental Research</i> , 2019, 5, 350-355. | 1.9 | 6 |
| 14 | High immune cytolytic activity in tumor-free tongue tissue confers better prognosis in patients with squamous cell carcinoma of the oral tongue. <i>Journal of Pathology: Clinical Research</i> , 2019, 5, 240-247. | 3.0 | 13 |
| 15 | AP001056.1, A Prognosis-Related Enhancer RNA in Squamous Cell Carcinoma of the Head and Neck. <i>Cancers</i> , 2019, 11, 347. | 3.7 | 44 |
| 16 | Copy number variation: A prognostic marker for young patients with squamous cell carcinoma of the oral tongue. <i>Journal of Oral Pathology and Medicine</i> , 2019, 48, 24-30. | 2.7 | 20 |
| 17 | A single synonymous mutation determines the phosphorylation and stability of the nascent protein. <i>Journal of Molecular Cell Biology</i> , 2019, 11, 187-199. | 3.3 | 34 |
| 18 | Hyaluronan in vocal folds and false vocal folds in patients with recurrent respiratory papillomatosis. <i>Acta Oto-Laryngologica</i> , 2018, 138, 1020-1027. | 0.9 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Ethnicity based variation in expression of E-cadherin in patients with squamous cell carcinoma of the oral tongue. <i>Oncology Letters</i> , 2018, 16, 6603-6607. | 1.8 | 5 |
| 20 | Searching for New Targets and Treatments in the Battle Against Squamous Cell Carcinoma of the Head and Neck, with Specific Focus on Tumours of the Tongue. <i>Current Topics in Medicinal Chemistry</i> , 2018, 18, 214-218. | 2.1 | 19 |
| 21 | Patients with high c-myc-expressing squamous cell carcinomas of the tongue show better survival than those with low- and medium-expressing tumours. <i>Journal of Oral Pathology and Medicine</i> , 2017, 46, 967-971. | 2.7 | 8 |
| 22 | p53-mediated suppression of BiP triggers BIK-induced apoptosis during prolonged endoplasmic reticulum stress. <i>Cell Death and Differentiation</i> , 2017, 24, 1717-1729. | 11.2 | 43 |
| 23 | Immunohistochemical analysis of EGFR and hyaluronan in tongue cancer and the development of regional recurrence in patients initially diagnosed N0. <i>Acta Oto-Laryngologica</i> , 2017, 137, 877-882. | 0.9 | 3 |
| 24 | Lymphocyte profile and cytokine mRNA expression in peripheral blood mononuclear cells of patients with recurrent respiratory papillomatosis suggest dysregulated cytokine mRNA response and impaired cytotoxic capacity. <i>Immunity, Inflammation and Disease</i> , 2017, 5, 541-550. | 2.7 | 7 |
| 25 | PI3K γ activates E2F1 synthesis in response to mRNA translation stress. <i>Nature Communications</i> , 2017, 8, 2103. | 12.8 | 20 |
| 26 | No evidence for the presence of Epstein-Barr virus in squamous cell carcinoma of the mobile tongue. <i>PLoS ONE</i> , 2017, 12, e0184201. | 2.5 | 9 |
| 27 | Gene expression changes in tumor free tongue tissue adjacent to tongue squamous cell carcinoma. <i>Oncotarget</i> , 2017, 8, 19389-19402. | 1.8 | 27 |
| 28 | Expression of the long non-coding RNA HOTAIR as a prognostic factor in squamous cell carcinoma of the head and neck: a systematic review and meta-analysis. <i>Oncotarget</i> , 2017, 8, 73029-73036. | 1.8 | 21 |
| 29 | Evidence that circulating proteins are more promising than miRNAs for identification of patients with squamous cell carcinoma of the tongue. <i>Oncotarget</i> , 2017, 8, 103437-103448. | 1.8 | 8 |
| 30 | Epigenetic regulation of OAS2 shows disease-specific DNA methylation profiles at individual CpG sites. <i>Scientific Reports</i> , 2016, 6, 32579. | 3.3 | 23 |
| 31 | β -catenin expression induces loss of cell adhesion in triple-negative breast cancer cells. <i>BMC Cancer</i> , 2016, 16, 782. | 2.6 | 17 |
| 32 | p53 mRNA and p53 Protein Structures Have Evolved Independently to Interact with MDM2. <i>Molecular Biology and Evolution</i> , 2016, 33, 1280-1292. | 8.9 | 18 |
| 33 | High expression of podoplanin in squamous cell carcinoma of the tongue occurs predominantly in patients ≥ 40 years but does not correlate with tumour spread. <i>Journal of Pathology: Clinical Research</i> , 2016, 2, 3-8. | 3.0 | 12 |
| 34 | A case of disseminated histoplasmosis diagnosed after oral presentation in an old HIV-negative patient in Sweden. <i>Gerodontology</i> , 2015, 32, 234-236. | 2.0 | 5 |
| 35 | Epstein-Barr virus-encoded EBNA1 and ZEBRA: targets for therapeutic strategies against EBV-carrying cancers. <i>Journal of Pathology</i> , 2015, 235, 334-341. | 4.5 | 31 |
| 36 | Wilms tumor gene 1 regulates p63 and promotes cell proliferation in squamous cell carcinoma of the head and neck. <i>BMC Cancer</i> , 2015, 15, 342. | 2.6 | 11 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Incidence of tonsillar cancer in northern Sweden: Impact of human papilloma virus. <i>Oncology Letters</i> , 2015, 10, 3565-3572. | 1.8 | 16 |
| 38 | p53-mediated control of gene expression via mRNA translation during Endoplasmic Reticulum stress. <i>Cell Cycle</i> , 2015, 14, 3373-3378. | 2.6 | 18 |
| 39 | Correlation between Reversal of DNA Methylation and Clinical Symptoms in Psoriatic Epidermis Following Narrow-Band UVB Phototherapy. <i>Journal of Investigative Dermatology</i> , 2015, 135, 2077-2083. | 0.7 | 44 |
| 40 | Subsite-based alterations in miR-21, miR-125b, and miR-203 in squamous cell carcinoma of the oral cavity and correlation to important target proteins. <i>Journal of Carcinogenesis</i> , 2012, 11, 19. | 2.5 | 45 |
| 41 | The importance of stromal inflammation in squamous cell carcinoma of the tongue. <i>Journal of Oral Pathology and Medicine</i> , 2012, 41, 379-383. | 2.7 | 45 |
| 42 | Differences in p63 expression in SCCHN tumours of different sub-sites within the oral cavity. <i>Oral Oncology</i> , 2011, 47, 861-865. | 1.5 | 35 |
| 43 | Differential expression of p63 isoforms in normal tissues and neoplastic cells. <i>Journal of Pathology</i> , 2002, 198, 417-427. | 4.5 | 246 |
| 44 | Transcriptional activation of tyrosinase and TRP-1 by p53 links UV irradiation to the protective tanning response. , 2000, 190, 39-46. | | 90 |
| 45 | Characterization of the expression pattern of p63 Δ and Δ p63 Δ in benign and malignant oral epithelial lesions. <i>International Journal of Cancer</i> , 2000, 87, 368-372. | 5.1 | 130 |
| 46 | The p53 molecule and its prognostic role in squamous cell carcinomas of the head and neck. <i>Journal of Oral Pathology and Medicine</i> , 2000, 29, 413-425. | 2.7 | 178 |
| 47 | Why is p53 protein stabilized in neoplasia? Some answers but many more questions!. , 1998, 184, 348-350. | | 33 |
| 48 | Why is p53 protein stabilized in neoplasia? Some answers but many more questions!. <i>Journal of Pathology</i> , 1998, 184, 348-350. | 4.5 | 4 |
| 49 | PCNA, Ki-67, p53, bcl-2 and Prognosis in Intraoral Squamous Cell Carcinoma of the Head and Neck. <i>Analytical Cellular Pathology</i> , 1997, 14, 101-110. | 2.1 | 27 |
| 50 | p53 Expression and cell proliferation in squamous cell carcinomas of the head and neck. <i>Cancer</i> , 1995, 75, 87-93. | 4.1 | 78 |
| 51 | Immunohistochemical detection of oncoprotein 18 (Op18) in malignant lymphomas. <i>The Histochemical Journal</i> , 1995, 27, 155-60. | 0.6 | 36 |
| 52 | Cell-cycle-regulated phosphorylation of oncoprotein 18 on Ser16, Ser25 and Ser38. <i>FEBS Journal</i> , 1994, 220, 359-368. | 0.2 | 97 |
| 53 | Cell Kinetics of Head and Neck Squamous Cell Carcinomas: Prognostic implications. <i>Acta Oncol³gica</i> , 1994, 33, 23-28. | 1.8 | 32 |
| 54 | Expression of the Endothelial Leukocyte Adhesion Molecule-1 (ELAM-1) on Endothelial Cells in Experimental Gingivitis in Humans. <i>Journal of Periodontology</i> , 1993, 64, 355-357. | 3.4 | 33 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | The ELAM-1 ligand sialosyl-Lexis present on Langerhans cells isolated from stratified epithelium. <i>Experimental Dermatology</i> , 1992, 1, 236-241. | 2.9 | 10 |