

Paul A. Fowler

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4708891/paul-a-fowler-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

257
papers

5,792
citations

40
h-index

70
g-index

276
ext. papers

6,603
ext. citations

3.7
avg, IF

6.15
L-index

#	Paper	IF	Citations
257	Scientific Opinion on the risks to public health related to the presence of bisphenol A (BPA) in foodstuffs. <i>EFSA Journal</i> , 2015 , 13, 3978	2.3	461
256	The roles of cellular reactive oxygen species, oxidative stress and antioxidants in pregnancy outcomes. <i>International Journal of Biochemistry and Cell Biology</i> , 2010 , 42, 1634-50	5.6	439
255	Circulating leptin in women: a longitudinal study in the menstrual cycle and during pregnancy. <i>Clinical Endocrinology</i> , 1997 , 47, 101-6	3.4	371
254	Impact of endocrine-disrupting compounds (EDCs) on female reproductive health. <i>Molecular and Cellular Endocrinology</i> , 2012 , 355, 231-9	4.4	166
253	Molecular and genetic regulation of testis descent and external genitalia development. <i>Developmental Biology</i> , 2004 , 270, 1-18	3.1	156
252	A longitudinal study of maternal serum inhibin-A, inhibin-B, activin-A, activin-AB, pro-alphaC and follistatin during pregnancy. <i>Human Reproduction</i> , 1998 , 13, 3530-6	5.7	120
251	Serum concentrations of dimeric inhibin during the spontaneous human menstrual cycle and after treatment with exogenous gonadotrophin. <i>Human Reproduction</i> , 1994 , 9, 1634-42	5.7	118
250	Measurement of serum concentrations of inhibin-A (alpha-beta A dimer) during human pregnancy. <i>Clinical Endocrinology</i> , 1995 , 42, 391-7	3.4	109
249	Cyclic changes in composition and volume of the breast during the menstrual cycle, measured by magnetic resonance imaging. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1990 , 97, 595-602	3.7	108
248	Exposure to a complex cocktail of environmental endocrine-disrupting compounds disturbs the kisspeptin/GPR54 system in ovine hypothalamus and pituitary gland. <i>Environmental Health Perspectives</i> , 2009 , 117, 1556-62	8.4	100
247	Changes in peripheral serum levels of total activin A during the human menstrual cycle and pregnancy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1996 , 81, 3328-3334	5.6	98
246	Developmental changes in human fetal testicular cell numbers and messenger ribonucleic acid levels during the second trimester. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 4792-801	5.6	92
245	Total and subcutaneous adipose tissue in women: the measurement of distribution and accurate prediction of quantity by using magnetic resonance imaging. <i>American Journal of Clinical Nutrition</i> , 1991 , 54, 18-25	7	92
244	In utero exposure to low doses of environmental pollutants disrupts fetal ovarian development in sheep. <i>Molecular Human Reproduction</i> , 2008 , 14, 269-80	4.4	90
243	An investigation of the effects of endometriosis on the proteome of human eutopic endometrium: a heterogeneous tissue with a complex disease. <i>Proteomics</i> , 2007 , 7, 130-42	4.8	86
242	Disruption of Estrogenic and Androgenic Bioactivities in Human Fetuses Exposed to Maternal Smoking. <i>Journal of the Endocrine Society</i> , 2021 , 5, A496-A496	0.4	78
241	Validation of the in vivo measurement of adipose tissue by magnetic resonance imaging of lean and obese pigs. <i>American Journal of Clinical Nutrition</i> , 1992 , 56, 7-13	7	75

240	Development of steroid signaling pathways during primordial follicle formation in the human fetal ovary. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, 1754-62	5.6	74
239	Assessment of ovarian reserve--should we perform tests of ovarian reserve routinely?. <i>Human Reproduction</i> , 2006 , 21, 2729-35	5.7	74
238	Endocrinology of the mammalian fetal testis. <i>Reproduction</i> , 2011 , 141, 37-46	3.8	71
237	Body fat in lean and overweight women estimated by six methods. <i>British Journal of Nutrition</i> , 1991 , 65, 95-103	3.6	71
236	Placental transporter localization and expression in the Human: the importance of species, sex, and gestational age differences. <i>Biology of Reproduction</i> , 2017 , 96, 733-742	3.9	68
235	Exposure assessment of food enzymes. <i>EFSA Journal</i> , 2016 , 14, e04581	2.3	67
234	Galactopoietic and mammogenic effects of long-term treatment with bovine growth hormone and thrice daily milking in goats. <i>Journal of Endocrinology</i> , 1990 , 127, 129-38	4.7	63
233	Environmental influences on ovarian dysgenesis - developmental windows sensitive to chemical exposures. <i>Nature Reviews Endocrinology</i> , 2017 , 13, 400-414	15.2	62
232	Alternative (backdoor) androgen production and masculinization in the human fetus. <i>PLoS Biology</i> , 2019 , 17, e3000002	9.7	61
231	A statement on the developmental immunotoxicity of bisphenol A (BPA): answer to the question from the Dutch Ministry of Health, Welfare and Sport. <i>EFSA Journal</i> , 2016 , 14, e04580	2.3	61
230	In utero exposure to cigarette smoke dysregulates human fetal ovarian developmental signalling. <i>Human Reproduction</i> , 2014 , 29, 1471-89	5.7	58
229	Maternal smoking during pregnancy specifically reduces human fetal desert hedgehog gene expression during testis development. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 619-28	5.6	54
228	Primordial follicular assembly in humans--revisited. <i>Zygote</i> , 2008 , 16, 285-96	1.6	52
227	Overwintering strategies of the badger, <i>Meles meles</i> , at 57 °N. <i>Journal of Zoology</i> , 1988 , 214, 635-651	2	51
226	Female Reproductive Disorders, Diseases, and Costs of Exposure to Endocrine Disrupting Chemicals in the European Union. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 1562-70	5.6	50
225	Maternal smoking and fetal sex significantly affect metabolic enzyme expression in the human fetal liver. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, 2851-60	5.6	49
224	In utero exposure to cigarette chemicals induces sex-specific disruption of one-carbon metabolism and DNA methylation in the human fetal liver. <i>BMC Medicine</i> , 2015 , 13, 18	11.4	48
223	Gene expression analysis of human fetal ovarian primordial follicle formation. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 1427-35	5.6	44

222	Regulation of functional steroid receptors and ligand-induced responses in telomerase-immortalized human endometrial epithelial cells. <i>Journal of Molecular Endocrinology</i> , 2005 , 34, 517-34	4.5	43
221	Effects of environmental pollutants on the reproduction and welfare of ruminants. <i>Animal</i> , 2010 , 4, 1227-1239	4.2	42
220	Steroidogenic enzyme expression in the human fetal liver and potential role in the endocrinology of pregnancy. <i>Molecular Human Reproduction</i> , 2013 , 19, 177-87	4.4	41
219	Maternal cigarette smoking and effects on androgen action in male offspring: unexpected effects on second-trimester anogenital distance. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, E1502-6	5.6	40
218	Human fetal testis Leydig cell disruption by exposure to the pesticide dieldrin at low concentrations. <i>Human Reproduction</i> , 2007 , 22, 2919-27	5.7	39
217	Foetal hypothalamic and pituitary expression of gonadotrophin-releasing hormone and galanin systems is disturbed by exposure to sewage sludge chemicals via maternal ingestion. <i>Journal of Neuroendocrinology</i> , 2010 , 22, 527-33	3.8	38
216	Effect of maternal undernutrition on fetal testicular steroidogenesis during the CNS androgen-responsive period in male sheep fetuses. <i>Reproduction</i> , 2002 , 124, 33-39	3.8	38
215	Maternal smoking and developmental changes in luteinizing hormone (LH) and the LH receptor in the fetal testis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 4688-95	5.6	37
214	Women with poor response to IVF have lowered circulating gonadotrophin surge-attenuating factor (GnSAF) bioactivity during spontaneous and stimulated cycles. <i>Human Reproduction</i> , 2002 , 17, 634-40	5.7	37
213	High omega-3:omega-6 fatty acid ratios in culture medium reduce endometrial-cell survival in combined endometrial gland and stromal cell cultures from women with and without endometriosis. <i>Fertility and Sterility</i> , 2001 , 76, 717-22	4.8	34
212	Foetal and post-natal exposure of sheep to sewage sludge chemicals disrupts sperm production in adulthood in a subset of animals. <i>Journal of Developmental and Physical Disabilities</i> , 2012 , 35, 317-29		33
211	Effect of interleukin-8 (IL-8), anti-IL-8, and IL-12 on endometrial cell survival in combined endometrial gland and stromal cell cultures derived from women with and without endometriosis. <i>Fertility and Sterility</i> , 2002 , 77, 62-7	4.8	33
210	Human fetal testis: second trimester proliferative and steroidogenic capacities. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000 , 85, 4812-7	5.6	33
209	Developmental changes in antioxidant enzymatic defences against oxidative stress in sheep placentomes. <i>Journal of Endocrinology</i> , 2010 , 205, 107-16	4.7	32
208	Human Fetal Testis: Second Trimester Proliferative and Steroidogenic Capacities. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000 , 85, 4812-4817	5.6	31
207	Use of ovary culture techniques in reproductive toxicology. <i>Reproductive Toxicology</i> , 2014 , 49, 117-35	3.4	30
206	Activation of the aryl hydrocarbon receptor by a component of cigarette smoke reduces germ cell proliferation in the human fetal ovary. <i>Molecular Human Reproduction</i> , 2014 , 20, 42-8	4.4	30
205	Maternal and fetal tissue accumulation of selected endocrine disrupting compounds (EDCs) following exposure to sewage sludge-treated pastures before or after conception. <i>Journal of Environmental Monitoring</i> , 2010 , 12, 1582-93		30

204	Ovarian gonadotrophin surge-attenuating factor (GnSAF): where are we after 20 years of research?. <i>Reproduction</i> , 2003 , 126, 689-99	3.8	30
203	Daily and seasonal cycles of body temperature and aspects of heterothermy in the hedgehog <i>Eriaceus europaeus</i> . <i>Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology</i> , 1990 , 160, 299-307	2.2	30
202	Transient masculinization in the fossa, <i>Cryptoprocta ferox</i> (Carnivora, Viverridae). <i>Biology of Reproduction</i> , 2002 , 66, 610-5	3.9	27
201	The human placental proteome is affected by maternal smoking. <i>Reproductive Toxicology</i> , 2016 , 63, 22-31	3.4	27
200	Re-evaluation of phosphoric acid-phosphates - di-, tri- and polyphosphates (E138-341, E143, E150-452) as food additives and the safety of proposed extension of use. <i>EFSA Journal</i> , 2019 , 17, e05674	2.3	26
199	The nature and function of putative gonadotropin surge-attenuating/inhibiting factor (GnSAF/IF). <i>Endocrine Reviews</i> , 1996 , 17, 103-20	27.2	26
198	Developmental indices of nutritionally induced placental growth restriction in the adolescent sheep. <i>Pediatric Research</i> , 2005 , 57, 599-604	3.2	26
197	Imaging techniques for the assessment of body composition. <i>Journal of Nutrition</i> , 1994 , 124, 1546S-1550S	3.1	26
196	Exposure to chemical cocktails before or after conception--- the effect of timing on ovarian development. <i>Molecular and Cellular Endocrinology</i> , 2013 , 376, 156-72	4.4	25
195	Safety assessment of the substance zinc oxide, nanoparticles, for use in food contact materials. <i>EFSA Journal</i> , 2016 , 14, 4408	2.3	24
194	Effect of mifepristone (RU486) on the pituitary response to gonadotrophin releasing hormone in women. <i>Human Reproduction</i> , 1996 , 11, 2585-90	5.7	23
193	Maternal Smoking Dysregulates Protein Expression in Second Trimester Human Fetal Livers in a Sex-Specific Manner. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, E861-70	5.6	22
192	Identification of Sertoli cell-specific transcripts in the mouse testis and the role of FSH and androgen in the control of Sertoli cell activity. <i>BMC Genomics</i> , 2017 , 18, 972	4.5	22
191	The human fetal adrenal produces cortisol but no detectable aldosterone throughout the second trimester. <i>BMC Medicine</i> , 2018 , 16, 23	11.4	19
190	Identification of Leydig cell-specific mRNA transcripts in the adult rat testis. <i>Reproduction</i> , 2014 , 147, 671-82	3.8	19
189	Gonadotropin surge-attenuating factor bioactivity in serum from superovulated women is not blocked by inhibin antibody. <i>Biology of Reproduction</i> , 1995 , 52, 88-95	3.9	19
188	Impact of sublethal levels of environmental pollutants found in sewage sludge on a novel <i>Caenorhabditis elegans</i> model biosensor. <i>PLoS ONE</i> , 2012 , 7, e46503	3.7	19
187	The fetal ovary exhibits temporal sensitivity to a 'real-life' mixture of environmental chemicals. <i>Scientific Reports</i> , 2016 , 6, 22279	4.9	18

186	Ovine corpus luteum proteins, with functions including oxidative stress and lipid metabolism, show complex alterations during implantation. <i>Journal of Endocrinology</i> , 2011 , 210, 47-58	4.7	18
185	Higher gonadotrophin surge-attenuating factor bioactivity is found in small follicles from superovulated women. <i>Journal of Endocrinology</i> , 1994 , 143, 33-44	4.7	18
184	Gonadotrophin surge-attenuating factor bioactivity is present in follicular fluid from naturally cycling women. <i>Human Reproduction</i> , 1995 , 10, 68-74	5.7	18
183	Omitting the dry period between lactations does not reduce subsequent milk production in goats. <i>Journal of Dairy Research</i> , 1991 , 58, 13-9	1.6	18
182	Gonadotrophin surge-attenuating factor attenuates in-vitro LH secretion induced by gonadotrophin-releasing hormone from cultured ovine pituitary cells only during the breeding season. <i>Journal of Endocrinology</i> , 1992 , 135, 221-7	4.7	18
181	Modelling foetal exposure to maternal smoking using hepatoblasts from pluripotent stem cells. <i>Archives of Toxicology</i> , 2017 , 91, 3633-3643	5.8	17
180	Scientific Opinion on the safety evaluation of the substance zinc oxide, nanoparticles, uncoated and coated with [3-(methacryloxy)propyl] trimethoxysilane, for use in food contact materials. <i>EFSA Journal</i> , 2015 , 13, 4063	2.3	17
179	A 60-66 kDa protein with gonadotrophin surge attenuating factor bioactivity is produced by human ovarian granulosa cells. <i>Molecular Human Reproduction</i> , 2002 , 8, 823-32	4.4	17
178	Relationship between follicle size and gonadotrophin surge attenuating factor (GnSAF) bioactivity during spontaneous cycles in women. <i>Human Reproduction</i> , 2001 , 16, 1353-8	5.7	17
177	Lack of effect of flunarizine on the pharmacokinetics and pharmacodynamics of sumatriptan in healthy volunteers. <i>British Journal of Clinical Pharmacology</i> , 1992 , 34, 82-4	3.8	17
176	Exposure to the three structurally different PCB congeners (PCB 118, 153, and 126) results in decreased protein expression and altered steroidogenesis in the human adrenocortical carcinoma cell line H295R. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2014 , 77, 516-34	3.2	16
175	Estrogen-independent actions of environmentally relevant AhR-agonists in human endometrial epithelial cells. <i>Molecular Human Reproduction</i> , 2011 , 17, 115-26	4.4	16
174	Interaction between hedgehog signalling and PAX6 dosage mediates maintenance and regeneration of the corneal epithelium. <i>Molecular Vision</i> , 2012 , 18, 139-50	2.3	16
173	Human anogenital distance: an update on fetal smoke-exposure and integration of the perinatal literature on sex differences. <i>Human Reproduction</i> , 2016 , 31, 463-72	5.7	15
172	Scientific opinion on the proposed amendment of the EU specifications for titanium dioxide (E171) with respect to the inclusion of additional parameters related to its particle size distribution. <i>EFSA Journal</i> , 2019 , 17, e05760	2.3	15
171	Proteomic analysis of the sheep caruncular and intercaruncular endometrium reveals changes in functional proteins crucial for the establishment of pregnancy. <i>Reproduction</i> , 2014 , 147, 599-614	3.8	15
170	Putative adverse outcome pathways for female reproductive disorders to improve testing and regulation of chemicals. <i>Archives of Toxicology</i> , 2020 , 94, 3359-3379	5.8	15
169	Peri-conceptual changes in maternal exposure to sewage sludge chemicals disturbs fetal thyroid gland development in sheep. <i>Molecular and Cellular Endocrinology</i> , 2013 , 367, 98-108	4.4	14

168	Circulating gonadotrophin surge-attenuating factor from superovulated women suppresses in vitro gonadotrophin-releasing hormone self-priming. <i>Journal of Endocrinology</i> , 1994 , 143, 45-54	4.7	14
167	The prevalence of helminth parasites from the hedgehog <i>Erinaceus europaeus</i> in Great Britain. <i>Journal of Zoology</i> , 1988 , 215, 379-382	2	14
166	Role of progesterone and nonsteroidal ovarian factors in regulating gonadotropin-releasing hormone self-priming in vitro. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1996 , 81, 1454-1459	5.6	14
165	Maternal smoking and high BMI disrupt thyroid gland development. <i>BMC Medicine</i> , 2018 , 16, 194	11.4	14
164	Development of the human fetal testis. <i>Annales D'Endocrinologie</i> , 2014 , 75, 48-53	1.7	13
163	Identification of stable endogenous reference genes for real-time PCR in the human fetal gonad using an external standard technique. <i>Molecular Human Reproduction</i> , 2011 , 17, 620-5	4.4	13
162	In-vivo magnetic resonance imaging studies of mammogenesis in non-pregnant goats treated with exogenous steroids. <i>Journal of Dairy Research</i> , 1991 , 58, 151-7	1.6	13
161	Reproduction Symposium: does grazing on biosolids-treated pasture pose a pathophysiological risk associated with increased exposure to endocrine disrupting compounds?. <i>Journal of Animal Science</i> , 2014 , 92, 3185-98	0.7	12
160	Non-invasive methods for assessment of body composition. <i>Proceedings of the Nutrition Society</i> , 1988 , 47, 375-85	2.9	12
159	Effects of exposure to environmental chemicals during pregnancy on the development of the male and female reproductive axes. <i>Reproduction in Domestic Animals</i> , 2012 , 47 Suppl 4, 15-22	1.6	11
158	The cultured rodent follicle as a model for investigations of gonadotrophin surge-attenuating factor (GnSAF) production. <i>Reproduction</i> , 2004 , 127, 679-88	3.8	11
157	Body composition: the precision and accuracy of new methods and their suitability for longitudinal studies. <i>Proceedings of the Nutrition Society</i> , 1990 , 49, 423-36	2.9	11
156	Over-the-counter analgesics during pregnancy: a comprehensive review of global prevalence and offspring safety. <i>Human Reproduction Update</i> , 2021 , 27, 67-95	15.8	11
155	In utero exposure to environmentally relevant concentrations of PCB 153 and PCB 118 disrupts fetal testis development in sheep. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2014 , 77, 628-49	3.2	10
154	Identification of gonadotrophin surge-inhibiting factor (GnSIF)/attenuin in human follicular fluid. <i>Human Reproduction</i> , 1996 , 11, 490-6	5.7	10
153	Long-term exposure to chemicals in sewage sludge fertilizer alters liver lipid content in females and cancer marker expression in males. <i>Environment International</i> , 2019 , 124, 98-108	12.9	10
152	Re-evaluation of benzyl alcohol (E1519) as food additive. <i>EFSA Journal</i> , 2019 , 17, e05876	2.3	9
151	Follicle-stimulating hormone stimulates circulating gonadotropin surge-attenuating/inhibiting factor bioactivity in cows. <i>Biology of Reproduction</i> , 1997 , 57, 278-85	3.9	9

150	Safeguarding Female Reproductive Health against Endocrine Disrupting Chemicals-The FREIA Project. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	8
149	Safety of benzophenone to be used as flavouring. <i>EFSA Journal</i> , 2017 , 15, e05013	2.3	8
148	Scientific Opinion on the safety assessment of the substance, 2,4,8,10-tetraoxaspiroundecane-3,9-diethanol, β,β,β,β -tetramethyl-, CAS No 1455-42-1, for use in food contact materials. <i>EFSA Journal</i> , 2014 , 12, 3863	2.3	8
147	Effects of gonadotrophin surge-attenuating factor on the two pools of gonadotrophin-releasing hormone-induced luteinizing hormone secretion in vitro. <i>Human Reproduction</i> , 1993 , 8, 822-8	5.7	8
146	Ovarian response to gonadotrophins: effects of growth hormone. <i>Clinical Endocrinology</i> , 1991 , 35, 117-83.4		8
145	Fetal androgen exposure is a determinant of adult male metabolic health. <i>Scientific Reports</i> , 2019 , 9, 20195	4.9	8
144	The insulin-like growth factor system: A target for endocrine disruptors?. <i>Environment International</i> , 2021 , 147, 106311	12.9	8
143	Nutrient transporter expression in both the placenta and fetal liver are affected by maternal smoking. <i>Placenta</i> , 2019 , 78, 10-17	3.4	7
142	O-030. Conclusive evidence for the production of a 60kDa form of gonadotrophin surge-attenuating factor by human ovarian granulosa cells. <i>Human Reproduction</i> , 1999 , 14, 17-17	5.7	7
141	Scientific Opinion on Flavouring Group Evaluation 200, Revision 1 (FGE.200 Rev.1): 74 Unsaturated aliphatic aldehydes and precursors from chemical subgroup 1.1.1 of FGE.19. <i>EFSA Journal</i> , 2018 , 16, e05422	2.3	7
140	Toward a better understanding of the effects of endocrine disrupting compounds on health: Human-relevant case studies from sheep models. <i>Molecular and Cellular Endocrinology</i> , 2020 , 505, 1107-114	11.4	6
139	Scientific Opinion on Flavouring Group Evaluation 208 Revision 2 (FGE.208Rev2): Consideration of genotoxicity data on alicyclic aldehydes with unsaturation in ring/side-chain and precursors from chemical subgroup 2.2 of FGE.19. <i>EFSA Journal</i> , 2017 , 15, e04766	2.3	6
138	The ovarian gonadotropin receptors in health and disease. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2002 , 3, 55-63	10.5	6
137	Effects of pregnancy on pulsatile secretion of LH and gonadotrophin-releasing hormone-induced LH release in sheep: a longitudinal study. <i>Reproduction</i> , 2003 , 125, 347-355	3.8	6
136	The effects of steroidal and non-steroidal ovarian hormones on pituitary responsiveness to gonadotrophin surge-attenuating factor. <i>Journal of Endocrinology</i> , 1996 , 150, 413-22	4.7	6
135	Safety of use of Monk fruit extract as a food additive in different food categories. <i>EFSA Journal</i> , 2019 , 17, e05921	2.3	6
134	Safety of the proposed amendment of the specifications for steviol glycosides (E 960) as a food additive: Rebaudioside M produced via enzyme-catalysed bioconversion of purified stevia leaf extract. <i>EFSA Journal</i> , 2019 , 17, e05867	2.3	6
133	Scientific Opinion on Flavouring Group Evaluation 63, Revision 3 (FGE.63Rev3): aliphatic secondary alcohols, ketones and related esters evaluated by JECFA (59th and 69th meetings) structurally related to saturated and unsaturated aliphatic secondary alcohols, ketones and esters of secondary alcohols and saturated linear or branched chain carboxylic acids evaluated by EFSA in FGE.07Rev1. <i>EFSA Journal</i> , 2017 , 15, e04662	2.3	5

132	Re-evaluation of Quillaia extract (E999) as a food additive and safety of the proposed extension of use. <i>EFSA Journal</i> , 2019 , 17, e05622	2.3	5
131	Early pregnancy maternal progesterone administration alters pituitary and testis function and steroid profile in male fetuses. <i>Scientific Reports</i> , 2020 , 10, 21920	4.9	5
130	Dynamics of the transcriptional landscape during human fetal testis and ovary development. <i>Human Reproduction</i> , 2020 , 35, 1099-1119	5.7	5
129	Re-evaluation of l(+)-tartaric acid (E334), sodium tartrates (E335), potassium tartrates (E336), potassium sodium tartrate (E337) and calcium tartrate (E334) as food additives. <i>EFSA Journal</i> , 2020 , 18, e06030	2.3	5
128	Scientific Opinion on Flavouring Group Evaluation 73, Revision 4 (FGE.73Rev4): consideration of alicyclic alcohols, aldehydes, acids and related esters evaluated by JECFA (59th and 63rd meeting) structurally related to primary saturated or unsaturated alicyclic alcohols, aldehydes, acids and esters evaluated by EFSA in FGE.12Rev5. <i>EFSA Journal</i> , 2017 , 15, e05010	2.3	5
127	Lack of association of the common immunologically anomalous LH with endometriosis. <i>Human Reproduction</i> , 2002 , 17, 1532-4	5.7	5
126	Safety assessment of the substance Tocopherol acetate for use in food contact materials. <i>EFSA Journal</i> , 2016 , 14, 4412	2.3	5
125	Scientific Opinion on Flavouring Group Evaluation 201 Revision 2 (FGE.201Rev2): 2-alkylated, aliphatic, acyclic alpha,beta-unsaturated aldehydes and precursors, with or without additional double-bonds, from chemical subgroup 1.1.2 of FGE.19. <i>EFSA Journal</i> , 2018 , 16, e05423	2.3	5
124	Safety of ethyl lauroyl arginate (E 243) as a food additive in the light of the new information provided and the proposed extension of use. <i>EFSA Journal</i> , 2019 , 17, e05621	2.3	4
123	Safety of a proposed amendment of the specifications for steviol glycosides (E 960) as a food additive: to expand the list of steviol glycosides to all those identified in the leaves of. <i>EFSA Journal</i> , 2020 , 18, e06106	2.3	4
122	Effects of maternal smoking on offspring reproductive outcomes: an intergenerational study in the North East of Scotland. <i>Human Reproduction Open</i> , 2017 , 2017, hox006	6.1	4
121	Scientific Opinion on Flavouring Group Evaluation 5, Revision 3 (FGE.05Rev3): Branched- and straight-chain unsaturated aldehydes, dienals, unsaturated and saturated carboxylic acids and related esters with saturated and unsaturated aliphatic alcohols and a phenylacetic acid related	2.3	4
120	Scientific Opinion on Flavouring Group Evaluation 7, Revision 5 (FGE.07Rev5): saturated and unsaturated aliphatic secondary alcohols, ketones and esters of secondary alcohols and saturated linear or branched-chain carboxylic acids from chemical group 5. <i>EFSA Journal</i> , 2017 , 15, e04725	2.3	4
119	Scientific Opinion on Flavouring Group Evaluation 226 Revision 1 (FGE.226Rev1): consideration of genotoxicity data on one unsaturated aldehyde from chemical subgroup 1.1.1(b) of FGE.19. <i>EFSA Journal</i> , 2017 , 15, e04847	2.3	4
118	Scientific Opinion on Flavouring Group Evaluation 12, Revision 5 (FGE.12Rev5): Primary saturated or unsaturated alicyclic alcohol, aldehyde, acid, and esters from chemical groups 1, 7 and 8). <i>EFSA Journal</i> , 2014 , 12, 3911	2.3	4
117	Effect of melatonin administration and long day-length on endocrine cycles in the hedgehog <i>Erinaceus europaeus</i> . <i>Journal of Pineal Research</i> , 1990 , 8, 67-78	10.4	4
116	Opinion on the re-evaluation of starch sodium octenyl succinate (E 1450) as a food additive in foods for infants below 16 weeks of age and the follow-up of its re-evaluation as a food additive for uses in foods for all population groups. <i>EFSA Journal</i> , 2020 , 18, e05874	2.3	4
115	Pubertal FGF21 deficit is central in the metabolic pathophysiology of an ovine model of polycystic ovary syndrome. <i>Molecular and Cellular Endocrinology</i> , 2021 , 525, 111196	4.4	4

114	Safety of annatto E and the exposure to the annatto colouring principles bixin and norbixin (E 160b) when used as a food additive. <i>EFSA Journal</i> , 2019 , 17, e05626	2.3	3
113	The conceptus regulates tryptophanyl-tRNA synthetase and superoxide dismutase 2 in the sheep caruncular endometrium during early pregnancy. <i>International Journal of Biochemistry and Cell Biology</i> , 2015 , 60, 112-8	5.6	3
112	Re-evaluation of dimethyl polysiloxane (E900) as a food additive. <i>EFSA Journal</i> , 2020 , 18, e06107	2.3	3
111	Safety of use of oat lecithin as a food additive. <i>EFSA Journal</i> , 2020 , 18, e05969	2.3	3
110	Re-evaluation of acetic acid, lactic acid, citric acid, tartaric acid, mono- and diacetyltartaric acid, mixed acetic and tartaric acid esters of mono- and diglycerides of fatty acids (E472a-f) as food additives. <i>EFSA Journal</i> , 2020 , 18, e06032	2.3	3
109	The sheep conceptus modulates proteome profiles in caruncular endometrium during early pregnancy. <i>Animal Reproduction Science</i> , 2016 , 175, 48-56	2.1	3
108	Scientific Opinion on Flavouring Group Evaluation 204 Revision 1 (FGE.204Rev1): consideration of genotoxicity data on representatives for 17 monounsaturated, aliphatic, unsaturated ketones and precursors from chemical subgroup 1.2.1 of FGE.19. <i>EFSA Journal</i> , 2019 , 17, e05750	2.3	3
107	Safety assessment of the substance 'Tungsten Oxide' for use in food contact materials. <i>EFSA Journal</i> , 2017 , 15, e04661	2.3	3
106	The effects of population density on the breeding performance of mountain hare <i>Lepus timidus</i> . <i>Wildlife Biology</i> , 2013 , 19, 473-482	1.7	3
105	Effect of melatonin administration and long day-length on endocrine cycles in the hedgehog <i>Erinaceus europaeus</i> . <i>Journal of Pineal Research</i> , 1990 , 8, 193-204	10.4	3
104	Scientific Guidance for the preparation of applications on smoke flavouring primary products. <i>EFSA Journal</i> , 2021 , 19, e06435	2.3	3
103	Six Decades of Research on Human Fetal Gonadal Steroids. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	3
102	Scientific Opinion on Flavouring Group Evaluation 67, Revision 3 (FGE.67Rev3): consideration of 23 furan-substituted compounds evaluated by JECFA at the 55th, 65th, 69th and 86th meetings. <i>EFSA Journal</i> , 2021 , 19, e06362	2.3	3
101	Quantification of ethyl glucuronide, ethyl sulfate, nicotine, and its metabolites in human fetal liver and placenta. <i>Forensic Toxicology</i> , 2018 , 36, 102-112	2.6	3
100	Scientific Opinion on Flavouring Group Evaluation 203, Revision 2 (FGE.203Rev2): unsaturated aliphatic aldehydes and precursors from chemical subgroup 1.1.4 of FGE.19 with two or more conjugated double-bonds and with or without additional non-conjugated double-bonds. <i>EFSA Journal</i> , 2019 , 17, e05322	2.3	3
99	Scientific Opinion on Flavouring Group Evaluation 74, Revision 4 (FGE.74Rev4): Consideration of aliphatic sulphides and thiols evaluated by JECFA (53rd and 61st meeting) structurally related to aliphatic and alicyclic mono-, di-, tri- and polysulphides with or without additional oxygenated functional groups. <i>EFSA Journal</i> , 2019 , 17, e05322	2.3	3
98	Scientific Opinion on Flavouring Group Evaluation 210 Revision 3 (FGE.210Rev3): Consideration of genotoxic potential for unsaturated alicyclic ketones and precursors from chemical subgroup 2.4 of FGE.19. <i>EFSA Journal</i> , 2019 , 17, e05676	2.3	2
97	Opinion on the follow-up of the re-evaluation of sorbic acid (E200) and potassium sorbate (E202) as food additives. <i>EFSA Journal</i> , 2019 , 17, e05625	2.3	2

96	Calretinin is a novel candidate marker for adverse ovarian effects of early life exposure to mixtures of endocrine disruptors in the rat. <i>Archives of Toxicology</i> , 2020 , 94, 1241-1250	5.8	2
95	Scientific Opinion of Flavouring Group Evaluation 410 (FGE.410): 4',5,7-trihydroxyflavanone from chemical group 25 (phenol derivatives containing ring-alkyl, ring-alkoxy, and side-chains with an oxygenated functional group). <i>EFSA Journal</i> , 2017 , 15, e05011	2.3	2
94	Scientific Opinion on Flavouring Group Evaluation 49, Revision 1 (FGE.49Rev1): xanthine alkaloids from the priority list. <i>EFSA Journal</i> , 2017 , 15, e04729	2.3	2
93	Safety assessment of the active substance selenium nanoparticles, for use in active food contact materials. <i>EFSA Journal</i> , 2018 , 16, e05115	2.3	2
92	Cobalamin Concentrations in Fetal Liver Show Gender Differences: A Result from Using a High-Pressure Liquid Chromatography-Inductively Coupled Plasma Mass Spectrometry as an Ultratrace Cobalt Speciation Method. <i>Analytical Chemistry</i> , 2016 , 88, 12419-12426	7.8	2
91	Safety assessment of the process 'Morssinkhof Plastics', used to recycle high-density polyethylene and polypropylene crates for use as food contact materials. <i>EFSA Journal</i> , 2018 , 16, e05117	2.3	2
90	Scientific Opinion on Flavouring Group Evaluation 70, Revision 1 (FGE.70Rev1): consideration of aliphatic, linear, unsaturated , di- and trienals and related alcohols, acids and esters evaluated by JECFA (61st-68th-69th meeting). <i>EFSA Journal</i> , 2019 , 17, e05749	2.3	2
89	The EFSA assessment of the risks to public health associated with bisphenol A (BPA) exposure. <i>Toxicology Letters</i> , 2015 , 238, S76	4.4	2
88	Safety evaluation of the food enzyme peroxidase obtained from soybean () hulls. <i>EFSA Journal</i> , 2017 , 15, e05119	2.3	2
87	Scientific Opinion on thrombin from cattle (bovines) and pig's blood. <i>EFSA Journal</i> , 2015 , 13, 4018	2.3	2
86	The goldilocks principle and developmental androgens in males, what is "just right"?. <i>Endocrinology</i> , 2013 , 154, 1669-71	4.8	2
85	Selection of gonadotrophin surge attenuating factor phage antibodies by bioassay. <i>Reproductive Biology and Endocrinology</i> , 2005 , 3, 49	5	2
84	Demonstration of a non-steroidal, non-inhibin factor in the ovine corpus luteum of pregnancy that reduces pituitary responsiveness to GnRH-induced LH secretion in vitro. <i>Reproduction</i> , 2003 , 126, 35-42	3.8	2
83	Expression of the Insulin-like Growth Factor System in First- and Second-Trimester Human Embryonic and Fetal Gonads. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	2
82	Comment on "Effects of Arsenite during Fetal Development on Energy Metabolism and Susceptibility to Diet-Induced Fatty Liver Diseases in Male Mice" and "Mechanisms Underlying Latent Disease Risk Associated with Early-Life Arsenic Exposure: Current Trends and Scientific Gaps". <i>Environmental Health Perspectives</i> , 2016 , 124, A99	8.4	2
81	The conceptus induces a switch in protein expression and activities of superoxide dismutase 1 and 2 in the sheep endometrium during early pregnancy. <i>Small Ruminant Research</i> , 2016 , 141, 77-83	1.7	2
80	Opinion on the re-evaluation of acacia gum (E414) as a food additive in foods for infants below 16 weeks of age and the follow-up of its re-evaluation as a food additive for uses in foods for all population groups. <i>EFSA Journal</i> , 2019 , 17, e05922	2.3	2
79	Scientific Opinion on Flavouring Group Evaluation 215 Revision 1 (FGE.215Rev1): seven unsaturated cinnamyl ketones from subgroup 3.2 of FGE.19. <i>EFSA Journal</i> , 2019 , 17, e05875	2.3	2

78	Re-evaluation of sulphuric acid and its sodium, potassium, calcium and ammonium salts (E 513, 514 (i), 514 (ii), 515 (i), 515 (ii), 516 and 517) as food additive. <i>EFSA Journal</i> , 2019 , 17, e05868	2.3	2
77	Scientific Opinion on Flavouring Group Evaluation 13 Revision 3 (FGE.13Rev3): furfuryl and furan derivatives with and without additional side-chain substituents and heteroatoms from chemical group 14. <i>EFSA Journal</i> , 2021 , 19, e06386	2.3	2
76	Maternal over-the-counter analgesics use during pregnancy and adverse perinatal outcomes: cohort study of 151 141 singleton pregnancies.. <i>BMJ Open</i> , 2022 , 12, e048092	3	2
75	Scientific Opinion of Flavouring Group Evaluation 407 (FGE.407): 4-amino-5-(3-(isopropylamino)-2,2-dimethyl-3-oxopropoxy)-2-methylquinoline-3-carboxylic acid. <i>EFSA Journal</i> , 2017 , 15, e04660	2.3	1
74	Safety assessment of the process 'EREMA Recycling (MPR, Basic and Advanced technologies)', used to recycle post-consumer PET into food contact materials. <i>EFSA Journal</i> , 2017 , 15, e04842	2.3	1
73	Scientific Opinion on Flavouring Group Evaluation 501 (FGE.501): Grill flavour concentrate (vegetable). <i>EFSA Journal</i> , 2019 , 17, e05675	2.3	1
72	Scientific Opinion on Flavouring Group Evaluation 217 Revision 2 (FGE.217Rev2), consideration of genotoxic potential for unsaturated ketones and precursors from chemical subgroup 4.1 of FGE.19: lactones. <i>EFSA Journal</i> , 2019 , 17, e05568	2.3	1
71	Scientific Opinion on Flavouring Group Evaluation 71 Revision 1 (FGE.71Rev1): consideration of aliphatic, linear, unsaturated alcohols, aldehydes, carboxylic acids, and related esters evaluated by JECFA (63rd and 69th meeting) structurally related to flavouring substances evaluated in FGE.65Rev3. <i>EFSA Journal</i> , 2020 , 18, e05924	2.3	1
70	Re-evaluation of sodium aluminium silicate (E554) and potassium aluminium silicate (E555) as food additives. <i>EFSA Journal</i> , 2020 , 18, e06152	2.3	1
69	Re-evaluation of stearyl tartrate (E483) as a food additive. <i>EFSA Journal</i> , 2020 , 18, e06033	2.3	1
68	Safety assessment of the substance 1,2,3,4-tetrahydronaphthalene-2,6-dicarboxylic acid, dimethyl ester for use in food contact materials. <i>EFSA Journal</i> , 2017 , 15, e04840	2.3	1
67	Scientific opinion of Flavouring Group Evaluation 502 (FGE.502): grill flavour 'Grillin' 5078'. <i>EFSA Journal</i> , 2017 , 15, e04973	2.3	1
66	Safety assessment of the process 'Concept Plastic Packaging', based on Starlinger Decon technology, used to recycle post-consumer PET into food contact materials. <i>EFSA Journal</i> , 2018 , 16, e05166	2.3	1
65	Safety assessment of the substance diethyl[[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]methyl]phosphonate, for use in food contact materials. <i>EFSA Journal</i> , 2016 , 14, e04536	2.3	1
64	Safety evaluation of the food enzyme glucose oxidase from a genetically modified (strain NZYM-KP). <i>EFSA Journal</i> , 2018 , 16, e05319	2.3	1
63	Safety assessment of the active substances carboxymethylcellulose, acetylated distarch phosphate, bentonite, boric acid and aluminium sulfate, for use in active food contact materials. <i>EFSA Journal</i> , 2018 , 16, e05121	2.3	1
62	Re-evaluation of hydrochloric acid (E 507), potassium chloride (E 508), calcium chloride (E 509) and magnesium chloride (E 511) as food additives. <i>EFSA Journal</i> , 2019 , 17, e05751	2.3	1
61	Scientific Opinion of Flavouring Group Evaluation 500 (FGE.500): rum ether. <i>EFSA Journal</i> , 2017 , 15, e04897	2.3	1

60	Safety evaluation of the food enzyme α -amylase obtained from barley (). <i>EFSA Journal</i> , 2017 , 15, e04756	2.3	1
59	PAH exposure. <i>Environmental Health Perspectives</i> , 2009 , 117, A140; author reply A140-1	8.4	1
58	Opinion on the re-evaluation of ascorbyl palmitate (E 304i) as a food additive in foods for infants below 16 weeks of age and the follow-up of its re-evaluation as a food additive for uses in foods for all population groups. <i>EFSA Journal</i> , 2020 , 18, e06153	2.3	1
57	Safety evaluation of food enzyme xylanase from a genetically modified (strain LMG S-27588). <i>EFSA Journal</i> , 2018 , 16, e05169	2.3	1
56	Safety evaluation of the food enzyme aqualysin 1 from a genetically modified (strain LMGS 25520). <i>EFSA Journal</i> , 2018 , 16, e05170	2.3	1
55	Safety evaluation of the food enzyme xylanase from a genetically modified strain TD160(229). <i>EFSA Journal</i> , 2018 , 16, e05008	2.3	1
54	Safety evaluation of the food enzyme maltogenic amylase from a genetically modified (strain NZYM-SM). <i>EFSA Journal</i> , 2018 , 16, e05171	2.3	1
53	Re-evaluation of oxidised soya bean oil interacted with mono- and diglycerides of fatty acids (E479b) as a food additive. <i>EFSA Journal</i> , 2018 , 16, e05420	2.3	1
52	Scientific opinion on flavouring group evaluation 77, revision 3 (FGE.77Rev3): consideration of pyridine, pyrrole and quinoline derivatives evaluated by JECFA (63rd meeting) structurally related to pyridine, pyrrole, indole and quinoline derivatives evaluated by EFSA in FGE.24Rev2. <i>EFSA Journal</i> , 2018 , 16, e05226	2.3	1
51	Safety assessment of the process 'Linpac', based on Linpac super clean technology, used to recycle post-consumer PET into food contact materials. <i>EFSA Journal</i> , 2018 , 16, e05323	2.3	1
50	Safety evaluation of food enzyme glucan 1,4- α -maltohydrolase produced with a genetically modified (strain MAM). <i>EFSA Journal</i> , 2018 , 16, e05168	2.3	1
49	Opinion on the re-evaluation of pectin (E 440i) and amidated pectin (E 440ii) as food additives in foods for infants below 16 weeks of age and follow-up of their re-evaluation as food additives for uses in foods for all population groups. <i>EFSA Journal</i> , 2021 , 19, e06387	2.3	1
48	Re-evaluation of name of hydrogenated poly-1-decene (E 907) as food additive. <i>EFSA Journal</i> , 2020 , 18, e06034	2.3	0
47	Safety evaluation of the food enzyme alpha-amylase from a genetically modified (strain NZYM-AN). <i>EFSA Journal</i> , 2018 , 16, e05317	2.3	0
46	Safety evaluation of the food enzyme pullulanase from strain AE-PL. <i>EFSA Journal</i> , 2017 , 15, e05009	2.3	0
45	Does Candida Albicans Play a Role in the Etiology of Endometriosis?. <i>Journal of Endometriosis and Pelvic Pain Disorders</i> , 2013 , 5, 2-9	0.6	0
44	Expression Patterns of Analgesic Metabolising Machinery in 1st and 2nd Trimester Human Fetal Liver and Gonads. <i>Journal of the Endocrine Society</i> , 2021 , 5, A488-A488	0.4	0
43	Safety evaluation of the food enzyme endo-1,4- α -xylanase from a genetically modified (strain XEA). <i>EFSA Journal</i> , 2018 , 16, e05228	2.3	0

42	SUPERSEDED: Safety assessment of the substance poly(α -3-hydroxybutyrate-co- α -3-hydroxyhexanoate) for use in food contact materials. <i>EFSA Journal</i> , 2018 , 16, e05326	2.3	0
41	Re-evaluation of polydextrose (E 1200) as a food additive. <i>EFSA Journal</i> , 2021 , 19, e06363	2.3	0
40	Hepatic Mitochondrial Dysfunction and Risk of Liver Disease in an Ovine Model of PCOS Males \square <i>Biomedicines</i> , 2022 , 10, 1291	4.8	0
39	Safety assessment of the mixture of methyl-branched and linear C-C alkanamides, derived from fatty acids, for use in food contact materials. <i>EFSA Journal</i> , 2017 , 15, e04724	2.3	
38	Safety evaluation of the food enzyme endo-1,4- β -xylanase from genetically modified strain XYL. <i>EFSA Journal</i> , 2017 , 15, e04755	2.3	
37	Aspects of UGT2B15 in the human. <i>Toxicological Sciences</i> , 2015 , 143, 230	4.4	
36	Testing the twin testosterone transfer hypothesis-intergenerational analysis of 317 dizygotic twins born in Aberdeen, Scotland. <i>Human Reproduction</i> , 2020 , 35, 1702-1710	5.7	
35	Scientific Opinion on Flavouring Group Evaluation 91, Revision 3 (FGE.91Rev3): consideration of aliphatic, aromatic and π -unsaturated sulfides and thiols evaluated by JECFA (53rd, 61st, 68th and 76th meetings), structurally related to substances in FGE.08Rev5. <i>EFSA Journal</i> , 2020 , 18, e06154	2.3	
34	Scientific Opinion on Flavouring Group Evaluation 61 Revision 2 (FGE.61Rev2): consideration of aliphatic acetals evaluated by JECFA (57th, 63rd and 68th meetings) structurally related to acetals evaluated by EFSA in FGE.03Rev2. <i>EFSA Journal</i> , 2020 , 18, e05923	2.3	
33	Safety of ethyl acrylate to be used as flavouring. <i>EFSA Journal</i> , 2017 , 15, e05012	2.3	
32	Safety assessment of the substance [3-(2,3-epoxypropoxy)propyl]trimethoxy silane, for use in food contact materials. <i>EFSA Journal</i> , 2017 , 15, e05014	2.3	
31	Safety assessment of the process 'PEGRA-V', based on Starlinger IV+ technology, used to recycle post-consumer PET into food contact materials. <i>EFSA Journal</i> , 2017 , 15, e04899	2.3	
30	Safety assessment of the substance phosphorous acid, mixed 2,4-bis(1,1-dimethylpropyl)phenyl and 4-(1,1-dimethylpropyl)phenyl triesters for use in food contact materials. <i>EFSA Journal</i> , 2017 , 15, e04841	2.3	1
29	Safety assessment of the process 'Plastienvase', based on EREMA Basic technology, used to recycle post-consumer PET into food contact materials. <i>EFSA Journal</i> , 2017 , 15, e04843	2.3	
28	Safety evaluation of a β -amylase food enzyme obtained from wheat (spp.). <i>EFSA Journal</i> , 2017 , 15, e04754	2.3	
27	Safety assessment of the process 'Mikische Faser', based on NGR technology, used to recycle post-consumer PET into food contact materials. <i>EFSA Journal</i> , 2017 , 15, e04898	2.3	
26	Scientific opinion of Flavouring Group Evaluation 503 (FGE.503): grill flavour 'Grillin' CB-200SF'. <i>EFSA Journal</i> , 2017 , 15, e04963	2.3	
25	Safety assessment of the substance dimethyl carbonate for use in food contact materials. <i>EFSA Journal</i> , 2017 , 15, e04901	2.3	

24	Safety assessment of the process 'EstPak Plastik', based on Starlinger Decon technology, used to recycle post-consumer PET into food contact materials. <i>EFSA Journal</i> , 2018 , 16, e05165	2.3
23	Safety assessment of the process 'Gneuss 2', based on Gneuss technology, used to recycle post-consumer PET into food contact materials. <i>EFSA Journal</i> , 2018 , 16, e05325	2.3
22	Safety assessment of the process 'Gneuss 1', based on Gneuss technology, used to recycle post-consumer PET into food contact materials. <i>EFSA Journal</i> , 2018 , 16, e05324	2.3
21	Safety evaluation of the food enzyme α -amylase from genetically modified strain NZYM-JA. <i>EFSA Journal</i> , 2017 , 15, e04896	2.3
20	Safety evaluation of the food enzyme pullulanase from genetically modified strain NZYM-AK. <i>EFSA Journal</i> , 2017 , 15, e04895	2.3
19	Safety assessment of the process 'Krones' used to recycle post-consumer PET into food contact materials. <i>EFSA Journal</i> , 2017 , 15, e05015	2.3
18	Safety assessment of the process 'Veroniki Ecogrup SRL', based on Starlinger Decon technology, used to recycle post-consumer PET into food contact materials. <i>EFSA Journal</i> , 2017 , 15, e04900	2.3
17	Environmental chemical effects on testicular function. <i>Reproductive Medicine Review</i> , 2002 , 10, 77-100	
16	O-158. Developing new techniques to assess endocrine-disrupting chemical effects on human fetal testis. <i>Human Reproduction</i> , 1999 , 14, 87-88	5.7
15	Purification of GnSAF from human follicular fluid for production of a monoclonal antibody. <i>Biochemical Society Transactions</i> , 1996 , 24, 269S	5.1
14	Scientific Opinion on Flavouring Group Evaluation 73, Revision 5 (FGE.73Rev5): consideration of alicyclic alcohols, aldehydes, acids and related esters evaluated by JECFA (59th, 63rd and 86th meeting) and structurally related to substances evaluated in FGE.12Rev5. <i>EFSA Journal</i> , 2020 , 18, e05970	2.3
13	In Utero Exposure to Environmental Chemicals: Lessons from Maternal Cigarette Smoking and Its Effects on Gonad Development and Puberty 2012 , 11-48	
12	Scientific Opinion on Flavouring Group Evaluation 69, Revision 1 (FGE.69Rev1): consideration of aromatic substituted secondary alcohols, ketones and related esters evaluated by JECFA (57th meeting), structurally related to aromatic ketones from chemical group 21 evaluated by EFSA in FGE.16Rev2. <i>EFSA Journal</i> , 2020 , 18, e06265	2.3
11	The mammalian ovary: Concerns about the evaluation of prenatal environmental exposures. <i>Current Opinion in Endocrine and Metabolic Research</i> , 2021 , 18, 171-177	1.7
10	Scientific Opinion on Flavouring Group Evaluation 72, Revision 2 (FGE.72Rev2): consideration of aliphatic, branched-chain saturated and unsaturated alcohols, aldehydes, acids and related esters evaluated by JECFA (61st, 68th and 69th meetings) and structurally related to flavouring substances in FGE.05Rev3. <i>EFSA Journal</i> , 2020 , 18, e06029	2.3
9	Re-evaluation of metatartaric acid (E1353) as a food additive. <i>EFSA Journal</i> , 2020 , 18, e06031	2.3
8	Scientific Opinion of Flavouring Group Evaluation 411 (FGE.411): 2-(4-methylphenoxy)--(1-pyrazol-3-yl)--(thiophen-2-ylmethyl)acetamide from chemical group 30 (miscellaneous substances). <i>EFSA Journal</i> , 2018 , 16, e05421	2.3
7	Re-evaluation of propane-1,2-diol esters of fatty acids (E1477) as a food additive. <i>EFSA Journal</i> , 2018 , 16, e05497	2.3

- 6 Safety evaluation of the food enzyme α -amylase from a genetically modified (strain NZYM-AV).
EFSA Journal, **2018**, 16, e05318 2.3
- 5 Safety assessment of the process 'Envases Ure β ', based on Starlinger Decon technology, used to recycle post-consumer PET into food contact materials. *EFSA Journal*, **2018**, 16, e05118 2.3
- 4 Safety assessment of the substance isobutane, for use in food contact materials. *EFSA Journal*, **2018**, 16, e05116 2.3
- 3 Safety evaluation of the food enzyme α -amylase from a genetically modified (strain NZYM-SB).
EFSA Journal, **2018**, 16, e05320 2.3
- 2 Scientific Opinion of Flavouring Group Evaluation 406 (FGE.406):
()-1-(3-(((4-amino-2,2-dioxido-1-benzo[c][1,2,6]thiadiazin-5-yl)oxy)methyl)piperidin-1-yl)-3-methylbutan-1-olone.
EFSA Journal, **2018**, 16, e05120 2.3
- 1 Safety assessment of the process 'BTB PET DIRECT IV +', used to recycle post-consumer PET into food contact materials. *EFSA Journal*, **2018**, 16, e05227 2.3