

Paul A. Fowler

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4708891/paul-a-fowler-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

257
papers

5,792
citations

40
h-index

70
g-index

276
ext. papers

6,603
ext. citations

3.7
avg, IF

6.15
L-index

#	Paper	IF	Citations
257	Maternal over-the-counter analgesics use during pregnancy and adverse perinatal outcomes: cohort study of 151 141 singleton pregnancies.. <i>BMJ Open</i> , 2022 , 12, e048092	3	2
256	Hepatic Mitochondrial Dysfunction and Risk of Liver Disease in an Ovine Model of PCOS Males <i>Biomedicines</i> , 2022 , 10, 1291	4.8	0
255	Scientific Guidance for the preparation of applications on smoke flavouring primary products. <i>EFSA Journal</i> , 2021 , 19, e06435	2.3	3
254	Pubertal FGF21 deficit is central in the metabolic pathophysiology of an ovine model of polycystic ovary syndrome. <i>Molecular and Cellular Endocrinology</i> , 2021 , 525, 111196	4.4	4
253	Expression Patterns of Analgesic Metabolising Machinery in 1st and 2nd Trimester Human Fetal Liver and Gonads. <i>Journal of the Endocrine Society</i> , 2021 , 5, A488-A488	0.4	0
252	Disruption of Estrogenic and Androgenic Bioactivities in Human Fetuses Exposed to Maternal Smoking. <i>Journal of the Endocrine Society</i> , 2021 , 5, A496-A496	0.4	78
251	Six Decades of Research on Human Fetal Gonadal Steroids. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	3
250	The mammalian ovary: Concerns about the evaluation of prenatal environmental exposures. <i>Current Opinion in Endocrine and Metabolic Research</i> , 2021 , 18, 171-177	1.7	
249	Over-the-counter analgesics during pregnancy: a comprehensive review of global prevalence and offspring safety. <i>Human Reproduction Update</i> , 2021 , 27, 67-95	15.8	11
248	The insulin-like growth factor system: A target for endocrine disruptors?. <i>Environment International</i> , 2021 , 147, 106311	12.9	8
247	Scientific Opinion on Flavouring Group Evaluation 67, Revision 3 (FGE.67Rev3): consideration of 23 furan-substituted compounds evaluated by JECFA at the 55th, 65th, 69th and 86th meetings. <i>EFSA Journal</i> , 2021 , 19, e06362	2.3	3
246	Scientific Opinion on Flavouring Group Evaluation 13 Revision 3 (FGE.13Rev3): furfuryl and furan derivatives with and without additional side-chain substituents and heteroatoms from chemical group 14. <i>EFSA Journal</i> , 2021 , 19, e06386	2.3	2
245	Re-evaluation of polydextrose (E 1200) as a food additive. <i>EFSA Journal</i> , 2021 , 19, e06363	2.3	0
244	Opinion on the re-evaluation of pectin (E 440i) and amidated pectin (E 440ii) as food additives in foods for infants below 16 weeks of age and follow-up of their re-evaluation as food additives for uses in foods for all population groups. <i>EFSA Journal</i> , 2021 , 19, e06387	2.3	1
243	Early pregnancy maternal progesterone administration alters pituitary and testis function and steroid profile in male fetuses. <i>Scientific Reports</i> , 2020 , 10, 21920	4.9	5
242	Dynamics of the transcriptional landscape during human fetal testis and ovary development. <i>Human Reproduction</i> , 2020 , 35, 1099-1119	5.7	5
241	Safety of a proposed amendment of the specifications for steviol glycosides (E 960) as a food additive: to expand the list of steviol glycosides to all those identified in the leaves of. <i>EFSA Journal</i> , 2020 , 18, e06106	2.3	4

240	Re-evaluation of dimethyl polysiloxane (E1900) as a food additive. <i>EFSA Journal</i> , 2020 , 18, e06107	2.3	3
239	Safeguarding Female Reproductive Health against Endocrine Disrupting Chemicals-The FREIA Project. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	8
238	Testing the twin testosterone transfer hypothesis-intergenerational analysis of 317 dizygotic twins born in Aberdeen, Scotland. <i>Human Reproduction</i> , 2020 , 35, 1702-1710	5.7	
237	Scientific Opinion on Flavouring Group Evaluation 71 Revision 1 (FGE.71Rev1): consideration of aliphatic, linear, unsaturated alcohols, aldehydes, carboxylic acids, and related esters evaluated by JECFA (63rd and 69th meeting) structurally related to flavouring substances evaluated in	2.3	1
236	Re-evaluation of l(+)-tartaric acid (E334), sodium tartrates (E335), potassium tartrates (E336), potassium sodium tartrate (E337) and calcium tartrate (E334) as food additives. <i>EFSA Journal</i> , 2020 , 18, e06030	2.3	5
235	Re-evaluation of sodium aluminium silicate (E554) and potassium aluminium silicate (E555) as food additives. <i>EFSA Journal</i> , 2020 , 18, e06152	2.3	1
234	Scientific Opinion on Flavouring Group Evaluation 91, Revision 3 (FGE.91Rev3): consideration of aliphatic, aromatic and unsaturated sulfides and thiols evaluated by JECFA (53rd, 61st, 68th and 76th meetings), structurally related to substances in FGE.08Rev5. <i>EFSA Journal</i> , 2020 , 18, e06154	2.3	
233	Scientific Opinion on Flavouring Group Evaluation 61 Revision 2 (FGE.61Rev2): consideration of aliphatic acetals evaluated by JECFA (57th, 63rd and 68th meetings) structurally related to acetals evaluated by EFSA in FGE.03Rev2. <i>EFSA Journal</i> , 2020 , 18, e05923	2.3	
232	Toward a better understanding of the effects of endocrine disrupting compounds on health: Human-relevant case studies from sheep models. <i>Molecular and Cellular Endocrinology</i> , 2020 , 505, 1107-1114	4.4	6
231	Safety of use of oat lecithin as a food additive. <i>EFSA Journal</i> , 2020 , 18, e05969	2.3	3
230	Re-evaluation of name of hydrogenated poly-1-decene (E 907) as food additive. <i>EFSA Journal</i> , 2020 , 18, e06034	2.3	0
229	Calretinin is a novel candidate marker for adverse ovarian effects of early life exposure to mixtures of endocrine disruptors in the rat. <i>Archives of Toxicology</i> , 2020 , 94, 1241-1250	5.8	2
228	Re-evaluation of acetic acid, lactic acid, citric acid, tartaric acid, mono- and diacetyltartaric acid, mixed acetic and tartaric acid esters of mono- and diglycerides of fatty acids (E472a-f) as food additives. <i>EFSA Journal</i> , 2020 , 18, e06032	2.3	3
227	Re-evaluation of stearyl tartrate (E483) as a food additive. <i>EFSA Journal</i> , 2020 , 18, e06033	2.3	1
226	Scientific Opinion on Flavouring Group Evaluation 73, Revision 5 (FGE.73Rev5): consideration of alicyclic alcohols, aldehydes, acids and related esters evaluated by JECFA (59th, 63rd and 86th meeting) and structurally related to substances evaluated in FGE.12Rev5. <i>EFSA Journal</i> , 2020 , 18, e05970	2.3	
225	Putative adverse outcome pathways for female reproductive disorders to improve testing and regulation of chemicals. <i>Archives of Toxicology</i> , 2020 , 94, 3359-3379	5.8	15
224	Scientific Opinion on Flavouring Group Evaluation 69, Revision 1 (FGE.69Rev1): consideration of aromatic substituted secondary alcohols, ketones and related esters evaluated by JECFA (57th meeting), structurally related to aromatic ketones from chemical group 21 evaluated by EFSA in	2.3	
223	Opinion on the re-evaluation of ascorbyl palmitate (E 304i) as a food additive in foods for infants below 16 weeks of age and the follow-up of its re-evaluation as a food additive for uses in foods for all population groups. <i>EFSA Journal</i> , 2020 , 18, e06153	2.3	1

222	Expression of the Insulin-like Growth Factor System in First- and Second-Trimester Human Embryonic and Fetal Gonads. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	2
221	Opinion on the re-evaluation of starch sodium octenyl succinate (E 1450) as a food additive in foods for infants below 16 weeks of age and the follow-up of its re-evaluation as a food additive for uses in foods for all population groups. <i>EFSA Journal</i> , 2020 , 18, e05874	2.3	4
220	Scientific Opinion on Flavouring Group Evaluation 72, Revision 2 (FGE.72Rev2): consideration of aliphatic, branched-chain saturated and unsaturated alcohols, aldehydes, acids and related esters evaluated by JECFA (61st, 68th and 69th meetings) and structurally related to flavouring substances in FGE.05Rev3. <i>EFSA Journal</i> , 2020 , 18, e06029	2.3	
219	Re-evaluation of metatartaric acid (E153) as a food additive. <i>EFSA Journal</i> , 2020 , 18, e06031	2.3	
218	Re-evaluation of phosphoric acid-phosphates - di-, tri- and polyphosphates (E138-341, E143, E1450-452) as food additives and the safety of proposed extension of use. <i>EFSA Journal</i> , 2019 , 17, e05674	2.3	26
217	Scientific Opinion on Flavouring Group Evaluation 210 Revision 3 (FGE.210Rev3): Consideration of genotoxic potential for α -unsaturated alicyclic ketones and precursors from chemical subgroup 2.4 of FGE.19. <i>EFSA Journal</i> , 2019 , 17, e05676	2.3	2
216	Scientific Opinion on Flavouring Group Evaluation 501 (FGE.501): Grill flavour concentrate (vegetable). <i>EFSA Journal</i> , 2019 , 17, e05675	2.3	1
215	Re-evaluation of Quillaia extract (E199) as a food additive and safety of the proposed extension of use. <i>EFSA Journal</i> , 2019 , 17, e05622	2.3	5
214	Scientific Opinion on Flavouring Group Evaluation 217 Revision 2 (FGE.217Rev2), consideration of genotoxic potential for α -unsaturated ketones and precursors from chemical subgroup 4.1 of FGE.19: lactones. <i>EFSA Journal</i> , 2019 , 17, e05568	2.3	1
213	Safety of ethyl lauroyl arginate (E 243) as a food additive in the light of the new information provided and the proposed extension of use. <i>EFSA Journal</i> , 2019 , 17, e05621	2.3	4
212	Safety of annatto E and the exposure to the annatto colouring principles bixin and norbixin (E 160b) when used as a food additive. <i>EFSA Journal</i> , 2019 , 17, e05626	2.3	3
211	Opinion on the follow-up of the re-evaluation of sorbic acid (E200) and potassium sorbate (E202) as food additives. <i>EFSA Journal</i> , 2019 , 17, e05625	2.3	2
210	Nutrient transporter expression in both the placenta and fetal liver are affected by maternal smoking. <i>Placenta</i> , 2019 , 78, 10-17	3.4	7
209	Alternative (backdoor) androgen production and masculinization in the human fetus. <i>PLoS Biology</i> , 2019 , 17, e3000002	9.7	61
208	Scientific Opinion on Flavouring Group Evaluation 70, Revision 1 (FGE.70Rev1): consideration of aliphatic, linear, α -unsaturated, di- and trienals and related alcohols, acids and esters evaluated by JECFA (61st-68th-69th meeting). <i>EFSA Journal</i> , 2019 , 17, e05749	2.3	2
207	Scientific Opinion on Flavouring Group Evaluation 204 Revision 1 (FGE.204Rev1): consideration of genotoxicity data on representatives for 17 monounsaturated, aliphatic, α -unsaturated ketones and precursors from chemical subgroup 1.2.1 of FGE.19. <i>EFSA Journal</i> , 2019 , 17, e05750	2.3	3
206	Scientific Opinion on Flavouring Group Evaluation 5, Revision 3 (FGE.05Rev3): Branched- and straight-chain unsaturated aldehydes, dienals, unsaturated and saturated carboxylic acids and related esters with saturated and unsaturated aliphatic alcohols and a phenylacetic acid related ester from chemical groups 1, 2, 3, 5 and 15. <i>EFSA Journal</i> , 2019 , 17, e05761	2.3	4
205	Re-evaluation of hydrochloric acid (E 507), potassium chloride (E 508), calcium chloride (E 509) and magnesium chloride (E 511) as food additives. <i>EFSA Journal</i> , 2019 , 17, e05751	2.3	1

204	Scientific opinion on the proposed amendment of the EU specifications for titanium dioxide (E171) with respect to the inclusion of additional parameters related to its particle size distribution. <i>EFSA Journal</i> , 2019 , 17, e05760	2.3	15
203	Re-evaluation of benzyl alcohol (E1519) as food additive. <i>EFSA Journal</i> , 2019 , 17, e05876	2.3	9
202	Opinion on the re-evaluation of acacia gum (E414) as a food additive in foods for infants below 16 weeks of age and the follow-up of its re-evaluation as a food additive for uses in foods for all population groups. <i>EFSA Journal</i> , 2019 , 17, e05922	2.3	2
201	Safety of use of Monk fruit extract as a food additive in different food categories. <i>EFSA Journal</i> , 2019 , 17, e05921	2.3	6
200	Scientific Opinion on Flavouring Group Evaluation 215 Revision 1 (FGE.215Rev1): seven mon unsaturated cinnamyl ketones from subgroup 3.2 of FGE.19. <i>EFSA Journal</i> , 2019 , 17, e05875	2.3	2
199	Fetal androgen exposure is a determinant of adult male metabolic health. <i>Scientific Reports</i> , 2019 , 9, 20195	4.9	8
198	Safety of the proposed amendment of the specifications for steviol glycosides (E 960) as a food additive: Rebaudioside M produced via enzyme-catalysed bioconversion of purified stevia leaf extract. <i>EFSA Journal</i> , 2019 , 17, e05867	2.3	6
197	Re-evaluation of sulphuric acid and its sodium, potassium, calcium and ammonium salts (E 513, 514 (i), 514 (ii), 515 (i), 515 (ii), 516 and 517) as food additive. <i>EFSA Journal</i> , 2019 , 17, e05868	2.3	2
196	Long-term exposure to chemicals in sewage sludge fertilizer alters liver lipid content in females and cancer marker expression in males. <i>Environment International</i> , 2019 , 124, 98-108	12.9	10
195	Safety assessment of the process 'EstPak Plastik', based on Starlinger Decon technology, used to recycle post-consumer PET into food contact materials. <i>EFSA Journal</i> , 2018 , 16, e05165	2.3	
194	Safety assessment of the active substance selenium nanoparticles, for use in active food contact materials. <i>EFSA Journal</i> , 2018 , 16, e05115	2.3	2
193	Safety assessment of the process 'Concept Plastic Packaging', based on Starlinger Decon technology, used to recycle post-consumer PET into food contact materials. <i>EFSA Journal</i> , 2018 , 16, e05166	2.3	1
192	Safety assessment of the process 'Gneuss 2', based on Gneuss technology, used to recycle post-consumer PET into food contact materials. <i>EFSA Journal</i> , 2018 , 16, e05325	2.3	
191	Safety evaluation of the food enzyme alpha-amylase from a genetically modified (strain NZYM-AN). <i>EFSA Journal</i> , 2018 , 16, e05317	2.3	0
190	Safety evaluation of the food enzyme glucose oxidase from a genetically modified (strain NZYM-KP). <i>EFSA Journal</i> , 2018 , 16, e05319	2.3	1
189	Safety assessment of the process 'Gneuss 1', based on Gneuss technology, used to recycle post-consumer PET into food contact materials. <i>EFSA Journal</i> , 2018 , 16, e05324	2.3	
188	Safety assessment of the active substances carboxymethylcellulose, acetylated distarch phosphate, bentonite, boric acid and aluminium sulfate, for use in active food contact materials. <i>EFSA Journal</i> , 2018 , 16, e05121	2.3	1
187	The human fetal adrenal produces cortisol but no detectable aldosterone throughout the second trimester. <i>BMC Medicine</i> , 2018 , 16, 23	11.4	19

186	Safety assessment of the process 'Morssinkhof Plastics', used to recycle high-density polyethylene and polypropylene crates for use as food contact materials. <i>EFSA Journal</i> , 2018 , 16, e05117	2.3	2
185	Quantification of ethyl glucuronide, ethyl sulfate, nicotine, and its metabolites in human fetal liver and placenta. <i>Forensic Toxicology</i> , 2018 , 36, 102-112	2.6	3
184	Safety evaluation of the food enzyme endo-1,4- α -xylanase from a genetically modified (strain XEA). <i>EFSA Journal</i> , 2018 , 16, e05228	2.3	0
183	Scientific Opinion on Flavouring Group Evaluation 203, Revision 2 (FGE.203Rev2): α -Unsaturated aliphatic aldehydes and precursors from chemical subgroup 1.1.4 of FGE.19 with two or more conjugated double-bonds and with or without additional non-conjugated double-bonds. <i>EFSA Journal</i> , 2018 , 16, e05420	2.3	3
182	Scientific Opinion of Flavouring Group Evaluation 411 (FGE.411): 2-(4-methylphenoxy)--(1-pyrazol-3-yl)--(thiophen-2-ylmethyl)acetamide from chemical group 30 (miscellaneous substances). <i>EFSA Journal</i> , 2018 , 16, e05421	2.3	
181	Scientific Opinion on Flavouring Group Evaluation 200, Revision 1 (FGE.200 Rev.1): 74 α -Unsaturated aliphatic aldehydes and precursors from chemical subgroup 1.1.1 of FGE.19. <i>EFSA Journal</i> , 2018 , 16, e05422	2.3	7
180	Scientific Opinion on Flavouring Group Evaluation 201 Revision 2 (FGE.201Rev2): 2-alkylated, aliphatic, acyclic α,β -unsaturated aldehydes and precursors, with or without additional double-bonds, from chemical subgroup 1.1.2 of FGE.19. <i>EFSA Journal</i> , 2018 , 16, e05423	2.3	5
179	SUPERSEDED: Safety assessment of the substance poly(α -3-hydroxybutyrate-co- α -3-hydroxyhexanoate) for use in food contact materials. <i>EFSA Journal</i> , 2018 , 16, e05326	2.3	0
178	Re-evaluation of propane-1,2-diol esters of fatty acids (E1477) as a food additive. <i>EFSA Journal</i> , 2018 , 16, e05497	2.3	
177	Safety evaluation of the food enzyme α -amylase from a genetically modified (strain NZYM-AV). <i>EFSA Journal</i> , 2018 , 16, e05318	2.3	
176	Safety evaluation of food enzyme xylanase from a genetically modified (strain LMG S-27588). <i>EFSA Journal</i> , 2018 , 16, e05169	2.3	1
175	Safety evaluation of the food enzyme aqualysin 1 from a genetically modified (strain LMGS 25520). <i>EFSA Journal</i> , 2018 , 16, e05170	2.3	1
174	Safety assessment of the process 'Envases Ureñ', based on Starlinger Decon technology, used to recycle post-consumer PET into food contact materials. <i>EFSA Journal</i> , 2018 , 16, e05118	2.3	
173	Scientific Opinion on Flavouring Group Evaluation 74, Revision 4 (FGE.74Rev4): Consideration of aliphatic sulphides and thiols evaluated by JECFA (53rd and 61st meeting) structurally related to aliphatic and alicyclic mono-, di-, tri- and polysulphides with or without additional oxygenated functional groups from chemical group 20 evaluated by EFSA in FGE.66Rev5. <i>EFSA Journal</i> , 2018 , 16, e05119	2.3	3
172	Safety assessment of the substance isobutane, for use in food contact materials. <i>EFSA Journal</i> , 2018 , 16, e05116	2.3	
171	Safety evaluation of the food enzyme xylanase from a genetically modified strain TD160(229). <i>EFSA Journal</i> , 2018 , 16, e05008	2.3	1
170	Safety evaluation of the food enzyme maltogenic amylase from a genetically modified (strain NZYM-SM). <i>EFSA Journal</i> , 2018 , 16, e05171	2.3	1
169	Safety evaluation of the food enzyme α -amylase from a genetically modified (strain NZYM-SB). <i>EFSA Journal</i> , 2018 , 16, e05320	2.3	

168	Scientific Opinion of Flavouring Group Evaluation 406 (FGE.406): ()-1-(3-(((4-amino-2,2-dioxido-1-benzo[c][1,2,6]thiadiazin-5-yl)oxy)methyl)piperidin-1-yl)-3-methylbutan-1-one. <i>EFSA Journal</i> , 2018 , 16, e05120		
167	Re-evaluation of oxidised soya bean oil interacted with mono- and diglycerides of fatty acids (E479b) as a food additive. <i>EFSA Journal</i> , 2018 , 16, e05420	2.3	1
166	Scientific opinion on flavouring group evaluation 77, revision 3 (FGE.77Rev3): consideration of pyridine, pyrrole and quinoline derivatives evaluated by JECFA (63rd meeting) structurally related to pyridine, pyrrole, indole and quinoline derivatives evaluated by EFSA in FGE.24Rev2. <i>EFSA Journal</i> , 2018 , 16, e05226	2.3	1
165	Maternal smoking and high BMI disrupt thyroid gland development. <i>BMC Medicine</i> , 2018 , 16, 194	11.4	14
164	Safety assessment of the process 'Linpac', based on Linpac super clean technology, used to recycle post-consumer PET into food contact materials. <i>EFSA Journal</i> , 2018 , 16, e05323	2.3	1
163	Safety evaluation of food enzyme glucan 1,4- α -maltohydrolase produced with a genetically modified (strain MAM). <i>EFSA Journal</i> , 2018 , 16, e05168	2.3	1
162	Safety assessment of the process 'BTB PET DIRECT IV +', used to recycle post-consumer PET into food contact materials. <i>EFSA Journal</i> , 2018 , 16, e05227	2.3	
161	Scientific Opinion of Flavouring Group Evaluation 407 (FGE.407): 4-amino-5-(3-(isopropylamino)-2,2-dimethyl-3-oxopropoxy)-2-methylquinoline-3-carboxylic acid. <i>EFSA Journal</i> , 2017 , 15, e04660	2.3	1
160	Scientific Opinion on Flavouring Group Evaluation 63, Revision 3 (FGE.63Rev3): aliphatic secondary alcohols, ketones and related esters evaluated by JECFA (59th and 69th meetings) structurally related to saturated and unsaturated aliphatic secondary alcohols, ketones and esters of secondary alcohols and saturated linear or branched-chain carboxylic acids evaluated by EFSA in FGE.07Rev4.	2.3	5
159	Placental transporter localization and expression in the Human: the importance of species, sex, and gestational age differences <i>Biology of Reproduction</i> , 2017 , 96, 733-742	3.9	68
158	Environmental influences on ovarian dysgenesis - developmental windows sensitive to chemical exposures. <i>Nature Reviews Endocrinology</i> , 2017 , 13, 400-414	15.2	62
157	Safety assessment of the process 'EREMA Recycling (MPR, Basic and Advanced technologies)', used to recycle post-consumer PET into food contact materials. <i>EFSA Journal</i> , 2017 , 15, e04842	2.3	1
156	Modelling foetal exposure to maternal smoking using hepatoblasts from pluripotent stem cells. <i>Archives of Toxicology</i> , 2017 , 91, 3633-3643	5.8	17
155	Safety assessment of the mixture of methyl-branched and linear C-C alkanamides, derived from fatty acids, for use in food contact materials. <i>EFSA Journal</i> , 2017 , 15, e04724	2.3	
154	Safety evaluation of the food enzyme endo-1,4- β -xylanase from genetically modified strain XYL. <i>EFSA Journal</i> , 2017 , 15, e04755	2.3	
153	Safety of ethyl acrylate to be used as flavouring. <i>EFSA Journal</i> , 2017 , 15, e05012	2.3	
152	Effects of maternal smoking on offspring reproductive outcomes: an intergenerational study in the North East of Scotland. <i>Human Reproduction Open</i> , 2017 , 2017, hox006	6.1	4
151	Identification of Sertoli cell-specific transcripts in the mouse testis and the role of FSH and androgen in the control of Sertoli cell activity. <i>BMC Genomics</i> , 2017 , 18, 972	4.5	22

150	Safety assessment of the substance [3-(2,3-epoxypropoxy)propyl]trimethoxy silane, for use in food contact materials. <i>EFSA Journal</i> , 2017 , 15, e05014	2.3	
149	Scientific Opinion of Flavouring Group Evaluation 410 (FGE.410): 4',5,7-trihydroxyflavanone from chemical group 25 (phenol derivatives containing ring-alkyl, ring-alkoxy, and side-chains with an oxygenated functional group). <i>EFSA Journal</i> , 2017 , 15, e05011	2.3	2
148	Safety assessment of the process 'PEGRA-V', based on Starlinger IV+ technology, used to recycle post-consumer PET into food contact materials. <i>EFSA Journal</i> , 2017 , 15, e04899	2.3	
147	Safety assessment of the substance 1,2,3,4-tetrahydronaphthalene-2,6-dicarboxylic acid, dimethyl ester for use in food contact materials. <i>EFSA Journal</i> , 2017 , 15, e04840	2.3	1
146	Safety assessment of the substance phosphorous acid, mixed 2,4-bis(1,1-dimethylpropyl)phenyl and 4-(1,1-dimethylpropyl)phenyl triesters for use in food contact materials. <i>EFSA Journal</i> , 2017 , 15, e04841	2.3	1
145	Scientific Opinion on Flavouring Group Evaluation 49, Revision 1 (FGE.49Rev1): xanthine alkaloids from the priority list. <i>EFSA Journal</i> , 2017 , 15, e04729	2.3	2
144	Safety assessment of the process 'Plastienvase', based on EREMA Basic technology, used to recycle post-consumer PET into food contact materials. <i>EFSA Journal</i> , 2017 , 15, e04843	2.3	
143	Scientific opinion of Flavouring Group Evaluation 502 (FGE.502): grill flavour 'Grillin' 5078'. <i>EFSA Journal</i> , 2017 , 15, e04973	2.3	1
142	Safety of benzophenone to be used as flavouring. <i>EFSA Journal</i> , 2017 , 15, e05013	2.3	8
141	Safety evaluation of a β -amylase food enzyme obtained from wheat (spp.). <i>EFSA Journal</i> , 2017 , 15, e04754	2.3	3
140	Safety assessment of the process 'Mikische Faser', based on NGR technology, used to recycle post-consumer PET into food contact materials. <i>EFSA Journal</i> , 2017 , 15, e04898	2.3	
139	Scientific opinion of Flavouring Group Evaluation 503 (FGE.503): grill flavour 'Grillin' CB-200SF'. <i>EFSA Journal</i> , 2017 , 15, e04963	2.3	
138	Safety assessment of the substance dimethyl carbonate for use in food contact materials. <i>EFSA Journal</i> , 2017 , 15, e04901	2.3	
137	Safety evaluation of the food enzyme β -amylase from genetically modified strain NZYM-JA. <i>EFSA Journal</i> , 2017 , 15, e04896	2.3	
136	Scientific Opinion on Flavouring Group Evaluation 7, Revision 5 (FGE.07Rev5): saturated and unsaturated aliphatic secondary alcohols, ketones and esters of secondary alcohols and saturated linear or branched-chain carboxylic acids from chemical group 5. <i>EFSA Journal</i> , 2017 , 15, e04725	2.3	4
135	Scientific Opinion of Flavouring Group Evaluation 500 (FGE.500): rum ether. <i>EFSA Journal</i> , 2017 , 15, e04897	2.3	1
134	Scientific Opinion on Flavouring Group Evaluation 208 Revision 2 (FGE.208Rev2): Consideration of genotoxicity data on alicyclic aldehydes with β -unsaturation in ring/side-chain and precursors from chemical subgroup 2.2 of FGE.19. <i>EFSA Journal</i> , 2017 , 15, e04766	2.3	6
133	Scientific Opinion on Flavouring Group Evaluation 226 Revision 1 (FGE.226Rev1): consideration of genotoxicity data on one β -unsaturated aldehyde from chemical subgroup 1.1.1(b) of FGE.19. <i>EFSA Journal</i> , 2017 , 15, e04847	2.3	4

132	Safety evaluation of the food enzyme pullulanase from genetically modified strain NZYM-AK. <i>EFSA Journal</i> , 2017 , 15, e04895	2.3	
131	Safety assessment of the substance 'Tungsten Oxide' for use in food contact materials. <i>EFSA Journal</i> , 2017 , 15, e04661	2.3	3
130	Safety assessment of the process 'Krones' used to recycle post-consumer PET into food contact materials. <i>EFSA Journal</i> , 2017 , 15, e05015	2.3	
129	Safety evaluation of the food enzyme peroxidase obtained from soybean () hulls. <i>EFSA Journal</i> , 2017 , 15, e05119	2.3	2
128	Safety assessment of the process 'Veroniki Ecogrup SRL', based on Starlinger Decon technology, used to recycle post-consumer PET into food contact materials. <i>EFSA Journal</i> , 2017 , 15, e04900	2.3	
127	Safety evaluation of the food enzyme pullulanase from strain AE-PL. <i>EFSA Journal</i> , 2017 , 15, e05009	2.3	0
126	Scientific Opinion on Flavouring Group Evaluation 73, Revision 4 (FGE.73Rev4): consideration of alicyclic alcohols, aldehydes, acids and related esters evaluated by JECFA (59th and 63rd meeting) structurally related to primary saturated or unsaturated alicyclic alcohols, aldehydes, acids and esters evaluated by EFSA in FGE.12Rev5. <i>EFSA Journal</i> , 2017 , 15, e05010	2.3	5
125	Safety evaluation of the food enzyme α -amylase obtained from barley (). <i>EFSA Journal</i> , 2017 , 15, e04756	2.3	1
124	Cobalamin Concentrations in Fetal Liver Show Gender Differences: A Result from Using a High-Pressure Liquid Chromatography-Inductively Coupled Plasma Mass Spectrometry as an Ultratrace Cobalt Speciation Method. <i>Analytical Chemistry</i> , 2016 , 88, 12419-12426	7.8	2
123	The sheep conceptus modulates proteome profiles in caruncular endometrium during early pregnancy. <i>Animal Reproduction Science</i> , 2016 , 175, 48-56	2.1	3
122	Exposure assessment of food enzymes. <i>EFSA Journal</i> , 2016 , 14, e04581	2.3	67
121	The fetal ovary exhibits temporal sensitivity to a 'real-life' mixture of environmental chemicals. <i>Scientific Reports</i> , 2016 , 6, 22279	4.9	18
120	Safety assessment of the substance diethyl[[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]methyl]phosphonate, for use in food contact materials. <i>EFSA Journal</i> , 2016 , 14, e04536	2.3	1
119	Human anogenital distance: an update on fetal smoke-exposure and integration of the perinatal literature on sex differences. <i>Human Reproduction</i> , 2016 , 31, 463-72	5.7	15
118	Comment on "Effects of Arsenite during Fetal Development on Energy Metabolism and Susceptibility to Diet-Induced Fatty Liver Diseases in Male Mice" and "Mechanisms Underlying Latent Disease Risk Associated with Early-Life Arsenic Exposure: Current Trends and Scientific Gaps". <i>Environmental Health Perspectives</i> , 2016 , 124, A99	8.4	2
117	A statement on the developmental immunotoxicity of bisphenol A (BPA): answer to the question from the Dutch Ministry of Health, Welfare and Sport. <i>EFSA Journal</i> , 2016 , 14, e04580	2.3	61
116	Safety assessment of the substance zinc oxide, nanoparticles, for use in food contact materials. <i>EFSA Journal</i> , 2016 , 14, 4408	2.3	24
115	Safety assessment of the substance Tocopherol acetate for use in food contact materials. <i>EFSA Journal</i> , 2016 , 14, 4412	2.3	5

114	The human placental proteome is affected by maternal smoking. <i>Reproductive Toxicology</i> , 2016 , 63, 22-31	3.4	27
113	Female Reproductive Disorders, Diseases, and Costs of Exposure to Endocrine Disrupting Chemicals in the European Union. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 1562-70	5.6	50
112	The conceptus induces a switch in protein expression and activities of superoxide dismutase 1 and 2 in the sheep endometrium during early pregnancy. <i>Small Ruminant Research</i> , 2016 , 141, 77-83	1.7	2
111	The conceptus regulates tryptophanyl-tRNA synthetase and superoxide dismutase 2 in the sheep caruncular endometrium during early pregnancy. <i>International Journal of Biochemistry and Cell Biology</i> , 2015 , 60, 112-8	5.6	3
110	Aspects of UGT2B15 in the human. <i>Toxicological Sciences</i> , 2015 , 143, 230	4.4	
109	In utero exposure to cigarette chemicals induces sex-specific disruption of one-carbon metabolism and DNA methylation in the human fetal liver. <i>BMC Medicine</i> , 2015 , 13, 18	11.4	48
108	Maternal Smoking Dysregulates Protein Expression in Second Trimester Human Fetal Livers in a Sex-Specific Manner. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, E861-70	5.6	22
107	The EFSA assessment of the risks to public health associated with bisphenol A (BPA) exposure. <i>Toxicology Letters</i> , 2015 , 238, S76	4.4	2
106	Scientific Opinion on thrombin from cattle (bovines) and pig's blood. <i>EFSA Journal</i> , 2015 , 13, 4018	2.3	2
105	Scientific Opinion on the safety evaluation of the substance zinc oxide, nanoparticles, uncoated and coated with [3-(methacryloxy)propyl] trimethoxysilane, for use in food contact materials. <i>EFSA Journal</i> , 2015 , 13, 4063	2.3	17
104	Scientific Opinion on the risks to public health related to the presence of bisphenol A (BPA) in foodstuffs. <i>EFSA Journal</i> , 2015 , 13, 3978	2.3	461
103	Use of ovary culture techniques in reproductive toxicology. <i>Reproductive Toxicology</i> , 2014 , 49, 117-35	3.4	30
102	Activation of the aryl hydrocarbon receptor by a component of cigarette smoke reduces germ cell proliferation in the human fetal ovary. <i>Molecular Human Reproduction</i> , 2014 , 20, 42-8	4.4	30
101	In utero exposure to cigarette smoke dysregulates human fetal ovarian developmental signalling. <i>Human Reproduction</i> , 2014 , 29, 1471-89	5.7	58
100	Development of the human fetal testis. <i>Annales D'endocrinologie</i> , 2014 , 75, 48-53	1.7	13
99	Identification of Leydig cell-specific mRNA transcripts in the adult rat testis. <i>Reproduction</i> , 2014 , 147, 671-82	3.8	19
98	Scientific Opinion on the safety assessment of the substance, 2,4,8,10-tetraoxaspiroundecane-3,9-diethanol, 2,2,4,4-tetramethyl-, CAS No 1455-42-1, for use in food contact materials. <i>EFSA Journal</i> , 2014 , 12, 3863	2.3	8
97	Reproduction Symposium: does grazing on biosolids-treated pasture pose a pathophysiological risk associated with increased exposure to endocrine disrupting compounds?. <i>Journal of Animal Science</i> , 2014 , 92, 3185-98	0.7	12

96	Scientific Opinion on Flavouring Group Evaluation 12, Revision 5 (FGE.12Rev5): Primary saturated or unsaturated alicyclic alcohol, aldehyde, acid, and esters from chemical groups 1, 7 and 8). <i>EFSA Journal</i> , 2014 , 12, 3911	2.3	4
95	Exposure to the three structurally different PCB congeners (PCB 118, 153, and 126) results in decreased protein expression and altered steroidogenesis in the human adrenocortical carcinoma cell line H295R. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2014 , 77, 516-34	3.2	16
94	In utero exposure to environmentally relevant concentrations of PCB 153 and PCB 118 disrupts fetal testis development in sheep. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2014 , 77, 628-49	3.2	10
93	Proteomic analysis of the sheep caruncular and intercaruncular endometrium reveals changes in functional proteins crucial for the establishment of pregnancy. <i>Reproduction</i> , 2014 , 147, 599-614	3.8	15
92	Steroidogenic enzyme expression in the human fetal liver and potential role in the endocrinology of pregnancy. <i>Molecular Human Reproduction</i> , 2013 , 19, 177-87	4.4	41
91	Exposure to chemical cocktails before or after conception--- the effect of timing on ovarian development. <i>Molecular and Cellular Endocrinology</i> , 2013 , 376, 156-72	4.4	25
90	Peri-conceptual changes in maternal exposure to sewage sludge chemicals disturbs fetal thyroid gland development in sheep. <i>Molecular and Cellular Endocrinology</i> , 2013 , 367, 98-108	4.4	14
89	The goldilocks principle and developmental androgens in males, what is "just right"?. <i>Endocrinology</i> , 2013 , 154, 1669-71	4.8	2
88	The effects of population density on the breeding performance of mountain hare <i>Lepus timidus</i> . <i>Wildlife Biology</i> , 2013 , 19, 473-482	1.7	3
87	Does <i>Candida Albicans</i> Play a Role in the Etiology of Endometriosis?. <i>Journal of Endometriosis and Pelvic Pain Disorders</i> , 2013 , 5, 2-9	0.6	0
86	Foetal and post-natal exposure of sheep to sewage sludge chemicals disrupts sperm production in adulthood in a subset of animals. <i>Journal of Developmental and Physical Disabilities</i> , 2012 , 35, 317-29		33
85	Impact of endocrine-disrupting compounds (EDCs) on female reproductive health. <i>Molecular and Cellular Endocrinology</i> , 2012 , 355, 231-9	4.4	166
84	Effects of exposure to environmental chemicals during pregnancy on the development of the male and female reproductive axes. <i>Reproduction in Domestic Animals</i> , 2012 , 47 Suppl 4, 15-22	1.6	11
83	Impact of sublethal levels of environmental pollutants found in sewage sludge on a novel <i>Caenorhabditis elegans</i> model biosensor. <i>PLoS ONE</i> , 2012 , 7, e46503	3.7	19
82	Interaction between hedgehog signalling and PAX6 dosage mediates maintenance and regeneration of the corneal epithelium. <i>Molecular Vision</i> , 2012 , 18, 139-50	2.3	16
81	In Utero Exposure to Environmental Chemicals: Lessons from Maternal Cigarette Smoking and Its Effects on Gonad Development and Puberty 2012 , 11-48		
80	Ovine corpus luteum proteins, with functions including oxidative stress and lipid metabolism, show complex alterations during implantation. <i>Journal of Endocrinology</i> , 2011 , 210, 47-58	4.7	18
79	Endocrinology of the mammalian fetal testis. <i>Reproduction</i> , 2011 , 141, 37-46	3.8	71

78	Maternal smoking and fetal sex significantly affect metabolic enzyme expression in the human fetal liver. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, 2851-60	5.6	49
77	Development of steroid signaling pathways during primordial follicle formation in the human fetal ovary. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, 1754-62	5.6	74
76	Maternal cigarette smoking and effects on androgen action in male offspring: unexpected effects on second-trimester anogenital distance. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, E1502-6	5.6	40
75	Identification of stable endogenous reference genes for real-time PCR in the human fetal gonad using an external standard technique. <i>Molecular Human Reproduction</i> , 2011 , 17, 620-5	4.4	13
74	Estrogen-independent actions of environmentally relevant AhR-agonists in human endometrial epithelial cells. <i>Molecular Human Reproduction</i> , 2011 , 17, 115-26	4.4	16
73	Foetal hypothalamic and pituitary expression of gonadotrophin-releasing hormone and galanin systems is disturbed by exposure to sewage sludge chemicals via maternal ingestion. <i>Journal of Neuroendocrinology</i> , 2010 , 22, 527-33	3.8	38
72	Effects of environmental pollutants on the reproduction and welfare of ruminants. <i>Animal</i> , 2010 , 4, 1227-1239	4.2	
71	Developmental changes in antioxidant enzymatic defences against oxidative stress in sheep placentomes. <i>Journal of Endocrinology</i> , 2010 , 205, 107-16	4.7	32
70	The roles of cellular reactive oxygen species, oxidative stress and antioxidants in pregnancy outcomes. <i>International Journal of Biochemistry and Cell Biology</i> , 2010 , 42, 1634-50	5.6	439
69	Maternal and fetal tissue accumulation of selected endocrine disrupting compounds (EDCs) following exposure to sewage sludge-treated pastures before or after conception. <i>Journal of Environmental Monitoring</i> , 2010 , 12, 1582-93		30
68	Maternal smoking and developmental changes in luteinizing hormone (LH) and the LH receptor in the fetal testis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 4688-95	5.6	37
67	Gene expression analysis of human fetal ovarian primordial follicle formation. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 1427-35	5.6	44
66	Exposure to a complex cocktail of environmental endocrine-disrupting compounds disturbs the kisspeptin/GPR54 system in ovine hypothalamus and pituitary gland. <i>Environmental Health Perspectives</i> , 2009 , 117, 1556-62	8.4	100
65	PAH exposure. <i>Environmental Health Perspectives</i> , 2009 , 117, A140; author reply A140-1	8.4	1
64	Primordial follicular assembly in humans--revisited. <i>Zygote</i> , 2008 , 16, 285-96	1.6	52
63	In utero exposure to low doses of environmental pollutants disrupts fetal ovarian development in sheep. <i>Molecular Human Reproduction</i> , 2008 , 14, 269-80	4.4	90
62	Maternal smoking during pregnancy specifically reduces human fetal desert hedgehog gene expression during testis development. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 619-26	5.6	54
61	An investigation of the effects of endometriosis on the proteome of human eutopic endometrium: a heterogeneous tissue with a complex disease. <i>Proteomics</i> , 2007 , 7, 130-42	4.8	86

60	Human fetal testis Leydig cell disruption by exposure to the pesticide dieldrin at low concentrations. <i>Human Reproduction</i> , 2007 , 22, 2919-27	5.7	39
59	Developmental changes in human fetal testicular cell numbers and messenger ribonucleic acid levels during the second trimester. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 4792-801	5.6	92
58	Assessment of ovarian reserve--should we perform tests of ovarian reserve routinely?. <i>Human Reproduction</i> , 2006 , 21, 2729-35	5.7	74
57	Developmental indices of nutritionally induced placental growth restriction in the adolescent sheep. <i>Pediatric Research</i> , 2005 , 57, 599-604	3.2	26
56	Selection of gonadotrophin surge attenuating factor phage antibodies by bioassay. <i>Reproductive Biology and Endocrinology</i> , 2005 , 3, 49	5	2
55	Regulation of functional steroid receptors and ligand-induced responses in telomerase-immortalized human endometrial epithelial cells. <i>Journal of Molecular Endocrinology</i> , 2005 , 34, 517-34	4.5	43
54	The cultured rodent follicle as a model for investigations of gonadotrophin surge-attenuating factor (GnSAF) production. <i>Reproduction</i> , 2004 , 127, 679-88	3.8	11
53	Molecular and genetic regulation of testis descent and external genitalia development. <i>Developmental Biology</i> , 2004 , 270, 1-18	3.1	156
52	Demonstration of a non-steroidal, non-inhibin factor in the ovine corpus luteum of pregnancy that reduces pituitary responsiveness to GnRH-induced LH secretion in vitro. <i>Reproduction</i> , 2003 , 126, 35-42	3.8	2
51	Ovarian gonadotrophin surge-attenuating factor (GnSAF): where are we after 20 years of research?. <i>Reproduction</i> , 2003 , 126, 689-99	3.8	30
50	Effects of pregnancy on pulsatile secretion of LH and gonadotrophin-releasing hormone-induced LH release in sheep: a longitudinal study. <i>Reproduction</i> , 2003 , 125, 347-355	3.8	6
49	The ovarian gonadotropin receptors in health and disease. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2002 , 3, 55-63	10.5	6
48	Lack of association of the common immunologically anomalous LH with endometriosis. <i>Human Reproduction</i> , 2002 , 17, 1532-4	5.7	5
47	Women with poor response to IVF have lowered circulating gonadotrophin surge-attenuating factor (GnSAF) bioactivity during spontaneous and stimulated cycles. <i>Human Reproduction</i> , 2002 , 17, 634-40	5.7	37
46	A 60-66 kDa protein with gonadotrophin surge attenuating factor bioactivity is produced by human ovarian granulosa cells. <i>Molecular Human Reproduction</i> , 2002 , 8, 823-32	4.4	17
45	Environmental chemical effects on testicular function. <i>Reproductive Medicine Review</i> , 2002 , 10, 77-100		
44	Transient masculinization in the fossa, <i>Cryptoprocta ferox</i> (Carnivora, Viverridae). <i>Biology of Reproduction</i> , 2002 , 66, 610-5	3.9	27
43	Effect of maternal undernutrition on fetal testicular steroidogenesis during the CNS androgen-responsive period in male sheep fetuses. <i>Reproduction</i> , 2002 , 124, 33-39	3.8	38

42	Effect of interleukin-8 (IL-8), anti-IL-8, and IL-12 on endometrial cell survival in combined endometrial gland and stromal cell cultures derived from women with and without endometriosis. <i>Fertility and Sterility</i> , 2002 , 77, 62-7	4.8	33
41	High omega-3:omega-6 fatty acid ratios in culture medium reduce endometrial-cell survival in combined endometrial gland and stromal cell cultures from women with and without endometriosis. <i>Fertility and Sterility</i> , 2001 , 76, 717-22	4.8	34
40	Relationship between follicle size and gonadotrophin surge attenuating factor (GnSAF) bioactivity during spontaneous cycles in women. <i>Human Reproduction</i> , 2001 , 16, 1353-8	5.7	17
39	Human fetal testis: second trimester proliferative and steroidogenic capacities. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000 , 85, 4812-7	5.6	33
38	Human Fetal Testis: Second Trimester Proliferative and Steroidogenic Capacities. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000 , 85, 4812-4817	5.6	31
37	O-030. Conclusive evidence for the production of a 60 kDa form of gonadotrophin surge-attenuating factor by human ovarian granulosa cells. <i>Human Reproduction</i> , 1999 , 14, 17-17	5.7	7
36	O-158. Developing new techniques to assess endocrine-disrupting chemical effects on human fetal testis. <i>Human Reproduction</i> , 1999 , 14, 87-88	5.7	
35	A longitudinal study of maternal serum inhibin-A, inhibin-B, activin-A, activin-AB, pro-alphaC and follistatin during pregnancy. <i>Human Reproduction</i> , 1998 , 13, 3530-6	5.7	120
34	Follicle-stimulating hormone stimulates circulating gonadotropin surge-attenuating/inhibiting factor bioactivity in cows. <i>Biology of Reproduction</i> , 1997 , 57, 278-85	3.9	9
33	Circulating leptin in women: a longitudinal study in the menstrual cycle and during pregnancy. <i>Clinical Endocrinology</i> , 1997 , 47, 101-6	3.4	371
32	Effect of mifepristone (RU486) on the pituitary response to gonadotrophin releasing hormone in women. <i>Human Reproduction</i> , 1996 , 11, 2585-90	5.7	23
31	The nature and function of putative gonadotropin surge-attenuating/inhibiting factor (GnSAF/IF). <i>Endocrine Reviews</i> , 1996 , 17, 103-20	27.2	26
30	Identification of gonadotrophin surge-inhibiting factor (GnSIF)/attenuin in human follicular fluid. <i>Human Reproduction</i> , 1996 , 11, 490-6	5.7	10
29	Purification of GnSAF from human follicular fluid for production of a monoclonal antibody. <i>Biochemical Society Transactions</i> , 1996 , 24, 269S	5.1	
28	The effects of steroidal and non-steroidal ovarian hormones on pituitary responsiveness to gonadotrophin surge-attenuating factor. <i>Journal of Endocrinology</i> , 1996 , 150, 413-22	4.7	6
27	Role of progesterone and nonsteroidal ovarian factors in regulating gonadotropin-releasing hormone self-priming in vitro. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1996 , 81, 1454-1459	5.6	14
26	Changes in peripheral serum levels of total activin A during the human menstrual cycle and pregnancy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1996 , 81, 3328-3334	5.6	98
25	Gonadotropin surge-attenuating factor bioactivity in serum from superovulated women is not blocked by inhibin antibody. <i>Biology of Reproduction</i> , 1995 , 52, 88-95	3.9	19

24	Gonadotrophin surge-attenuating factor bioactivity is present in follicular fluid from naturally cycling women. <i>Human Reproduction</i> , 1995 , 10, 68-74	5.7	18
23	Measurement of serum concentrations of inhibin-A (alpha-beta A dimer) during human pregnancy. <i>Clinical Endocrinology</i> , 1995 , 42, 391-7	3.4	109
22	Serum concentrations of dimeric inhibin during the spontaneous human menstrual cycle and after treatment with exogenous gonadotrophin. <i>Human Reproduction</i> , 1994 , 9, 1634-42	5.7	118
21	Imaging techniques for the assessment of body composition. <i>Journal of Nutrition</i> , 1994 , 124, 1546S-1550S	4.1	26
20	Higher gonadotrophin surge-attenuating factor bioactivity is found in small follicles from superovulated women. <i>Journal of Endocrinology</i> , 1994 , 143, 33-44	4.7	18
19	Circulating gonadotrophin surge-attenuating factor from superovulated women suppresses in vitro gonadotrophin-releasing hormone self-priming. <i>Journal of Endocrinology</i> , 1994 , 143, 45-54	4.7	14
18	Effects of gonadotrophin surge-attenuating factor on the two pools of gonadotrophin-releasing hormone-induced luteinizing hormone secretion in vitro. <i>Human Reproduction</i> , 1993 , 8, 822-8	5.7	8
17	Gonadotrophin surge-attenuating factor attenuates in-vitro LH secretion induced by gonadotrophin-releasing hormone from cultured ovine pituitary cells only during the breeding season. <i>Journal of Endocrinology</i> , 1992 , 135, 221-7	4.7	18
16	Validation of the in vivo measurement of adipose tissue by magnetic resonance imaging of lean and obese pigs. <i>American Journal of Clinical Nutrition</i> , 1992 , 56, 7-13	7	75
15	Lack of effect of flunarizine on the pharmacokinetics and pharmacodynamics of sumatriptan in healthy volunteers. <i>British Journal of Clinical Pharmacology</i> , 1992 , 34, 82-4	3.8	17
14	Body fat in lean and overweight women estimated by six methods. <i>British Journal of Nutrition</i> , 1991 , 65, 95-103	3.6	71
13	In-vivo magnetic resonance imaging studies of mammary gland development in non-pregnant goats treated with exogenous steroids. <i>Journal of Dairy Research</i> , 1991 , 58, 151-7	1.6	13
12	Omitting the dry period between lactations does not reduce subsequent milk production in goats. <i>Journal of Dairy Research</i> , 1991 , 58, 13-9	1.6	18
11	Ovarian response to gonadotrophins: effects of growth hormone. <i>Clinical Endocrinology</i> , 1991 , 35, 117-8	3.4	8
10	Total and subcutaneous adipose tissue in women: the measurement of distribution and accurate prediction of quantity by using magnetic resonance imaging. <i>American Journal of Clinical Nutrition</i> , 1991 , 54, 18-25	7	92
9	Body composition: the precision and accuracy of new methods and their suitability for longitudinal studies. <i>Proceedings of the Nutrition Society</i> , 1990 , 49, 423-36	2.9	11
8	Cyclic changes in composition and volume of the breast during the menstrual cycle, measured by magnetic resonance imaging. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1990 , 97, 595-602	3.7	108
7	Effect of melatonin administration and long day-length on endocrine cycles in the hedgehog <i>Erinaceus europaeus</i> . <i>Journal of Pineal Research</i> , 1990 , 8, 193-204	10.4	3

6	Effect of melatonin administration and long day-length on endocrine cycles in the hedgehog <i>Erinaceus europaeus</i> . <i>Journal of Pineal Research</i> , 1990 , 8, 67-78	10.4	4
5	Daily and seasonal cycles of body temperature and aspects of heterothermy in the hedgehog <i>Erinaceus europaeus</i> . <i>Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology</i> , 1990 , 160, 299-307	2.2	30
4	Galactopoeitic and mammogenic effects of long-term treatment with bovine growth hormone and thrice daily milking in goats. <i>Journal of Endocrinology</i> , 1990 , 127, 129-38	4.7	63
3	The prevalence of helminth parasites from the hedgehog <i>Erinaceus europaeus</i> in Great Britain. <i>Journal of Zoology</i> , 1988 , 215, 379-382	2	14
2	Overwintering strategies of the badger, <i>Meles meles</i> , at 57 °N. <i>Journal of Zoology</i> , 1988 , 214, 635-651	2	51
1	Non-invasive methods for assessment of body composition. <i>Proceedings of the Nutrition Society</i> , 1988 , 47, 375-85	2.9	12