

# Dong-Hwan Jung

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/470893/publications.pdf>

Version: 2024-02-01

240  
papers

2,500  
citations

236612

25  
h-index

276539

41  
g-index

241  
all docs

241  
docs citations

241  
times ranked

2860  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Recent Improvement in Survival Outcomes and Reappraisal of Prognostic Factors in Pediatric Living Donor Liver Transplantation. <i>Liver Transplantation</i> , 2022, 28, 1011-1023.  | 1.3 | 10        |
| 2  | Prognostic impact of serum soluble PD-1 and ADV score for living donor liver transplantation in patients with previously untreated hepatocellular carcinoma. <i>Annals of Surgical Treatment and Research</i> , 2022, 102, 46.  | 0.4 | 3         |
| 3  | Clinicopathological Features and Long-Term Outcomes of Intraductal Papillary Neoplasms of the Bile Duct of the Liver: Single-Institution Experience with 146 Patients. <i>Journal of Gastrointestinal Surgery</i> , 2022, 26, 1394-1405.  | 0.9 | 12        |
| 4  | Inferior vena cava stenting for middle hepatic vein deprivation-induced graft outflow vein obstruction in a patient who underwent living donor liver transplantation: A case report with 22-year follow-up. <i>Annals of Liver Transplantation</i> , 2022, , .                            | 0.4 | 0         |
| 5  | Identification of key genes and carcinogenic pathways in hepatitis B virus-associated hepatocellular carcinoma through bioinformatics analysis. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2022, 26, 58-68.   | 0.1 | 5         |
| 6  | Twenty-year longitudinal follow-up after liver transplantation: a single-center experience with 251 consecutive patients. <i>Korean Journal of Transplantation</i> , 2022, 36, 45-53.   | 0.0 | 3         |
| 7  | Operative and long-term oncologic outcomes of laparoscopic versus open major liver resection in patients with a high body mass index (>25Åkg/m <sup>2</sup> ): a propensity score matching analysis. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2022, 36, 5772-5783. | 1.3 | 2         |
| 8  | Assessment of pathogens and risk factors associated with bloodstream infection in the year after pediatric liver transplantation. <i>World Journal of Gastroenterology</i> , 2022, 28, 1159-1171.   | 1.4 | 1         |
| 9  | Preemptive pyloroplasty for iatrogenic vagus nerve injury in intrahepatic cholangiocarcinoma patients undergoing extensive left-sided lymph node dissection: a retrospective observational study. <i>Yeungnam University Journal of Medicine</i> , 2022, 39, 235-243.                     | 0.7 | 1         |
| 10 | Is it acceptable to perform duct to duct anastomosis during living donor liver transplantation in patients with hepatocellular carcinoma treated with radiotherapy before?. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2022, 26, S199-S199.                                     | 0.1 | 0         |
| 11 | Weight reduction in LDLT as a tool in expanding the donor pool. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2022, 26, S19-S19.   | 0.1 | 0         |
| 12 | Efficacy and safety of adhesion barrier in living-donor liver transplantation using right lobe graft for preventing post-operative delayed gastric emptying: A propensity score matching analysis. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2022, 26, S214-S214.              | 0.1 | 0         |
| 13 | Twenty-year longitudinal follow-up after liver transplantation: A single-center experience with 251 consecutive patients. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2022, 26, S324-S324.   | 0.1 | 0         |
| 14 | Clinicopathological features and long-term outcomes of intraductal papillary neoplasms of the bile duct of the liver: Single-institution experience with 146 patients. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2022, 26, S91-S91.  | 0.1 | 0         |
| 15 | Prognostic impact of serum soluble PD-1 and ADV score for living donor liver transplantation in patients with previously untreated hepatocellular carcinoma. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2022, 26, S298-S298.  | 0.1 | 0         |
| 16 | Use of an mini- subcostal incision for living donor right hepatectomy: A series of 189 consecutive cases. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2022, 26, S332-S332.   | 0.1 | 0         |
| 17 | Preemptive pyloroplasty for iatrogenic vagus nerve injury in intrahepatic cholangiocarcinoma patients undergoing extensive left-sided lymph node dissection. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2022, 26, S296-S296.  | 0.1 | 0         |
| 18 | Long-term patency of all-in-one sleeve outflow vein venoplasty in living donor liver transplantation using a right liver graft. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2022, 26, S325-S325.   | 0.1 | 0         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Diagnostic and prognostic impact of fluorodeoxyglucose-positron emission tomography in diagnosing intraductal papillary neoplasms of the bile duct of the liver. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2022, 26, S297-S297.                   | 0.1 | 0         |
| 20 | Clinical applicability of autologous great saphenous vein for living donor liver transplantation. <i>Annals of Liver Transplantation</i> , 2022, , .   | 0.4 | 0         |
| 21 | Usability of cryopreserved homologous great saphenous vein for hepatobiliary-pancreatic surgery and living donor liver transplantation. <i>Annals of Liver Transplantation</i> , 2022, , .   | 0.4 | 0         |
| 22 | Comparison of skeletal muscle index and body surface area-based formulae for estimation of standard liver volume. <i>Annals of Liver Transplantation</i> , 2022, , .   | 0.4 | 0         |
| 23 | Pure laparoscopic versus open left lateral sectionectomy for hepatocellular carcinoma: A propensity score matching analysis. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2022, 26, 133-137.   | 0.1 | 0         |
| 24 | Diagnostic and prognostic impact of fluorodeoxyglucose-positron emission tomography in diagnosing intraductal papillary neoplasms of the bile duct of the liver. <i>Annals of Surgical Treatment and Research</i> , 2022, 102, 335.                          | 0.4 | 5         |
| 25 | Salvage living donor liver transplantation for hepatocellular carcinoma recurrence after hepatectomy: Quantitative prediction using ADV score. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2021, 28, 1000-1013.                                   | 1.4 | 12        |
| 26 | Prognostic Accuracy of the ADV Score Following Resection of Hepatocellular Carcinoma with Portal Vein Tumor Thrombosis. <i>Journal of Gastrointestinal Surgery</i> , 2021, 25, 1745-1759.  | 0.9 | 7         |
| 27 | Surgical Outcomes of Spontaneously Ruptured Hepatocellular Carcinoma. <i>Journal of Gastrointestinal Surgery</i> , 2021, 25, 941-953.  | 0.9 | 20        |
| 28 | Over 500 Liver Transplants Including More Than 400 Living-Donor Liver Transplants in 2019 at Asan Medical Center. <i>Transplantation Proceedings</i> , 2021, 53, 83-91.  | 0.3 | 16        |
| 29 | Life-Threatening Portal Flow Steal Reappearing Under Increased Intrahepatic Vascular Resistance After Living Donor Liver Transplantation. <i>Transplantation Proceedings</i> , 2021, 53, 166-170.  | 0.3 | 1         |
| 30 | Preoperative prediction score of hepatocellular carcinoma recurrence in living donor liver transplantation: Validation of SNAPP score developed at Asan Medical Center. <i>American Journal of Transplantation</i> , 2021, 21, 604-613.                      | 2.6 | 5         |
| 31 | Salvage living donor liver transplantation for post-resection recurrence of combined hepatocellular carcinoma-cholangiocarcinoma. <i>Korean Journal of Transplantation</i> , 2021, , .   | 0.0 | 1         |
| 32 | Association of Microbial Dysbiosis with Gallbladder Diseases Identified by Bile Microbiome Profiling. <i>Journal of Korean Medical Science</i> , 2021, 36, e189.   | 1.1 | 13        |
| 33 | Single-Center Experience of Living Donor Liver Transplantation for Patients With Secondary Biliary Cirrhosis. <i>Transplantation Proceedings</i> , 2021, 53, 98-103.   | 0.3 | 0         |
| 34 | Post-resection prognosis of patients with hepatic epithelioid hemangioendothelioma. <i>Annals of Surgical Treatment and Research</i> , 2021, 100, 137.   | 0.4 | 3         |
| 35 | Postresection prognosis of combined hepatocellular carcinoma-cholangiocarcinoma according to the 2010 World Health Organization classification: single-center experience of 168 patients. <i>Annals of Surgical Treatment and Research</i> , 2021, 100, 260. | 0.4 | 6         |
| 36 | Clinicopathological features and post-resection outcomes of inflammatory pseudotumor of the liver. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2021, 25, 34-38.   | 0.1 | 2         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Quantitative Prognostic Prediction Using ADV Score for Hepatocellular Carcinoma Following Living Donor Liver Transplantation. <i>Journal of Gastrointestinal Surgery</i> , 2021, 25, 2503-2515.  | 0.9 | 13        |
| 38 | Patency of Hemashield grafts versus ringed Gore-Tex grafts in middle hepatic vein reconstruction for living donor liver transplantation. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2021, 25, 46-53.   | 0.1 | 1         |
| 39 | Clinicopathological features and post-resection outcomes of hepatocellular adenoma. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2021, 25, 25-33.  | 0.1 | 2         |
| 40 | Pediatric liver transplantation using a hepatitis B surface antigen-positive donor liver graft for congenital absence of the portal vein. <i>Korean Journal of Transplantation</i> , 2021, 35, 59-65.  | 0.0 | 10        |
| 41 | Post-resection prognosis of combined hepatocellular carcinoma-cholangiocarcinoma cannot be predicted by the 2019 World Health Organization classification. <i>Asian Journal of Surgery</i> , 2021, 44, 1389-1395.                                      | 0.2 | 3         |
| 42 | Safe use of right lobe living donor livers with moderate steatosis in adult-to-adult living donor liver transplantation: a retrospective study. <i>Transplant International</i> , 2021, 34, 872-881.   | 0.8 | 9         |
| 43 | Pediatric split liver transplantation for congenital factor X deficiency: first 10-year follow-up of a case with portal vein stenting. <i>Korean Journal of Transplantation</i> , 2021, 35, 66-70.   | 0.0 | 1         |
| 44 | Prognosis of hepatic epithelioid hemangioendothelioma after living donor liver transplantation. <i>Korean Journal of Transplantation</i> , 2021, 35, 15-23.  | 0.0 | 4         |
| 45 | Institutional standard framework and experience of living donor liver transplantation for overseas non-Korean patients at Asan Medical Center. <i>Korean Journal of Transplantation</i> , 2021, , .  | 0.0 | 0         |
| 46 | Outcomes of deceased donor liver transplantation from elderly donors. <i>Korean Journal of Transplantation</i> , 2021, , .   | 0.0 | 1         |
| 47 | Absence of association between pretransplant serum soluble programmed death protein-1 level and prognosis following living donor liver transplantation in patients with hepatocellular carcinoma. <i>Medicine (United States)</i> , 2021, 100, e25640. | 0.4 | 3         |
| 48 | Selection criteria of living donor liver transplantation for hepatocellular carcinoma developed in Korean transplant centers. <i>Annals of Liver Transplantation</i> , 2021, 1, 48-66.   | 0.4 | 0         |
| 49 | Prognostic impact of MELD scores greater than 40 in deceased donor liver transplant recipients. <i>Annals of Liver Transplantation</i> , 2021, 1, 10-17.   | 0.4 | 0         |
| 50 | Recipient liver splitting to facilitate piggyback hepatectomy in adult living donor liver transplantation. <i>Korean Journal of Transplantation</i> , 2021, , .  | 0.0 | 0         |
| 51 | Absence of influence of the Korean MELD score-based liver allocation system on pretransplant MELD score in patients undergoing living donor liver transplantation. <i>Annals of Liver Transplantation</i> , 2021, 1, 10-17.                            | 0.4 | 1         |
| 52 | Selection criteria of living donor liver transplantation for hepatocellular carcinoma developed in Korean transplant centers. <i>Annals of Liver Transplantation</i> , 2021, 1, 29-47.   | 0.4 | 5         |
| 53 | Absence of influence of the Korean MELD score-based liver allocation system on pretransplant MELD score in patients undergoing living donor liver transplantation. <i>Annals of Liver Transplantation</i> , 2021, 1, 2-9.                              | 0.4 | 0         |
| 54 | Comparison of skeletal muscle index-based formula and body surface area-based formula for calculating standard liver volume. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2021, 25, 192-197.   | 0.1 | 4         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Indication and surgical techniques of bypass choledochojejunostomy for intractable choledocholithiasis. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2021, 25, 259-264.   | 0.1 | 2         |
| 56 | Quilt unification venoplasty of the right hepatic veins enabling double inferior vena cava anastomosis in living donor liver transplantation using a right liver graft. <i>Annals of Liver Transplantation</i> , 2021, 1, 18-26.                  | 0.4 | 0         |
| 57 | Clinicopathological correlation and post-resection outcomes of hepatic angiomyolipoma. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2021, 25, 215-220.  | 0.1 | 2         |
| 58 | Prognostic impact of MELD scores greater than 40 in deceased donor liver transplant recipients. <i>Annals of Liver Transplantation</i> , 2021, 1, 2-9.  | 0.4 | 1         |
| 59 | Quilt unification venoplasty of the right hepatic veins enabling double inferior vena cava anastomosis in living donor liver transplantation using a right liver graft. <i>Annals of Liver Transplantation</i> , 2021, 1, 86-94.                  | 0.4 | 2         |
| 60 | Prediction of post-resection prognosis with ADV score for huge hepatocellular carcinoma ≥ 13 cm. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2021, 25, S211-S211.  | 0.1 | 0         |
| 61 | Renal Recovery After Liver Transplantation Alone in Patients With Liver Cirrhosis and Severe Chronic Kidney Disease With Normal Kidney Size. <i>Transplantation Proceedings</i> , 2021, 53, 1719-1725.  | 0.3 | 2         |
| 62 | Recipient hepatectomy under total hepatic vascular exclusion to prevent hepatocellular carcinoma spread in living donor liver transplantation. <i>Korean Journal of Transplantation</i> , 2021, , .   | 0.0 | 0         |
| 63 | Post-resection prognosis of patients with hepatic epithelioid hemangioendothelioma. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2021, 25, S209-S209.   | 0.1 | 0         |
| 64 | Outcomes of deceased donor liver transplantation from elderly donors. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2021, 25, S271-S271.   | 0.1 | 0         |
| 65 | Post-resection prognosis of combined hepatocellular carcinoma-cholangiocarcinoma according to the 2019 WHO classification. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2021, 25, S210-S210.  | 0.1 | 0         |
| 66 | Prognosis of hepatic epithelioid hemangioendothelioma after living donor liver transplantation. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2021, 25, S272-S272.   | 0.1 | 0         |
| 67 | Diaphragmatic hernia following living-donor right hepatectomy: Experience of a high-volume transplant center. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2021, 25, S284-S284.   | 0.1 | 1         |
| 68 | Pediatric deceased donor liver transplantation with in situ size reduction for recipient-graft size matching. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2021, 25, 431-435.   | 0.1 | 1         |
| 69 | Use of minor donors for living donor liver transplantation and associated ethical issues. <i>Korean Journal of Transplantation</i> , 2021, 35, 161-167.   | 0.0 | 2         |
| 70 | Clinical sequence of an adult recipient undergone split liver transplantation using a right liver graft with erroneous deprivation of the middle hepatic vein trunk: a case report. <i>Korean Journal of Transplantation</i> , 2021, 35, 189-194. | 0.0 | 0         |
| 71 | Hepatic artery reconstruction using interposition of autologous saphenous vein conduit for living donor liver transplantation: a case report. <i>Korean Journal of Transplantation</i> , 2021, 35, 183-188.                                       | 0.0 | 1         |
| 72 | Indications and outcomes of liver transplantation for post-Kasai biliary atresia in young adults. <i>Korean Journal of Transplantation</i> , 2021, 35, 177-182.   | 0.0 | 2         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Feasibility of modified endarterectomized aortic allograft for middle hepatic vein reconstruction in living donor liver transplantation: A retrospective cohort study. <i>International Journal of Surgery</i> , 2021, 94, 106124.  | 1.1 | 3         |
| 74 | Spatial Distribution and Prognostic Implications of Tumor-Infiltrating FoxP3- CD4+ T Cells in Biliary Tract Cancer. <i>Cancer Research and Treatment</i> , 2021, 53, 162-171.   | 1.3 | 11        |
| 75 | Fates of retained hepatic segment IV and its prognostic impact in adult split liver transplantation using an extended right liver graft. <i>Annals of Surgical Treatment and Research</i> , 2021, 101, 37.  | 0.4 | 2         |
| 76 | Comparison of skeletal muscle index-based formula and body surface area-based formula for calculating standard liver volume. <i>Korean Journal of Transplantation</i> , 2021, 35, S156-S156.  | 0.0 | 0         |
| 77 | Indication and outcome of adult liver transplantation for post-Kasai biliary atresia. <i>Korean Journal of Transplantation</i> , 2021, 35, S148-S148.   | 0.0 | 0         |
| 78 | Prognosis of hepatic epithelioid hemangioendothelioma after living donor liver transplantation. <i>Korean Journal of Transplantation</i> , 2021, 35, S151-S151.   | 0.0 | 0         |
| 79 | Application of a tissue expander to stabilize graft position in liver transplantation. <i>Annals of Liver Transplantation</i> , 2021, 1, 146-152.   | 0.4 | 0         |
| 80 | Prognostic impact of model for end-stage liver disease scores greater than 40 in deceased donor liver transplant recipients. <i>Korean Journal of Transplantation</i> , 2021, 35, S153-S153.  | 0.0 | 0         |
| 81 | Twenty-year longitudinal follow-up after liver transplantation: a single-center experience of 251 consecutive cases. <i>Korean Journal of Transplantation</i> , 2021, 35, S160-S160.  | 0.0 | 0         |
| 82 | Minimal-incision donor right hepatectomy for living donor liver transplantation. <i>Annals of Liver Transplantation</i> , 2021, 1, 140-145.   | 0.4 | 0         |
| 83 | Absence of influence of the Korean MELD score-based liver allocation system on pretransplant MELD score in patients undergoing living donor liver transplantation. <i>Korean Journal of Transplantation</i> , 2021, 35, S152-S152.  | 0.0 | 0         |
| 84 | Use of minor donors for living donor liver transplantation and associated ethical issues. <i>Korean Journal of Transplantation</i> , 2021, 35, S30-S30.   | 0.0 | 0         |
| 85 | Technical refinement of inferior vena cava replacement using a synthetic vascular graft in living donor liver transplantation. <i>Annals of Liver Transplantation</i> , 2021, , .   | 0.4 | 1         |
| 86 | Efficacy and Safety Evaluation After Conversion From Twice-Daily to Once-Daily Tacrolimus in Stable Liver Transplant Recipients: A Phase 4, Open-Label, Single-Center Study. <i>Transplantation Proceedings</i> , 2021, 53, 3000-3006.  | 0.3 | 1         |
| 87 | Portal vein wedge resection and patch venoplasty using autologous and homologous vein grafts during surgery for hepatobiliary malignancies. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2021, 25, 509-516.   | 0.1 | 0         |
| 88 | Magnetic compression anastomosis for treatment of post-transplant biliary stricture: A case report with dual-graft living donor liver transplantation. <i>Annals of Liver Transplantation</i> , 2021, 1, 174-179.   | 0.4 | 0         |
| 89 | Patch venoplasty for resecting tumor invading the retrohepatic inferior vena cava using total and selective hepatic vascular exclusion. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2021, 25, 536-543.   | 0.1 | 2         |
| 90 | Corrigendum to: Deceased donor liver transplantation under the Korean model for end-stage liver disease score-based liver allocation system: 2-year allocation results at a high-volume transplantation center. <i>Korean Journal of Transplantation</i> , 2021, 35, 281-281. | 0.0 | 0         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Long-term perioperative outcomes of pure laparoscopic liver resection versus open liver resection for hepatocellular carcinoma: a retrospective study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2020, 34, 796-805.                  | 1.3 | 20        |
| 92  | Treatment and outcomes of extrahepatic malignancy incidentally diagnosed during pretransplant evaluation for living donor liver transplantation. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2020, 27, 200-210.                                 | 1.4 | 2         |
| 93  | Living donor liver transplantation in small-for-size setting. <i>International Journal of Surgery</i> , 2020, 82, 134-137.   | 1.1 | 14        |
| 94  | Biliary reconstruction and complications in living donor liver transplantation. <i>International Journal of Surgery</i> , 2020, 82, 138-144.   | 1.1 | 34        |
| 95  | Living-donor liver transplantation: Right versus left. <i>International Journal of Surgery</i> , 2020, 82, 128-133.  | 1.1 | 13        |
| 96  | Technical refinement of prosthetic vascular graft anastomosis to recipient inferior vena cava for secure middle hepatic vein reconstruction in living donor liver transplantation. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2020, 24, 144-149. | 0.1 | 4         |
| 97  | Long-term outcomes of liver resection for multiple hepatocellular carcinomas: Single-institution experience with 187 patients. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2020, 24, 437-444.   | 0.1 | 3         |
| 98  | Portal vein reconstruction using side-to-side unification technique for infant-to-infant deceased donor whole liver transplantation. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2020, 24, 445-453.   | 0.1 | 6         |
| 99  | Pediatric liver transplantation with hyperreduced left lateral segment graft. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2020, 24, 503-512.  | 0.1 | 10        |
| 100 | Prognosis of Split Liver Transplantation Compared with Whole Liver Transplantation in Adult Patients: Single-center Results Under the Korean MELD Score-based Allocation Policy. <i>Journal of Korean Medical Science</i> , 2020, 35, e304.                | 1.1 | 10        |
| 101 | Hepatitis B Prophylaxis after Liver Transplantation in Korea: Analysis of the KOTRY Database. <i>Journal of Korean Medical Science</i> , 2020, 35, e36.  | 1.1 | 6         |
| 102 | Pretransplant Hepatic Malignancy Increases Risk of De Novo Malignancy after Liver Transplantation. <i>Journal of Korean Medical Science</i> , 2020, 35, e69.   | 1.1 | 5         |
| 103 | Is renal replacement therapy necessary in deceased donor liver transplantation candidates with hepatorenal syndrome?: a 2-year experience at a high-volume center. <i>Annals of Surgical Treatment and Research</i> , 2020, 98, 102.                       | 0.4 | 10        |
| 104 | Pediatric split liver transplantation in a patient with biliary atresia polysplenia syndrome and agenesis of inferior vena cava. <i>Korean Journal of Transplantation</i> , 2020, 34, 286-292.   | 0.0 | 5         |
| 105 | Living donor liver transplantation for unresectable colorectal liver metastasis: Report of a case with 13-year follow-up without recurrence. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2020, 24, 188-191.                                       | 0.1 | 2         |
| 106 | Living donor liver transplantation for diffuse biliary papillomatosis with malignant change: A case report with 10-year follow-up. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2020, 24, 209-215.   | 0.1 | 2         |
| 107 | Reuse of liver allograft from a brain-dead recipient: A case report. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2020, 24, 192-197.   | 0.1 | 2         |
| 108 | Deceased donor liver transplantation in an adult recipient with situs inversus totalis: A case report of 10-year clinical sequences following primary and repeat transplantation. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2020, 24, 319-325.  | 0.1 | 2         |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Application of suction-type cigarette drain in leak-prone hepatopancreatobiliary surgery. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2020, 24, 305-308.  | 0.1 | 2         |
| 110 | Retroduodenal resection of the extrahepatic common bile duct with in situ re-implantation of the main pancreatic duct: A report of two cases. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2020, 24, 373-380.                              | 0.1 | 0         |
| 111 | Side-to-side portal vein reconstruction for infant-to-infant deceased donor whole liver transplantation: Report of 2 cases with video. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2020, 24, 301-304.                                     | 0.1 | 5         |
| 112 | Fates of retained hepatic segment IV and its prognostic impact in adult split liver transplantation using an extended right liver graft. <i>Korean Journal of Transplantation</i> , 2020, 34, S167-S167.   | 0.0 | 0         |
| 113 | Association between pretransplant serum soluble programmed death protein 1 level and prognosis following liver transplantation in patients with hepatocellular carcinoma. <i>Korean Journal of Transplantation</i> , 2020, 34, S165-S165.          | 0.0 | 0         |
| 114 | Whole liver deceased donor liver transplantation for pediatric recipients: single-center experience for 20 years. <i>Korean Journal of Transplantation</i> , 2020, 34, S145-S145.  | 0.0 | 0         |
| 115 | Reuse of liver allograft from a brain-dead recipient: a case report. <i>Korean Journal of Transplantation</i> , 2020, 34, S157-S157.   | 0.0 | 0         |
| 116 | Salvage living-donor liver transplantation and ADV score. <i>Korean Journal of Transplantation</i> , 2020, 34, S117-S117.  | 0.0 | 0         |
| 117 | Whole liver deceased donor liver transplantation for pediatric recipients: single-center experience for 20 years. <i>Korean Journal of Transplantation</i> , 2020, 34, 249-256.  | 0.0 | 2         |
| 118 | Patency of middle hepatic vein reconstruction using Hemashield grafts compared with ringed polytetrafluoroethylene grafts in living donor liver transplantation. <i>Korean Journal of Transplantation</i> , 2020, 34, S128-S128.                   | 0.0 | 1         |
| 119 | Pretransplant hepatic malignancy increases risk of de novo malignancy after liver transplantation. <i>Korean Journal of Transplantation</i> , 2020, 34, S155-S155.   | 0.0 | 0         |
| 120 | Prognosis of hepatic epithelioid hemangioendothelioma after living donor liver transplantation. <i>Korean Journal of Transplantation</i> , 2020, 34, S173-S173.  | 0.0 | 0         |
| 121 | Treatment and outcomes of extrahepatic malignancy incidentally diagnosed during pretransplant evaluation for living donor liver transplantation. <i>Korean Journal of Transplantation</i> , 2020, 34, S153-S153.                                   | 0.0 | 0         |
| 122 | Refined surgical techniques to improve the patency of cryopreserved iliac artery homografts for middle hepatic vein reconstruction during living donor liver transplantation. <i>Korean Journal of Transplantation</i> , 2020, 34, S162-S162.      | 0.0 | 0         |
| 123 | Outcomes of deceased donor liver transplantation from elderly donors. <i>Korean Journal of Transplantation</i> , 2020, 34, S152-S152.  | 0.0 | 0         |
| 124 | Korea-nationwide incidence of pediatric deceased donors and single-institutional status of liver transplantation using pediatric donor liver grafts. <i>Korean Journal of Transplantation</i> , 2020, 34, S149-S149.                               | 0.0 | 0         |
| 125 | Technical refinement of prosthetic vascular graft anastomosis to recipient inferior vena cava for secure middle hepatic vein reconstruction in living donor liver transplantation. <i>Korean Journal of Transplantation</i> , 2020, 34, S168-S168. | 0.0 | 0         |
| 126 | Pediatric liver transplantation with hyperreduced left lateral segment graft. <i>Korean Journal of Transplantation</i> , 2020, 34, S169-S169.  | 0.0 | 0         |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Prognosis of split liver transplantation compared with whole liver transplantation in adult patients: single-center results under the Korean MELD score-based allocation policy. Korean Journal of Transplantation, 2020, 34, S154-S154.                               | 0.0 | 0         |
| 128 | Prognostic impact of model for end-stage liver disease (MELD) scores greater than 40 in deceased donor liver transplant recipients. Korean Journal of Transplantation, 2020, 34, S156-S156.  | 0.0 | 0         |
| 129 | Standard framework and experience of living donor liver transplantation for overseas non-Korean patients at Asan Medical Center. Korean Journal of Transplantation, 2020, 34, S161-S161.   | 0.0 | 0         |
| 130 | Liver transplantation from a non-“heart-beating donor. Korean Journal of Transplantation, 2020, 34, 302-307.   | 0.0 | 0         |
| 131 | Refined surgical techniques to improve the patency of cryopreserved iliac artery homografts for middle hepatic vein reconstruction during living donor liver transplantation. Annals of Surgical Treatment and Research, 2020, 99, 294.                                | 0.4 | 2         |
| 132 | Biliary Complications After Single- and Dual-Graft Living-Donor Liver Transplantation Using a Right Posterior Section Graft of Donor with a Type III Portal Vein Variation. Transplantation Proceedings, 2020, 52, 1838-1843.  | 0.3 | 2         |
| 133 | Korea-nationwide incidence of pediatric deceased donors and single-institutional status of liver transplantation using pediatric donor liver grafts. Korean Journal of Transplantation, 2020, 34, 178-184.   | 0.0 | 2         |
| 134 | Simultaneous liver-kidney transplantation: A single-center experience in Korea. Annals of Hepato-biliary-pancreatic Surgery, 2020, 24, 454-459.  | 0.1 | 2         |
| 135 | Long-term patency and complications of ringed polytetrafluoroethylene grafts used for middle hepatic vein reconstruction in living-donor liver transplantation. Korean Journal of Transplantation, 2020, 34, 31-37.  | 0.0 | 3         |
| 136 | Changes in the indications for living donor liver transplantation: single-institution experience of 3,145 cases over 10 years. Korean Journal of Transplantation, 2020, 34, 47-54.   | 0.0 | 10        |
| 137 | Prolonged hepatic inflow occlusion to reduce bleeding during recipient hepatectomy in living donor liver transplantation. Korean Journal of Transplantation, 2020, 34, 55-61.  | 0.0 | 2         |
| 138 | Prolonged occlusion of the hepatoduodenal ligament to reduce risk of bleeding and tumor spread during recipient hepatectomy for living donor liver transplantation. Annals of Hepato-biliary-pancreatic Surgery, 2019, 23, 61.   | 0.1 | 3         |
| 139 | Assessment of patient safety and the efficiency of facility utilization following simplified ultra-rapid intravenous infusion of hepatitis B immunoglobulin in a high-volume liver transplantation center. Annals of Hepato-biliary-pancreatic Surgery, 2019, 23, 128. | 0.1 | 1         |
| 140 | Successful Living-Donor Liver Transplantation With Intraoperative Endovascular Recanalization via Transsplenic Access in a Recipient With Grade III Portal Vein Thrombosis: A Case Report. Transplantation Proceedings, 2019, 51, 3111-3115.                           | 0.3 | 1         |
| 141 | Surgical Techniques and Long-term Outcomes of Living-donor Liver Transplantation With Inferior Vena Cava Replacement Using Atriacaval Synthetic Interposition Graft for Budd-Chiari Syndrome. Annals of Surgery, 2019, 269, e43-e45.                                   | 2.1 | 24        |
| 142 | Wedge-patch venoplasty of the left liver graft portal vein for size matching in pediatric living donor liver transplantation. Annals of Hepato-biliary-pancreatic Surgery, 2019, 23, 183.  | 0.1 | 5         |
| 143 | Surgical indications for focal nodular hyperplasia of the liver: Single-center experience of 48 adult cases. Annals of Hepato-biliary-pancreatic Surgery, 2019, 23, 8.   | 0.1 | 9         |
| 144 | Cytotoxicity of Human Hepatic Intra-sinusoidal CD56bright Natural Killer Cells against Hepatocellular Carcinoma Cells. International Journal of Molecular Sciences, 2019, 20, 1564.  | 1.8 | 13        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | Splenic devascularization can replace splenectomy during adult living donor liver transplantation â€œ a historical cohort study. <i>Transplant International</i> , 2019, 32, 535-545.   | 0.8 | 21        |
| 146 | Cross-sectional analysis of immunosuppressive regimens focused on everolimus after liver transplantation in a Korean high-volume transplantation center. <i>Korean Journal of Transplantation</i> , 2019, 33, 98.   | 0.0 | 6         |
| 147 | Small Hepatocellular Carcinoma With Low Tumor Marker Expression Benefits More From Anatomical Resection Than Tumors With Aggressive Biology. <i>Annals of Surgery</i> , 2019, 269, 511-519.   | 2.1 | 34        |
| 148 | Overcoming Hepatic Artery Thrombosis After Living Donor Liver Transplantations: An Experience from Asan Medical Center. <i>Annals of Transplantation</i> , 2019, 24, 588-593.   | 0.5 | 25        |
| 149 | Hemashield Vascular Graft Is a Preferable Prosthetic Graft for Middle Hepatic Vein Reconstruction in Living Donor Liver Transplantation. <i>Annals of Transplantation</i> , 2019, 24, 639-646.  | 0.5 | 12        |
| 150 | Determination of Hepatitis B Immunoglobulin Infusion Interval Using Pharmacokinetic Half-life Simulation for Posttransplant Hepatitis B Prophylaxis. <i>Journal of Korean Medical Science</i> , 2019, 34, e251.   | 1.1 | 4         |
| 151 | Deceased donor liver transplantation under the Korean model for end-stage liver disease score-based liver allocation system: 2-year allocation results at a high-volume transplantation center. <i>Korean Journal of Transplantation</i> , 2019, 33, 112. | 0.0 | 20        |
| 152 | Conceptual changes in small-for-size graft and small-for-size syndrome in living donor liver transplantation. <i>Korean Journal of Transplantation</i> , 2019, 33, 65-73.   | 0.0 | 4         |
| 153 | Long-term results of conjoined unification venoplasty for multiple portal vein branches of the right liver graft in living donor liver transplantations. <i>Korean Journal of Transplantation</i> , 2019, 33, 106-111.                                    | 0.0 | 1         |
| 154 | Long-term results of laparoscopic liver resection for the primary treatment of hepatocellular carcinoma: role of the surgeon in anatomical resection. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2018, 32, 4481-4490.                | 1.3 | 11        |
| 155 | Prognostic comparison of the 7th and 8th editions of the American Joint Committee on Cancer staging system for intrahepatic cholangiocarcinoma. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2018, 25, 240-248.                                 | 1.4 | 50        |
| 156 | Antitumor effect of sorafenib and mammalian target of rapamycin inhibitor in liver transplantation recipients with hepatocellular carcinoma recurrence. <i>Liver Transplantation</i> , 2018, 24, 932-945.   | 1.3 | 23        |
| 157 | Outcome comparison of liver transplantation for hepatitis A-related versus hepatitis B-related acute liver failure in adult recipients. <i>Clinical Transplantation</i> , 2018, 32, e13140.   | 0.8 | 15        |
| 158 | Comparison of pure laparoscopic versus open left hemihepatectomy by multivariate analysis: a retrospective cohort study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2018, 32, 643-650.   | 1.3 | 13        |
| 159 | Validation of the OncoHepa test, a multigene expression profile test, and the tumor marker-volume score to predict postresection outcome in small solitary hepatocellular carcinomas. <i>Annals of Surgical Treatment and Research</i> , 2018, 95, 303.   | 0.4 | 7         |
| 160 | Absence of antitumor effects of metformin in sorafenib-treated patients with hepatocellular carcinoma recurrence after hepatic resection and liver transplantation. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2018, 22, 297.                   | 0.1 | 11        |
| 161 | Impact of preoperative management in patients older than 80 years requiring cholecystectomy. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2018, 22, 380.  | 0.1 | 0         |
| 162 | A cross-sectional analysis of long-term immunosuppressive regimens after liver transplantation at Asan Medical Center: Increased preference for mycophenolate mofetil. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2018, 22, 19.                 | 0.1 | 14        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Salvage living donor liver transplantation for recurrent hepatocellular carcinoma after prior laparoscopic hepatectomy. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2018, 17, 473-476.   | 0.6 | 5         |
| 164 | Management of very late peritoneal metastasis of hepatocellular carcinoma 10 years after liver transplantation: Lessons from two cases. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2018, 22, 136.   | 0.1 | 6         |
| 165 | Onceâ€daily, prolongedâ€release tacrolimus vs twiceâ€daily, immediateâ€release tacrolimus in de novo livingâ€donor liver transplantation: A Phase 4, randomized, openâ€label, comparative, singleâ€center study. <i>Clinical Transplantation</i> , 2018, 32, e13376.    | 0.8 | 6         |
| 166 | Clinical Features and Surveillance of Very Late Hepatocellular Carcinoma Recurrence After Liver Transplantation. <i>Annals of Transplantation</i> , 2018, 23, 659-665.  | 0.5 | 28        |
| 167 | Results of Adult Living Donor Liver Transplantation with Sixth-Decade Donors: A Propensity Score Matching Study in a High-Volume Institution. <i>Annals of Transplantation</i> , 2018, 23, 802-807.   | 0.5 | 9         |
| 168 | Metformin-associated Chemopreventive Effects on Recurrence After Hepatic Resection of Hepatocellular Carcinoma: From In Vitro to a Clinical Study. <i>Anticancer Research</i> , 2018, 38, 2399-2407.  | 0.5 | 13        |
| 169 | Dual-graft Adult Living Donor Liver Transplantation. <i>Annals of Surgery</i> , 2017, 266, 10-18.   | 2.1 | 33        |
| 170 | Impact of emergency adult living donor liver transplantation on the survival of patients with antituberculosis therapyâ€induced acute liver failure. <i>Liver Transplantation</i> , 2017, 23, 845-846.  | 1.3 | 4         |
| 171 | Prognostic effect of transarterial chemoembolizationâ€induced complete pathological response in patients undergoing liver resection and transplantation for hepatocellular carcinoma. <i>Liver Transplantation</i> , 2017, 23, 781-790.                                 | 1.3 | 24        |
| 172 | Pure Laparoscopic Versus Open Right Hepatectomy for Hepatocellular Carcinoma in Patients With Cirrhosis. <i>Annals of Surgery</i> , 2017, 265, 856-863.   | 2.1 | 165       |
| 173 | Protective role of hypoxia-inducible factor-1 $\beta$ -dependent CD39 and CD73 in fulminant acute liver failure. <i>Toxicology and Applied Pharmacology</i> , 2017, 314, 72-81.   | 1.3 | 53        |
| 174 | MR cholangiography in potential liver donors: quantitative and qualitative improvement with administration of an oral effervescent agent. <i>Journal of Magnetic Resonance Imaging</i> , 2017, 46, 1656-1663.   | 1.9 | 3         |
| 175 | Postâ€resection Prognosis of Combined Hepatocellular Carcinomaâ€Cholangiocarcinoma According to the 2010 WHO Classification. <i>World Journal of Surgery</i> , 2017, 41, 1347-1357.   | 0.8 | 19        |
| 176 | Longterm prognosis of combined hepatocellular carcinomaâ€cholangiocarcinoma following liver transplantation and resection. <i>Liver Transplantation</i> , 2017, 23, 330-341.  | 1.3 | 42        |
| 177 | Coronal 2D MR cholangiography overestimates the length of the right hepatic duct in liver transplantation donors. <i>European Radiology</i> , 2017, 27, 1822-1830.  | 2.3 | 3         |
| 178 | Clinicopathological Features and Postâ€resection Prognosis of Double Primary Hepatocellular Carcinoma and Intrahepatic Cholangiocarcinoma. <i>World Journal of Surgery</i> , 2017, 41, 825-834.   | 0.8 | 8         |
| 179 | Intra-individual variability of mycophenolic acid concentration according to renal function in liver transplant recipients receiving mycophenolate monotherapy. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2017, 21, 11.                                      | 0.1 | 9         |
| 180 | Successful introduction of Model for End-stage Liver Disease scoring in deceased donor liver transplantation in Korea: analysis of first 1 year experience at a high-volume transplantation center. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2017, 21, 199. | 0.1 | 11        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | Initial Outcomes of Pure Laparoscopic Living Donor Right Hepatectomy in an Experienced Adult Living Donor Liver Transplant Center. <i>Transplantation</i> , 2017, 101, 1106-1110.   | 0.5 | 94        |
| 182 | Clinicopathological Features and Prognosis of Intrahepatic Cholangiocarcinoma After Liver Transplantation and Resection. <i>Annals of Transplantation</i> , 2017, 22, 42-52.  | 0.5 | 15        |
| 183 | In Situ Split Liver Transplantation for 2 Adult Recipients: A Single-Center Experience. <i>Annals of Transplantation</i> , 2017, 22, 230-240.   | 0.5 | 10        |
| 184 | Cluster hepaticojejunostomy with radial spreading anchoring traction technique for secure reconstruction of widely opened hilar bile ducts. <i>Korean Journal of Hepato-biliary-pancreatic Surgery</i> , 2016, 20, 66.                      | 1.0 | 8         |
| 185 | High-dose tenofovir is not effective in suppressing hepatitis B virus replication in patients with hepatocellular carcinoma progression: a preliminary result. <i>Korean Journal of Hepato-biliary-pancreatic Surgery</i> , 2016, 20, 8.    | 1.0 | 0         |
| 186 | Standardized surgical techniques for adult living donor liver transplantation using a modified right lobe graft: a video presentation from bench to reperfusion. <i>Korean Journal of Hepato-biliary-pancreatic Surgery</i> , 2016, 20, 97. | 1.0 | 21        |
| 187 | Fibrin glue-infiltrating hemostasis for intractable bleeding from the liver or spleen during liver transplantation. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2016, 20, 197.   | 0.1 | 3         |
| 188 | Cosmetic selection of skin incision for resection of choledochal cyst in young female patients. <i>Korean Journal of Hepato-biliary-pancreatic Surgery</i> , 2016, 20, 127.   | 1.0 | 1         |
| 189 | Preoperative Left Portal Vein Embolization for Left Liver Resection in High-Risk Hepatobiliary Malignancy Patients. <i>World Journal of Surgery</i> , 2016, 40, 2758-2765.  | 0.8 | 4         |
| 190 | Multiplication of Tumor Volume by Two Tumor Markers Is a Post-Resection Prognostic Predictor for Solitary Hepatocellular Carcinoma. <i>Journal of Gastrointestinal Surgery</i> , 2016, 20, 1807-1820.                                       | 0.9 | 36        |
| 191 | Postresection Outcomes of Combined Hepatocellular Carcinoma-Cholangiocarcinoma, Hepatocellular Carcinoma and Intrahepatic Cholangiocarcinoma. <i>Journal of Gastrointestinal Surgery</i> , 2016, 20, 411-420.                               | 0.9 | 74        |
| 192 | Clinicopathological Features and Long-Term Outcomes of Intraductal Papillary Neoplasms of the Intrahepatic Bile Duct. <i>Journal of Gastrointestinal Surgery</i> , 2016, 20, 1368-1375.   | 0.9 | 37        |
| 193 | Absence of Benefit of Transcatheter Arterial Chemoembolization (TACE) in Patients with Resectable Solitary Hepatocellular Carcinoma. <i>World Journal of Surgery</i> , 2016, 40, 1200-1210.   | 0.8 | 25        |
| 194 | Usability of Cryopreserved Aortic Allografts for Middle Hepatic Vein Reconstruction During Living-Donor Liver Transplantation. <i>Journal of Gastrointestinal Surgery</i> , 2016, 20, 1049-1055.  | 0.9 | 18        |
| 195 | Resolution of Hepatic Venous Congestion Following Gradual Occlusion of Middle Hepatic Vein Interposition Graft in Living Donor Liver Transplantation. <i>Annals of Transplantation</i> , 2016, 21, 619-625.                                 | 0.5 | 7         |
| 196 | Diagnostic Role of Blood Tumor Markers in Predicting Hepatocellular Carcinoma in Liver Cirrhosis Patients Undergoing Liver Transplantation. <i>Annals of Transplantation</i> , 2016, 21, 660-667.   | 0.5 | 5         |
| 197 | Clinicopathological Features and Prognosis of Hepatic Epithelioid Hemangioendothelioma After Liver Resection and Transplantation. <i>Annals of Transplantation</i> , 2016, 21, 784-790.   | 0.5 | 17        |
| 198 | Bone marrow-derived progenitor cells in de novo liver regeneration in liver transplant. <i>Liver Transplantation</i> , 2015, 21, 1186-1194.   | 1.3 | 7         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 199 | Fenestration of liver cysts in polycystic liver disease to improve quality of life: a case report and literature review. Korean Journal of Hepato-biliary-pancreatic Surgery, 2015, 19, 40.   | 1.0 | 6         |
| 200 | An interim safety analysis of hepatocellular carcinoma patients administrating oral vitamin K with or without sorafenib. Korean Journal of Hepato-biliary-pancreatic Surgery, 2015, 19, 1.  | 1.0 | 12        |
| 201 | Survival analysis following resection of AJCC stage III gallbladder carcinoma based on different combinations of T and N stages. Korean Journal of Hepato-biliary-pancreatic Surgery, 2015, 19, 11.   | 1.0 | 6         |
| 202 | In vitro immune cell monitoring as a guide for long-term immunosuppression in adult liver transplant recipients. Korean Journal of Hepato-biliary-pancreatic Surgery, 2015, 19, 139.  | 1.0 | 1         |
| 203 | Calculation of standard liver volume in Korean adults with analysis of confounding variables. Korean Journal of Hepato-biliary-pancreatic Surgery, 2015, 19, 133.   | 1.0 | 27        |
| 204 | Therapeutic effect of trans-drain administration of antibiotics in patients showing intractable pancreatic leak-associated pus drainage after pancreaticoduodenectomy. Korean Journal of Hepato-biliary-pancreatic Surgery, 2015, 19, 17.                       | 1.0 | 6         |
| 205 | Pneumatosis intestinalis after adult living donor liver transplantation: report of three cases and collective literature review. Korean Journal of Hepato-biliary-pancreatic Surgery, 2015, 19, 25.   | 1.0 | 8         |
| 206 | Long-term outcome of ischemic type biliary stricture after interventional treatment in liver living donors: a report of two cases. Korean Journal of Hepato-biliary-pancreatic Surgery, 2015, 19, 71.   | 1.0 | 1         |
| 207 | Endovascular stenting of the inferior vena cava in a patient with Budd-Chiari syndrome and main hepatic vein thrombosis: a case report. Korean Journal of Hepato-biliary-pancreatic Surgery, 2015, 19, 35.  | 1.0 | 4         |
| 208 | Prognostic effect of preoperative sequential transcatheter arterial chemoembolization and portal vein embolization for right hepatectomy in patients with solitary hepatocellular carcinoma. Korean Journal of Hepato-biliary-pancreatic Surgery, 2015, 19, 59. | 1.0 | 18        |
| 209 | The Impact of Tumor Size on Long-Term Survival Outcomes After Resection of Solitary Hepatocellular Carcinoma: Single-Institution Experience with 2558 Patients. Journal of Gastrointestinal Surgery, 2015, 19, 1281-1290.                                       | 0.9 | 122       |
| 210 | Quantified Risk Assessment for Major Hepatectomy via the Indocyanine Green Clearance Rate and Liver Volumetry Combined with Standard Liver Volume. Journal of Gastrointestinal Surgery, 2015, 19, 1305-1314.  | 0.9 | 54        |
| 211 | Preoperative Sequential Portal and Hepatic Vein Embolization in Patients with Hepatobiliary Malignancy. World Journal of Surgery, 2015, 39, 2990-2998.  | 0.8 | 56        |
| 212 | Assessment of right liver graft perfusion effectiveness between one and two-catheter infusion methods. Korean Journal of Hepato-biliary-pancreatic Surgery, 2014, 18, 43.   | 1.0 | 0         |
| 213 | A comparative study regarding the effect of an intraperitoneal anti-adhesive agent application in left-liver living donors. Korean Journal of Hepato-biliary-pancreatic Surgery, 2014, 18, 26.  | 1.0 | 4         |
| 214 | Tailored long-term immunosuppressive regimen for adult liver transplant recipients with hepatocellular carcinoma. Korean Journal of Hepato-biliary-pancreatic Surgery, 2014, 18, 48.  | 1.0 | 9         |
| 215 | Comparison of Laparoscopic Versus Open Left Hemihepatectomy for Left-Sided Hepatolithiasis. International Journal of Medical Sciences, 2014, 11, 127-133.   | 1.1 | 47        |
| 216 | Biliary stricture is the only concern in ABO-incompatible adult living donor liver transplantation in the rituximab era. Journal of Hepatology, 2014, 61, 575-582.  | 1.8 | 99        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 217 | Section 16. Update on Experience in Paired-Exchange Donors in Living Donor Liver Transplantation For Adult Patients at ASAN Medical Center. <i>Transplantation</i> , 2014, 97, S66-S69.   | 0.5 | 26        |
| 218 | Anomalous hepatic vein anatomy of left lateral section grafts and customized unification venoplasty for pediatric living donor liver transplantation. <i>Liver Transplantation</i> , 2013, 19, 184-190.                                   | 1.3 | 25        |
| 219 | Prognosis of patients with pT1b/T2 gallbladder carcinoma who have undergone laparoscopic cholecystectomy as an initial operation. <i>Korean Journal of Hepato-biliary-pancreatic Surgery</i> , 2013, 17, 113.                             | 1.0 | 5         |
| 220 | Case report of a pancreatic squamoid cyst. <i>Korean Journal of Hepato-biliary-pancreatic Surgery</i> , 2013, 17, 181.  | 1.0 | 3         |
| 221 | Liver retransplantation for adult recipients. <i>Korean Journal of Hepato-biliary-pancreatic Surgery</i> , 2013, 17, 1.   | 1.0 | 13        |
| 222 | Therapeutic potentials occurring during the early differentiation process of mesenchymal stem cells in a rats model with thioacetamide-induced liver fibrosis. <i>Korean Journal of Hepato-biliary-pancreatic Surgery</i> , 2013, 17, 21. | 1.0 | 0         |
| 223 | Living donor liver transplantation for patients with alcoholic liver disease. <i>Korean Journal of Hepato-biliary-pancreatic Surgery</i> , 2013, 17, 14.  | 1.0 | 8         |
| 224 | Technical knacks and outcomes of extended extrahepatic bile duct resection in patients with mid bile duct cancer. <i>Korean Journal of Hepato-biliary-pancreatic Surgery</i> , 2013, 17, 109.   | 1.0 | 3         |
| 225 | Clinicopathological features of the intraductal papillary neoplasms of the intrahepatic bile duct. <i>Korean Journal of Hepato-biliary-pancreatic Surgery</i> , 2012, 16, 138.  | 1.0 | 9         |
| 226 | Analysis of Biliary Stricture after ABO Incompatible Adult Living Donor Liver Transplantation. <i>The Journal of the Korean Society for Transplantation</i> , 2012, 26, 277.  | 0.2 | 5         |
| 227 | Extent of resection for T2N0 gallbladder carcinoma regarding concurrent extrahepatic bile duct resection. <i>Korean Journal of Hepato-biliary-pancreatic Surgery</i> , 2012, 16, 142.   | 1.0 | 7         |
| 228 | Usability of ringed polytetrafluoroethylene grafts for middle hepatic vein reconstruction during living donor liver transplantation. <i>Liver Transplantation</i> , 2012, 18, 955-965.  | 1.3 | 99        |
| 229 | Resection of Pulmonary Metastases from Hepatocellular Carcinoma following Liver Transplantation. <i>World Journal of Surgery</i> , 2012, 36, 1592-1602.   | 0.8 | 51        |
| 230 | Reconstruction of inferior right hepatic veins in living donor liver transplantation using right liver grafts. <i>Liver Transplantation</i> , 2012, 18, 238-247.  | 1.3 | 42        |
| 231 | Solitary percutaneous transhepatic biliary drainage tract metastasis after curative resection of perihilar cholangiocarcinoma: report of a case. <i>Korean Journal of Hepato-biliary-pancreatic Surgery</i> , 2011, 15, 179.              | 1.0 | 4         |
| 232 | Effectiveness of external drainage of the bile duct in pancreaticoduodenectomy: a single surgeon's experience. <i>Korean Journal of Hepato-biliary-pancreatic Surgery</i> , 2011, 15, 231.  | 1.0 | 1         |
| 233 | Super-selection of a Subgroup of Hepatocellular Carcinoma Patients at Minimal Risk of Recurrence for Liver Transplantation. <i>Journal of Gastrointestinal Surgery</i> , 2011, 15, 971-981.   | 0.9 | 32        |
| 234 | Posttransplantation prophylaxis with primary high-dose hepatitis B immunoglobulin monotherapy and complementary preemptive antiviral add-on. <i>Liver Transplantation</i> , 2011, 17, 456-465.  | 1.3 | 32        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 235 | Characteristics and management of splenic artery aneurysms in adult living donor liver transplant recipients. <i>Liver Transplantation</i> , 2009, 15, 1535-1541.   | 1.3 | 24        |
| 236 | Characterization of Histopathological Features that Differentiate Hepatitis B Virus Infection from Acute Cellular Rejection. <i>Korean Journal of Pathology</i> , 2009, 43, 535.  | 1.2 | 3         |
| 237 | Prevention of hepatitis B recurrence after living donor liver transplantation: Primary high-dose hepatitis B immunoglobulin monotherapy and rescue antiviral therapy. <i>Liver Transplantation</i> , 2008, 14, 770-778. | 1.3 | 47        |
| 238 | Extended Extrahepatic Bile Duct Resection to Avoid Performing Pancreatoduodenectomy in Patients with Mid Bile Duct Cancer. <i>Digestive Surgery</i> , 2008, 25, 74-79.  | 0.6 | 8         |
| 239 | Portal Vein Interposition Using Homologous Iliac Vein Graft during Extensive Resection for Hilar Bile Duct Cancer. <i>Journal of Gastrointestinal Surgery</i> , 2007, 11, 888-892.                                      | 0.9 | 16        |
| 240 | Analysis of outcomes and renal recovery after adult living donor liver transplantation among recipients with hepatorenal syndrome. <i>American Journal of Transplantation</i> , 0, , .                                  | 2.6 | 3         |