

# Peng Song

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4709843/publications.pdf>

Version: 2024-02-01

29  
papers

414  
citations

759233

12  
h-index

839539

18  
g-index

29  
all docs

29  
docs citations

29  
times ranked

403  
citing authors

#	ARTICLE	IF	CITATIONS
1	Pan-cancer analysis combined with experiments explores the oncogenic role of spindle apparatus coiled-coil protein 1 (SPDL1). <i>Cancer Cell International</i> , 2022, 22, 49.	4.1	3
2	Research Progress of Anti-PD-1/PD-L1 Immunotherapy Related Mechanisms and Predictive Biomarkers in NSCLC. <i>Frontiers in Oncology</i> , 2022, 12, 769124.	2.8	20
3	Integrated analysis of single-cell and bulk RNA-sequencing identifies a signature based on B cell marker genes to predict prognosis and immunotherapy response in lung adenocarcinoma. <i>Cancer Immunology, Immunotherapy</i> , 2022, 71, 2341-2354.	4.2	26
4	Worldwide burden and epidemiological trends of tracheal, bronchus, and lung cancer: A population-based study. <i>EBioMedicine</i> , 2022, 78, 103951.	6.1	30
5	A Pan-Cancer Analysis of the Oncogenic Role of WD Repeat Domain 74 in Multiple Tumors. <i>Frontiers in Genetics</i> , 2022, 13, 860940.	2.3	0
6	Identifying novel tumor-related antigens and immune phenotypes for developing mRNA vaccines in lung adenocarcinoma. <i>International Immunopharmacology</i> , 2022, 109, 108816.	3.8	4
7	Intragastric satiety-inducing device reduces food intake and suppresses body weight gain in a rodent model. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021, 35, 1052-1057.	2.4	6
8	Survival Nomogram for Stage IB Non-Small-Cell Lung Cancer Patients, Based on the SEER Database and an External Validation Cohort. <i>Annals of Surgical Oncology</i> , 2021, 28, 3941-3950.	1.5	69
9	Identification of prognostic genes in lung adenocarcinoma immune microenvironment. <i>Chinese Medical Journal</i> , 2021, 134, 2125-2127.	2.3	2
10	Prognostic Impact of <i>IGF2BP3</i> Expression in Patients with Surgically Resected Lung Adenocarcinoma. <i>DNA and Cell Biology</i> , 2021, 40, 316-331.	1.9	21
11	Identification of prognostic genes and tumor-infiltrating immune cells in the tumor microenvironment of esophageal squamous cell carcinoma and esophageal adenocarcinoma. <i>Translational Cancer Research</i> , 2021, 10, 1787-1803.	1.0	4
12	Development and validation of m6A RNA methylation regulators-based signature in lung adenocarcinoma. <i>Chinese Medical Journal</i> , 2021, 134, 2128-2130.	2.3	3
13	Programmed cell death ligand 1 expression in esophageal squamous cell carcinoma. <i>Chinese Medical Journal</i> , 2021, Publish Ahead of Print, 2890-2892.	2.3	2
14	Comprehensive analysis of PD-L1 expression, tumor-infiltrating lymphocytes, and tumor microenvironment in LUAD: differences between Asians and Caucasians. <i>Clinical Epigenetics</i> , 2021, 13, 229.	4.1	6
15	Ultrathin endoscopy versus computed tomography in the detection of anastomotic leak in the early period after esophagectomy. <i>Surgical Oncology</i> , 2020, 32, 30-34.	1.6	2
16	Primary pulmonary epithelioid malignant peripheral nerve sheath tumor in a child: a case report. <i>Annals of Translational Medicine</i> , 2020, 8, 403-403.	1.7	0
17	Value of multi-detector computed tomography during intra-arterial infusion of contrast medium for locating insulinomas. <i>Journal of International Medical Research</i> , 2020, 48, 030006051988943.	1.0	1
18	Preoperative systemic immune-inflammation index and prognostic nutritional index predict prognosis of patients with pulmonary neuroendocrine tumors after surgical resection. <i>Annals of Translational Medicine</i> , 2020, 8, 630-630.	1.7	20

#	ARTICLE	IF	CITATIONS
19	Elevated TOP2A and UBE2C expressions correlate with poor prognosis in patients with surgically resected lung adenocarcinoma: a study based on immunohistochemical analysis and bioinformatics. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 821-841.	2.5	22
20	Elevated SLC2A1 Expression Correlates with Poor Prognosis in Patients with Surgically Resected Lung Adenocarcinoma: A Study Based on Immunohistochemical Analysis and Bioinformatics. <i>DNA and Cell Biology</i> , 2020, 39, 631-644.	1.9	15
21	Loss of SUSD2 expression correlates with poor prognosis in patients with surgically resected lung adenocarcinoma. <i>Journal of Cancer</i> , 2020, 11, 1648-1656.	2.5	6
22	Elevated Heterogeneous Nuclear Ribonucleoprotein C Expression Correlates With Poor Prognosis in Patients With Surgically Resected Lung Adenocarcinoma. <i>Frontiers in Oncology</i> , 2020, 10, 598437.	2.8	17
23	Concomitant TP53 mutations with response to crizotinib treatment in patients with ALK-rearranged non-small cell lung cancer. <i>Cancer Medicine</i> , 2019, 8, 1551-1557.	2.8	30
24	Variation of Programmed Death Ligand 1 Expression After Platinum-based Neoadjuvant Chemotherapy in Lung Cancer. <i>Journal of Immunotherapy</i> , 2019, 42, 215-220.	2.4	47
25	Clinical significance of PD-L1 expression with the SP263 monoclonal antibody in non-small cell lung cancer patients. <i>Thoracic Cancer</i> , 2019, 10, 175-182.	1.9	4
26	Bisphenol S (BPS) triggers the migration of human non-small cell lung cancer cells via upregulation of TGF- $\beta$ 2. <i>Toxicology in Vitro</i> , 2019, 54, 224-231.	2.4	26
27	Effectiveness of crizotinib in a patient with mesenchymal-epithelial transition overexpression/fluorescence in situ hybridization-negative/next-generation sequencing-negative advanced lung adenocarcinoma: a case report. <i>Translational Cancer Research</i> , 2019, 8, 705-708.	1.0	0
28	Long-term outcomes and prognostic factors of patients with surgically treated pulmonary atypical carcinoid tumors: our institutional experience with 68 patients. <i>Journal of Thoracic Disease</i> , 2018, 10, 4204-4211.	1.4	8
29	Pseudogene PHBP1 promotes esophageal squamous cell carcinoma proliferation by increasing its cognate gene PHB expression. <i>Oncotarget</i> , 2017, 8, 29091-29100.	1.8	20