

Lisette Okkels Jensen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4711930/lisette-okkels-jensen-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

164
papers

4,403
citations

32
h-index

62
g-index

172
ext. papers

5,712
ext. citations

5.7
avg, IF

4.9
L-index

#	Paper	IF	Citations
164	Effectiveness and Safety of Ticagrelor Implementation in Patients with Acute Coronary Syndrome undergoing Percutaneous Coronary Intervention: A Cohort Study in Western Denmark.. <i>Lancet Regional Health - Europe, The</i> , 2022 , 14, 100301		
163	Timing and Causes of Death in Acute Myocardial Infarction Complicated by Cardiogenic Shock (from the RETROSHOCK Cohort).. <i>American Journal of Cardiology</i> , 2022 , 25797	3	0
162	Use of Helicopters to Reduce Health Care System Delay in Patients With ST-Elevation Myocardial Infarction Admitted to an Invasive Center.. <i>American Journal of Cardiology</i> , 2022 ,	3	1
161	Polymer-free biolimus-coated stents versus ultrathin-strut biodegradable polymer sirolimus-eluting stents: two-year outcomes of the randomised SORT OUT IX trial.. <i>EuroIntervention</i> , 2022 ,	3.1	1
160	Comparison of Effect of Ischemic Postconditioning on Cardiovascular Mortality in Patients With ST-Segment Elevation Myocardial Infarction Treated With Primary Percutaneous Coronary Intervention With Versus Without Thrombectomy.. <i>American Journal of Cardiology</i> , 2021 ,	3	1
159	CHA DS -VASc impact on risk following percutaneous coronary intervention in atrial fibrillation. <i>European Journal of Clinical Investigation</i> , 2021 , e13717	4.6	
158	Cardiovascular risk in patients with and without diabetes presenting with chronic coronary syndrome in 2004-2016. <i>BMC Cardiovascular Disorders</i> , 2021 , 21, 579	2.3	0
157	Renin-angiotensin system inhibitors and mortality among diabetic patients with STEMI undergoing mechanical reperfusion during the COVID-19 pandemic.. <i>Diabetes Epidemiology and Management</i> , 2021 , 4, 100022		
156	Cardiogenic shock due to predominantly right ventricular failure complicating acute myocardial infarction. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021 , 10, 33-39	4.3	4
155	Invasive aortic pulse pressure is not superior to cuff pulse pressure in cardiovascular risk prediction. <i>Journal of Hypertension</i> , 2021 , 39, 607-613	1.9	6
154	Influence of Plaque Characteristics on Early Vascular Healing in Patients With ST-Elevation Myocardial Infarction. <i>Cardiovascular Revascularization Medicine</i> , 2021 , 30, 50-58	1.6	0
153	Identification of vulnerable plaques and patients by intracoronary near-infrared spectroscopy and ultrasound (PROSPECT II): a prospective natural history study. <i>Lancet, The</i> , 2021 , 397, 985-995	40	45
152	Incidence, Predictors, and Outcome of In-Hospital Bleeding in Patients With Cardiogenic Shock Complicating Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 2021 , 144, 13-19	3	0
151	Impella RP Versus Pharmacologic Vasoactive Treatment in Profound Cardiogenic Shock due to Right Ventricular Failure. <i>Journal of Cardiovascular Translational Research</i> , 2021 , 14, 1021-1029	3.3	1
150	Mechanical circulatory support for refractory out-of-hospital cardiac arrest: a Danish nationwide multicenter study. <i>Critical Care</i> , 2021 , 25, 174	10.8	9
149	Randomized Clinical Comparison of the Dual-Therapy CD34 Antibody-Covered Sirolimus-Eluting Combo Stent With the Sirolimus-Eluting Orsiro Stent in Patients Treated With Percutaneous Coronary Intervention: The SORT OUT X Trial. <i>Circulation</i> , 2021 , 143, 2155-2165	16.7	6
148	Health-Related Quality of Life and Angina in Fractional Flow Reserve- Versus Angiography-Guided Coronary Artery Bypass Grafting: FARGO Trial (Fractional Flow Reserve Versus Angiography Randomization for Graft Optimization). <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2021 , 14, e007302	5.8	0

147	Data-driven point-of-care risk model in patients with acute myocardial infarction and cardiogenic shock. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021 , 10, 668-675	4.3	0
146	Impact of renin-angiotensin system inhibitors on mortality during the COVID Pandemic among STEMI patients undergoing mechanical reperfusion: Insight from an international STEMI registry. <i>Biomedicine and Pharmacotherapy</i> , 2021 , 138, 111469	7.5	2
145	Influence of fractional flow reserve on grafts patency: Systematic review and patient-level meta-analysis. <i>Catheterization and Cardiovascular Interventions</i> , 2021 ,	2.7	1
144	Phenotyping Cardiogenic Shock. <i>Journal of the American Heart Association</i> , 2021 , 10, e020085	6	13
143	Association of Body Mass Index with Mortality in Patients with Cardiogenic Shock following Acute Myocardial Infarction: A Contemporary Danish Cohort Analysis. <i>Cardiology</i> , 2021 , 146, 575-582	1.6	0
142	Neutrophil Gelatinase-Associated Lipocalin (NGAL) Measured at Admission is Associated With Development of Late Cardiogenic Shock and Mortality in Patients With ST-Segment Elevation Myocardial Infarction. <i>Shock</i> , 2021 , 56, 255-259	3.4	2
141	Coronary Artery Healing Process after Bioresorbable Scaffold in Patients with Non-ST-Segment Elevation Myocardial Infarction: Rationale, Design, and Methodology of the HONEST Study. <i>Cardiology</i> , 2021 , 146, 161-171	1.6	
140	Influenza Vaccination After Myocardial Infarction: A Randomized, Double-Blind, Placebo-Controlled, Multicenter Trial. <i>Circulation</i> , 2021 , 144, 1476-1484	16.7	24
139	Admission biomarkers among patients with acute myocardial-infarction related cardiogenic shock with or without out-of-hospital cardiac arrest an exploratory study. <i>Biomarkers</i> , 2021 , 26, 632-638	2.6	2
138	Impact of SARS-CoV-2 positivity on clinical outcome among STEMI patients undergoing mechanical reperfusion: Insights from the ISACS STEMI COVID 19 registry. <i>Atherosclerosis</i> , 2021 , 332, 48-54	3.1	12
137	Risk of Myocardial Infarction and Death After Noncardiac Surgery Performed Within the First Year After Coronary Drug-Eluting Stent Implantation for Acute Coronary Syndrome or Stable Angina Pectoris. <i>American Journal of Cardiology</i> , 2021 , 160, 14-20	3	1
136	Ten-year cardiovascular risk in diabetes patients without obstructive coronary artery disease: a retrospective Western Denmark cohort study. <i>Cardiovascular Diabetology</i> , 2021 , 20, 23	8.7	3
135	Impact of COVID-19 Pandemic on Mechanical Reperfusion for Patients With STEMI. <i>Journal of the American College of Cardiology</i> , 2020 , 76, 2321-2330	15.1	61
134	The association of diabetes and admission blood glucose with 30-day mortality in patients with acute myocardial infarction complicated by cardiogenic shock. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020 , 9, 626-635	4.3	4
133	Randomized Comparison of the Polymer-Free Biolimus-Coated BioFreedom Stent With the Ultrathin Strut Biodegradable Polymer Sirolimus-Eluting Orsiro Stent in an All-Comers Population Treated With Percutaneous Coronary Intervention: The SORT OUT IX Trial. <i>Circulation</i> , 2020 , 141, 2052-2063	16.7	23
132	Impact of concomitant vasoactive treatment and mechanical left ventricular unloading in a porcine model of profound cardiogenic shock. <i>Critical Care</i> , 2020 , 24, 95	10.8	9
131	O-Water Positron Emission Tomography of Myocardial Ischemia in Patients Referred for Percutaneous Coronary Intervention. <i>Cardiovascular Revascularization Medicine</i> , 2020 , 21, 1237-1243	1.6	1
130	Biomarkers predictive of late cardiogenic shock development in patients with suspected ST-elevation myocardial infarction. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020 , 9, 557-566	4.3	4

129	Contemporary trends in use of mechanical circulatory support in patients with acute MI and cardiogenic shock. <i>Open Heart</i> , 2020 , 7, e001214	3	31
128	Randomised comparison of provisional side branch stenting versus a two-stent strategy for treatment of true coronary bifurcation lesions involving a large side branch: the Nordic-Baltic Bifurcation Study IV. <i>Open Heart</i> , 2020 , 7, e000947	3	5
127	Impact of COVID-19 pandemic and diabetes on mechanical reperfusion in patients with STEMI: insights from the ISACS STEMI COVID 19 Registry. <i>Cardiovascular Diabetology</i> , 2020 , 19, 215	8.7	14
126	Unloading using Impella CP during profound cardiogenic shock caused by left ventricular failure in a large animal model: impact on the right ventricle. <i>Intensive Care Medicine Experimental</i> , 2020 , 8, 41	3.7	5
125	Hemodynamic and metabolic recovery in acute myocardial infarction-related cardiogenic shock is more rapid among patients presenting with out-of-hospital cardiac arrest. <i>PLoS ONE</i> , 2020 , 15, e0244294	2.7	7
124	Culprit lesion morphology in patients with ST-segment elevation myocardial infarction assessed by optical coherence tomography. <i>Coronary Artery Disease</i> , 2020 , 31, 671-677	1.4	
123	Ten-Year Outcomes of Sirolimus-Eluting Versus Zotarolimus-Eluting Coronary Stents in Patients With Versus Without Diabetes Mellitus (SORT OUT III). <i>American Journal of Cardiology</i> , 2020 , 125, 349-353	3	5
122	Admission Leukocyte Count is Associated with Late Cardiogenic Shock Development and All-Cause 30-Day Mortality in Patients with ST-Elevation Myocardial Infarction. <i>Shock</i> , 2020 , 53, 299-306	3.4	5
121	Design and rationale of FLAVOUR: A phase IIa efficacy study of the 5-lipoxygenase activating protein antagonist AZD5718 in patients with recent myocardial infarction. <i>Contemporary Clinical Trials Communications</i> , 2020 , 19, 100629	1.8	4
120	Clinical outcomes three-year after revascularization with biodegradable polymer stents: ultrathin-strut sirolimus-eluting stent versus biolimus-eluting stent: from the Scandinavian organization for randomized trials with clinical outcome VII trial. <i>Coronary Artery Disease</i> , 2020 , 31, 485-492	1.4	6
119	A Novel Model for Prediction of Thromboembolic and Cardiovascular Events in Patients Without Atrial Fibrillation. <i>American Journal of Cardiology</i> , 2020 , 131, 40-48	3	2
118	Risk of Myocardial Infarction in Patients Without Angiographic Coronary Artery Disease Compared With the General Population. <i>American Journal of Cardiology</i> , 2020 , 132, 8-14	3	1
117	Mortality in cardiogenic shock is stronger associated to clinical factors than contemporary biomarkers reflecting neurohormonal stress and inflammatory activation. <i>Biomarkers</i> , 2020 , 25, 506-512	2.6	0
116	Diabetes is not a risk factor for myocardial infarction in patients without coronary artery disease: A study from the Western Denmark Heart Registry. <i>Diabetes and Vascular Disease Research</i> , 2020 , 17, 1479-1484	3.2	180
115	The association between self-reported health status and adverse events: a comparison among coronary artery bypass grafting (CABG) versus percutaneous coronary intervention (PCI). <i>Quality of Life Research</i> , 2020 , 29, 3017-3029	3.7	1
114	Smoking is the dominating modifiable risk factor in younger patients with STEMI. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020 , 9, 70-75	4.3	4
113	Influence of Ezetimibe on Plaque Morphology in Patients with ST Elevation Myocardial Infarction Assessed by Optical Coherence Tomography: An OCTIVUS Sub-Study. <i>Cardiovascular Revascularization Medicine</i> , 2020 , 21, 1417-1424	1.6	2
112	Interaction of ischaemic postconditioning and thrombectomy in patients with ST-elevation myocardial infarction. <i>Heart</i> , 2020 , 106, 24-32	5.1	7

111	Prognostic importance of culprit lesion location in cardiogenic shock due to myocardial infarction. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020 , 2048872620911848	4.3	2
110	Effect of remote ischaemic conditioning on clinical outcomes in patients with acute myocardial infarction (CONDI-2/ERIC-PPCI): a single-blind randomised controlled trial. <i>Lancet, The</i> , 2019 , 394, 1415-1424	40	125
109	Extent of coronary artery disease is associated with myocardial infarction and mortality in patients with diabetes mellitus [Response to Letter]. <i>Clinical Epidemiology</i> , 2019 , 11, 721-722	5.9	1
108	Rationale and design of DanGer shock: Danish-German cardiogenic shock trial. <i>American Heart Journal</i> , 2019 , 214, 60-68	4.9	82
107	Unreported exclusion and sampling bias in interpretation of randomized controlled trials in patients with STEMI. <i>International Journal of Cardiology</i> , 2019 , 289, 1-5	3.2	3
106	Extent of coronary artery disease is associated with myocardial infarction and mortality in patients with diabetes mellitus. <i>Clinical Epidemiology</i> , 2019 , 11, 419-428	5.9	9
105	Comparison of the polymer-free biolimus-coated BioFreedom stent with the thin-strut biodegradable polymer sirolimus-eluting Orsiro stent in an all-comers population treated with percutaneous coronary intervention: Rationale and design of the randomized SORT OUT IX trial. <i>American Heart Journal</i> , 2019 , 213, 1-7	4.9	5
104	Are drug-eluting stents safer than bare-metal stents?. <i>Lancet, The</i> , 2019 , 393, 2472-2474	40	3
103	Predicting stroke in patients without atrial fibrillation. <i>European Journal of Clinical Investigation</i> , 2019 , 49, e13103	4.6	4
102	Association between anti-diabetes treatments and cardiovascular risk in diabetes patients with and without coronary artery disease. <i>Diabetes and Vascular Disease Research</i> , 2019 , 16, 351-359	3.3	5
101	Everolimus-Eluting Versus Biolimus-Eluting Stents With Biodegradable Polymers in Unselected Patients Undergoing Percutaneous Coronary Intervention: A Randomized Noninferiority Trial With 1-Year Follow-Up (SORT OUT VIII Trial). <i>JACC: Cardiovascular Interventions</i> , 2019 , 12, 624-633	5	18
100	Validation of the European Society of Cardiology and European Society of Anaesthesiology non-cardiac surgery risk score in patients treated with coronary drug-eluting stent implantation. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2019 , 5, 22-27	4.6	4
99	Everolimus-Eluting Versus Biolimus-Eluting Coronary Stent Implantation in Patients With and Without Diabetes Mellitus. <i>American Journal of Cardiology</i> , 2019 , 124, 671-677	3	4
98	Temporal trends in incidence and patient characteristics in cardiogenic shock following acute myocardial infarction from 2010 to 2017: a Danish cohort study. <i>European Journal of Heart Failure</i> , 2019 , 21, 1370-1378	12.3	56
97	Diabetes Mellitus Is Associated With Increased Risk of Ischemic Stroke in Patients With and Without Coronary Artery Disease. <i>Stroke</i> , 2019 , 50, 3347-3354	6.7	13
96	Lactate is a Prognostic Factor in Patients Admitted With Suspected ST-Elevation Myocardial Infarction. <i>Shock</i> , 2019 , 51, 321-327	3.4	16
95	Comparison of Frequency of Ischemic Stroke in Patients With Versus Without Coronary Heart Disease and Without Atrial Fibrillation. <i>American Journal of Cardiology</i> , 2019 , 123, 153-158	3	7
94	Impact of diabetes on clinical outcomes after revascularization with sirolimus-eluting and biolimus-eluting stents with biodegradable polymer from the SORT OUT VII trial. <i>Catheterization and Cardiovascular Interventions</i> , 2019 , 93, 567-573	2.7	7

93	Plasma Concentration of Biomarkers Reflecting Endothelial Cell- and Glycocalyx Damage are Increased in Patients With Suspected ST-Elevation Myocardial Infarction Complicated by Cardiogenic Shock. <i>Shock</i> , 2018 , 50, 538-544	3.4	19
92	The Western Denmark Heart Registry: Its Influence on Cardiovascular Patient Care. <i>Journal of the American College of Cardiology</i> , 2018 , 71, 1259-1272	15.1	54
91	Randomized comparison of sirolimus eluting, and biolimus eluting bioresorbable polymer stents: the SORT-OUT VII optical coherence tomography study. <i>European Heart Journal Cardiovascular Imaging</i> , 2018 , 19, 329-338	4.1	3
90	Risk factors of late cardiogenic shock and mortality in ST-segment elevation myocardial infarction patients. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2018 , 7, 7-15	4.3	36
89	Uncovered Culprit Plaque Ruptures in Patients With ST-Segment Elevation Myocardial Infarction Assessed by Optical Coherence Tomography and Intravascular Ultrasound With iMap. <i>JACC: Cardiovascular Imaging</i> , 2018 , 11, 859-867	8.4	4
88	Stent implantation and vascular healing of a spontaneous coronary artery dissection assessed by optical coherence tomography in a patient with acute coronary syndrome. <i>Cardiovascular Revascularization Medicine</i> , 2018 , 19, 376-379	1.6	
87	15-O-water myocardial flow reserve PET and CT angiography by full hybrid PET/CT as a potential alternative to invasive angiography. <i>International Journal of Cardiovascular Imaging</i> , 2018 , 34, 2011-2022	2.5	2
86	Randomized clinical comparison of the dual-therapy CD34 antibody-covered sirolimus-eluting Combo stent with the sirolimus-eluting Orsiro stent in patients treated with percutaneous coronary intervention: Rationale and study design of the Scandinavian Organization for Randomized Trials with Clinical Outcome (SORT-OUT) X trial. <i>American Heart Journal</i> , 2018 , 202, 49-53	4.9	8
85	Comparison between patients included in randomized controlled trials of ischemic heart disease and real-world data. A nationwide study. <i>American Heart Journal</i> , 2018 , 204, 128-138	4.9	7
84	Prospective Comparison of FFR Derived From Coronary CT Angiography With SPECT Perfusion Imaging in Stable Coronary Artery Disease: The ReASSESS Study. <i>JACC: Cardiovascular Imaging</i> , 2018 , 11, 1640-1650	8.4	62
83	Two-year outcome after biodegradable polymer sirolimus- and biolimus-eluting coronary stents (from the randomised SORT OUT VII trial). <i>EuroIntervention</i> , 2018 , 13, 1587-1590	3.1	13
82	Single-centre experience with the Impella CP, 5.0 and RP in 109 consecutive patients with profound cardiogenic shock. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2018 , 7, 53-61	4.3	34
81	Fractional Flow Reserve Versus Angiographically-Guided Coronary Artery Bypass Grafting. <i>Journal of the American College of Cardiology</i> , 2018 , 72, 2732-2743	15.1	47
80	Should the Presence or Extent of Coronary Artery Disease be Quantified in the CHA2DS2-VASc Score in Atrial Fibrillation? A Report from the Western Denmark Heart Registry. <i>Thrombosis and Haemostasis</i> , 2018 , 118, 2162-2170	7	22
79	Coronary stent implantation and adverse cardiac events after surgery. <i>European Journal of Clinical Investigation</i> , 2018 , 48, e13030	4.6	2
78	Lipid-core burden response to stent implantation assessed with near-infrared spectroscopy and intravascular ultrasound evaluation in patients with myocardial infarction. <i>Cardiovascular Revascularization Medicine</i> , 2017 , 18, 182-189	1.6	4
77	Effect of Ischemic Postconditioning During Primary Percutaneous Coronary Intervention for Patients With ST-Segment Elevation Myocardial Infarction: A Randomized Clinical Trial. <i>JAMA Cardiology</i> , 2017 , 2, 490-497	16.2	70
76	Design and rationale for the Influenza vaccination After Myocardial Infarction (IAMI) trial. A registry-based randomized clinical trial. <i>American Heart Journal</i> , 2017 , 189, 94-102	4.9	32

75	Influence of ezetimibe in addition to high-dose atorvastatin therapy on plaque composition in patients with ST-segment elevation myocardial infarction assessed by serial: Intravascular ultrasound with iMap: the OCTIVUS trial. <i>Cardiovascular Revascularization Medicine</i> , 2017 , 18, 110-117	1.6	15
74	Patients With Diabetes Without Significant Angiographic Coronary Artery Disease Have the Same Risk of Myocardial Infarction as Patients Without Diabetes in a Real-World Population Receiving Appropriate Prophylactic Treatment. <i>Diabetes Care</i> , 2017 , 40, 1103-1110	14.6	30
73	Severe Mental Illness and Clinical Outcome After Primary Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2017 , 120, 550-555	3	14
72	Distance to invasive heart centre, performance of acute coronary angiography, and angioplasty and associated outcome in out-of-hospital cardiac arrest: a nationwide study. <i>European Heart Journal</i> , 2017 , 38, 1645-1652	9.5	62
71	The SABRE Trial (Sirolimus Angioplasty Balloon for Coronary In-Stent Restenosis): Angiographic Results and 1-Year Clinical Outcomes. <i>JACC: Cardiovascular Interventions</i> , 2017 , 10, 2029-2037	5	24
70	Data on association between QRS duration on prehospital ECG and mortality in patients with confirmed STEMI. <i>Data in Brief</i> , 2017 , 15, 12-17	1.2	1
69	A Common Variant in SCN5A and the Risk of Ventricular Fibrillation Caused by First ST-Segment Elevation Myocardial Infarction. <i>PLoS ONE</i> , 2017 , 12, e0170193	3.7	11
68	Long-term prognosis of patients with non-ST-segment elevation myocardial infarction according to coronary arteries atherosclerosis extent on coronary angiography: a historical cohort study. <i>BMC Cardiovascular Disorders</i> , 2017 , 17, 279	2.3	6
67	Association of common genetic variants related to atrial fibrillation and the risk of ventricular fibrillation in the setting of first ST-elevation myocardial infarction. <i>BMC Medical Genetics</i> , 2017 , 18, 138	2.1	2
66	Effect of Post-Dilatation Following Primary PCI With Everolimus-Eluting Bioresorbable Scaffold Versus Everolimus-Eluting Metallic Stent Implantation: An Angiographic and Optical Coherence Tomography TROFIM Substudy. <i>JACC: Cardiovascular Interventions</i> , 2017 , 10, 1867-1877	5	10
65	Intravascular ultrasound assessment of minimum lumen area and intimal hyperplasia in in-stent restenosis after drug-eluting or bare-metal stent implantation. The Nordic Intravascular Ultrasound Study (NIVUS). <i>Cardiovascular Revascularization Medicine</i> , 2017 , 18, 577-582	1.6	11
64	Outcome of revascularisation in stable coronary artery disease without ischaemia: a Danish registry-based follow-up study. <i>BMJ Open</i> , 2017 , 7, e016169	3	4
63	Coronary artery disease and risk of adverse cardiac events and stroke. <i>European Journal of Clinical Investigation</i> , 2017 , 47, 819-828	4.6	13
62	Association between QRS duration on prehospital ECG and mortality in patients with suspected STEMI. <i>International Journal of Cardiology</i> , 2017 , 249, 55-60	3.2	2
61	Patient delay in patients with ST-elevation myocardial infarction: Time patterns and predictors for a prolonged delay. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2017 , 6, 583-591	4.3	17
60	Early restenose in a polymer-free Biolimus A9-coated stent (BioFreedom): A case report based on optical coherence tomography. <i>Cardiovascular Revascularization Medicine</i> , 2017 , 18, 207-211	1.6	1
59	Randomized Comparison of a Biodegradable Polymer Ultrathin Strut Sirolimus-Eluting Stent With a Biodegradable Polymer Biolimus-Eluting Stent in Patients Treated With Percutaneous Coronary Intervention: The SORT OUT VII Trial. <i>Circulation: Cardiovascular Interventions</i> , 2016 , 9,	6	78
58	Percutaneous coronary angioplasty versus coronary artery bypass grafting in treatment of unprotected left main stenosis (NOBLE): a prospective, randomised, open-label, non-inferiority trial. <i>Lancet, The</i> , 2016 , 388, 2743-2752	40	446

57	Safety and Efficacy of Everolimus- Versus Sirolimus-Eluting Stents: 5-Year Results From SORT OUT IV. <i>Journal of the American College of Cardiology</i> , 2016 , 67, 751-62	15.1	77
56	Optical coherence tomography plaque characterization in a patient with ST segment elevation myocardial infarction after cocaine intake. <i>Cardiovascular Revascularization Medicine</i> , 2016 , 17, 212-5	1.6	
55	Risk Associated With Surgery Within 12 Months After Coronary Drug-Eluting Stent Implantation. <i>Journal of the American College of Cardiology</i> , 2016 , 68, 2622-2632	15.1	60
54	Gastroscopy-related adverse cardiac events and bleeding complications among patients treated with coronary stents and dual antiplatelet therapy. <i>Endoscopy International Open</i> , 2016 , 4, E527-33	3	4
53	Invasively Measured Aortic Systolic Blood Pressure and Office Systolic Blood Pressure in Cardiovascular Risk Assessment: A Prospective Cohort Study. <i>Hypertension</i> , 2016 , 68, 768-74	8.5	10
52	Meta-Analysis of Individual Patient Data of Sodium Bicarbonate and Sodium Chloride for All-Cause Mortality After Coronary Angiography. <i>American Journal of Cardiology</i> , 2016 , 118, 1473-1479	3	4
51	Optical coherence tomography assessment of incidence, morphological characteristics, and spontaneous healing course of edge dissections following percutaneous coronary intervention with stent implantation in patients with non-ST segment elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2016 , 223, 466-474	3.2	2
50	Zotarolimus-eluting durable-polymer-coated stent versus a biolimus-eluting biodegradable-polymer-coated stent in unselected patients undergoing percutaneous coronary intervention (SORT OUT VI): a randomised non-inferiority trial. <i>Lancet, The</i> , 2015 , 385, 1527-35	40	92
49	Quantitative myocardial perfusion by O-15-water PET: individualized vs. standardized vascular territories. <i>European Heart Journal Cardiovascular Imaging</i> , 2015 , 16, 970-6	4.1	17
48	Influence of multivessel disease with or without additional revascularization on mortality in patients with ST-segment elevation myocardial infarction. <i>American Heart Journal</i> , 2015 , 170, 70-8	4.9	16
47	Large coronary intramural hematomas: a case series and focused literature review. <i>Cardiovascular Revascularization Medicine</i> , 2015 , 16, 116-23	1.6	10
46	The Third DANish Study of Optimal Acute Treatment of Patients with ST-segment Elevation Myocardial Infarction: Ischemic postconditioning or deferred stent implantation versus conventional primary angioplasty and complete revascularization versus treatment of culprit lesion only. <i>Scandinavian Journal of Cardiovascular Medicine and Health</i> , 2015 , 40, 112-21	4.9	55
45	Incidence and risk factors of ventricular fibrillation before primary angioplasty in patients with first ST-elevation myocardial infarction: a nationwide study in Denmark. <i>Journal of the American Heart Association</i> , 2015 , 4, e001399	6	66
44	Optical Coherence Tomography Guided Percutaneous Coronary Intervention With Nobori Stent Implantation in Patients With Non-ST-Segment-Elevation Myocardial Infarction (OCTACS) Trial: Difference in Strut Coverage and Dynamic Malapposition Patterns at 6 Months. <i>Circulation: Cardiovascular Interventions</i> , 2015 , 8, e003415	6	28
43	Intra- and interobserver reliability and intra-catheter reproducibility using frequency domain optical coherence tomography for the evaluation of morphometric stent parameters and qualitative assessment of stent strut coverage. <i>Cardiovascular Revascularization Medicine</i> , 2015 , 16, 469-77	1.6	2
42	A 10-month angiographic and 4-year clinical outcome of everolimus-eluting versus sirolimus-eluting coronary stents in patients with diabetes mellitus (the DiabeDES IV randomized angiography trial). <i>Catheterization and Cardiovascular Interventions</i> , 2015 , 86, 1161-7	2.7	12
41	Underuse of an invasive strategy for patients with diabetes with acute coronary syndrome: a nationwide study. <i>Open Heart</i> , 2015 , 2, e000165	3	13
40	Randomized comparison of a sirolimus-eluting Orsiro stent with a biolimus-eluting Nobori stent in patients treated with percutaneous coronary intervention: Rationale and study design of the Scandinavian Organization for Randomized Trials with Clinical Outcome VII trial. <i>American Heart Journal</i> , 2015 , 170, 210-5	4.9	16

39	Long-Term Safety of Drug-Eluting and Bare-Metal Stents: Evidence From a Comprehensive Network Meta-Analysis. <i>Journal of the American College of Cardiology</i> , 2015 , 65, 2496-507	15.1	309
38	Long-term outcome of sirolimus-eluting and zotarolimus-eluting coronary stent implantation in patients with and without diabetes mellitus (a Danish organization for randomized trials on clinical outcome III substudy). <i>American Journal of Cardiology</i> , 2015 , 115, 298-302	3	12
37	Influence of cardiogenic shock with or without the use of intra-aortic balloon pump on mortality in patients with ST-segment elevation myocardial infarction. <i>IJC Heart and Vasculature</i> , 2015 , 6, 19-24	2.4	1
36	Impact of renal insufficiency on mortality in patients with ST-segment elevation myocardial infarction treated with primary percutaneous coronary intervention. <i>BMC Cardiovascular Disorders</i> , 2014 , 14, 15	2.3	11
35	Immediate mobilization after coronary angiography or percutaneous coronary intervention following hemostasis with the AngioSeal vascular closure device (the MOBS study). <i>European Journal of Cardiovascular Nursing</i> , 2014 , 13, 466-72	3.3	7
34	Prognostic value of fractional flow reserve: linking physiologic severity to clinical outcomes. <i>Journal of the American College of Cardiology</i> , 2014 , 64, 1641-54	15.1	361
33	Three-year outcomes after revascularization with everolimus- and sirolimus-eluting stents from the SORT OUT IV trial. <i>JACC: Cardiovascular Interventions</i> , 2014 , 7, 840-8	5	27
32	24-hour antiplatelet effect of aspirin in patients with previous definite stent thrombosis. <i>International Journal of Cardiology</i> , 2014 , 175, 274-9	3.2	31
31	Impact of health care system delay in patients with ST-elevation myocardial infarction on return to labor market and work retirement. <i>American Journal of Cardiology</i> , 2014 , 114, 1810-6	3	19
30	Peri-stent contrast staining, major evaginations and severe malapposition after biolimus-eluting stent implantation: a case report based on coronary optical frequency domain imaging. <i>Cardiovascular Revascularization Medicine</i> , 2014 , 15, 424-7	1.6	2
29	Differential clinical outcomes after 1 year versus 5 years in a randomised comparison of zotarolimus-eluting and sirolimus-eluting coronary stents (the SORT OUT III study): a multicentre, open-label, randomised superiority trial. <i>Lancet, The</i> , 2014 , 383, 2047-2056	40	80
28	2-year patient-related versus stent-related outcomes: the SORT OUT IV (Scandinavian Organization for Randomized Trials With Clinical Outcome IV) Trial. <i>Journal of the American College of Cardiology</i> , 2012 , 60, 1140-7	15.1	41
27	Comparison of outcomes in patients with versus without diabetes mellitus after revascularization with everolimus- and sirolimus-eluting stents (from the SORT OUT IV trial). <i>American Journal of Cardiology</i> , 2012 , 110, 1585-91	3	44
26	Influence of diabetes mellitus on clinical outcomes following primary percutaneous coronary intervention in patients with ST-segment elevation myocardial infarction. <i>American Journal of Cardiology</i> , 2012 , 109, 629-35	3	43
25	Randomized comparison of everolimus-eluting and sirolimus-eluting stents in patients treated with percutaneous coronary intervention: the Scandinavian Organization for Randomized Trials with Clinical Outcome IV (SORT OUT IV). <i>Circulation</i> , 2012 , 125, 1246-55	16.7	131
24	Culprit only or multivessel percutaneous coronary interventions in patients with ST-segment elevation myocardial infarction and multivessel disease. <i>EuroIntervention</i> , 2012 , 8, 456-64	3.1	32
23	Late lumen loss and intima hyperplasia after sirolimus-eluting and zotarolimus-eluting stent implantation in diabetic patients: the diabetes and drug-eluting stent (DiabeDES III) angiography and intravascular ultrasound trial. <i>EuroIntervention</i> , 2011 , 7, 323-31	3.1	19
22	Rationale and design of a randomized clinical comparison of everolimus-eluting (Xience v/Promus) and sirolimus-eluting (cypher select+) coronary stents in unselected patients with coronary heart disease. <i>Cardiology</i> , 2010 , 116, 73-8	1.6	17

21	Efficacy and safety of zotarolimus-eluting and sirolimus-eluting coronary stents in routine clinical care (SORT OUT III): a randomised controlled superiority trial. <i>Lancet, The</i> , 2010 , 375, 1090-9	4 ⁰	174
20	Outcome in high risk patients with unprotected left main coronary artery stenosis treated with percutaneous coronary intervention. <i>Catheterization and Cardiovascular Interventions</i> , 2010 , 75, 101-8	2.7	18
19	Long-term outcomes after percutaneous coronary intervention in patients with and without diabetes mellitus in Western Denmark. <i>American Journal of Cardiology</i> , 2010 , 105, 1513-9	3	35
18	Comparison of the sirolimus-eluting versus paclitaxel-eluting coronary stent in patients with diabetes mellitus: the diabetes and drug-eluting stent (DiabeDES) randomized angiography trial. <i>American Journal of Cardiology</i> , 2009 , 103, 345-9	3	48
17	Serial intravascular ultrasound analysis of peri-stent remodeling and proximal and distal edge effects after sirolimus-eluting or paclitaxel-eluting stent implantation in patients with diabetes mellitus. <i>American Journal of Cardiology</i> , 2009 , 103, 1083-8	3	16
16	Comparison of intravascular ultrasound and angiographic assessment of coronary reference segment size in patients with type 2 diabetes mellitus. <i>American Journal of Cardiology</i> , 2008 , 101, 590-5	3	24
15	Intravascular ultrasound assessment of expansion of the sirolimus-eluting (cypher select) and paclitaxel-eluting (Taxus Express-2) stent in patients with diabetes mellitus. <i>American Journal of Cardiology</i> , 2008 , 102, 19-26	3	13
14	Comparison of stent thrombosis, myocardial infarction, and mortality following drug-eluting versus bare-metal stent coronary intervention in patients with diabetes mellitus. <i>American Journal of Cardiology</i> , 2008 , 102, 165-72	3	26
13	Neointimal hyperplasia after sirolimus-eluting and paclitaxel-eluting stent implantation in diabetic patients: the Randomized Diabetes and Drug-Eluting Stent (DiabeDES) Intravascular Ultrasound Trial. <i>European Heart Journal</i> , 2008 , 29, 2733-41	9.5	32
12	Clinical outcome after primary percutaneous coronary intervention with drug-eluting and bare metal stents in patients with ST-segment elevation myocardial infarction. <i>Circulation: Cardiovascular Interventions</i> , 2008 , 1, 176-84	6	26
11	Stent thrombosis, myocardial infarction, and death after drug-eluting and bare-metal stent coronary interventions. <i>Journal of the American College of Cardiology</i> , 2007 , 50, 463-70	15.1	195
10	Accuracy of electrocardiographic-gated versus nongated volumetric intravascular ultrasound measurements of coronary arterial narrowing. <i>American Journal of Cardiology</i> , 2007 , 99, 279-83	3	6
9	Influence of a pressure gradient distal to implanted bare-metal stent on in-stent restenosis after percutaneous coronary intervention. <i>Circulation</i> , 2007 , 116, 2802-8	16.7	17
8	Recruitable collateral blood flow index predicts coronary in-stent restenosis after percutaneous coronary intervention. <i>European Heart Journal</i> , 2007 , 28, 1820-6	9.5	14
7	Intravascular ultrasound assessment of remodelling and reference segment plaque burden in type-2 diabetic patients. <i>European Heart Journal</i> , 2007 , 28, 1759-64	9.5	37
6	Effect of simvastatin on coronary lesion site remodeling: a serial intravascular ultrasound study. <i>Cardiology</i> , 2006 , 106, 256-63	1.6	7
5	Short- and long-term influence of diet and simvastatin on brachial artery endothelial function. <i>International Journal of Cardiology</i> , 2006 , 107, 101-6	3.2	7
4	Effect of simvastatin on coronary flow reserve in patients with atherosclerosis and hypercholesterolemia: an intracoronary Doppler study. <i>Coronary Artery Disease</i> , 2006 , 17, 51-6	1.4	3

3	Target vessel revascularization following percutaneous coronary intervention. A 10-year report from the Danish Percutaneous Transluminal Coronary Angioplasty Registry. <i>Scandinavian Cardiovascular Journal</i> , 2005 , 39, 30-5	2	1
2	Regression of coronary atherosclerosis by simvastatin: a serial intravascular ultrasound study. <i>Circulation</i> , 2004 , 110, 265-70	16.7	154
1	Low variation and high reproducibility in plaque volume with intravascular ultrasound. <i>International Journal of Cardiology</i> , 2004 , 97, 463-9	3.2	12