

Pamela W Duncan

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4711975/pamela-w-duncan-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

166
papers

17,157
citations

63
h-index

130
g-index

183
ext. papers

19,561
ext. citations

5.6
avg, IF

6.22
L-index

#	Paper	IF	Citations
166	Physical activity and public health in older adults: recommendation from the American College of Sports Medicine and the American Heart Association. <i>Medicine and Science in Sports and Exercise</i> , 2007 , 39, 1435-45	1.2	1516
165	Robot-assisted therapy for long-term upper-limb impairment after stroke. <i>New England Journal of Medicine</i> , 2010 , 362, 1772-83	59.2	949
164	Physical performance measures in the clinical setting. <i>Journal of the American Geriatrics Society</i> , 2003 , 51, 314-22	5.6	921
163	Sex differences in stroke: epidemiology, clinical presentation, medical care, and outcomes. <i>Lancet Neurology</i> , 2008 , 7, 915-26	24.1	737
162	Rasch analysis of a new stroke-specific outcome scale: the Stroke Impact Scale. <i>Archives of Physical Medicine and Rehabilitation</i> , 2003 , 84, 950-63	2.8	586
161	Body-weight-supported treadmill rehabilitation after stroke. <i>New England Journal of Medicine</i> , 2011 , 364, 2026-36	59.2	448
160	Improvements in speed-based gait classifications are meaningful. <i>Stroke</i> , 2007 , 38, 2096-100	6.7	444
159	Randomized clinical trial of therapeutic exercise in subacute stroke. <i>Stroke</i> , 2003 , 34, 2173-80	6.7	431
158	Persisting consequences of stroke measured by the Stroke Impact Scale. <i>Stroke</i> , 2002 , 33, 1840-4	6.7	428
157	Is lower extremity strength gain associated with improvement in physical performance and disability in frail, community-dwelling elders?. <i>Archives of Physical Medicine and Rehabilitation</i> , 1998 , 79, 24-30	2.8	344
156	Evidence that amphetamine with physical therapy promotes recovery of motor function in stroke patients. <i>Annals of Neurology</i> , 1988 , 23, 94-7	9.4	316
155	Defining post-stroke recovery: implications for design and interpretation of drug trials. <i>Neuropharmacology</i> , 2000 , 39, 835-41	5.5	296
154	Meaningful gait speed improvement during the first 60 days poststroke: minimal clinically important difference. <i>Physical Therapy</i> , 2010 , 90, 196-208	3.3	295
153	Functional reach: a marker of physical frailty. <i>Journal of the American Geriatrics Society</i> , 1992 , 40, 203-7	5.6	288
152	Recommendations for the establishment of stroke systems of care: recommendations from the American Stroke Association® Task Force on the Development of Stroke Systems. <i>Stroke</i> , 2005 , 36, 690-703	6.7	280
151	Fugl-Meyer assessment of sensorimotor function after stroke: standardized training procedure for clinical practice and clinical trials. <i>Stroke</i> , 2011 , 42, 427-32	6.7	226
150	Adherence to postacute rehabilitation guidelines is associated with functional recovery in stroke. <i>Stroke</i> , 2002 , 33, 167-77	6.7	226

149	Disability measures in stroke: relationship among the Barthel Index, the Functional Independence Measure, and the Modified Rankin Scale. <i>Stroke</i> , 2004 , 35, 918-23	6.7	222
148	The relation between impairments and functional outcomes poststroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2000 , 81, 1357-63	2.8	213
147	Ethnic disparities in stroke: epidemiology, acute care, and postacute outcomes. <i>Stroke</i> , 2005 , 36, 374-86	6.7	211
146	Clinical Global Impression of Change in Physical Frailty: development of a measure based on clinical judgment. <i>Journal of the American Geriatrics Society</i> , 2004 , 52, 1560-6	5.6	200
145	Evaluation of proxy responses to the Stroke Impact Scale. <i>Stroke</i> , 2002 , 33, 2593-9	6.7	172
144	Predicting Falls: the role of mobility and nonphysical factors. <i>Journal of the American Geriatrics Society</i> , 1994 , 42, 297-302	5.6	170
143	Ambulatory continuous interscalene nerve blocks decrease the time to discharge readiness after total shoulder arthroplasty: a randomized, triple-masked, placebo-controlled study. <i>Anesthesiology</i> , 2006 , 105, 999-1007	4.3	164
142	Should body weight-supported treadmill training and robotic-assistive steppers for locomotor training trot back to the starting gate?. <i>Neurorehabilitation and Neural Repair</i> , 2012 , 26, 308-17	4.7	149
141	Protocol for the Locomotor Experience Applied Post-stroke (LEAPS) trial: a randomized controlled trial. <i>BMC Neurology</i> , 2007 , 7, 39	3.1	149
140	Ambulatory continuous femoral nerve blocks decrease time to discharge readiness after tricompartment total knee arthroplasty: a randomized, triple-masked, placebo-controlled study. <i>Anesthesiology</i> , 2008 , 108, 703-13	4.3	148
139	Health-related quality of life among men with HIV infection: effects of social support, coping, and depression. <i>AIDS Patient Care and STDs</i> , 2004 , 18, 594-603	5.8	127
138	Physical and social functioning after stroke: comparison of the Stroke Impact Scale and Short Form-36. <i>Stroke</i> , 2003 , 34, 488-93	6.7	120
137	Daily functioning and quality of life in a randomized controlled trial of therapeutic exercise for subacute stroke survivors. <i>Stroke</i> , 2005 , 36, 1764-70	6.7	120
136	The effect of poststroke cognitive impairment on rehabilitation process and functional outcome. <i>Archives of Physical Medicine and Rehabilitation</i> , 2004 , 85, 1084-90	2.8	116
135	Effects of stroke severity and training duration on locomotor recovery after stroke: a pilot study. <i>Neurorehabilitation and Neural Repair</i> , 2007 , 21, 137-51	4.7	112
134	Recommendations for the establishment of stroke systems of care: recommendations from the American Stroke Association® Task Force on the Development of Stroke Systems. <i>Circulation</i> , 2005 , 111, 1078-91	16.7	112
133	Neuroinflammation after Intracerebral Hemorrhage and Potential Therapeutic Targets. <i>Journal of Stroke</i> , 2020 , 22, 29-46	5.6	111
132	Comparison of the responsiveness of the Barthel Index and the motor component of the Functional Independence Measure in stroke: the impact of using different methods for measuring responsiveness. <i>Journal of Clinical Epidemiology</i> , 2002 , 55, 922-8	5.7	109

131	An economic analysis of robot-assisted therapy for long-term upper-limb impairment after stroke. <i>Stroke</i> , 2011 , 42, 2630-2	6.7	107
130	Co-morbidity adjustment for functional outcomes in community-dwelling older adults. <i>Clinical Rehabilitation</i> , 2002 , 16, 420-8	3.3	106
129	Therapeutic exercise and depressive symptoms after stroke. <i>Journal of the American Geriatrics Society</i> , 2006 , 54, 240-7	5.6	105
128	Issues in selecting outcome measures to assess functional recovery after stroke. <i>NeuroRx</i> , 2006 , 3, 505-24		105
127	Utilities for major stroke: results from a survey of preferences among persons at increased risk for stroke. <i>American Heart Journal</i> , 1998 , 136, 703-13	4.9	105
126	Standardizing the structure of stroke clinical and epidemiologic research data: the National Institute of Neurological Disorders and Stroke (NINDS) Stroke Common Data Element (CDE) project. <i>Stroke</i> , 2012 , 43, 967-73	6.7	100
125	Stroke: working toward a prioritized world agenda. <i>Stroke</i> , 2010 , 41, 1084-99	6.7	98
124	Veterans Affairs/Department of Defense Clinical Practice Guideline for the Management of Adult Stroke Rehabilitation Care: executive summary. <i>Stroke</i> , 2005 , 36, 2049-56	6.7	97
123	Knowledge of risk among patients at increased risk for stroke. <i>Stroke</i> , 1997 , 28, 916-21	6.7	97
122	Predictors of changes in health-related quality of life among men with HIV infection in the HAART era. <i>AIDS Patient Care and STDs</i> , 2005 , 19, 395-405	5.8	96
121	Rasch analysis staging methodology to classify upper extremity movement impairment after stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2013 , 94, 1527-33	2.8	95
120	How do physiological components of balance affect mobility in elderly men?. <i>Archives of Physical Medicine and Rehabilitation</i> , 1993 , 74, 1343-9	2.8	94
119	Ambulatory continuous posterior lumbar plexus nerve blocks after hip arthroplasty: a dual-center, randomized, triple-masked, placebo-controlled trial. <i>Anesthesiology</i> , 2008 , 109, 491-501	4.3	92
118	Does functional reach improve with rehabilitation?. <i>Archives of Physical Medicine and Rehabilitation</i> , 1993 , 74, 796-800	2.8	90
117	The relationship of postural sway to sensorimotor function, functional performance, and disability in the elderly. <i>Archives of Physical Medicine and Rehabilitation</i> , 1996 , 77, 567-72	2.8	87
116	Stroke recovery profile and the Modified Rankin assessment. <i>Neuroepidemiology</i> , 2001 , 20, 26-30	5.4	83
115	Dimensionality and construct validity of the Fugl-Meyer Assessment of the upper extremity. <i>Archives of Physical Medicine and Rehabilitation</i> , 2007 , 88, 715-23	2.8	82
114	Trends in ADL and IADL disability in community-dwelling older adults in Shanghai, China, 1998-2008. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2013 , 68, 476-85	4.6	81

113	A Novel Rehabilitation Intervention for Older Patients With Acute Decompensated Heart Failure: The REHAB-HF Pilot Study. <i>JACC: Heart Failure</i> , 2017 , 5, 359-366	7.9	74
112	Poststroke chronic disease management: towards improved identification and interventions for poststroke spasticity-related complications. <i>International Journal of Stroke</i> , 2011 , 6, 42-6	6.3	72
111	Group treatment improves trunk strength and psychological status in older women with vertebral fractures: results of a randomized, clinical trial. <i>Journal of the American Geriatrics Society</i> , 2004 , 52, 1471-8	5.6	71
110	Physical Rehabilitation for Older Patients Hospitalized for Heart Failure. <i>New England Journal of Medicine</i> , 2021 , 385, 203-216	59.2	70
109	Characterizing and identifying risk for falls in the LEAPS study: a randomized clinical trial of interventions to improve walking poststroke. <i>Stroke</i> , 2012 , 43, 446-52	6.7	69
108	Effects of task-specific and impairment-based training compared with usual care on functional walking ability after inpatient stroke rehabilitation: LEAPS Trial. <i>Neurorehabilitation and Neural Repair</i> , 2013 , 27, 370-80	4.7	68
107	Multiple system utilization and mortality for veterans with stroke. <i>Stroke</i> , 2007 , 38, 355-60	6.7	66
106	Safely Identifying Emergency Department Patients With Acute Chest Pain for Early Discharge. <i>Circulation</i> , 2018 , 138, 2456-2468	16.7	65
105	Physical Function, Frailty, Cognition, Depression, and Quality of Life in Hospitalized Adults \geq 80 Years With Acute Decompensated Heart Failure With Preserved Versus Reduced Ejection Fraction. <i>Circulation: Heart Failure</i> , 2018 , 11, e005254	7.6	64
104	Postacute stroke guideline compliance is associated with greater patient satisfaction. <i>Archives of Physical Medicine and Rehabilitation</i> , 2002 , 83, 750-6	2.8	63
103	Multicenter randomized trial of robot-assisted rehabilitation for chronic stroke: methods and entry characteristics for VA ROBOTICS. <i>Neurorehabilitation and Neural Repair</i> , 2009 , 23, 775-83	4.7	62
102	Reducing Readmissions After Stroke With a Structured Nurse Practitioner/Registered Nurse Transitional Stroke Program. <i>Stroke</i> , 2016 , 47, 1599-604	6.7	62
101	Adapting human postural reflexes following localized cerebrovascular lesion: analysis of bilateral long latency responses. <i>Brain Research</i> , 1986 , 363, 257-64	3.7	60
100	Comparison of Frequency of Frailty and Severely Impaired Physical Function in Patients \geq 80 Years Hospitalized With Acute Decompensated Heart Failure Versus Chronic Stable Heart Failure With Reduced and Preserved Left Ventricular Ejection Fraction. <i>American Journal of Cardiology</i> , 2016 , 117, 1953-8	3	60
99	Longitudinal stability of the Fugl-Meyer Assessment of the upper extremity. <i>Archives of Physical Medicine and Rehabilitation</i> , 2008 , 89, 1563-9	2.8	56
98	Coordination of hemiparetic locomotion after stroke rehabilitation. <i>Neurorehabilitation and Neural Repair</i> , 2005 , 19, 250-8	4.7	56
97	Conceptualizing functional cognition in stroke. <i>Neurorehabilitation and Neural Repair</i> , 2008 , 22, 122-35	4.7	55
96	Promoting neuroplasticity and recovery after stroke: future directions for rehabilitation clinical trials. <i>Current Opinion in Neurology</i> , 2013 , 26, 37-42	7.1	53

95	Rehabilitation medicine summit: building research capacity executive summary. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2006 , 3, 1	5.3	53
94	The Comprehensive Post-Acute Stroke Services (COMPASS) study: design and methods for a cluster-randomized pragmatic trial. <i>BMC Neurology</i> , 2017 , 17, 133	3.1	52
93	A further investigation of health-related quality of life over time among men with HIV infection in the HAART era. <i>Quality of Life Research</i> , 2007 , 16, 961-8	3.7	51
92	Impact of comorbidities on stroke rehabilitation outcomes: does the method matter?. <i>Archives of Physical Medicine and Rehabilitation</i> , 2008 , 89, 1903-6	2.8	46
91	Measuring stroke impact with the stroke impact scale: telephone versus mail administration in veterans with stroke. <i>Medical Care</i> , 2005 , 43, 507-15	3.1	46
90	Assessment of Home-Time After Acute Ischemic Stroke in Medicare Beneficiaries. <i>Stroke</i> , 2016 , 47, 836-42	4.7	46
89	Rehabilitation Therapy in Older Acute Heart Failure Patients (REHAB-HF) trial: Design and rationale. <i>American Heart Journal</i> , 2017 , 185, 130-139	4.9	45
88	Performance of a mail-administered version of a stroke-specific outcome measure, the Stroke Impact Scale. <i>Clinical Rehabilitation</i> , 2002 , 16, 493-505	3.3	44
87	Structure, process, and outcomes in stroke rehabilitation. <i>Medical Care</i> , 2002 , 40, 1036-47	3.1	42
86	Randomized Controlled Trial of Screening, Risk Modification, and Physical Therapy to Prevent Falls Among the Elderly Recently Discharged From the Emergency Department to the Community: The Steps to Avoid Falls in the Elderly Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017 , 98, 1086-1096	2.8	39
85	Prediction of responders for outcome measures of locomotor Experience Applied Post Stroke trial. <i>Journal of Rehabilitation Research and Development</i> , 2014 , 51, 39-50		37
84	Translating evidence into practice: a decade of efforts by the American Heart Association/American Stroke Association to reduce death and disability due to stroke: a presidential advisory from the American Heart Association/American Stroke Association. <i>Stroke</i> , 2010 , 41, 1051-65	6.7	36
83	Impact of comorbidities on ischemic stroke outcomes in women. <i>Stroke</i> , 2008 , 39, 2138-40	6.7	36
82	Feasibility and effectiveness of circuit training in acute stroke rehabilitation. <i>Neurorehabilitation and Neural Repair</i> , 2011 , 25, 140-8	4.7	34
81	Geographic variation in carotid revascularization among Medicare beneficiaries, 2003-2006. <i>Archives of Internal Medicine</i> , 2010 , 170, 1218-25		33
80	Health-related quality of life after tricompartiment knee arthroplasty with and without an extended-duration continuous femoral nerve block: a prospective, 1-year follow-up of a randomized, triple-masked, placebo-controlled study. <i>Anesthesia and Analgesia</i> , 2009 , 108, 1320-5	3.9	31
79	Adding injury to insult: fracture risk after stroke in veterans. <i>Journal of the American Geriatrics Society</i> , 2006 , 54, 1082-8	5.6	29
78	Measuring stroke impact with SIS: construct validity of SIS telephone administration. <i>Quality of Life Research</i> , 2006 , 15, 367-76	3.7	29

77	A taxonomy for classification of stroke rehabilitation services. <i>Archives of Physical Medicine and Rehabilitation</i> , 2000 , 81, 853-62	2.8	28
76	The Strategies to Reduce Injuries and Develop Confidence in Elders Intervention: Falls Risk Factor Assessment and Management, Patient Engagement, and Nurse Co-management. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 2733-2739	5.6	26
75	Randomized Pragmatic Trial of Stroke Transitional Care: The COMPASS Study. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2020 , 13, e006285	5.8	26
74	Hopeful thinking, participation, and depressive symptoms three months after stroke. <i>Psychology and Health</i> , 2006 , 21, 319-334	2.9	24
73	Frailty Among Older Decompensated Heart Failure Patients: Prevalence, Association With Patient-Centered Outcomes, and Efficient Detection Methods. <i>JACC: Heart Failure</i> , 2019 , 7, 1079-1088	7.9	24
72	Predictors of 30-day hospital readmission following ischemic and hemorrhagic stroke. <i>American Journal of Medical Quality</i> , 2015 , 30, 441-6	1.1	23
71	Unexplained Variation for Hospitals Use of Inpatient Rehabilitation and Skilled Nursing Facilities After an Acute Ischemic Stroke. <i>Stroke</i> , 2017 , 48, 2836-2842	6.7	23
70	Methods guiding stakeholder engagement in planning a pragmatic study on changing stroke systems of care. <i>Journal of Clinical and Translational Science</i> , 2017 , 1, 121-128	0.4	23
69	Health-related quality of life after hip arthroplasty with and without an extended-duration continuous posterior lumbar plexus nerve block: a prospective, 1-year follow-up of a randomized, triple-masked, placebo-controlled study. <i>Anesthesia and Analgesia</i> , 2009 , 109, 586-91	3.9	23
68	Anticipatory postural adjustments and the latency of compensatory stepping reactions in humans. <i>Neuroscience Letters</i> , 2003 , 336, 1-4	3.3	23
67	State-of-the-science on postacute rehabilitation: measurement and methodologies for assessing quality and establishing policy for postacute care. <i>Archives of Physical Medicine and Rehabilitation</i> , 2007 , 88, 1482-7	2.8	22
66	A Person-Centered Approach to Poststroke Care: The Comprehensive Post-Acute Stroke Services Model. <i>Journal of the American Geriatrics Society</i> , 2018 , 66, 1025-1030	5.6	21
65	Adherence to accelerometry measurement of community ambulation poststroke. <i>Physical Therapy</i> , 2014 , 94, 101-10	3.3	20
64	HEART Pathway Accelerated Diagnostic Protocol Implementation: Prospective Pre-Post Interrupted Time Series Design and Methods. <i>JMIR Research Protocols</i> , 2016 , 5, e10	2	20
63	The Effects of Stroke Type, Locus, and Extent on Long-Term Outcome of Gait Rehabilitation: The LEAPS Experience. <i>Neurorehabilitation and Neural Repair</i> , 2016 , 30, 615-25	4.7	19
62	Stroke: working toward a prioritized world agenda. <i>Cerebrovascular Diseases</i> , 2010 , 30, 127-47	3.2	19
61	Upper extremity control in adults post stroke with mild residual impairment. <i>Neurorehabilitation and Neural Repair</i> , 2000 , 14, 33-41	4.7	19
60	Stroke care: a method for measuring compliance with AHCPR guidelines. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2001 , 80, 235-42	2.6	19

59	Interventions Targeting Racial/Ethnic Disparities in Stroke Prevention and Treatment. <i>Stroke</i> , 2020 , 51, 3425-3432	6.7	19
58	Hospital recruitment for a pragmatic cluster-randomized clinical trial: Lessons learned from the COMPASS study. <i>Trials</i> , 2018 , 19, 74	2.8	18
57	Less exercise and more TV: leisure-time physical activity trends of Shanghai elders, 1998-2008. <i>Journal of Public Health</i> , 2011 , 33, 543-50	3.5	18
56	The impact of self-reported cumulative comorbidity on stroke recovery. <i>Age and Ageing</i> , 2004 , 33, 195-83		18
55	Reliability of physical performance tests in four different randomized clinical trials. <i>Archives of Physical Medicine and Rehabilitation</i> , 1999 , 80, 557-61	2.8	18
54	Review criteria for stroke rehabilitation outcomes. <i>Archives of Physical Medicine and Rehabilitation</i> , 1997 , 78, 1112-6	2.8	17
53	Rapid Implementation of Outpatient Teleneurology in Rural Appalachia: Barriers and Disparities. <i>Neurology: Clinical Practice</i> , 2021 , 11, 232-241	1.7	17
52	Implementation of a billable transitional care model for stroke patients: the COMPASS study. <i>BMC Health Services Research</i> , 2019 , 19, 978	2.9	15
51	Development of an integrated stroke outcomes database within Veterans Health Administration. <i>Journal of Rehabilitation Research and Development</i> , 2005 , 42, 77-91		14
50	Dimensionality and Item-Difficulty Hierarchy of the Lower Extremity Fugl-Meyer Assessment in Individuals With Subacute and Chronic Stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2016 , 97, 582-589.e2	2.8	13
49	Rehabilitation of walking after stroke. <i>Current Treatment Options in Neurology</i> , 2012 , 14, 521-30	4.4	12
48	Strategies for supporting intervention fidelity in the rehabilitation therapy in older acute heart failure patients (REHAB-HF) trial. <i>Contemporary Clinical Trials</i> , 2018 , 64, 118-127	2.3	11
47	Preparing the Next Generation of Physical Therapists for Transformative Practice and Population Management: Example From Macquarie University. <i>Physical Therapy</i> , 2016 , 96, 272-4	3.3	11
46	Comprehensive Stroke Care and Outcomes: Time for a Paradigm Shift. <i>Stroke</i> , 2021 , 52, 385-393	6.7	11
45	A prospective test of the late effects of potentially antineuroplastic drugs in a stroke rehabilitation study. <i>International Journal of Stroke</i> , 2014 , 9, 449-56	6.3	10
44	Implementation of a Transitional Care Model for Stroke: Perspectives From Frontline Clinicians, Administrators, and COMPASS-TC Implementation Staff. <i>Gerontologist, The</i> , 2020 , 60, 1071-1084	5	10
43	Ensuring respect for persons in COMPASS: a cluster randomised pragmatic clinical trial. <i>Journal of Medical Ethics</i> , 2018 , 44, 560-566	2.5	10
42	Meeting Medicare requirements for transitional care: Do stroke care and policy align?. <i>Neurology</i> , 2019 , 92, 427-434	6.5	9

41	A Cost-Effectiveness Analysis of a Randomized Control Trial of a Tailored, Multifactorial Program to Prevent Falls Among the Community-Dwelling Elderly. <i>Archives of Physical Medicine and Rehabilitation</i> , 2019 , 100, 1-8	2.8	9
40	Poststroke hypertension in Africa. <i>Stroke</i> , 2012 , 43, 3402-4	6.7	8
39	Concordance and discordance between measured and perceived balance and the effect on gait speed and falls following stroke. <i>Clinical Rehabilitation</i> , 2016 , 30, 294-302	3.3	7
38	Who is willing to participate in research? A screening model for an anxiety and depression trial in the epilepsy clinic. <i>Epilepsy and Behavior</i> , 2020 , 104, 106907	3.2	7
37	Geographic variation and trends in carotid imaging among medicare beneficiaries, 2001 to 2006. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2010 , 3, 599-606	5.8	7
36	The Role of the Environment in Fostering Independence: Conceptual and Methodological Issues in Developing an Instrument. <i>Topics in Stroke Rehabilitation</i> , 1997 , 4, 28-40	2.6	7
35	Cross-Calibration of Stroke Disability Measures. <i>Journal of the American Statistical Association</i> , 2003 , 98, 273-281	2.8	7
34	Race/ethnicity: who is counting what?. <i>Journal of Rehabilitation Research and Development</i> , 2006 , 43, 475-84		7
33	Likelihood of myocardial infarction during stroke rehabilitation preceded by cardiovascular screening and an exercise tolerance test: the Locomotor Experience Applied Post-Stroke (LEAPS) trial. <i>International Journal of Stroke</i> , 2014 , 9, 1097-104	6.3	5
32	Rehabilitation Medicine Summit. <i>Journal of Head Trauma Rehabilitation</i> , 2006 , 21, 1-7	3	5
31	Rehabilitation Intervention in Older Patients With Acute Heart Failure With Preserved Versus Reduced Ejection Fraction. <i>JACC: Heart Failure</i> , 2021 , 9, 747-757	7.9	5
30	Cross-modal plasticity in sensory systems180-193		4
29	Telerehabilitation: Has Its Time Come?. <i>Stroke</i> , 2021 , 52, 2694-2696	6.7	4
28	Using REDCap to track stakeholder engagement: A time-saving tool for PCORI-funded studies. <i>Journal of Clinical and Translational Science</i> , 2020 , 4, 108-114	0.4	3
27	Does exercise tolerance testing at 60 days poststroke predict rehabilitation performance?. <i>Archives of Physical Medicine and Rehabilitation</i> , 2013 , 94, 1223-9	2.8	3
26	The effect of a prior quadriceps contraction on knee flexor torque in normal subjects and multiple sclerosis patients with spastic paraparesis. <i>Physiotherapy Practice</i> , 1987 , 3, 11-17		3
25	The role of primary care providers in managing falls. <i>North Carolina Medical Journal</i> , 2014 , 75, 331-5	0.6	2
24	Plasticity in the injured spinal cord209-227		2

23	Recovery and Rehabilitation in Stroke: Introduction. <i>Stroke</i> , 2004 , 35, 2690-2690	6.7	2
22	Hospital Readmissions and Mortality Among Fee-for-Service Medicare Patients With Minor Stroke or Transient Ischemic Attack: Findings From the COMPASS Cluster-Randomized Pragmatic Trial. <i>Journal of the American Heart Association</i> , 2021 , 10, e023394	6	2
21	Neurologist prescribing versus psychiatry referral: Examining patient preferences for anxiety and depression management in a symptomatic epilepsy clinic sample. <i>Epilepsy and Behavior</i> , 2021 , 114, 107543	3.3	2
20	Response by Mahler et al to Letter Regarding Article, "Safely Identifying Emergency Department Patients With Acute Chest Pain for Early Discharge: HEART Pathway Accelerated Diagnostic Protocol". <i>Circulation</i> , 2019 , 139, e915-e916	16.7	1
19	The Interface of Clinical Decision-Making With Study Protocols for Knowledge Translation From a Walking Recovery Trial. <i>Journal of Neurologic Physical Therapy</i> , 2017 , 41, 59-67	4.1	1
18	Response to Letter by Lord and Rochester. <i>Stroke</i> , 2008 , 39,	6.7	1
17	Plasticity in auditory functions162-179		1
16	The Cost of Implementing and Sustaining the COMprehensive Post-Acute Stroke Services Model. <i>Medical Care</i> , 2021 , 59, 163-168	3.1	1
15	Relationship of physical function with quality of life in older patients with acute heart failure. <i>Journal of the American Geriatrics Society</i> , 2021 , 69, 1836-1845	5.6	1
14	Examining brief and ultra-brief anxiety and depression screening methods in a real-world epilepsy clinic sample. <i>Epilepsy and Behavior</i> , 2021 , 118, 107943	3.2	1
13	Cognition, Physical Function, and Quality of Life in Older Patients With Acute Decompensated Heart Failure. <i>Journal of Cardiac Failure</i> , 2021 , 27, 286-294	3.3	1
12	Hospital to Home Transition for Patients With Stroke Under Bundled Payments. <i>Archives of Physical Medicine and Rehabilitation</i> , 2021 , 102, 1658-1664	2.8	1
11	Rehabilitation Medicine Summit: Building Research CapacityExecutive Summary. <i>Journal of Musculoskeletal Pain</i> , 2006 , 14, 47-59		0
10	How engagement of a diverse set of stakeholders shaped the design, implementation, and dissemination of a multicenter pragmatic trial of stroke transitional care: The COMPASS study. <i>Journal of Clinical and Translational Science</i> , 2020 , 5, e60	0.4	0
9	Development and Implementation of a Tool to Assess Patient-Reported Outcome Measures (PROM) in Preoperative Setting 2017 , 1, 017-21		0
8	Movement Matters, and So Does Context: Lessons Learned From Multisite Implementation of the Movement Matters Activity Program for Stroke in the Comprehensive Postacute Stroke Services Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2021 , 102, 532-542	2.8	0
7	Association of in-hospital depression and anxiety symptoms following stroke with 3-months-depression, anxiety and functional outcome.. <i>Journal of Clinical Neuroscience</i> , 2022 , 98, 133-136	2.2	0
6	Sex Bias-Beyond Pay Inequity. <i>JAMA Internal Medicine</i> , 2017 , 177, 139	11.5	

- 5 Rehabilitation medicine summit: building research capacity. *Disability and Rehabilitation*, **2006**, 28, 71-5 2.4
- 4 Short-term plasticity: facilitation and post-tetanic potentiation 44-59
- 3 Emergency department utilization after hospitalization discharge for acute stroke: The
COMprehensive Post-Acute Stroke Services (COMPASS) study. *Academic Emergency Medicine*, **2021**, 3.4
- 2 Reply to Brillon. *Epilepsy and Behavior*, **2020**, 107, 107049 3.2
- 1 Familial caregiving following stroke: findings from the comprehensive post-acute stroke services
(COMPASS) pragmatic cluster-randomized transitional care study. *Topics in Stroke Rehabilitation*, 1-12 2.6