## **Ka-Shing Cheung**

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4711998/ka-shing-cheung-publications-by-year.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

81
papers

2,369
citations

21
h-index

89
ext. papers

3,303
ext. citations

21
b-index

6.5
avg, IF

L-index

#	Paper	IF	Citations
81	Low-dose aspirin and incidence of lung carcinoma in patients with chronic obstructive pulmonary disease in Hong Kong: A cohort study <i>PLoS Medicine</i> , <b>2022</b> , 19, e1003880	11.6	3
80	Safety and effectiveness of low-dose aspirin for the prevention of gastrointestinal cancer in adults without atherosclerotic cardiovascular disease: a population-based cohort study <i>BMJ Open</i> , <b>2022</b> , 12, e050510	3	1
79	Phenotypic Changes of PD-1 and GITR in T Cells Are Associated With Hepatitis B Surface Antigen Seroclearance. <i>Journal of Clinical Gastroenterology</i> , <b>2022</b> , 56, e31-e37	3	O
78	Role of Serum M2BPGi Levels in Predicting Persistence of Advanced Fibrosis in Chronic Hepatitis B Virus Infection <i>Digestive Diseases and Sciences</i> , <b>2022</b> , 1	4	
77	Age of eradication and failure rates of clarithromycin-containing triple therapy for Helicobacter pylori: A 15-year population-based study <i>Helicobacter</i> , <b>2022</b> , e12893	4.9	O
76	Applications of machine learning models in the prediction of gastric cancer risk in patients after Helicobacter pylori eradication. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2021</b> , 53, 864-872	6.1	10
75	Timing of prior exposure to antibiotics and failure of Helicobacter pylori eradication: a population-based study. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2021</b> ,	5.1	1
74	First-line oral antiviral therapies showed similar efficacies in suppression of serum HBcrAg in chronic hepatitis B patients. <i>BMC Gastroenterology</i> , <b>2021</b> , 21, 123	3	3
73	Incidences and Determinants of Functional Cure During Entecavir or Tenofovir Disoproxil Fumarate for Chronic Hepatitis B. <i>Journal of Infectious Diseases</i> , <b>2021</b> , 224, 1890-1899	7	4
72	Divergent trends of hospitalizations for upper and lower gastrointestinal bleeding based on population prescriptions of aspirin, proton pump inhibitors and Helicobacter pylori eradication therapy: Trends of upper and lower gastrointestinal bleeding. <i>United European Gastroenterology</i>	5.3	2
71	Journal, 2021, 9, 543-551 Statins associate with better clinical outcomes in chronic hepatitis B patients with HBsAg seroclearance. Hepatology International, 2021, 15, 881-891	8.8	O
70	Progression Rates by Age, Sex, Treatment, and Disease Activity by AASLD and EASL Criteria: Data for Precision Medicine. <i>Clinical Gastroenterology and Hepatology</i> , <b>2021</b> ,	6.9	1
69	Statin associated lower cancer risk and related mortality in patients with heart failure. <i>European Heart Journal</i> , <b>2021</b> , 42, 3049-3059	9.5	12
68	Reduced hepatic steatosis is associated with higher risk of hepatocellular carcinoma in chronic hepatitis B infection. <i>Hepatology International</i> , <b>2021</b> , 15, 901-911	8.8	1
67	Delay in Retreatment of Helicobacter pylori Infection Increases Risk of Upper Gastrointestinal Bleeding. <i>Clinical Gastroenterology and Hepatology</i> , <b>2021</b> , 19, 314-322.e2	6.9	10
66	Calcium channel blockers are associated with lower gastric cancer risk: A territory-wide study with propensity score analysis. <i>International Journal of Cancer</i> , <b>2021</b> , 148, 2148-2157	7.5	0
65	Role of serum HBV RNA and hepatitis B surface antigen levels in identifying Asian patients with chronic hepatitis B suitable for entecavir cessation. <i>Gut</i> , <b>2021</b> , 70, 775-783	19.2	18

## (2020-2021)

64	Association Between Famotidine Use and COVID-19 Severity in Hong Kong: A Territory-wide Study. Gastroenterology, <b>2021</b> , 160, 1898-1899	13.3	22
63	Reply. <i>Gastroenterology</i> , <b>2021</b> , 160, 973-974	13.3	4
62	Nonaspirin nonsteroidal anti-inflammatory drugs and gastric cancer risk after Helicobacter pylori eradication: A territory-wide study. <i>Cancer</i> , <b>2021</b> , 127, 1805-1815	6.4	О
61	New insights on missed colonic lesions during colonoscopy through artificial intelligence-assisted real-time detection (with video). <i>Gastrointestinal Endoscopy</i> , <b>2021</b> , 93, 193-200.e1	5.2	14
60	Residual HBV DNA and pgRNA viraemia is associated with hepatocellular carcinoma in chronic hepatitis B patients on antiviral therapy. <i>Journal of Gastroenterology</i> , <b>2021</b> , 56, 479-488	6.9	6
59	Use of Antibiotics during Immune Checkpoint Inhibitor Treatment Is Associated with Lower Survival in Hepatocellular Carcinoma <i>Liver Cancer</i> , <b>2021</b> , 10, 606-614	9.1	2
58	Association between proton pump inhibitors after percutaneous coronary intervention and risk of gastric cancer. <i>BMJ Open Gastroenterology</i> , <b>2021</b> , 8,	3.9	3
57	Long-term risk of upper gastrointestinal bleeding after Helicobacter pylori eradication: a population-based cohort study. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2021</b> , 54, 1162-1169	6.1	4
56	Letter: non-steroidal anti-inflammatory drugs reduce the risk of post-colonoscopy colorectal cancer-authors teply. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2021</b> , 53, 355-356	6.1	
55	Risk of malignancies in patients with inflammatory bowel disease who used thiopurines as compared with other indications: a territory-wide study. <i>Therapeutic Advances in Gastroenterology</i> , <b>2020</b> , 13, 1756284820967275	4.7	0
54	Association between angiotensin blockade and COVID-19 severity in Hong Kong. <i>Cmaj</i> , <b>2020</b> , 192, E635	3.5	4
53	Diverse effects of hepatic steatosis on fibrosis progression and functional cure in virologically quiescent chronic hepatitis B. <i>Journal of Hepatology</i> , <b>2020</b> , 73, 800-806	13.4	19
52	Combined Use of Common Fecal and Blood Markers for Detection of Endoscopically Active Inflammatory Bowel Disease. <i>Clinical and Translational Gastroenterology</i> , <b>2020</b> , 11, e00138	4.2	9
51	Nonsteroidal anti-inflammatory drugs but not aspirin are associated with a lower risk of post-colonoscopy colorectal cancer. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2020</b> , 51, 899-908	6.1	9
50	ACE (Angiotensin-Converting Enzyme) Inhibitors/Angiotensin Receptor Blockers Are Associated With Lower Colorectal Cancer Risk: A Territory-Wide Study With Propensity Score Analysis. <i>Hypertension</i> , <b>2020</b> , 76, 968-975	8.5	14
49	Gastrointestinal Manifestations of SARS-CoV-2 Infection and Virus Load in Fecal Samples From a Hong Kong Cohort: Systematic Review and Meta-analysis. <i>Gastroenterology</i> , <b>2020</b> , 159, 81-95	13.3	833
48	Hepatocellular carcinoma: recent advances and emerging medical therapies. <i>F1000Research</i> , <b>2020</b> , 9,	3.6	21
47	Tenofovir Versus Entecavir for Hepatocellular Carcinoma Prevention in an International Consortium of Chronic Hepatitis B. <i>American Journal of Gastroenterology</i> , <b>2020</b> , 115, 271-280	0.7	45

46	Entecavir vs Tenofovir in Hepatocellular Carcinoma Prevention in Chronic Hepatitis B Infection: A Systematic Review and Meta-Analysis. <i>Clinical and Translational Gastroenterology</i> , <b>2020</b> , 11, e00236	4.2	9
45	High prevalence and risk factors of multiple antibiotic resistance in patients who fail first-line Helicobacter pylori therapy in southern China: a municipality-wide, multicentre, prospective cohort study. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2020</b> , 75, 3391-3394	5.1	4
44	Statins Were Associated with a Reduced Gastric Cancer Risk in Patients with Eradicated Infection: A Territory-Wide Propensity Score Matched Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2020</b> , 29, 493-499	4	15
43	Incidences, temporal trends and risks of hospitalisation for gastrointestinal bleeding in new or chronic low-dose aspirin users after treatment for : a territory-wide cohort study. <i>Gut</i> , <b>2020</b> , 69, 445-452	2 <sup>19.2</sup>	16
42	Real-World Effectiveness From the Asia Pacific Rim Liver Consortium for HBV Risk Score for the Prediction of Hepatocellular Carcinoma in Chronic Hepatitis B Patients Treated With Oral Antiviral Therapy. <i>Journal of Infectious Diseases</i> , <b>2020</b> , 221, 389-399	7	22
41	Linked color imaging versus narrow-band imaging for colorectal polyp detection: a prospective randomized tandem colonoscopy study. <i>Gastrointestinal Endoscopy</i> , <b>2020</b> , 91, 104-112.e5	5.2	12
40	Risks of hospitalization for upper gastrointestinal bleeding in users of selective serotonin reuptake inhibitors after Helicobacter pylori eradication therapy: a propensity score matching analysis.  Alimentary Pharmacology and Therapeutics, 2019, 50, 1001-1008	6.1	9
39	Response to Khosrow-Khavar, Kurteva, and Douros. <i>Journal of the National Cancer Institute</i> , <b>2019</b> , 111, 1109	9.7	1
38	A Territorywide Prevalence Study on Blood-Borne and Enteric Viral Hepatitis in Hong Kong. <i>Journal of Infectious Diseases</i> , <b>2019</b> , 219, 1924-1933	7	17
37	Correlation of serum Mac-2-binding protein glycosylation isomer (M2BPGi) and liver stiffness in chronic hepatitis B infection. <i>Hepatology International</i> , <b>2019</b> , 13, 148-156	8.8	8
36	Plasma Fibronectin Levels Identified via Quantitative Proteomics Profiling Predicts Hepatitis B Surface Antigen Seroclearance in Chronic Hepatitis B. <i>Journal of Infectious Diseases</i> , <b>2019</b> , 220, 940-950	7	2
35	Association of adipokines with hepatic steatosis and fibrosis in chronic hepatitis B patients on long-term nucleoside analogue. <i>Liver International</i> , <b>2019</b> , 39, 1217-1225	7.9	5
34	Long-term use of proton-pump inhibitors and risk of gastric cancer: a review of the current evidence. <i>Therapeutic Advances in Gastroenterology</i> , <b>2019</b> , 12, 1756284819834511	4.7	48
33	Epidemiology, characteristics, and survival of post-colonoscopy colorectal cancer in Asia: A population-based study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2019</b> , 34, 1545-1553	4	12
32	Statins reduce the progression of non-advanced adenomas to colorectal cancer: a postcolonoscopy study in 187 897 patients. <i>Gut</i> , <b>2019</b> , 68, 1979-1985	19.2	22
31	Response to letter to the editor by Moayyedi. <i>Gut</i> , <b>2019</b> , 68, 1721-1722	19.2	2
30	Diabetes Increases Risk of Gastric Cancer After Eradication: A Territory-Wide Study With Propensity Score Analysis. <i>Diabetes Care</i> , <b>2019</b> , 42, 1769-1775	14.6	21
29	Application of Big Data analysis in gastrointestinal research. <i>World Journal of Gastroenterology</i> , <b>2019</b> , 25, 2990-3008	5.6	20

28	Monitoring and Treatment of Patients Undergoing Immunotherapy With Anti-CD20 Who are Exposed to HBV. <i>Clinical Gastroenterology and Hepatology</i> , <b>2019</b> , 17, 1410-1412	6.9	7
27	Metformin Use and Gastric Cancer Risk in Diabetic Patients After Helicobacter pylori Eradication.  Journal of the National Cancer Institute, <b>2019</b> , 111, 484-489	9.7	34
26	Systematic review with meta-analysis: the risk of gastrointestinal bleeding in patients taking third-generation P2Y inhibitors compared with clopidogrel. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2019</b> , 49, 7-19	6.1	10
25	Aspirin and Risk of Gastric Cancer After Helicobacter pylori Eradication: A Territory-Wide Study. Journal of the National Cancer Institute, <b>2018</b> , 110, 743-749	9.7	32
24	Prevention of post-sphincterotomy bleeding by proton pump inhibitor: A randomized controlled trial. <i>Journal of Digestive Diseases</i> , <b>2018</b> , 19, 369-376	3.3	3
23	Effects of Helicobacter pylori Treatment on Incidence of Gastric Cancer in Older Individuals. <i>Gastroenterology</i> , <b>2018</b> , 155, 67-75	13.3	73
22	Long-term outcomes and predictive scores for hepatocellular carcinoma and hepatitis B surface antigen seroclearance after hepatitis B e-antigen seroclearance. <i>Hepatology</i> , <b>2018</b> , 68, 462-472	11.2	39
21	Magnetic resonance cholangiogram patterns and clinical profiles of ketamine-related cholangiopathy in drug users. <i>Journal of Hepatology</i> , <b>2018</b> , 69, 121-128	13.4	9
20	Association Between Hepatic Steatosis, Measured by Controlled Attenuation Parameter, and Fibrosis Burden in Chronic Hepatitis B. <i>Clinical Gastroenterology and Hepatology</i> , <b>2018</b> , 16, 575-583.e2	6.9	46
19	Long-term proton pump inhibitors and risk of gastric cancer development after treatment for : a population-based study. <i>Gut</i> , <b>2018</b> , 67, 28-35	19.2	224
19 18		19.2 3·3	9
	population-based study. <i>Gut</i> , <b>2018</b> , 67, 28-35  Modification of gastric cancer risk associated with proton pump inhibitors by aspirin after		
18	population-based study. <i>Gut</i> , <b>2018</b> , 67, 28-35  Modification of gastric cancer risk associated with proton pump inhibitors by aspirin after eradication. <i>Oncotarget</i> , <b>2018</b> , 9, 36891-36893  Rates of metachronous adenoma after curative resection for left-sided or right-sided colon cancer.	3.3	9
18	population-based study. <i>Gut</i> , <b>2018</b> , 67, 28-35  Modification of gastric cancer risk associated with proton pump inhibitors by aspirin after eradication. <i>Oncotarget</i> , <b>2018</b> , 9, 36891-36893  Rates of metachronous adenoma after curative resection for left-sided or right-sided colon cancer. <i>Intestinal Research</i> , <b>2018</b> , 16, 619-627  Risk of gastric cancer development after eradication of Helicobacter pylori. <i>World Journal of</i>	3.3	9
18 17 16	Modification of gastric cancer risk associated with proton pump inhibitors by aspirin after eradication. <i>Oncotarget</i> , <b>2018</b> , 9, 36891-36893  Rates of metachronous adenoma after curative resection for left-sided or right-sided colon cancer. <i>Intestinal Research</i> , <b>2018</b> , 16, 619-627  Risk of gastric cancer development after eradication of Helicobacter pylori. <i>World Journal of Gastrointestinal Oncology</i> , <b>2018</b> , 10, 115-123  Role of serum M2BPGi levels on diagnosing significant liver fibrosis and cirrhosis in treated patients	3.3 4.1 3.4	9 1 32
18 17 16	Modification of gastric cancer risk associated with proton pump inhibitors by aspirin after eradication. <i>Oncotarget</i> , <b>2018</b> , 9, 36891-36893  Rates of metachronous adenoma after curative resection for left-sided or right-sided colon cancer. <i>Intestinal Research</i> , <b>2018</b> , 16, 619-627  Risk of gastric cancer development after eradication of Helicobacter pylori. <i>World Journal of Gastrointestinal Oncology</i> , <b>2018</b> , 10, 115-123  Role of serum M2BPGi levels on diagnosing significant liver fibrosis and cirrhosis in treated patients with chronic hepatitis B virus infection. <i>Clinical and Translational Gastroenterology</i> , <b>2018</b> , 9, 163  Hepatitis B reactivation in occult viral carriers undergoing hematopoietic stem cell transplantation:	3.3 4.1 3.4 4.2	9 1 32 18
18 17 16 15	Modification of gastric cancer risk associated with proton pump inhibitors by aspirin after eradication. <i>Oncotarget</i> , <b>2018</b> , 9, 36891-36893  Rates of metachronous adenoma after curative resection for left-sided or right-sided colon cancer. <i>Intestinal Research</i> , <b>2018</b> , 16, 619-627  Risk of gastric cancer development after eradication of Helicobacter pylori. <i>World Journal of Gastrointestinal Oncology</i> , <b>2018</b> , 10, 115-123  Role of serum M2BPGi levels on diagnosing significant liver fibrosis and cirrhosis in treated patients with chronic hepatitis B virus infection. <i>Clinical and Translational Gastroenterology</i> , <b>2018</b> , 9, 163  Hepatitis B reactivation in occult viral carriers undergoing hematopoietic stem cell transplantation: A prospective study. <i>Hepatology</i> , <b>2017</b> , 65, 1451-1461  Hepatitis B virus core-related antigen as a surrogate marker for covalently closed circular DNA.	3.3 4.1 3.4 4.2	9 1 32 18 60

10	Prognostic Factors for Transplant-Free Survival and Validation of Prognostic Models in Chinese Patients with Primary Biliary Cholangitis Receiving Ursodeoxycholic Acid. <i>Clinical and Translational Gastroenterology</i> , <b>2017</b> , 8, e100	4.2	20
9	Gastrointestinal bleeding in patients on novel oral anticoagulants: Risk, prevention and management. World Journal of Gastroenterology, <b>2017</b> , 23, 1954-1963	5.6	92
8	Wisteria floribunda agglutinin-positive human Mac-2 binding protein predicts liver cancer development in chronic hepatitis B patients under antiviral treatment. <i>Oncotarget</i> , <b>2017</b> , 8, 47507-4751	<del>7</del> 3.3	23
7	Epidemiology and natural history of Wilson's disease in the Chinese: A territory-based study in Hong Kong between 2000 and 2016. <i>World Journal of Gastroenterology</i> , <b>2017</b> , 23, 7716-7726	5.6	21
6	Prediction of hepatocellular carcinoma development by aminotransferase to platelet ratio index in primary biliary cholangitis. <i>World Journal of Gastroenterology</i> , <b>2017</b> , 23, 7863-7874	5.6	7
5	Hepatitis B surface antigen seroclearance during nucleoside analogue therapy: surface antigen kinetics, outcomes, and durability. <i>Journal of Gastroenterology</i> , <b>2016</b> , 51, 487-95	6.9	20
4	Association of Hepatitis B Core-Related Antigen With Hepatitis B Virus Reactivation in Occult Viral Carriers Undergoing High-Risk Immunosuppressive Therapy. <i>American Journal of Gastroenterology</i> , <b>2016</b> , 111, 1788-1795	0.7	51
3	Prevention and management of hepatitis B virus reactivation in cancer patients. <i>Hepatology International</i> , <b>2016</b> , 10, 407-14	8.8	16
2	Longitudinal profiles of highly sensitive hepatitis B surface antigen levels: re-evaluation of HBsAg seroclearance. <i>Liver International</i> , <b>2016</b> , 36, 642-50	7.9	5
1	Statins associate with lower risk of biliary tract cancers: A systematic review and meta-analysis. <i>Cancer Medicine</i> ,	4.8	1