

Nicolas Turmel

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4712101/publications.pdf>

Version: 2024-02-01

14
papers

44
citations

1937457

4
h-index

1872570

6
g-index

14
all docs

14
docs citations

14
times ranked

56
citing authors

#	ARTICLE	IF	CITATIONS
1	Efficiency and satisfaction with telephone consultation of follow-up patients in neurourology: Experience of the COVID-19 pandemic. <i>Neurourology and Urodynamics</i> , 2021, 40, 929-937.	0.8	15
2	What criteria affect a patient's choice of catheter for self-catheterization?. <i>Neurourology and Urodynamics</i> , 2020, 39, 412-419.	0.8	5
3	Lower Urinary Tract Symptoms in Elderly Population With Multiple Sclerosis. <i>International Neurourology Journal</i> , 2018, 22, 58-64.	0.5	5
4	Upper urinary tract function of patients with multiple sclerosis. <i>Neurourology and Urodynamics</i> , 2022, 41, 498-505.	0.8	4
5	Lower urinary tract symptoms treatment constraints assessment (LUTS-TCA): a new tool for a global evaluation of neurogenic bladder treatments. <i>World Journal of Urology</i> , 2019, 37, 1917-1925.	1.2	3
6	Time to be Ready to Void: A new tool to assess the time needed to perform micturition for patients with multiple sclerosis. <i>Annals of Physical and Rehabilitation Medicine</i> , 2020, 63, 99-105.	1.1	3
7	Are falls in people with multiple sclerosis related to the severity of urinary disorders?. <i>Annals of Physical and Rehabilitation Medicine</i> , 2021, 64, 101452.	1.1	2
8	Determinants and impact of the time to perform clean intermittent self-catheterization on patient adherence and quality of life: A prospective observational study. <i>Neurourology and Urodynamics</i> , 2021, 40, 1027-1034.	0.8	2
9	French version of the short form of neurogenic bladder symptom score: Cross-cultural adaptation and validation. <i>Canadian Urological Association Journal</i> , 2022, 16, .	0.3	2
10	Effect of a strong desire to void on walking speed in individuals with multiple sclerosis and urinary disorders. <i>Annals of Physical and Rehabilitation Medicine</i> , 2020, 63, 106-110.	1.1	1
11	Prioritization of risk situations in neuro-urology: guidelines from Association Française d'Urologie (AFU), Association Francophone Internationale des Groupes d'Animation de la Paraplogie (A.F.I.G.A.P.), Groupe de Neuro-urologie de Langue Française (GENULF), Société Française de Médecine Physique et de Réadaptation (SOFMER) and Société Interdisciplinaire Francophone d'Urodynamique et de Pelvi-rinologie (SIFURD-PP). <i>World Journal of Urology</i> , 2021, , 1.	1.2	1
12	Functional independence measure predicts the outcome of clean intermittent catheterization training in patients with multiple sclerosis. <i>Annals of Physical and Rehabilitation Medicine</i> , 2022, 65, 101539.	1.1	1
13	Re: Urologic, neurologic, and general practice implications of the Time to be Ready to Void test. <i>Annals of Physical and Rehabilitation Medicine</i> , 2020, 64, 101398.	1.1	0
14	Assessment of sacral spinal excitability using stimulus-response curves of the bulbocavernosus reflex. <i>Clinical Neurophysiology</i> , 2021, 132, 2123-2129.	0.7	0