

Margrit LÄubner

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/471285/publications.pdf>

Version: 2024-02-01

48
papers

982
citations

471509

17
h-index

552781

26
g-index

65
all docs

65
docs citations

65
times ranked

1246
citing authors

#	ARTICLE	IF	CITATIONS
1	Do oldest old individuals perceive receipt of informal care as a restriction or support of their autonomy?. <i>Aging and Mental Health</i> , 2022, 26, 1862-1873.	2.8	1
2	Gender Specifics of Healthy Ageing in Older Age as Seen by Women and Men (70+): A Focus Group Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3137.	2.6	5
3	Incidence and risk factors of depressive symptoms in the highest age groups and competing mortality risk. Evidence from the AgeCoDe-AgeQualiDe prospective cohort study. <i>Journal of Affective Disorders</i> , 2022, 308, 494-501.	4.1	2
4	What Comes after the Trial? An Observational Study of the Real-World Uptake of an E-Mental Health Intervention by General Practitioners to Reduce Depressive Symptoms in Their Patients. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 6203.	2.6	3
5	German tariffs for the ICECAP-Supportive Care Measure (ICECAP-SCM) for use in economic evaluations at the end of life. <i>European Journal of Health Economics</i> , 2021, 22, 365-380.	2.8	2
6	Disorientation in Time and Place in Old Age: Longitudinal Evidence from Three Old Age Cohorts in Germany (AgeDifferent.de Platform). <i>Journal of Alzheimer's Disease</i> , 2021, 79, 1589-1599.	2.6	1
7	Valuing end-of-life care: translation and content validation of the ICECAP-SCM measure. <i>BMC Palliative Care</i> , 2021, 20, 29.	1.8	4
8	Do self-reported hearing and visual impairments predict longitudinal dementia in older adults?. <i>Journal of the American Geriatrics Society</i> , 2021, 69, 1519-1528.	2.6	8
9	Grief and loss in old age: Exploration of the association between grief and depression.. <i>Journal of Affective Disorders</i> , 2021, 283, 285-292.	4.1	4
10	Traumatized Syrian Refugees with Ambiguous Loss: Predictors of Mental Distress. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3865.	2.6	11
11	Unmet needs of the oldest old primary care patients with common somatic and psychiatric disordersâ€”A psychometric evaluation. <i>International Journal of Methods in Psychiatric Research</i> , 2021, 30, e1872.	2.1	2
12	Employment status and desire for work in severe mental illness: results from an observational, cross-sectional study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 1657-1667.	3.1	21
13	Using a brief web-based 5A intervention to improve weight management in primary care: results of a cluster-randomized controlled trial. <i>BMC Family Practice</i> , 2021, 22, 61.	2.9	9
14	Correlates of institutionalization among the oldest oldâ€”Evidence from the multicenter AgeCoDeâ€”AgeQualiDe study. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 1095-1102.	2.7	13
15	Prevalence of High Resilience in Old Age and Association with Perceived Threat of COVID-19â€”Results from a Representative Survey. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 7173.	2.6	20
16	Association of Alcohol and Tobacco Consumption with Depression Severity in the Oldest Old. Results from the Age Different Old Age Cohort Platform. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 7959.	2.6	4
17	Excess costs of dementia in old age (85+) in Germany: Results from the AgeCoDe-AgeQualiDe study. <i>Journal of the Economics of Ageing</i> , 2021, 20, 100346.	1.3	3
18	Loss and bereavement in late life (60+): Study protocol for a randomized controlled trial regarding an internet-based self-help intervention. <i>Internet Interventions</i> , 2021, 26, 100451.	2.7	3

#	ARTICLE	IF	CITATIONS
19	Effectiveness and Feasibility of Internet-Based Interventions for Grief After Bereavement: Systematic Review and Meta-analysis. <i>JMIR Mental Health</i> , 2021, 8, e29661.	3.3	17
20	Needs and health care costs in old age: a longitudinal perspective: results from the AgeMooDe study. <i>Aging and Mental Health</i> , 2020, 24, 1763-1768.	2.8	8
21	Effectiveness and feasibility of internet-based and mobile-based interventions for individuals experiencing bereavement: a systematic review protocol. <i>BMJ Open</i> , 2020, 10, e036034.	1.9	2
22	Internet-Based Cognitive Behavior Therapy Only for the Young? A Secondary Analysis of a Randomized Controlled Trial of Depression Treatment. <i>Frontiers in Psychiatry</i> , 2020, 11, 735.	2.6	8
23	Attitudes and treatment practice of general practitioners towards patients with obesity in primary care. <i>BMC Family Practice</i> , 2020, 21, 169.	2.9	16
24	Unmet care needs in the oldest old with social loss experiences: results of a representative survey. <i>BMC Geriatrics</i> , 2020, 20, 416.	2.7	8
25	Changes in Social Network Size Are Associated With Cognitive Changes in the Oldest-Old. <i>Frontiers in Psychiatry</i> , 2020, 11, 330.	2.6	25
26	Sex-Specific Associations Between Depressive Symptoms and Risk for Subsequent Dementia. <i>Journal of Alzheimer's Disease</i> , 2020, 74, 151-161.	2.6	7
27	Prevalence and factors associated with obesity among the oldest old. <i>Archives of Gerontology and Geriatrics</i> , 2020, 89, 104069.	3.0	12
28	Internet Use in Old Age: Results of a German Population-Representative Survey. <i>Journal of Medical Internet Research</i> , 2020, 22, e15543.	4.3	50
29	Are older men more vulnerable to depression than women after losing their spouse? Evidence from three German old-age cohorts (AgeDifferent.de platform). <i>Journal of Affective Disorders</i> , 2019, 256, 650-657.	4.1	23
30	Out-of-pocket-payments and the financial burden of 502 cancer patients of working age in Germany: results from a longitudinal study. <i>Supportive Care in Cancer</i> , 2019, 27, 2221-2228.	2.2	46
31	Loss experiences in old age and their impact on the social network and depression – results of the Leipzig Longitudinal Study of the Aged (LEILA 75+). <i>Journal of Affective Disorders</i> , 2018, 241, 94-102.	4.1	24
32	Preferences for Depression Treatment Including Internet-Based Interventions: Results From a Large Sample of Primary Care Patients. <i>Frontiers in Psychiatry</i> , 2018, 9, 181.	2.6	53
33	Computerized cognitive behavior therapy for patients with mild to moderately severe depression in primary care: A pragmatic cluster randomized controlled trial (@ktiv). <i>Journal of Affective Disorders</i> , 2018, 238, 317-326.	4.1	53
34	Choosing the right rehabilitation setting after herniated disc surgery: Motives, motivations and expectations from the patients' perspective. <i>PLoS ONE</i> , 2017, 12, e0183698.	2.5	1
35	Risk Factors for Postoperative Pain Intensity in Patients Undergoing Lumbar Disc Surgery: A Systematic Review. <i>PLoS ONE</i> , 2017, 12, e0170303.	2.5	35
36	User Acceptance of Computerized Cognitive Behavioral Therapy for Depression: Systematic Review. <i>Journal of Medical Internet Research</i> , 2017, 19, e309.	4.3	81

#	ARTICLE	IF	CITATIONS
37	The Course of Pain Intensity in Patients Undergoing Herniated Disc Surgery: A 5-Year Longitudinal Observational Study. PLoS ONE, 2016, 11, e0156647.	2.5	8
38	Inpatient or Outpatient Rehabilitation after Herniated Disc Surgery? â€“ Setting-Specific Preferences, Participation and Outcome of Rehabilitation. PLoS ONE, 2014, 9, e89200.	2.5	5
39	Early retirement in cancer patients with or without comorbid mental health conditions: A prospective cohort study. Cancer, 2014, 120, 2199-2206.	4.1	22
40	Coâ€“morbid mental health conditions in cancer patients at working age â€“ prevalence, risk profiles, and care uptake. Psycho-Oncology, 2013, 22, 2291-2297.	2.3	55
41	The Impact of Psychiatric Comorbidity on Quality of Life in Patients Undergoing Herniated Disc Surgery. Journal of Neurological Surgery, Part A: Central European Neurosurgery, 2012, 73, 29-37.	0.8	2
42	The course of depression and anxiety in patients undergoing disc surgery: A longitudinal observational study. Journal of Psychosomatic Research, 2012, 72, 185-194.	2.6	26
43	Psychiatric comorbidity as predictor of costs in back pain patients undergoing disc surgery: a longitudinal observational study. BMC Musculoskeletal Disorders, 2012, 13, 165.	1.9	12
44	Effects of psychiatric comorbidity on costs in patients undergoing disc surgery: a cross-sectional study. Spine Journal, 2011, 11, 601-609.	1.3	12
45	The Impact of Psychiatric Comorbidity on the Return to Work in Patients Undergoing Herniated Disc Surgery. Journal of Occupational Rehabilitation, 2011, 21, 54-65.	2.2	19
46	Affective, anxiety, and substance-related disorders in patients undergoing herniated disc surgery. Social Psychiatry and Psychiatric Epidemiology, 2011, 46, 1181-1190.	3.1	9
47	Depression and Anxiety in Patients Undergoing Herniated Disc Surgery: Relevant but Underresearched â€“ A Systematic Review. Central European Neurosurgery, 2010, 71, 26-34.	0.7	41
48	Health-related quality of life in patients after lumbar disc surgery: a longitudinal observational study. Quality of Life Research, 2007, 16, 1453-1460.	3.1	20