

Ali Farmani

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4713752/ali-farmani-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

73
papers

1,506
citations

24
h-index

37
g-index

80
ext. papers

1,967
ext. citations

2.6
avg, IF

6.14
L-index

#	Paper	IF	Citations
73	High Sensitivity and Tunable Nanoscale Sensor Based on Plasmon-Induced Transparency in Plasmonic Metasurface. <i>IEEE Sensors Journal</i> , 2018 , 18, 7047-7054	4	93
72	Broadly tunable and bidirectional terahertz graphene plasmonic switch based on enhanced Goos-Hänchen effect. <i>Applied Surface Science</i> , 2018 , 453, 358-364	6.7	91
71	Tunable resonant Goos-Hänchen and Imbert-Fedorov shifts in total reflection of terahertz beams from graphene plasmonic metasurfaces. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2017 , 34, 1097	1.7	90
70	Nanoscale, tunable, and highly sensitive biosensor utilizing hyperbolic metamaterials in the near-infrared range. <i>Applied Optics</i> , 2018 , 57, 9447-9454	1.7	81
69	Three-dimensional FDTD analysis of a nanostructured plasmonic sensor in the near-infrared range. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2019 , 36, 401	1.7	81
68	Highly sensitive nano-scale plasmonic biosensor utilizing Fano resonance metasurface in THz range: Numerical study. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2018 , 104, 233-240	3	75
67	Design of a tunable graphene plasmonic-on-white graphene switch at infrared range. <i>Superlattices and Microstructures</i> , 2017 , 112, 404-414	2.8	73
66	Graphene Sensor Based on Surface Plasmon Resonance for Optical Scanning. <i>IEEE Photonics Technology Letters</i> , 2019 , 31, 643-646	2.2	69
65	Supersensitive and Tunable Nano-Biosensor for Cancer Detection. <i>IEEE Sensors Journal</i> , 2019 , 19, 4874-4881	4.1	59
64	Design of a High Extinction Ratio Tunable Graphene on White Graphene Polarizer. <i>IEEE Photonics Technology Letters</i> , 2018 , 30, 153-156	2.2	55
63	A label-free graphene-based nanosensor using surface plasmon resonance for biomaterials detection. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2020 , 116, 113730	3	50
62	Analytical modeling of highly tunable giant lateral shift in total reflection of light beams from a graphene containing structure. <i>Optics Communications</i> , 2017 , 391, 68-76	2	49
61	Tunable Plasmon Induced Transparency in Graphene and Hyperbolic Metamaterial-Based Structure. <i>IEEE Photonics Journal</i> , 2019 , 11, 1-10	1.8	45
60	Tunable graphene plasmonic Y-branch switch in the terahertz region using hexagonal boron nitride with electric and magnetic biasing. <i>Applied Optics</i> , 2017 , 56, 8931-8940	1.7	43
59	2D-FDTD simulation of ultra-compact multifunctional logic gates with nonlinear photonic crystal. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2019 , 36, 811	1.7	35
58	Systematic engineering of a nanostructure plasmonic sensing platform for ultrasensitive biomaterial detection. <i>Optics Communications</i> , 2020 , 474, 126178	2	31
57	Nanoscale Sensor-Based Tunneling Carbon Nanotube Transistor for Toxic Gases Detection: A First-Principle Study. <i>IEEE Sensors Journal</i> , 2019 , 19, 7373-7377	4	31

56	Ultra high-sensitivity and tunable dual-band perfect absorber as a plasmonic sensor. <i>Optics and Laser Technology</i> , 2020 , 127, 106201	4.2	30
55	Tunable mantle cloaking utilizing graphene metasurface for terahertz sensing applications. <i>Optics Express</i> , 2019 , 27, 34824-34837	3.3	30
54	Improving the performance of nanostructure multifunctional graphene plasmonic logic gates utilizing coupled-mode theory. <i>Applied Physics B: Lasers and Optics</i> , 2019 , 125, 1	1.9	29
53	A Plasmonic Nano-Biosensor Based on Two Consecutive Disk Resonators and Unidirectional Reflectionless Propagation Effect. <i>IEEE Sensors Journal</i> , 2020 , 20, 9097-9104	4	29
52	Particle swarm optimization and finite-difference time-domain (PSO/FDTD) algorithms for a surface plasmon resonance-based gas sensor. <i>Journal of Computational Electronics</i> , 2019 , 18, 1354-1364	1.8	28
51	On-Chip Single-Mode Optofluidic Microresonator Dye Laser Sensor. <i>IEEE Sensors Journal</i> , 2020 , 20, 3556-3563	3.563	27
50	A multimode graphene plasmonic perfect absorber at terahertz frequencies. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2020 , 122, 114159	3	24
49	Semi-analytical modeling of high performance nano-scale complementary logic gates utilizing ballistic carbon nanotube transistors. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2018 , 104, 286-296	3	24
48	Optical nanosensors for cancer and virus detections 2020 , 419-432		21
47	Tunable plasmonics photodetector in near-infrared wavelengths using graphene chemical doping method. <i>AEU - International Journal of Electronics and Communications</i> , 2020 , 127, 153472	2.8	17
46	High performance polarization-independent Quantum Dot Semiconductor Optical Amplifier with 22 dB fiber to fiber gain using Mode Propagation Tuning without additional polarization controller. <i>Optics and Laser Technology</i> , 2017 , 93, 127-132	4.2	16
45	Graphene sensing nanostructure for exact graphene layers identification at terahertz frequency. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2020 , 124, 114375	3	16
44	Double-Ring Resonator Plasmonic Refractive Index Sensor Utilizing Dual-Band Unidirectional Reflectionless Propagation Effect. <i>Plasmonics</i> , 2021 , 16, 1277-1285	2.4	13
43	Nano-scale multifunctional logic gate based on graphene/hexagonal boron nitride plasmonic waveguides. <i>IET Optoelectronics</i> , 2020 , 14, 37-43	1.5	12
42	SiO ₂ /Silver Metasurface Architectures for Ultrasensitive and Tunable Plasmonic Biosensing. <i>Plasmonics</i> , 2020 , 15, 1935-1942	2.4	9
41	Nanosensors for street-lighting system 2020 , 209-225		9
40	Design and performance analysis of wrap-gate CNTFET-based ring oscillators for IoT applications. <i>The Integration VLSI Journal</i> , 2020 , 70, 116-125	1.4	9
39	A robust and energy-efficient near-threshold SRAM cell utilizing ballistic carbon nanotube wrap-gate transistors. <i>AEU - International Journal of Electronics and Communications</i> , 2019 , 110, 152874	2.8	7

38	A High Speed and Low Power Image Encryption with 128-Bit AES Algorithm. <i>International Journal of Computer and Electrical Engineering</i> , 2012 , 367-372	0.1	7
37	Design and Simulation of a Novel Tunable Terahertz Biosensor Based on Metamaterials for Simultaneous Monitoring of Blood and Urine Components. <i>Plasmonics</i> , 2021 , 16, 1537-1548	2.4	7
36	Numerical Modeling of an Integrable and Tunable Plasmonic Pressure Sensor with Nanostructure Grating. <i>Plasmonics</i> , 2021 , 16, 27-36	2.4	7
35	Tunable broadband polarization converters based on coded graphene metasurfaces. <i>Scientific Reports</i> , 2021 , 11, 1296	4.9	7
34	Highly polarization-sensitive, broadband, low dark current, high responsivity graphene-based photodetector utilizing a metal nano-grating at telecommunication wavelengths. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2021 , 38, 1192	1.7	6
33	Non-Destructive Label-Free Biomaterials Detection Using Tunneling Carbon Nanotube-Based Biosensor. <i>IEEE Sensors Journal</i> , 2021 , 21, 8847-8854	4	5
32	Simulation of a refractive index sensor based on the Vernier effect and a cascaded PANDA and Mach-Zehnder interferometer. <i>Journal of Computational Electronics</i> , 2021 , 20, 1599-1610	1.8	5
31	Analytical Modeling and Design of a Graphene Metasurface Sensor for Thermo-Optical Detection of Terahertz Plasmons. <i>IEEE Sensors Journal</i> , 2021 , 21, 4525-4532	4	5
30	Figure of merit enhancement of surface plasmon resonance biosensor based on Talbot effect. <i>Optical and Quantum Electronics</i> , 2021 , 53, 1	2.4	5
29	Carbon nanotube field effect transistors based gas sensors 2020 , 171-183		4
28	Polarization-dependent plasmonic nano-tweezer as a platform for on-chip trapping and manipulation of virus-like particles. <i>IEEE Transactions on Nanobioscience</i> , 2021 , PP,	3.4	4
27	Reconfigurable and scalable 2,4-and 6-channel plasmonics demultiplexer utilizing symmetrical rectangular resonators containing silver nano-rod defects with FDTD method. <i>Scientific Reports</i> , 2021 , 11, 13628	4.9	4
26	Analytical and Numerical Models of a Highly Sensitive MDM Plasmonic Nano-structure in Near-infrared Range. <i>Plasmonics</i> , 2021 , 16, 413-418	2.4	4
25	Steering of Guided Light with Graphene Metasurface for Refractive Index Sensing with High Figure of Merits. <i>Plasmonics</i> , 1	2.4	4
24	Graphene Plasmonic: Switching Applications 2019 , 455-505		3
23	A high performance hardware implementation image encryption with AES algorithm 2011 ,		3
22	Exploring surface plasmon resonance ring resonator structure for high sensitivity and ultra-high-Q optical filter with FDTD method. <i>Optical and Quantum Electronics</i> , 2022 , 54, 1	2.4	3
21	Black Phosphorous-Based Nanostructures for Refractive Index Sensing with High Figure of Merit in the Mid-infrared. <i>Plasmonics</i> , 1	2.4	3

20	Surface Plasmon Resonance-Based SiO ₂ Kretschmann Configuration Biosensor for the Detection of Blood Glucose. <i>Silicon</i> ,1	2.4	3
19	Plasmon-induced transparency sensor for detection of minuscule refractive index changes in ultra-low index materials. <i>Scientific Reports</i> , 2021 , 11, 21692	4.9	2
18	Analysis of optical power budget in DWDM-FSO link under outdoor atmospheric channel model. <i>Optical and Quantum Electronics</i> , 2021 , 53, 1	2.4	2
17	Graphene-based field effect transistor (GFET) as nanobiosensors 2022 , 269-275		2
16	Enhanced sensing of terahertz surface plasmon polaritons in graphene/J-aggregate coupler using FDTD method. <i>Diamond and Related Materials</i> , 2022 , 125, 109005	3.5	2
15	Investigation of the 16O+194Pt reaction: One- and two-dimensional dynamical interpretation. <i>International Journal of Modern Physics E</i> , 2017 , 26, 1750013	0.7	1
14	A tunable nonlinear plasmonic multiplexer/demultiplexer device based on nanoscale ring resonators. <i>Photonic Network Communications</i> , 2021 , 42, 209-218	1.7	1
13	Fabrication Friendly Plasmonic Metasurface Sensing and Switching Configuration Based on Plasmonic Induced Absorption: Analytical and Numerical Evaluation. <i>Plasmonics</i> ,1	2.4	1
12	Design Optimization and Fabrication of Graphene/J-Aggregate Kretschmann-Raether Devices for Refractive Index Sensing Using Plasmon-Induced Transparency Phenomena. <i>Plasmonics</i> ,1	2.4	1
11	Design and Analytical Evaluation of a High Resistance Sensitivity Bolometer Sensor Based on Plasmonic Metasurface Structure. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2021 , 1-1	3.8	1
10	Engineering of metallic nanorod-based hyperbolic metamaterials for broadband applications operating in the infrared regime. <i>Applied Nanoscience (Switzerland)</i> , 2021 , 11, 229-240	3.3	1
9	FEM analysis of a $\sqrt{125}$ high sensitivity graphene plasmonic biosensor for low hemoglobin concentration detection.. <i>Applied Optics</i> , 2022 , 61, 120-125	1.7	0
8	Emerging advanced photonics applications of graphene and beyond-graphene 2D materials: Recent advances. <i>Journal of Materials Research</i> ,1	2.5	0
7	Numerical analysis of tunable nonlinear plasmonic router based on nanoscale ring resonators. <i>Optical and Quantum Electronics</i> , 2020 , 52, 1	2.4	0
6	Recent Advances in CNT-based FET Transistor Biosensors to Detect Biomarkers of Clinical Significance. <i>Silicon</i> ,1	2.4	0
5	Fully Integrated, 80 GHz Bandwidth, 1.3 μ m InAs/InGaAs CW-PW Quantum Dot Passively Colliding-Pulse Mode-Locked (CPM) Lasers for IR Sensing Application. <i>IEEE Sensors Journal</i> , 2022 , 22, 6528-6535	4	0
4	Nanogenerators: An introduction 2021 , 47-59		
3	Power supplies for corrosion prevention and monitoring at the nanoscale 2021 , 543-554		

2 Battery-on-a-chip **2021**, 447-461

1 Graphene-based devices for smart cities **2021**, 491-514