

Yong-Tae Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4714070/publications.pdf>

Version: 2024-02-01

59
papers

876
citations

471509

17
h-index

552781

26
g-index

65
all docs

65
docs citations

65
times ranked

1559
citing authors

#	ARTICLE	IF	CITATIONS
1	Optimal biliary drainage for inoperable Klatskin's tumor based on Bismuth type. <i>World Journal of Gastroenterology</i> , 2007, 13, 3948.	3.3	70
2	DAXX/ATRX and MEN1 genes are strong prognostic markers in pancreatic neuroendocrine tumors. <i>Oncotarget</i> , 2017, 8, 49796-49806.	1.8	59
3	Outcomes of Cystic Lesions in the Pancreas After Extended Follow-up. <i>Digestive Diseases and Sciences</i> , 2007, 52, 2653-2659.	2.3	49
4	Hedgehog Signaling Between Cancer Cells and Hepatic Stellate Cells in Promoting Cholangiocarcinoma. <i>Annals of Surgical Oncology</i> , 2014, 21, 2684-2698.	1.5	36
5	Lymph node ratio as valuable predictor in pancreatic cancer treated with R0 resection and adjuvant treatment. <i>BMC Cancer</i> , 2019, 19, 952.	2.6	36
6	Clinical Significance and Revisiting the Meaning of CA 19-9 Blood Level Before and After the Treatment of Pancreatic Ductal Adenocarcinoma: Analysis of 1,446 Patients from the Pancreatic Cancer Cohort in a Single Institution. <i>PLoS ONE</i> , 2013, 8, e78977.	2.5	34
7	Role of surgical resection in the era of <sc>FOLFIRINOX</sc> for advanced pancreatic cancer. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2019, 26, 416-425.	2.6	33
8	Diagnostic accuracy of transabdominal high-resolution US for staging gallbladder cancer and differential diagnosis of neoplastic polyps compared with EUS. <i>European Radiology</i> , 2017, 27, 3097-3103.	4.5	32
9	A High Monocyte-to-Lymphocyte Ratio Predicts Poor Prognosis in Patients with Advanced Gallbladder Cancer Receiving Chemotherapy. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1045-1051.	2.5	31
10	Comparison between FOLFIRINOX and gemcitabine plus nab-paclitaxel including sequential treatment for metastatic pancreatic cancer: a propensity score matching approach. <i>BMC Cancer</i> , 2021, 21, 537.	2.6	27
11	Clinical outcomes of patients who experienced perforation associated with endoscopic retrograde cholangiopancreatography. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2012, 26, 3293-3300.	2.4	26
12	Neutrophil-lymphocyte ratio predicts survival in patients with advanced cholangiocarcinoma on chemotherapy. <i>Cancer Immunology, Immunotherapy</i> , 2016, 65, 141-150.	4.2	24
13	Comparison of liquid-based cytology with conventional smear cytology for EUS-guided FNA of solid pancreatic masses: a prospective randomized noninferiority study. <i>Gastrointestinal Endoscopy</i> , 2020, 91, 837-846.e1.	1.0	23
14	Small cell-versus large cell-sized metal stent in endoscopic bilateral stent-in-stent placement for malignant hilar biliary obstruction. <i>Digestive Endoscopy</i> , 2015, 27, 692-699.	2.3	22
15	Fisetin Enhances the Cytotoxicity of Gemcitabine by Down-regulating ERK-MYC in MiaPaca-2 Human Pancreatic Cancer Cells. <i>Anticancer Research</i> , 2018, 38, 3527-3533.	1.1	20
16	Prognostic value of CA 19-9 kinetics during gemcitabine-based chemotherapy in patients with advanced cholangiocarcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016, 31, 493-500.	2.8	19
17	Therapeutic outcomes and prognostic factors in unresectable gallbladder cancer treated with gemcitabine plus cisplatin. <i>BMC Cancer</i> , 2019, 19, 10.	2.6	19
18	Postoperative Prognostic Predictors of Pancreatic Ductal Adenocarcinoma: Clinical Analysis and Immunoprofile on Tissue Microarrays. <i>Annals of Surgical Oncology</i> , 2012, 19, 2664-2672.	1.5	18

#	ARTICLE	IF	CITATIONS
19	Clinical outcomes of endoscopic ultrasound-guided ethanol ablation for pancreatic cystic lesions compared with the natural course: a propensity score matching analysis. <i>Therapeutic Advances in Gastroenterology</i> , 2018, 11, 175628481875992.	3.2	17
20	Optimal Biliary Drainage for Patients With Biliary Anastomotic Strictures After Right Lobe Living Donor Liver Transplantation. <i>Liver Transplantation</i> , 2019, 25, 1209-1219.	2.4	16
21	High platelet-to-lymphocyte ratio is associated with poor prognosis in patients with unresectable intrahepatic cholangiocarcinoma receiving gemcitabine plus cisplatin. <i>BMC Cancer</i> , 2020, 20, 907.	2.6	16
22	Efficacy of an internal anchoring plastic stent to prevent migration of a fully covered metal stent in malignant distal biliary strictures: a randomized controlled study. <i>Endoscopy</i> , 2021, 53, 578-585.	1.8	16
23	Malignant potential of small pancreatic neuroendocrine neoplasm and its risk factors: A multicenter nationwide study. <i>Pancreatology</i> , 2021, 21, 208-214.	1.1	15
24	Human equilibrative nucleoside transporter 1 (hENT1) expression as a predictive biomarker for gemcitabine chemotherapy in biliary tract cancer. <i>PLoS ONE</i> , 2018, 13, e0209104.	2.5	13
25	Clinical outcomes of everolimus in patients with advanced, nonfunctioning pancreatic neuroendocrine tumors: a multicenter study in Korea. <i>Cancer Chemotherapy and Pharmacology</i> , 2017, 80, 799-805.	2.3	12
26	Revision of bilateral self-expandable metallic stents placed using the stent-in-stent technique for malignant hilar biliary obstruction. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2018, 17, 437-442.	1.3	12
27	Factors associated with complete clearance of difficult common bile duct stones after temporary biliary stenting followed by a second ERCP: a multicenter, retrospective, cohort study. <i>Endoscopy</i> , 2020, 52, 462-468.	1.8	12
28	Risk factors of organ failure in cholangitis with bacteriobilia. <i>World Journal of Gastroenterology</i> , 2015, 21, 7506.	3.3	12
29	Is There Any Role of Positron Emission Tomography Computed Tomography for Predicting Resectability of Gallbladder Cancer?. <i>Journal of Korean Medical Science</i> , 2014, 29, 680.	2.5	11
30	GDC-0980 (apitolisib) treatment with gemcitabine and/or cisplatin synergistically reduces cholangiocarcinoma cell growth by suppressing the PI3K/Akt/mTOR pathway. <i>Biochemical and Biophysical Research Communications</i> , 2020, 529, 1242-1248.	2.1	11
31	Fisetin Reduces Cell Viability Through Up-Regulation of Phosphorylation of ERK1/2 in Cholangiocarcinoma Cells. <i>Anticancer Research</i> , 2016, 36, 6109-6116.	1.1	11
32	Comparison of Sterilization of Reusable Endoscopic Biopsy Forceps by Autoclaving and Ethylene Oxide Gas. <i>Digestive Diseases and Sciences</i> , 2012, 57, 405-412.	2.3	9
33	A Case of Adenomyomatous Hyperplasia of the Distal Common Bile Duct Mimicking Malignant Stricture. <i>Korean journal of gastroenterology = Taehan Sohwagi Hakhoe chi, The</i> , 2016, 67, 332.	0.4	9
34	Utility of serum phosphate as a marker for predicting the severity of post-ERCP cholangiopancreatography pancreatitis. <i>United European Gastroenterology Journal</i> , 2018, 6, 895-901.	3.8	9
35	Folfirinox chemotherapy prolongs stent patency in patients with malignant biliary obstruction due to unresectable pancreatic cancer. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2020, 19, 590-595.	1.3	9
36	Prognostic Factors for Patients with Borderline Resectable or Locally Advanced Pancreatic Cancer Receiving Neoadjuvant FOLFIRINOX. <i>Gut and Liver</i> , 2021, 15, 315-323.	2.9	8

#	ARTICLE	IF	CITATIONS
37	Comparison of cytological and histological preparations in the diagnosis of pancreatic malignancies using endoscopic ultrasound-guided fine needle aspiration. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2017, 16, 418-423.	1.3	7
38	Additional K-ras mutation analysis and Plectin-1 staining improve the diagnostic accuracy of pancreatic solid mass in EUS-guided fine needle aspiration. <i>Oncotarget</i> , 2017, 8, 64440-64448.	1.8	7
39	Optimal time of resuming anticoagulant after endoscopic sphincterotomy in patients at risk for thromboembolism: a retrospective cohort study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2018, 32, 3902-3908.	2.4	7
40	Gemcitabine plus Nab-paclitaxel as a second-line treatment following FOLFIRINOX failure in advanced pancreatic cancer: a multicenter, single-arm, open-label, phase 2 trial. <i>Therapeutic Advances in Medical Oncology</i> , 2021, 13, 175883592110561.	3.2	7
41	Endoscopic Management of Pancreaticopleural Fistula in a Child with Hereditary Pancreatitis. <i>Pediatric Gastroenterology, Hepatology and Nutrition</i> , 2019, 22, 601.	1.2	6
42	Optimal timing of endoscopic retrograde cholangiopancreatography for acute cholangitis associated with distal malignant biliary obstruction. <i>BMC Gastroenterology</i> , 2021, 21, 175.	2.0	6
43	Establishment of Patient-Derived Pancreatic Cancer Organoids from Endoscopic Ultrasound-Guided Fine-Needle Aspiration Biopsies. <i>Gut and Liver</i> , 2022, 16, 625-636.	2.9	6
44	Objective Assessment of Surgical Restaging after Concurrent Chemoradiation for Locally Advanced Pancreatic Cancer. <i>Journal of Korean Medical Science</i> , 2015, 30, 917.	2.5	5
45	Comparison of efficacy between adjuvant chemotherapy and chemoradiation therapy for pancreatic cancer: AJCC stage-based approach. <i>World Journal of Clinical Oncology</i> , 2020, 11, 747-760.	2.3	5
46	Partially covered self-expandable metallic stent for postoperative benign strictures associated with laparoscopy-assisted gastrectomy. <i>Gastric Cancer</i> , 2016, 19, 280-286.	5.3	4
47	Acute Pancreatitis Due to a Duodenal Ulcer. <i>Clinical Endoscopy</i> , 2014, 47, 579.	1.5	2
48	Innovation of EUS-guided transmural gallbladder drainage using a novel self-expanding metal stent. <i>Scientific Reports</i> , 2020, 10, 11159.	3.3	2
49	KG 4/2015: A randomized, controlled, multicenter, open-label phase III clinical trial of GV1001 with gemcitabine/capecitabine in previous untreated, eotaxin-high patients with advanced pancreatic ductal adenocarcinoma.. <i>Journal of Clinical Oncology</i> , 2021, 39, 4020-4020.	1.6	2
50	Duodenal Stricture due to Necrotizing Pancreatitis following Endoscopic Ultrasound-Guided Ethanol Ablation of a Pancreatic Cyst: A Case Report. <i>Clinical Endoscopy</i> , 2019, 52, 510-515.	1.5	2
51	A remnant choledochal cyst after choledochal cyst excision treated with a lumen-apposing metal stent: a case report. <i>Clinical Endoscopy</i> , 2022, 55, 564-569.	1.5	2
52	Role of EUS at high risk for choledocholithiasis without severe cholangitis and visible stone on cross-sectional imaging: A multicenter randomized clinical trial. <i>Endoscopic Ultrasound</i> , 2021, .	1.5	2
53	Natural history of small nonfunctioning pancreatic neuroendocrine tumors.. <i>Journal of Clinical Oncology</i> , 2018, 36, 515-515.	1.6	1
54	Characteristics and outcomes of L-shaped and reverse L-shaped rotator cuff tears. <i>Bone and Joint Journal</i> , 2022, 104-B, 394-400.	4.4	1

#	ARTICLE	IF	CITATIONS
55	The Author's Response: Objective Assessment of Surgical Restaging after Concurrent Chemoradiation for Locally Advanced Pancreatic Cancer. <i>Journal of Korean Medical Science</i> , 2016, 31, 1505.	2.5	0
56	Impact of balloon inflation on the insertion of endoscopic ultrasound: a prospective, randomized controlled trial. <i>Endoscopy International Open</i> , 2020, 08, E458-E464.	1.8	0
57	Excision Repair Cross-Complementation Group 6 Gene Polymorphism Is Associated with the Response to FOLFIRINOX Chemotherapy in Asian Patients with Pancreatic Cancer. <i>Cancers</i> , 2021, 13, 1196.	3.7	0
58	Prognostic value of neutrophil-lymphocyte ratio during palliative chemotherapy in patients with unresectable gallbladder adenocarcinoma.. <i>Journal of Clinical Oncology</i> , 2018, 36, 253-253.	1.6	0
59	Strategies to Overcome Risks Associated with Endoscopic Biliary Stenting. <i>Clinical Endoscopy</i> , 2019, 52, 525-526.	1.5	0