

# Manuel Soto

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4714518/publications.pdf>

Version: 2024-02-01

72  
papers

2,604  
citations

159525

30  
h-index

197736

49  
g-index

73  
all docs

73  
docs citations

73  
times ranked

2235  
citing authors

#	ARTICLE	IF	CITATIONS
1	Methanogenic and non-methanogenic activity tests. Theoretical basis and experimental set up. <i>Water Research</i> , 1993, 27, 1361-1376.	5.3	250
2	Sodium inhibition in the anaerobic digestion process: Antagonism and adaptation phenomena. <i>Enzyme and Microbial Technology</i> , 1995, 17, 180-188.	1.6	221
3	Anaerobic digesters as a pretreatment for constructed wetlands. <i>Ecological Engineering</i> , 2008, 33, 54-67.	1.6	112
4	Winery wastewater treatment in a hybrid constructed wetland. <i>Ecological Engineering</i> , 2011, 37, 744-753.	1.6	108
5	Evaluation of PPCPs removal in a combined anaerobic digester-constructed wetland pilot plant treating urban wastewater. <i>Chemosphere</i> , 2011, 84, 1200-1207.	4.2	95
6	The efficiency of home composting programmes and compost quality. <i>Waste Management</i> , 2017, 64, 39-50.	3.7	84
7	Anaerobic treatment of low-strength municipal wastewater by a two-stage pilot plant under psychrophilic conditions. <i>Bioresource Technology</i> , 2008, 99, 7051-7062.	4.8	82
8	Avoiding clogging in constructed wetlands by using anaerobic digesters as pre-treatment. <i>Ecological Engineering</i> , 2013, 52, 262-269.	1.6	80
9	Effect of by-pass and effluent recirculation on nitrogen removal in hybrid constructed wetlands for domestic and industrial wastewater treatment. <i>Water Research</i> , 2016, 103, 92-100.	5.3	74
10	Start-up alternatives and performance of an UASB pilot plant treating diluted municipal wastewater at low temperature. <i>Bioresource Technology</i> , 2006, 97, 1640-1649.	4.8	71
11	Semi-micro C.O.D. determination method for high-salinity wastewater. <i>Environmental Technology Letters</i> , 1989, 10, 541-548.	0.4	64
12	Treatment of seafood-processing wastewaters in mesophilic and thermophilic anaerobic filters. <i>Water Environment Research</i> , 1995, 67, 33-45.	1.3	61
13	Effect of plants and surface loading rate on the treatment efficiency of shallow subsurface constructed wetlands. <i>Ecological Engineering</i> , 2016, 90, 203-214.	1.6	61
14	Anaerobic hydrolysis of primary sludge: influence of sludge concentration and temperature. <i>Water Science and Technology</i> , 2003, 47, 239-246.	1.2	58
15	A new device for measurement and control of gas production by bench scale anaerobic digesters. <i>Water Research</i> , 1990, 24, 1551-1554.	5.3	53
16	Anaerobic biodegradation tests and gas emissions from subsurface flow constructed wetlands. <i>Bioresource Technology</i> , 2007, 98, 3044-3052.	4.8	50
17	Biodegradability and toxicity in the anaerobic treatment of fish canning wastewaters. <i>Environmental Technology (United Kingdom)</i> , 1991, 12, 669-677.	1.2	48
18	Methane and carbon dioxide emissions from constructed wetlands receiving anaerobically pretreated sewage. <i>Science of the Total Environment</i> , 2015, 538, 824-833.	3.9	45

#	ARTICLE	IF	CITATIONS
19	Integration of food waste composting and vegetable gardens in a university campus. <i>Journal of Cleaner Production</i> , 2021, 315, 128175.	4.6	45
20	Sodium inhibition and sulphate reduction in the anaerobic treatment of mussel processing wastewaters. <i>Journal of Chemical Technology and Biotechnology</i> , 1993, 58, 1-7.	1.6	44
21	Solids hydrolysis and accumulation in a hybrid anaerobic digester-constructed wetlands system. <i>Ecological Engineering</i> , 2010, 36, 1007-1016.	1.6	44
22	Pilot Plant Studies on the Anaerobic Treatment of Different Wastewaters from a Fish-Canning Factory. <i>Water Science and Technology</i> , 1992, 25, 37-44.	1.2	43
23	Performance of an anaerobic digester-constructed wetland system for a small community. <i>Ecological Engineering</i> , 2008, 33, 142-149.	1.6	41
24	Wineries wastewater treatment by constructed wetlands: a review. <i>Water Science and Technology</i> , 2015, 71, 1113-1127.	1.2	40
25	Aerobic and anaerobic biodegradability of accumulated solids in horizontal subsurface flow constructed wetlands. <i>International Biodeterioration and Biodegradation</i> , 2017, 119, 396-404.	1.9	39
26	Vertical flow constructed wetland treating high strength wastewater from swine slurry composting. <i>Ecological Engineering</i> , 2013, 50, 37-43.	1.6	38
27	Anaerobic biodegradability and toxicity of wastewaters from chlorine and total chlorine-free bleaching of eucalyptus kraft pulps. <i>Water Research</i> , 1997, 31, 2487-2494.	5.3	37
28	Integrating liquid fraction of pig manure in the composting process for nutrient recovery and water re-use. <i>Journal of Cleaner Production</i> , 2015, 104, 80-89.	4.6	35
29	Methane potential and anaerobic treatment feasibility of <i>Sargassum muticum</i> . <i>Bioresource Technology</i> , 2015, 189, 53-61.	4.8	33
30	Composting of pig manure and forest green waste amended with industrial sludge. <i>Science of the Total Environment</i> , 2017, 586, 1228-1236.	3.9	31
31	Anaerobic hydrolysis of a municipal wastewater in a pilot-scale digester. <i>Water Science and Technology</i> , 2003, 47, 223-230.	1.2	29
32	Effect of step-feeding on the performance of lab-scale columns simulating vertical flow-horizontal flow constructed wetlands. <i>Environmental Science and Pollution Research</i> , 2017, 24, 22649-22662.	2.7	29
33	Heavy metal removal in an UASB-CW system treating municipal wastewater. <i>Chemosphere</i> , 2013, 93, 1317-1323.	4.2	27
34	Winery Wastewater Treatment in Subsurface Constructed Wetlands with Different Bed Depths. <i>Water, Air, and Soil Pollution</i> , 2013, 224, 1.	1.1	25
35	Characterization and Comparison of Biomass from Mesophilic and Thermophilic Fixed Bed Anaerobic Digesters. <i>Water Science and Technology</i> , 1992, 25, 203-212.	1.2	24
36	Integrating pretreatment and denitrification in constructed wetland systems. <i>Science of the Total Environment</i> , 2017, 584-585, 1300-1309.	3.9	24

#	ARTICLE	IF	CITATIONS
37	Performance of a UASB-Digester System Treating Domestic Wastewater. Environmental Technology (United Kingdom), 2004, 25, 1189-1199.	1.2	22
38	Physico-chemical and biological characteristics of compost from decentralised composting programmes. Bioresource Technology, 2015, 198, 520-532.	4.8	21
39	Integrated valorization of Sargassum muticum in biorefineries. Chemical Engineering Journal, 2021, 404, 125635.	6.6	21
40	Circular economy of expanded polystyrene container production: Environmental benefits of household waste recycling considering renewable energies. Energy Reports, 2022, 8, 306-311.	2.5	21
41	MUNICIPAL WASTEWATER TREATMENT IN AN ANAEROBIC DIGESTERâ€CONSTRUCTED WETLAND SYSTEM. Environmental Technology (United Kingdom), 2008, 29, 1249-1256.	1.2	20
42	Contribution of extractives to methanogenic toxicity of hemp black liquor. Journal of Bioscience and Bioengineering, 1995, 80, 383-388.	0.9	17
43	Development of Technologies for Local Composting of Food Waste from Universities. International Journal of Environmental Research and Public Health, 2020, 17, 3153.	1.2	16
44	Removal of emerging pollutants by a 3-step system: Hybrid digester, vertical flow constructed wetland and photodegradation post-treatments. Science of the Total Environment, 2022, 842, 156750.	3.9	15
45	Influence of HRT (hydraulic retention time) and SRT (solid retention time) on the hydrolytic pre-treatment of urban wastewater. Water Science and Technology, 2001, 44, 7-14.	1.2	14
46	Methanogenic toxicity in anaerobic digesters treating municipal wastewater. Bioresource Technology, 2009, 100, 97-103.	4.8	14
47	Introduction of the circular economy to expanded polystyrene household waste: A case study from an Ecuadorian plastic manufacturer. Procedia CIRP, 2020, 90, 49-54.	1.0	13
48	Hydrolytic anaerobic reactor and aerated constructed wetland systems for municipal wastewater treatment â€“ HIGHWET project. Environmental Technology (United Kingdom), 2017, 38, 209-219.	1.2	12
49	Methanogenic activity of accumulated solids and gas emissions from planted and unplanted shallow horizontal subsurface flow constructed wetlands. Ecological Engineering, 2017, 98, 297-306.	1.6	12
50	Carbon and water footprint for the recycling process of expanded polystyrene (EPS) post-consumer waste.. Procedia CIRP, 2022, 105, 452-457.	1.0	12
51	Pretreatment of urban wastewaters in a hydrolytic upflow digester. Water S A, 2001, 27, 399.	0.2	11
52	Nature based solutions for winery wastewater valorisation. Ecological Engineering, 2021, 169, 106311.	1.6	11
53	Sludge Granulation in UASB Digesters Treating Low Strength Wastewaters at Mesophilic and Psychrophilic Temperatures. Environmental Technology (United Kingdom), 1997, 18, 1133-1141.	1.2	10
54	Microbial Activities and Process Rates in Two-Step Vertical and Horizontal Subsurface Flow Gravel and Sand Filters. Water, Air, and Soil Pollution, 2018, 229, 1.	1.1	10

#	ARTICLE	IF	CITATIONS
55	Anaerobic biodegradability and toxicity of eucalyptus fiber board manufacturing wastewater. Journal of Chemical Technology and Biotechnology, 2007, 52, 163-176.	1.6	9
56	Nitrogen losses and chemical parameters during co-composting of solid wastes and liquid pig manure. Environmental Technology (United Kingdom), 2018, 39, 2017-2029.	1.2	9
57	Influence of nutrients and pH on the efficiency of vertical flow constructed wetlands treating winery wastewater. Journal of Water Process Engineering, 2021, 42, 102103.	2.6	9
58	Constructed Wetlands for Industrial Wastewater Treatment and Removal of Nutrients. Advances in Environmental Engineering and Green Technologies Book Series, 2017, , 202-230.	0.3	8
59	Sludge granulation during anaerobic treatment of pre-hydrolysed domestic wastewater. Water S A, 2002, 28, 307.	0.2	7
60	Quantification and mapping of domestic plastic waste using GIS/GPS approach at the city of Guayaquil. Procedia CIRP, 2022, 105, 86-91.	1.0	7
61	Co-composting of forest and industrial wastes watered with pig manure. Environmental Technology (United Kingdom), 2021, 42, 705-716.	1.2	6
62	Application of organic wastes to soils and legislative intricacies in a circular economy context. Clean Technologies and Environmental Policy, 0, , 1.	2.1	6
63	CHARACTERISTICS AND ANAEROBIC TREATABILITY OF MUNICIPAL AND INDUSTRIAL ESTATE WASTEWATERS. Environmental Technology (United Kingdom), 2007, 28, 1063-1072.	1.2	5
64	Effect of different bypass rates and unit area ratio in hybrid constructed wetlands. Environmental Science and Pollution Research, 2020, 27, 40355-40369.	2.7	5
65	Anaerobic hydrolysis of primary sludge: influence of sludge concentration and temperature. Water Science and Technology, 2003, 47, 239-46.	1.2	4
66	Methane production potential and anaerobic treatability of wastewater and sludge from medium density fibreboard manufacturing. Journal of Cleaner Production, 2020, 277, 123283.	4.6	3
67	SOSTAUGA project: reduction of water consumption and evaluation of potential uses for endogenous resources. International Journal of Sustainability in Higher Education, 2020, 21, 1391-1411.	1.6	2
68	Mapeando a eficiencia no consumo da auga. , 0, , 383-402.		2
69	Influence of bleaching technologies on the aerobic biodegradability of effluents from Eucalyptus kraft pulps factories. Brazilian Archives of Biology and Technology, 1999, 42, 323-330.	0.5	1
70	Improving the performance of vertical flow constructed wetlands by modifying the filtering media structure. Environmental Science and Pollution Research, 2021, 28, 56852-56864.	2.7	1
71	Constructed Wetlands for Industrial Wastewater Treatment and Removal of Nutrients. , 2020, , 559-587.		1
72	What Affects Household Electricity Demand in Ecuador: Using Analytical Hierarchy Process to Read Homeowners's Perception. Smart Innovation, Systems and Technologies, 2022, , 139-149.	0.5	0