## Yuetsu Tanaka

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4715331/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Elucidation of the Mechanism of Host NMD Suppression by HTLV-1 Rex: Dissection of Rex to Identify the NMD Inhibitory Domain. Viruses, 2022, 14, 344.	1.5	4
2	Elevation of the Plasma Levels of TNF Receptor 2 in Association with Those of CD25, OX40, and IL-10 and HTLV-1 Proviral Load in Acute Adult T-Cell Leukemia. Viruses, 2022, 14, 751.	1.5	2
3	Impact of anti-diabetic sodium-glucose cotransporter 2 inhibitors on tumor growth of intractable hematological malignancy in humans. Biomedicine and Pharmacotherapy, 2022, 149, 112864.	2.5	2
4	Acute type adult T-cell leukemia cells proliferate in the lymph nodes rather than in peripheral blood. Cancer Gene Therapy, 2022, , .	2.2	0
5	Time-course of host cell transcription during the HTLV-1 transcriptional burst. PLoS Pathogens, 2022, 18, e1010387.	2.1	10
6	<i>RLTPR</i> Q575E: A novel recurrent gainâ€ofâ€function mutation in patients with adult Tâ€cell leukemia/lymphoma. European Journal of Haematology, 2021, 106, 221-229.	1.1	3
7	Promoter CpG methylation inhibits Krüppel-like factor 2 (KLF2)-Mediated repression of hTERT gene expression in human T-cells. Biochemistry and Biophysics Reports, 2021, 26, 100984.	0.7	3
8	M-Sec induced by HTLV-1 mediates an efficient viral transmission. PLoS Pathogens, 2021, 17, e1010126.	2.1	4
9	Conservation of a Neutralization Epitope of Human T-cell Leukemia Virus Type 1 (HTLV-1) among Currently Endemic Clinical Isolates in Okinawa, Japan. Pathogens, 2020, 9, 82.	1.2	5
10	Development of a Unique T Cell Receptor Gene-Transferred Tax-Redirected T Cell Immunotherapy for Adult T Cell Leukemia. Biology of Blood and Marrow Transplantation, 2020, 26, 1377-1385.	2.0	14
11	Proteomic profiling of HTLV-1 carriers and ATL patients reveals sTNFR2 as a novel diagnostic biomarker for acute ATL. Blood Advances, 2020, 4, 1062-1071.	2.5	18
12	Flow cytometric methodology for the detection of de novo human T-cell leukemia virus -1 infection in vitro: A tool to study novel infection inhibitors. Journal of Virological Methods, 2019, 274, 113728.	1.0	3
13	Association of high levels of plasma OX40 with acute adult T-cell leukemia. International Journal of Hematology, 2019, 109, 319-327.	0.7	8
14	Degradation of p47 by autophagy contributes to CADM1 overexpression in ATLL cells through the activation of NF-κB. Scientific Reports, 2019, 9, 3491.	1.6	14
15	Cell–cell and virus–cell fusion assay–based analyses of alanine insertion mutants in the distal α9 portion of the JRFL gp41 subunit from HIV-1. Journal of Biological Chemistry, 2019, 294, 5677-5687.	1.6	29
16	EOS, an Ikaros family zinc finger transcription factor, interacts with the HTLV-1 oncoprotein Tax and is downregulated in peripheral blood mononuclear cells of HTLV-1-infected individuals, irrespective of clinical statuses. Virology Journal, 2019, 16, 160.	1.4	3
17	Targeting Excessive EZH1 and EZH2 Activities for Abnormal Histone Methylation and Transcription Network in Malignant Lymphomas. Cell Reports, 2019, 29, 2321-2337.e7.	2.9	100
18	Novel Cellular Immunotherapy Using Allogeneic Vγ9/δ2-T Cells Gene-Modified to Express HTLV-1 P40Tax-Specific TCR for the Treatment of Adult T Cell Leukemia. Blood, 2019, 134, 3216-3216.	0.6	1

#	Article	IF	CITATIONS
19	Proteomic Profiling of HTLV-1 Carriers and ATL Patients Reveal TNFR2 As a Novel Diagnostic and Chemosensitivity Biomarker for ATL. Blood, 2019, 134, 660-660.	0.6	0
20	Pseudotyping of HIV-1 with Human T-Lymphotropic Virus 1 (HTLV-1) Envelope Glycoprotein during HIV-1–HTLV-1 Coinfection Facilitates Direct HIV-1 Infection of Female Genital Epithelial Cells: Implications for Sexual Transmission of HIV-1. MSphere, 2018, 3, .	1.3	3
21	Production and characterization of a novel site-specific-modifiable anti-OX40-receptor single-chain variable fragment for targeted drug delivery. Biochemical and Biophysical Research Communications, 2018, 496, 614-620.	1.0	3
22	Control of Human T-Cell Leukemia Virus Type 1 (HTLV-1) Infection by Eliminating Envelope Protein-Positive Cells with Recombinant Vesicular Stomatitis Viruses Encoding HTLV-1 Primary Receptor. Journal of Virology, 2018, 92, .	1.5	8
23	Distinct gene expression signatures induced by viral transactivators of different HTLV-1 subgroups that confer a different risk of HAM/TSP. Retrovirology, 2018, 15, 72.	0.9	16
24	Immunophenotypic characterization of CSF B cells in virus-associated neuroinflammatory diseases. PLoS Pathogens, 2018, 14, e1007042.	2.1	29
25	Spontaneous HTLV-1 transcription is accompanied by distinct epigenetic changes in the 5′ and 3′ long terminal repeats. Wellcome Open Research, 2018, 3, 105.	0.9	11
26	A recombinant vesicular stomatitis virus encoding CCR5-tropic HIV-1 receptors targets HIV-1-infected cells and controls HIV-1 infection. Microbes and Infection, 2017, 19, 277-287.	1.0	4
27	<scp>HIV</scp> â€1 susceptibility of transgenic ratâ€derived primary macrophage/T cells and a T cell line that express human receptors, CyclinT1 and <scp>CRM</scp> 1 genes. Genes To Cells, 2017, 22, 424-435.	0.5	1
28	Crucial role of carbonic anhydrase IX in tumorigenicity of xenotransplanted adult Tâ€cell leukemiaâ€derived cells. Cancer Science, 2017, 108, 435-443.	1.7	9
29	Human T-cell leukemia virus type I Tax genotype analysis in Okinawa, the southernmost and remotest islands of Japan: Different distributions compared with mainland Japan and the potential value for the prognosis of aggressive adult T-cell leukemia/lymphoma. Leukemia Research, 2017, 61, 18-24.	0.4	9
30	Cyclin-dependent kinase 9 is a novel specific molecular target in adult T-cell leukemia/lymphoma. Blood, 2017, 130, 1114-1124.	0.6	59
31	Dynamic acquisition of HTLV-1 tax protein by mononuclear phagocytes: Role in neurologic disease. Journal of Neuroimmunology, 2017, 304, 43-50.	1.1	3
32	IL-10-mediated signals act as a switch for lymphoproliferation in Human T-cell leukemia virus type-1 infection by activating the STAT3 and IRF4 pathways. PLoS Pathogens, 2017, 13, e1006597.	2.1	36
33	HTLV-1 Tax Induces Formation of the Active Macromolecular IKK Complex by Generating Lys63- and Met1-Linked Hybrid Polyubiquitin Chains. PLoS Pathogens, 2017, 13, e1006162.	2.1	30
34	Dendritic cell maturation, but not type I interferon exposure, restricts infection by HTLV-1, and viral transmission to T-cells. PLoS Pathogens, 2017, 13, e1006353.	2.1	30
35	Prevalence of plasma autoantibody against cancer testis antigen NY-ESO-1 in HTLV-1 infected individuals with different clinical status. Virology Journal, 2017, 14, 130.	1.4	0
36	The CC chemokine ligand (CCL) 1, upregulated by the viral transactivator Tax, can be downregulated by minocycline: possible implications for long-term treatment of HTLV-1-associated myelopathy/tropical spastic paraparesis. Virology Journal, 2017, 14, 234.	1.4	9

#	Article	IF	CITATIONS
37	A novel mother-to-child human T-cell leukaemia virus type 1 (HTLV-1) transmission model for investigating the role of maternal anti-HTLV-1 antibodies using orally infected mother rats. Journal of General Virology, 2017, 98, 835-846.	1.3	12
38	A Potential of an Anti-HTLV-I gp46 Neutralizing Monoclonal Antibody (LAT-27) for Passive Immunization against Both Horizontal and Mother-to-Child Vertical Infection with Human T Cell Leukemia Virus Type-I. Viruses, 2016, 8, 41.	1.5	18
39	Heat Shock Enhances the Expression of the Human T Cell Leukemia Virus Type-I (HTLV-I) Trans-Activator (Tax) Antigen in Human HTLV-I Infected Primary and Cultured T Cells. Viruses, 2016, 8, 191.	1.5	6
40	HTLV-1 Tax Functions as a Ubiquitin E3 Ligase for Direct IKK Activation via Synthesis of Mixed-Linkage Polyubiquitin Chains. PLoS Pathogens, 2016, 12, e1005584.	2.1	20
41	<scp>OX</scp> 40 ligand newly expressed on bronchiolar progenitors mediates influenza infection and further exacerbates pneumonia. EMBO Molecular Medicine, 2016, 8, 422-436.	3.3	17
42	Human T-cell leukemia virus type 1 (HTLV-1) Tax1 oncoprotein but not HTLV-2 Tax2 induces the expression of OX40 ligand by interacting with p52/p100 and RelB. Virus Genes, 2016, 52, 4-13.	0.7	14
43	A 49‥earâ€Old Man with Progressive Cranial Neuropathies. Brain Pathology, 2016, 26, 795-796.	2.1	0
44	Polycomb-dependent epigenetic landscape in adult T-cell leukemia. Blood, 2016, 127, 1790-1802.	0.6	135
45	Absolute quantification of HTLV-1 basic leucine zipper factor (HBZ) protein and its plasma antibody in HTLV-1 infected individuals with different clinical status. Retrovirology, 2016, 13, 29.	0.9	23
46	Tax secretion from peripheral blood mononuclear cells and tax detection in plasma of patients with human Tâ€lymphotropic virusâ€type 1â€associated myelopathy/tropical spastic paraparesis and asymptomatic carriers. Journal of Medical Virology, 2016, 88, 521-531.	2.5	10
47	Tax and Semaphorin 4D Released from Lymphocytes Infected with Human Lymphotropic Virus Type 1 and Their Effect on Neurite Growth. AIDS Research and Human Retroviruses, 2016, 32, 68-79.	0.5	4
48	Induction of Cell Death in Growing Human T-Cells and Cell Survival in Resting Cells in Response to the Human T-Cell Leukemia Virus Type 1 Tax. PLoS ONE, 2016, 11, e0148217.	1.1	8
49	CADM1/TSLC1 Identifies HTLV-1-Infected Cells and Determines Their Susceptibility to CTL-Mediated Lysis. PLoS Pathogens, 2016, 12, e1005560.	2.1	49
50	T Cell Receptor Vβ Staining Identifies the Malignant Clone in Adult T cell Leukemia and Reveals Killing of Leukemia Cells by Autologous CD8+ T cells. PLoS Pathogens, 2016, 12, e1006030.	2.1	24
51	Gamma-interferon-inducible, lysosome/endosome-localized thiolreductase, GILT, has anti-retroviral activity and its expression is counteracted by HIV-1. Oncotarget, 2016, 7, 71255-71273.	0.8	19
52	T cell receptor signaling pathway is overexpressed in CD4+ T cells from HAM/TSP individuals. Brazilian Journal of Infectious Diseases, 2015, 19, 578-584.	0.3	6
53	Human T-cell leukemia virus type-I Tax induces the expression of CD83 on T cells. Retrovirology, 2015, 12, 56.	0.9	11
54	Separate Cellular Localizations of Human T-Lymphotropic Virus 1 (HTLV-1) Env and Glucose Transporter Type 1 (GLUT1) Are Required for HTLV-1 Env-Mediated Fusion and Infection. Journal of Virology, 2015, 89, 502-511.	1.5	12

#	Article	IF	CITATIONS
55	OX40 ligand expressed in glioblastoma modulates adaptive immunity depending on the microenvironment: a clue for successful immunotherapy. Molecular Cancer, 2015, 14, 41.	7.9	35
56	Mogamulizumab, an Anti-CCR4 Antibody, Targets Human T-Lymphotropic Virus Type 1–infected CD8 <sup>+</sup> and CD4 <sup>+</sup> T Cells to Treat Associated Myelopathy. Journal of Infectious Diseases, 2015, 211, 238-248.	1.9	37
57	Polycomb-Dependent Epigenetic Landscape in Adult T Cell Leukemia (ATL); Providing Proof of Concept for Targeting EZH1/2 to Selectively Eliminate the HTLV-1 Infected Population. Blood, 2015, 126, 572-572.	0.6	5
58	Elimination of Human T Cell Leukemia Virus Type-1-Infected Cells by Neutralizing and Antibody-Dependent Cellular Cytotoxicity-Inducing Antibodies Against Human T Cell Leukemia Virus Type-1 Envelope gp46. AIDS Research and Human Retroviruses, 2014, 30, 542-552.	0.5	21
59	The neutralizing function of the anti-HTLV-1 antibody is essential in preventing in vivo transmission of HTLV-1 to human T cells in NOD-SCID/γcnull (NOG) mice. Retrovirology, 2014, 11, 74.	0.9	14
60	Cytotoxic T lymphocyte lysis of HTLV-1 infected cells is limited by weak HBZ protein expression, but non-specifically enhanced on induction of Tax expression. Retrovirology, 2014, 11, 116.	0.9	38
61	Increased expression of OX40 is associated with progressive disease in patients with HTLV-1-associated myelopathy/tropical spastic paraparesis. Retrovirology, 2013, 10, 51.	0.9	12
62	Natural OX40L expressed on human T cell leukemia virus type-I-immortalized T cell lines interferes with infection of activated peripheral blood mononuclear cells by CCR5-utilizing human immunodeficiency virus. Virology Journal, 2013, 10, 338.	1.4	2
63	Genome-wide Determinants of Proviral Targeting, Clonal Abundance and Expression in Natural HTLV-1 Infection. PLoS Pathogens, 2013, 9, e1003271.	2.1	92
64	A novel and simple method for generation of human dendritic cells from unfractionated peripheral blood mononuclear cells within 2 days: its application for induction of HIV-1-reactive CD4+ T cells in the hu-PBL SCID mice. Frontiers in Microbiology, 2013, 4, 292.	1.5	14
65	A recombinant vesicular stomatitis virus encoding HIV-1 receptors and human OX40 ligand efficiently eliminates HIV-1–infected CD4-positive T cells expressing OX40. Human Immunology, 2011, 72, 295-304.	1.2	5
66	Kinetics and intracellular compartmentalization of HTLV-1 gene expression: nuclear retention of HBZ mRNAs. Blood, 2011, 117, 4855-4859.	0.6	112
67	Identification of an unique CXCR4 epitope whose ligation inhibits infection by both CXCR4 and CCR5 tropic human immunodeficiency type-I viruses. Retrovirology, 2011, 8, 84.	0.9	2
68	Suppression of CCR5-Tropic HIV Type 1 Infection by OX40 Stimulation via Enhanced Production of β-Chemokines. AIDS Research and Human Retroviruses, 2010, 26, 1147-1154.	0.5	9
69	Impairment of in vitro generation of monocyte-derived human dendritic cells by inactivated human immunodeficiency virus–1: Involvement of type I interferon produced from plasmacytoid dendritc cells. Human Immunology, 2010, 71, 541-550.	1.2	12
70	The Avidity and Lytic Efficiency of the CTL Response to HTLV-1. Journal of Immunology, 2009, 182, 5723-5729.	0.4	60
71	HTLV-1–Tax and ICAM-1 act on T-cell signal pathways to polarize the microtubule-organizing center at the virological synapse. Blood, 2009, 114, 1016-1025.	0.6	90
72	Adhesion-dependent growth of primary adult T cell leukemia cells with down-regulation of HTLV-I p40Tax protein: a novel in vitro model of the growth of acute ATL cells. International Journal of Hematology, 2008, 88, 551-564.	0.7	12

#	Article	IF	CITATIONS
73	Rapid induction of OX40 ligand on primary T cells activated under DNA-damaging conditions. Human Immunology, 2008, 69, 533-542.	1.2	9
74	Generation of Mature Dendritic Cells with Unique Phenotype and Function by <i>In Vitro</i> Short-Term Culture of Human Monocytes in the Presence of Interleukin-4 and Interferon-β. Experimental Biology and Medicine, 2008, 233, 721-731.	1.1	7
75	Enhancement of OX40-Induced Apoptosis by TNF Coactivation in OX40-Expressing T Cell Lines <i>in Vitro</i> Leading to Decreased Targets for HIV Type 1 Production. AIDS Research and Human Retroviruses, 2008, 24, 423-435.	0.5	10
76	Inhibitory role of CXCR4 glycan in CD4-independent X4-tropic human immunodeficiency virus type 1 infection and its abrogation in CD4-dependent infection. Journal of General Virology, 2007, 88, 3139-3144.	1.3	7
77	Requirements for the functional expression of OX40 ligand on human activated CD4+ and CD8+ T cells. Human Immunology, 2007, 68, 563-571.	1.2	20
78	Engagement of specific T-cell surface molecules regulates cytoskeletal polarization in HTLV-1–infected lymphocytes. Blood, 2005, 106, 988-995.	0.6	110
79	Potential immunogenicity of adult T cell leukemia cellsin vivo. International Journal of Cancer, 2005, 114, 257-267.	2.3	45
80	A functional CD8+ cell assay reveals individual variation in CD8+ cell antiviral efficacy and explains differences in human T-lymphotropic virus type 1 proviral load. Journal of General Virology, 2005, 86, 1515-1523.	1.3	76
81	Cross-Talk between Activated Human NK Cells and CD4+ T Cells via OX40-OX40 Ligand Interactions. Journal of Immunology, 2004, 173, 3716-3724.	0.4	238
82	Spread of HTLV-I Between Lymphocytes by Virus-Induced Polarization of the Cytoskeleton. Science, 2003, 299, 1713-1716.	6.0	640
83	Induction of Protective Immune Responses against R5 Human Immunodeficiency Virus Type 1 (HIV-1) Infection in hu-PBL-SCID Mice by Intrasplenic Immunization with HIV-1-Pulsed Dendritic Cells: Possible Involvement of a Novel Factor of Human CD4 + T-Cell Origin. Journal of Virology, 2003, 77, 8719-8728.	1.5	60
84	Presentation of a new H-2Dk-restricted epitope in the Tax protein of human T-lymphotropic virus type I is enhanced by the proteasome inhibitor lactacystin. Journal of General Virology, 2002, 83, 641-650.	1.3	14
85	Critical Contribution of Tumor Necrosis Factor–Related Apoptosis-Inducing Ligand (Trail) to Apoptosis of Human Cd4+T Cells in HIV-1–Infected Hu-Pbl-Nod-Scid Mice. Journal of Experimental Medicine, 2001, 193, 651-660.	4.2	123
86	Reduced prevalence of serum antibodies against adeno-associated virus type 2 in patients with adult T-cell leukaemia lymphoma. Journal of Medical Virology, 2001, 65, 185-189.	2.5	13
87	Interleukin-2-dependent but not independent T-cell lines infected with human T-cell leukemia virus type 1 selectively express CD45RO, a marker for persistent infection in vivo. Virus Genes, 2001, 23, 263-271.	0.7	7
88	Expression of gp34 (OX40 Ligand) and OX40 on Human T Cell Clones. Japanese Journal of Cancer Research, 2001, 92, 377-382.	1.7	40
89	Possible Involvement of Interferon Regulatory Factor 4 (IRF4) in a Clinical Subtype of Adult T-Cell Leukemia. Japanese Journal of Cancer Research, 2001, 92, 1284-1292.	1.7	26
90	OX40 Stimulation by gp34/OX40 Ligand Enhances Productive Human Immunodeficiency Virus Type 1 Infection. Journal of Virology, 2001, 75, 6748-6757.	1.5	34

#	Article	lF	CITATIONS
91	Functional CD4 T Cells after Intercellular Molecular Transfer of OX40 Ligand. Journal of Immunology, 2001, 167, 875-883.	0.4	60
92	Unique Monoclonal Antibody Recognizing the Third Extracellular Loop of CXCR4 Induces Lymphocyte Agglutination and Enhances Human Immunodeficiency Virus Type 1-Mediated Syncytium Formation and Productive Infection. Journal of Virology, 2001, 75, 11534-11543.	1.5	22
93	Abundant Tax protein expression in CD4+ T cells infected with human T-cell lymphotropic virus type I (HTLV-I) is prevented by cytotoxic T lymphocytes. Blood, 2000, 95, 1386-1392.	0.6	249
94	Fratricide among CD8+ T Lymphocytes Naturally Infected with Human T Cell Lymphotropic Virus Type I. Immunity, 2000, 13, 657-664.	6.6	174
95	New Monoclonal Antibodies against a Recombinant Second Envelope Protein of Hepatitis C Virus. Microbiology and Immunology, 1998, 42, 875-877.	0.7	16
96	OX40 Costimulation Enhances Interleukin-4 (IL-4) Expression at Priming and Promotes the Differentiation of Naive Human CD4+ T Cells Into High IL-4–Producing Effectors. Blood, 1998, 92, 3338-3345.	0.6	218
97	Animal Model of HIV-1 Infection. Hu-PBL-SCID Mouse Proceedings of the Japanese Society of Animal Models for Human Diseases, 1997, 13, 36-42.	0.1	0
98	OX40 Expressed on Fresh Leukemic Cells From Adult T-Cell Leukemia Patients Mediates Cell Adhesion to Vascular Endothelial Cells: Implication for the Possible Involvement of OX40 in Leukemic Cell Infiltration. Blood, 1997, 89, 2951-2958.	0.6	81
99	In vivo Retrovirus-mediated Herpes Simplex Virus Thymidine Kinase Gene Therapy Approach for Adult T Cell Leukemia in a Rat Model. Japanese Journal of Cancer Research, 1997, 88, 492-500.	1.7	5
100	Induction of OX40, a Receptor of gp34, on T Cells by Trans-acting Transcriptional Activator, Tax, of Human T-Cell Leukemia Virus Type I. Japanese Journal of Cancer Research, 1996, 87, 227-231.	1.7	45
101	Detection of neutralizing antibodies against human T-cell leukemia virus type 1 using a cell-free infection system and polymerase chain reaction. International Journal of Cancer, 1994, 59, 416-421.	2.3	16
102	Expression of Human Tâ€cell Lymphotropic Virus Typeâ€1 Gene Products in the Shortâ€term Cultured Skin Tissues of an Adult Tâ€cell Leukemia/Lymphoma Patient with Cutaneous Manifestations. Journal of Dermatology, 1992, 19, 133-139.	0.6	6
103	An Antigenic Structure of theTrans-Activator Protein Encoded by Human T-Cell Leukemia Virus Type-I (HTLV-I), as Defined by a Panel of Monoclonal Antibodies. AIDS Research and Human Retroviruses, 1992, 8, 227-235.	0.5	17
104	Production of a recombinant human T-cell leukemia virus type-Itrans-activator (tax1) antigen and its utilization for generation of monoclonal antibodies against various epitopes on the tax1 antigen. International Journal of Cancer, 1991, 48, 623-630.	2.3	60
105	Heterogeneity of Antigen Molecules Recognized by Anti-tax1Monoclonal Antibody Lt-4 in Cell Lines Bearing Human T Cell Leukemia Virus Type I and Related Retroviruses. Japanese Journal of Cancer Research, 1990, 81, 225-231.	1.7	74
106	Generation and characterization of monoclonal antibodies against multiple epitopes on the C-terminal half of envelope gp46 of human T-cell leukemia virus type-I (HTLV-I). International Journal of Cancer, 1990, 46, 675-681.	2.3	38
107	Monoclonal antibody defining Tax1 protein of human T-cell leukemia virus type-I Tohoku Journal of Experimental Medicine, 1989, 157, 1-11.	0.5	98
108	Species-dependent antigenicity of the 34-kDa glycoprotein found on the membrane of various primate lymphocytes transformed by human t-cell leukemia virus type-I (HTLV-I) and simian T-cell leukemia virus (STLV-I). International Journal of Cancer, 1988, 41, 231-238.	2.3	31

#	Article	IF	CITATIONS
109	New Monoclonal Antibodies That Define Multiple Epitopes and a Humanâ€5pecific Marker on the Interleukin 2 Receptor Molecules of Primates. Microbiology and Immunology, 1986, 30, 373-388.	0.7	19
110	Experimental inoculation of monkeys with autologous lymphoid cell lines immortalized by and producing human T-cell leukemia virus type-I. International Journal of Cancer, 1986, 38, 867-875.	2.3	37
111	Distinct Reactivities of Four Monoclonal Antibodies with Human Interleukin 2 Receptor. Microbiology and Immunology, 1985, 29, 959-972.	0.7	28
112	A glycoprotein antigen detected with new monoclonal antibodies on the surface of human lymphocytes infected with human T-cell leukemia virus type-I (HTLV-I). International Journal of Cancer, 1985, 36, 549-555.	2.3	74
113	A New Monoclonal Antibody Recognizing an Antigen of Human Lymphocytes Similar or Identical to Tac Antigen. Microbiology and Immunology, 1984, 28, 1041-1055.	0.7	18