

Yuetsu Tanaka

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4715331/yuetsu-tanaka-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

111
papers

3,559
citations

30
h-index

57
g-index

114
ext. papers

4,009
ext. citations

5.8
avg, IF

4.47
L-index

#	Paper	IF	Citations
111	Impact of anti-diabetic sodium-glucose cotransporter 2 inhibitors on tumor growth of intractable hematological malignancy in humans.. <i>Biomedicine and Pharmacotherapy</i> , 2022 , 149, 112864	7.5	0
110	Time-course of host cell transcription during the HTLV-1 transcriptional burst.. <i>PLoS Pathogens</i> , 2022 , 18, e1010387	7.6	0
109	M-Sec induced by HTLV-1 mediates an efficient viral transmission. <i>PLoS Pathogens</i> , 2021 , 17, e1010126	7.6	3
108	RLTPR Q575E: A novel recurrent gain-of-function mutation in patients with adult T-cell leukemia/lymphoma. <i>European Journal of Haematology</i> , 2021 , 106, 221-229	3.8	2
107	Promoter CpG methylation inhibits Krüppel-like factor 2 (KLF2)-Mediated repression of hTERT gene expression in human T-cells. <i>Biochemistry and Biophysics Reports</i> , 2021 , 26, 100984	2.2	0
106	Conservation of a Neutralization Epitope of Human T-cell Leukemia Virus Type 1 (HTLV-1) among Currently Endemic Clinical Isolates in Okinawa, Japan. <i>Pathogens</i> , 2020 , 9,	4.5	1
105	Development of a Unique T Cell Receptor Gene-Transferred Tax-Redirected T Cell Immunotherapy for Adult T Cell Leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2020 , 26, 1377-1385	4.7	7
104	Proteomic profiling of HTLV-1 carriers and ATL patients reveals sTNFR2 as a novel diagnostic biomarker for acute ATL. <i>Blood Advances</i> , 2020 , 4, 1062-1071	7.8	7
103	Flow cytometric methodology for the detection of de novo human T-cell leukemia virus -1 infection in vitro: A tool to study novel infection inhibitors. <i>Journal of Virological Methods</i> , 2019 , 274, 113728	2.6	3
102	Association of high levels of plasma OX40 with acute adult T-cell leukemia. <i>International Journal of Hematology</i> , 2019 , 109, 319-327	2.3	6
101	Degradation of p47 by autophagy contributes to CADM1 overexpression in ATLL cells through the activation of NF- κ B. <i>Scientific Reports</i> , 2019 , 9, 3491	4.9	12
100	Cell-cell and virus-cell fusion assay-based analyses of alanine insertion mutants in the distal β portion of the JRFL gp41 subunit from HIV-1. <i>Journal of Biological Chemistry</i> , 2019 , 294, 5677-5687	5.4	16
99	Novel Cellular Immunotherapy Using Allogeneic $\text{V}\beta/\delta$ -T Cells Gene-Modified to Express HTLV-1 P40Tax-Specific TCR for the Treatment of Adult T Cell Leukemia. <i>Blood</i> , 2019 , 134, 3216-3216	2.2	
98	Proteomic Profiling of HTLV-1 Carriers and ATL Patients Reveal TNFR2 As a Novel Diagnostic and Chemosensitivity Biomarker for ATL. <i>Blood</i> , 2019 , 134, 660-660	2.2	
97	EOS, an Ikaros family zinc finger transcription factor, interacts with the HTLV-1 oncoprotein Tax and is downregulated in peripheral blood mononuclear cells of HTLV-1-infected individuals, irrespective of clinical statuses. <i>Virology Journal</i> , 2019 , 16, 160	6.1	2
96	Targeting Excessive EZH1 and EZH2 Activities for Abnormal Histone Methylation and Transcription Network in Malignant Lymphomas. <i>Cell Reports</i> , 2019 , 29, 2321-2337.e7	10.6	37
95	Pseudotyping of HIV-1 with Human T-Lymphotropic Virus 1 (HTLV-1) Envelope Glycoprotein during HIV-1-HTLV-1 Coinfection Facilitates Direct HIV-1 Infection of Female Genital Epithelial Cells: Implications for Sexual Transmission of HIV-1. <i>MSphere</i> , 2018 , 3,	5	3

94	Production and characterization of a novel site-specific-modifiable anti-OX40-receptor single-chain variable fragment for targeted drug delivery. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 496, 614-620	3.4	2
93	Immunophenotypic characterization of CSF B cells in virus-associated neuroinflammatory diseases. <i>PLoS Pathogens</i> , 2018 , 14, e1007042	7.6	18
92	Spontaneous HTLV-1 transcription is accompanied by distinct epigenetic changes in the 5R and 3R long terminal repeats. <i>Wellcome Open Research</i> , 2018 , 3, 105	4.8	8
91	Control of Human T-Cell Leukemia Virus Type 1 (HTLV-1) Infection by Eliminating Envelope Protein-Positive Cells with Recombinant Vesicular Stomatitis Viruses Encoding HTLV-1 Primary Receptor. <i>Journal of Virology</i> , 2018 , 92,	6.6	5
90	Distinct gene expression signatures induced by viral transactivators of different HTLV-1 subgroups that confer a different risk of HAM/TSP. <i>Retrovirology</i> , 2018 , 15, 72	3.6	10
89	A recombinant vesicular stomatitis virus encoding CCR5-tropic HIV-1 receptors targets HIV-1-infected cells and controls HIV-1 infection. <i>Microbes and Infection</i> , 2017 , 19, 277-287	9.3	2
88	HIV-1 susceptibility of transgenic rat-derived primary macrophage/T cells and a T cell line that express human receptors, CyclinT1 and CRM1 genes. <i>Genes To Cells</i> , 2017 , 22, 424-435	2.3	1
87	Crucial role of carbonic anhydrase IX in tumorigenicity of xenotransplanted adult T-cell leukemia-derived cells. <i>Cancer Science</i> , 2017 , 108, 435-443	6.9	6
86	Human T-cell leukemia virus type I Tax genotype analysis in Okinawa, the southernmost and remotest islands of Japan: Different distributions compared with mainland Japan and the potential value for the prognosis of aggressive adult T-cell leukemia/lymphoma. <i>Leukemia Research</i> , 2017 , 61, 18-24	2.7	8
85	IL-10-mediated signals act as a switch for lymphoproliferation in Human T-cell leukemia virus type-1 infection by activating the STAT3 and IRF4 pathways. <i>PLoS Pathogens</i> , 2017 , 13, e1006597	7.6	28
84	HTLV-1 Tax Induces Formation of the Active Macromolecular IKK Complex by Generating Lys63- and Met1-Linked Hybrid Polyubiquitin Chains. <i>PLoS Pathogens</i> , 2017 , 13, e1006162	7.6	26
83	Dendritic cell maturation, but not type I interferon exposure, restricts infection by HTLV-1, and viral transmission to T-cells. <i>PLoS Pathogens</i> , 2017 , 13, e1006353	7.6	22
82	Prevalence of plasma autoantibody against cancer testis antigen NY-ESO-1 in HTLV-1 infected individuals with different clinical status. <i>Virology Journal</i> , 2017 , 14, 130	6.1	
81	The CC chemokine ligand (CCL) 1, upregulated by the viral transactivator Tax, can be downregulated by minocycline: possible implications for long-term treatment of HTLV-1-associated myelopathy/tropical spastic paraparesis. <i>Virology Journal</i> , 2017 , 14, 234	6.1	4
80	Cyclin-dependent kinase 9 is a novel specific molecular target in adult T-cell leukemia/lymphoma. <i>Blood</i> , 2017 , 130, 1114-1124	2.2	41
79	Dynamic acquisition of HTLV-1 tax protein by mononuclear phagocytes: Role in neurologic disease. <i>Journal of Neuroimmunology</i> , 2017 , 304, 43-50	3.5	3
78	A novel mother-to-child human T-cell leukaemia virus type 1 (HTLV-1) transmission model for investigating the role of maternal anti-HTLV-1 antibodies using orally infected mother rats. <i>Journal of General Virology</i> , 2017 , 98, 835-846	4.9	6
77	A 49-Year-Old Man with Progressive Cranial Neuropathies. <i>Brain Pathology</i> , 2016 , 26, 795-796	6	

76	Polycomb-dependent epigenetic landscape in adult T-cell leukemia. <i>Blood</i> , 2016 , 127, 1790-802	2.2	87
75	Absolute quantification of HTLV-1 basic leucine zipper factor (HBZ) protein and its plasma antibody in HTLV-1 infected individuals with different clinical status. <i>Retrovirology</i> , 2016 , 13, 29	3.6	16
74	Tax secretion from peripheral blood mononuclear cells and Tax detection in plasma of patients with human T-lymphotropic virus-type 1-associated myelopathy/tropical spastic paraparesis and asymptomatic carriers. <i>Journal of Medical Virology</i> , 2016 , 88, 521-31	19.7	10
73	Tax and Semaphorin 4D Released from Lymphocytes Infected with Human Lymphotropic Virus Type 1 and Their Effect on Neurite Growth. <i>AIDS Research and Human Retroviruses</i> , 2016 , 32, 68-79	1.6	3
72	Induction of Cell Death in Growing Human T-Cells and Cell Survival in Resting Cells in Response to the Human T-Cell Leukemia Virus Type 1 Tax. <i>PLoS ONE</i> , 2016 , 11, e0148217	3.7	5
71	CADM1/TS�C1 Identifies HTLV-1-Infected Cells and Determines Their Susceptibility to CTL-Mediated Lysis. <i>PLoS Pathogens</i> , 2016 , 12, e1005560	7.6	37
70	T Cell Receptor Vβ Staining Identifies the Malignant Clone in Adult T cell Leukemia and Reveals Killing of Leukemia Cells by Autologous CD8+ T cells. <i>PLoS Pathogens</i> , 2016 , 12, e1006030	7.6	17
69	Gamma-interferon-inducible, lysosome/endosome-localized thiolreductase, GILT, has anti-retroviral activity and its expression is counteracted by HIV-1. <i>Oncotarget</i> , 2016 , 7, 71255-71273	3.3	11
68	A Potential of an Anti-HTLV-I gp46 Neutralizing Monoclonal Antibody (LAT-27) for Passive Immunization against Both Horizontal and Mother-to-Child Vertical Infection with Human T Cell Leukemia Virus Type-I. <i>Viruses</i> , 2016 , 8,	6.2	8
67	Heat Shock Enhances the Expression of the Human T Cell Leukemia Virus Type-I (HTLV-I) Trans-Activator (Tax) Antigen in Human HTLV-I Infected Primary and Cultured T Cells. <i>Viruses</i> , 2016 , 8,	6.2	4
66	HTLV-1 Tax Functions as a Ubiquitin E3 Ligase for Direct IKK Activation via Synthesis of Mixed-Linkage Polyubiquitin Chains. <i>PLoS Pathogens</i> , 2016 , 12, e1005584	7.6	17
65	OX40 ligand newly expressed on bronchiolar progenitors mediates influenza infection and further exacerbates pneumonia. <i>EMBO Molecular Medicine</i> , 2016 , 8, 422-36	12	6
64	Human T-cell leukemia virus type 1 (HTLV-1) Tax1 oncoprotein but not HTLV-2 Tax2 induces the expression of OX40 ligand by interacting with p52/p100 and RelB. <i>Virus Genes</i> , 2016 , 52, 4-13	2.3	8
63	OX40 ligand expressed in glioblastoma modulates adaptive immunity depending on the microenvironment: a clue for successful immunotherapy. <i>Molecular Cancer</i> , 2015 , 14, 41	42.1	26
62	Mogamulizumab, an anti-CCR4 antibody, targets human T-lymphotropic virus type 1-infected CD8+ and CD4+ T cells to treat associated myelopathy. <i>Journal of Infectious Diseases</i> , 2015 , 211, 238-48	7	25
61	T cell receptor signaling pathway is overexpressed in CD4(+) T cells from HAM/TSP individuals. <i>Brazilian Journal of Infectious Diseases</i> , 2015 , 19, 578-84	2.8	4
60	Human T-cell leukemia virus type-I Tax induces the expression of CD83 on T cells. <i>Retrovirology</i> , 2015 , 12, 56	3.6	11
59	Separate cellular localizations of human T-lymphotropic virus 1 (HTLV-1) Env and glucose transporter type 1 (GLUT1) are required for HTLV-1 Env-mediated fusion and infection. <i>Journal of Virology</i> , 2015 , 89, 502-11	6.6	10

58	Polycomb-Dependent Epigenetic Landscape in Adult T Cell Leukemia (ATL); Providing Proof of Concept for Targeting EZH1/2 to Selectively Eliminate the HTLV-1 Infected Population. <i>Blood</i> , 2015 , 126, 572-572	2.2	4
57	Elimination of human T cell leukemia virus type-1-infected cells by neutralizing and antibody-dependent cellular cytotoxicity-inducing antibodies against human t cell leukemia virus type-1 envelope gp46. <i>AIDS Research and Human Retroviruses</i> , 2014 , 30, 542-52	1.6	13
56	The neutralizing function of the anti-HTLV-1 antibody is essential in preventing in vivo transmission of HTLV-1 to human T cells in NOD-SCID/ β null (NOG) mice. <i>Retrovirology</i> , 2014 , 11, 74	3.6	10
55	Cytotoxic T lymphocyte lysis of HTLV-1 infected cells is limited by weak HBZ protein expression, but non-specifically enhanced on induction of Tax expression. <i>Retrovirology</i> , 2014 , 11, 116	3.6	31
54	Increased expression of OX40 is associated with progressive disease in patients with HTLV-1-associated myelopathy/tropical spastic paraparesis. <i>Retrovirology</i> , 2013 , 10, 51	3.6	10
53	Natural OX40L expressed on human T cell leukemia virus type-I-immortalized T cell lines interferes with infection of activated peripheral blood mononuclear cells by CCR5-utilizing human immunodeficiency virus. <i>Virology Journal</i> , 2013 , 10, 338	6.1	2
52	Genome-wide determinants of proviral targeting, clonal abundance and expression in natural HTLV-1 infection. <i>PLoS Pathogens</i> , 2013 , 9, e1003271	7.6	77
51	A novel and simple method for generation of human dendritic cells from unfractionated peripheral blood mononuclear cells within 2 days: its application for induction of HIV-1-reactive CD4(+) T cells in the hu-PBL SCID mice. <i>Frontiers in Microbiology</i> , 2013 , 4, 292	5.7	11
50	A recombinant vesicular stomatitis virus encoding HIV-1 receptors and human OX40 ligand efficiently eliminates HIV-1-infected CD4-positive T cells expressing OX40. <i>Human Immunology</i> , 2011 , 72, 295-304	2.3	4
49	Kinetics and intracellular compartmentalization of HTLV-1 gene expression: nuclear retention of HBZ mRNAs. <i>Blood</i> , 2011 , 117, 4855-9	2.2	77
48	Identification of an unique CXCR4 epitope whose ligation inhibits infection by both CXCR4 and CCR5 tropic human immunodeficiency type-I viruses. <i>Retrovirology</i> , 2011 , 8, 84	3.6	0
47	Suppression of CCR5-tropic HIV type 1 infection by OX40 stimulation via enhanced production of Echemokines. <i>AIDS Research and Human Retroviruses</i> , 2010 , 26, 1147-54	1.6	8
46	Impairment of in vitro generation of monocyte-derived human dendritic cells by inactivated human immunodeficiency virus-1: Involvement of type I interferon produced from plasmacytoid dendritic cells. <i>Human Immunology</i> , 2010 , 71, 541-50	2.3	11
45	The avidity and lytic efficiency of the CTL response to HTLV-1. <i>Journal of Immunology</i> , 2009 , 182, 5723-9	5.3	48
44	HTLV-1-Tax and ICAM-1 act on T-cell signal pathways to polarize the microtubule-organizing center at the virological synapse. <i>Blood</i> , 2009 , 114, 1016-25	2.2	76
43	Rapid induction of OX40 ligand on primary T cells activated under DNA-damaging conditions. <i>Human Immunology</i> , 2008 , 69, 533-42	2.3	6
42	Generation of mature dendritic cells with unique phenotype and function by in vitro short-term culture of human monocytes in the presence of interleukin-4 and interferon-beta. <i>Experimental Biology and Medicine</i> , 2008 , 233, 721-31	3.7	5
41	Enhancement of OX40-induced apoptosis by TNF coactivation in OX40-expressing T cell lines in vitro leading to decreased targets for HIV type 1 production. <i>AIDS Research and Human Retroviruses</i> , 2008 , 24, 423-35	1.6	10

40	Adhesion-dependent growth of primary adult T cell leukemia cells with down-regulation of HTLV-I p40Tax protein: a novel in vitro model of the growth of acute ATL cells. <i>International Journal of Hematology</i> , 2008 , 88, 551-564	2.3	7
39	Inhibition of heat shock protein-90 modulates multiple functions required for survival of human T-cell leukemia virus type I-infected T-cell lines and adult T-cell leukemia cells. <i>International Journal of Cancer</i> , 2007 , 120, 1811-20	7.5	16
38	Inhibitory role of CXCR4 glycan in CD4-independent X4-tropic human immunodeficiency virus type 1 infection and its abrogation in CD4-dependent infection. <i>Journal of General Virology</i> , 2007 , 88, 3139-3144	4.9	6
37	Requirements for the functional expression of OX40 ligand on human activated CD4+ and CD8+ T cells. <i>Human Immunology</i> , 2007 , 68, 563-71	2.3	17
36	Engagement of specific T-cell surface molecules regulates cytoskeletal polarization in HTLV-1-infected lymphocytes. <i>Blood</i> , 2005 , 106, 988-95	2.2	94
35	Potential immunogenicity of adult T cell leukemia cells in vivo. <i>International Journal of Cancer</i> , 2005 , 114, 257-67	7.5	36
34	A functional CD8+ cell assay reveals individual variation in CD8+ cell antiviral efficacy and explains differences in human T-lymphotropic virus type 1 proviral load. <i>Journal of General Virology</i> , 2005 , 86, 1515-1523	4.9	71
33	Cross-talk between activated human NK cells and CD4+ T cells via OX40-OX40 ligand interactions. <i>Journal of Immunology</i> , 2004 , 173, 3716-24	5.3	207
32	Spread of HTLV-I between lymphocytes by virus-induced polarization of the cytoskeleton. <i>Science</i> , 2003 , 299, 1713-6	33.3	550
31	Induction of protective immune responses against R5 human immunodeficiency virus type 1 (HIV-1) infection in hu-PBL-SCID mice by intrasplenic immunization with HIV-1-pulsed dendritic cells: possible involvement of a novel factor of human CD4(+) T-cell origin. <i>Journal of Virology</i> , 2003 , 77, 8719-28	6.6	52
30	Presentation of a new H-2D(k)-restricted epitope in the Tax protein of human T-lymphotropic virus type I is enhanced by the proteasome inhibitor lactacystin. <i>Journal of General Virology</i> , 2002 , 83, 641-650	4.9	12
29	Reduced prevalence of serum antibodies against adeno-associated virus type 2 in patients with adult T-cell leukaemia lymphoma. <i>Journal of Medical Virology</i> , 2001 , 65, 185-189	19.7	12
28	Interleukin-2-dependent but not independent T-cell lines infected with human T-cell leukemia virus type 1 selectively express CD45RO, a marker for persistent infection in vivo. <i>Virus Genes</i> , 2001 , 23, 263-71	2.3	5
27	Expression of gp34 (OX40 ligand) and OX40 on human T cell clones. <i>Japanese Journal of Cancer Research</i> , 2001 , 92, 377-82		35
26	Possible involvement of interferon regulatory factor 4 (IRF4) in a clinical subtype of adult T-cell leukemia. <i>Japanese Journal of Cancer Research</i> , 2001 , 92, 1284-92		24
25	OX40 stimulation by gp34/OX40 ligand enhances productive human immunodeficiency virus type 1 infection. <i>Journal of Virology</i> , 2001 , 75, 6748-57	6.6	31
24	Functional CD4 T cells after intercellular molecular transfer of OX40 ligand. <i>Journal of Immunology</i> , 2001 , 167, 875-83	5.3	53
23	Unique monoclonal antibody recognizing the third extracellular loop of CXCR4 induces lymphocyte agglutination and enhances human immunodeficiency virus type 1-mediated syncytium formation and productive infection. <i>Journal of Virology</i> , 2001 , 75, 11534-43	6.6	22

22	Critical contribution of tumor necrosis factor-related apoptosis-inducing ligand (TRAIL) to apoptosis of human CD4+ T cells in HIV-1-infected hu-PBL-NOD-SCID mice. <i>Journal of Experimental Medicine</i> , 2001 , 193, 651-60	16.6	120
21	Abundant Tax protein expression in CD4+ T cells infected with human T-cell lymphotropic virus type I (HTLV-I) is prevented by cytotoxic T lymphocytes. <i>Blood</i> , 2000 , 95, 1386-1392	2.2	224
20	Fratricide among CD8(+) T lymphocytes naturally infected with human T cell lymphotropic virus type I. <i>Immunity</i> , 2000 , 13, 657-64	32.3	159
19	New monoclonal antibodies against a recombinant second envelope protein of Hepatitis C virus. <i>Microbiology and Immunology</i> , 1998 , 42, 875-7	2.7	16
18	OX40 Costimulation Enhances Interleukin-4 (IL-4) Expression at Priming and Promotes the Differentiation of Naive Human CD4+ T Cells Into High IL-4 Producing Effectors. <i>Blood</i> , 1998 , 92, 3338-3345	2.2	205
17	Animal Model of HIV-1 Infection. Hu-PBL-SCID Mouse.. <i>Proceedings of the Japanese Society of Animal Models for Human Diseases</i> , 1997 , 13, 36-42		
16	OX40 Expressed on Fresh Leukemic Cells From Adult T-Cell Leukemia Patients Mediates Cell Adhesion to Vascular Endothelial Cells: Implication for the Possible Involvement of OX40 in Leukemic Cell Infiltration. <i>Blood</i> , 1997 , 89, 2951-2958	2.2	70
15	In vivo retrovirus-mediated herpes simplex virus thymidine kinase gene therapy approach for adult T cell leukemia in a rat model. <i>Japanese Journal of Cancer Research</i> , 1997 , 88, 492-500		5
14	Induction of OX40, a receptor of gp34, on T cells by trans-acting transcriptional activator, Tax, of human T-cell leukemia virus type I. <i>Japanese Journal of Cancer Research</i> , 1996 , 87, 227-31		43
13	Detection of neutralizing antibodies against human T-cell leukemia virus type 1 using a cell-free infection system and polymerase chain reaction. <i>International Journal of Cancer</i> , 1994 , 59, 416-21	7.5	15
12	Expression of human T-cell lymphotropic virus type-1 gene products in the short-term cultured skin tissues of an adult T-cell leukemia/lymphoma patient with cutaneous manifestations. <i>Journal of Dermatology</i> , 1992 , 19, 133-9	1.6	5
11	An antigenic structure of the trans-activator protein encoded by human T-cell leukemia virus type-I (HTLV-I), as defined by a panel of monoclonal antibodies. <i>AIDS Research and Human Retroviruses</i> , 1992 , 8, 227-35	1.6	13
10	Production of a recombinant human T-cell leukemia virus type-I trans-activator (tax1) antigen and its utilization for generation of monoclonal antibodies against various epitopes on the tax1 antigen. <i>International Journal of Cancer</i> , 1991 , 48, 623-30	7.5	57
9	Heterogeneity of antigen molecules recognized by anti-tax1 monoclonal antibody Lt-4 in cell lines bearing human T cell leukemia virus type I and related retroviruses. <i>Japanese Journal of Cancer Research</i> , 1990 , 81, 225-31		68
8	Generation and characterization of monoclonal antibodies against multiple epitopes on the C-terminal half of envelope gp46 of human T-cell leukemia virus type-I (HTLV-I). <i>International Journal of Cancer</i> , 1990 , 46, 675-81	7.5	28
7	Monoclonal antibody defining tax protein of human T-cell leukemia virus type-I. <i>Tohoku Journal of Experimental Medicine</i> , 1989 , 157, 1-11	2.4	94
6	Species-dependent antigenicity of the 34-kDa glycoprotein found on the membrane of various primate lymphocytes transformed by human T-cell leukemia virus type-I (HTLV-I) and simian T-cell leukemia virus (STLV-I). <i>International Journal of Cancer</i> , 1988 , 41, 231-8	7.5	30
5	New monoclonal antibodies that define multiple epitopes and a human-specific marker on the interleukin 2 receptor molecules of primates. <i>Microbiology and Immunology</i> , 1986 , 30, 373-88	2.7	16

4	Experimental inoculation of monkeys with autologous lymphoid cell lines immortalized by and producing human T-cell leukemia virus type-I. <i>International Journal of Cancer</i> , 1986 , 38, 867-75	7.5	33
3	Distinct reactivities of four monoclonal antibodies with human interleukin 2 receptor. <i>Microbiology and Immunology</i> , 1985 , 29, 959-72	2.7	24
2	A glycoprotein antigen detected with new monoclonal antibodies on the surface of human lymphocytes infected with human T-cell leukemia virus type-I (HTLV-I). <i>International Journal of Cancer</i> , 1985 , 36, 549-55	7.5	69
1	A new monoclonal antibody recognizing an antigen of human lymphocytes similar or identical to Tac antigen. <i>Microbiology and Immunology</i> , 1984 , 28, 1041-55	2.7	17