

# Robert Franzen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4715340/publications.pdf>

Version: 2024-02-01

48  
papers

1,194  
citations

394421

19  
h-index

395702

33  
g-index

59  
all docs

59  
docs citations

59  
times ranked

1230  
citing authors

#	ARTICLE	IF	CITATIONS
1	Review on green chemistry — Suzuki cross coupling in aqueous media. Canadian Journal of Chemistry, 2005, 83, 266-272.	1.1	124
2	The Suzuki, the Heck, and the Stille reaction - three versatile methods for the introduction of new C-C bonds on solid support. Canadian Journal of Chemistry, 2000, 78, 957-962.	1.1	115
3	Palladium charcoal-catalyzed, ligandless Suzuki reaction by using tetraarylbates in water. Tetrahedron Letters, 2005, 46, 4255-4259.	1.4	84
4	Synthetic approaches towards indoles on solid phase recent advances and future directions. Tetrahedron, 2003, 59, 5395-5405.	1.9	77
5	Synthesis of Chlorinated Biphenyls by Suzuki Cross-Coupling Using Diamine or Diimine-Palladium Complexes. European Journal of Organic Chemistry, 2008, 2008, 4019-4024.	2.4	63
6	Determination of chlorinated furanones, hydroxyfuranones, and butenedioic acids in chlorine-treated water and in pulp bleaching liquor. Environmental Science & Technology, 1993, 27, 1811-1818.	10.0	59
7	Synthesis and biological screening for cytotoxic activity of N-substituted indolines and morpholines. European Journal of Medicinal Chemistry, 2016, 120, 296-303.	5.5	47
8	Mutational Spectra of Salmonella typhimurium Revertants Induced by Chlorohydroxyfuranones, Byproducts of Chlorine Disinfection of Drinking Water. Chemical Research in Toxicology, 1996, 9, 374-381.	3.3	39
9	Determination of Chlorinated 5-Methyl-5-hydroxyfuranones in Drinking Water, in Chlorinated Humic Water, and in Pulp Bleaching Liquor. Environmental Science & Technology, 1994, 28, 2222-2227.	10.0	34
10	Synthesis of chlorinated 5-hydroxy 4-methyl-2(5H)-furanones and mucochloric acid. Tetrahedron Letters, 1995, 36, 3905-3908.	1.4	34
11	Preparation of indole-phosphine oxazoline (IndPHOX) ligands and their application in allylic alkylation. Tetrahedron: Asymmetry, 2010, 21, 2376-2384.	1.8	32
12	Induction of genotoxic effects by chlorohydroxyfuranones, byproducts of water disinfection, in E. coli K-12 cells recovered from various organs of mice. Environmental and Molecular Mutagenesis, 1994, 24, 317-324.	2.2	31
13	Glycerol as an Efficient Medium for the Petasis Borono-Mannich Reaction. ChemistryOpen, 2015, 4, 39-46.	1.9	31
14	Catalytic Asymmetric Total Synthesis of Tangutorine. Organic Letters, 2010, 12, 872-875.	4.6	29
15	Measuring the green color of vegetables from digital images using image analysis. LWT - Food Science and Technology, 2015, 63, 1184-1190.	5.2	26
16	Genotoxic activity of chlorinated butenoic acids in Salmonella typhimurium strains TA98, TA100 and TA104. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 1998, 417, 31-37.	1.7	22
17	Copper-catalyzed cyclization of Z-oximes into 3-methyl-1,2-benzisoxazoles. Tetrahedron Letters, 2010, 51, 1030-1033.	1.4	22
18	Rh-catalyzed IndOlefOx catalyzed conjugate addition/Heck-type coupling of organoboronics to a lactam or a lactone. Tetrahedron, 2012, 68, 2313-2318.	1.9	22

#	ARTICLE	IF	CITATIONS
19	Z-Selective synthesis of o-bromoacetophenone N-tosylhydrazones and formation of 3-methylindazoles in aqueous ethanol. <i>Tetrahedron Letters</i> , 2010, 51, 3613-3615.	1.4	20
20	Indole-olefin-oxazoline (IndOlefOx)-ligands: synthesis and utilization in asymmetric Rh-catalyzed conjugate addition. <i>Tetrahedron: Asymmetry</i> , 2011, 22, 468-475.	1.8	19
21	Mutation spectra in Salmonella of analogues of MX: implications of chemical structure for mutational mechanisms. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2000, 453, 51-65.	1.0	18
22	<i>N</i> -1-Functionalized Indole-Phosphane Oxazoline (IndPHOX) Ligands in Asymmetric Allylic Substitution Reactions. <i>European Journal of Organic Chemistry</i> , 2012, 2012, 1569-1576.	2.4	18
23	Metabolic Profiling of Water-Soluble Compounds from the Extracts of Dark Septate Endophytic Fungi (DSE) Isolated from Scots Pine ( <i>Pinus sylvestris</i> L.) Seedlings Using UPLC-Orbitrap-MS. <i>Molecules</i> , 2019, 24, 2330.	3.8	17
24	Preparation of 5-substituted 2-carboxyindoles on solid support. <i>Tetrahedron Letters</i> , 2000, 41, 2443-2446.	1.4	16
25	Utilization of IndPHOX-ligands in palladium-catalysed asymmetric allylic aminations. <i>Tetrahedron: Asymmetry</i> , 2011, 22, 524-529.	1.8	15
26	Vilsmeier Formylation of 2-Carboxyindoles and Preparation of O-Benzylhydroxyureas on Solid Phase. <i>ACS Combinatorial Science</i> , 2001, 3, 542-545.	3.3	12
27	A novel and efficient synthesis of 3-aminomethyl-N-tosyl-indazoles. <i>Tetrahedron</i> , 2010, 66, 8854-8861.	1.9	12
28	Isolation of a MX-guanosine adduct formed at physiological conditions. <i>Chemosphere</i> , 1998, 36, 2803-2808.	8.2	11
29	Ring-chain tautomerism of chlorinated hydroxyfuranones and reaction with nucleosides. <i>Chemosphere</i> , 1999, 38, 973-980.	8.2	11
30	Mutation spectra of the drinking water mutagen 3-chloro-4-methyl-5-hydroxy-2(5H)-furanone (MCF) in Salmonella TA100 and TA104: Comparison to MX. <i>Environmental and Molecular Mutagenesis</i> , 2000, 35, 106-113.	2.2	11
31	Synthetic approaches to chlorinated 5-hydroxy-5-methyl-2-furanones. <i>Tetrahedron</i> , 1993, 49, 10945-10958.	1.9	9
32	Occurrence of Some Chlorinated Enol Lactones and Cyclopentene-1,3-Diones in Chlorine-Treated Waters. <i>Environmental Science &amp; Technology</i> , 1995, 29, 1839-1844.	10.0	9
33	The toxicity of the mutagen MX <sup>TM</sup> and its analogue, mucochloric acid, to rainbow trout hepatocytes and gill epithelial cells and to <i>Daphnia magna</i> . <i>Toxicology</i> , 1995, 100, 69-77.	4.2	8
34	Synthesis of 2-Aryl-Substituted Chromans by Intramolecular C-O Bond Formation. <i>Synlett</i> , 2012, 23, 925-929.	1.8	8
35	Purine and Sugar Chemistry on Solid Phase - 100 Years After the Emil Fischers Chemistry Nobel Prize 1902. <i>Combinatorial Chemistry and High Throughput Screening</i> , 2003, 6, 433-444.	1.1	7
36	One step synthesis of Diflunisal using a Pd-diamine complex. <i>Open Chemistry</i> , 2009, 7, 818-826.	1.9	7

#	ARTICLE	IF	CITATIONS
37	Method with high-throughput screening potential for antioxidative substances using <i>Escherichia coli</i> biosensor <i>katG::lux</i> . <i>Journal of Microbiological Methods</i> , 2015, 118, 78-80.	1.6	7
38	Bioactive Properties of the Aqueous Extracts of Endophytic Fungi Associated with Scots Pine ( <i>Pinus</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	1.3	7
39	Synthesis of Xenbucin using Suzuki reaction catalyzed by Pd/C in water. <i>Open Chemistry</i> , 2008, 6, 390-392.	1.9	6
40	Synthesis of chiral unsaturated aminolactones using Pd-catalyzed allylic amination. <i>Tetrahedron: Asymmetry</i> , 2010, 21, 2367-2371.	1.8	5
41	Effect of nitro groups and alkyl chain length on the negative ion tandem mass spectra of alkyl 3-hydroxy-5-(4-nitrophenoxy) and alkyl 3-hydroxy-5-(2,4-dinitrophenoxy) benzoates. , 1999, 13, 1680-1684.		3
42	Mutagen structure and transcriptional response: Induction of distinct transcriptional profiles in <i>Salmonella</i> TA100 by the drinking water mutagen MX and its homologues. <i>Environmental and Molecular Mutagenesis</i> , 2010, 51, 69-79.	2.2	3
43	Acid-Promoted Cascade Cyclization to Produce 2-(4-Alkoxyaryl)-3,4-Fused Tricyclic Dihydrobenzopyrans via a Vinylidene <i>para</i> -Quinone Methide Intermediate. <i>European Journal of Organic Chemistry</i> , 2018, 2018, 1785-1788.	2.4	2
44	Radical cascade cyclization for synthesizing 3,4-fused tricyclic benzofuran derivatives. <i>Tetrahedron Letters</i> , 2020, 61, 151754.	1.4	2
45	Investigation of the Adducts Formed by Reaction of Butenedioic Acids with Adenosine. <i>Chemical Research in Toxicology</i> , 1997, 10, 1186-1191.	3.3	1
46	Synthetic Approaches Towards Indoles on Solid Phase. <i>Recent Advances and Future Directions</i> . <i>ChemInform</i> , 2003, 34, no.	0.0	0
47	Green Chemistry - Suzuki Cross Coupling in Aqueous Media. <i>ChemInform</i> , 2005, 36, no.	0.0	0
48	Palladium/Charcoal-Catalyzed, Ligandless Suzuki Reaction Using Tetraarylborates in Water.. <i>ChemInform</i> , 2005, 36, no.	0.0	0