

Yi Yang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/471583/yi-yang-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

119
papers

2,319
citations

26
h-index

42
g-index

122
ext. papers

2,847
ext. citations

5.3
avg, IF

5.11
L-index

#	Paper	IF	Citations
119	Lipase immobilization on multi-walled carbon nanotubes used as a target fishing tool and followed by molecular docking technique to analyze lipase inhibitor from <i>Robinia pseudoacacia</i> L.. <i>Industrial Crops and Products</i> , 2022 , 178, 114645	5.9	1
118	Immobilized enzyme for screening and identification of anti-diabetic components from natural products by ligand fishing.. <i>Critical Reviews in Biotechnology</i> , 2022 , 1-16	9.4	2
117	A strategy to process hundred-gram level complex sample using liquid-liquid-refining extraction and consecutive counter-current chromatography: <i>Toona sinensis</i> case study. <i>Journal of Chromatography A</i> , 2021 , 1661, 462717	4.5	2
116	Rapid screening and separation of active compounds against α -amylase from <i>Toona sinensis</i> by ligand fishing and high-speed counter-current chromatography. <i>International Journal of Biological Macromolecules</i> , 2021 , 174, 270-277	7.9	8
115	The crystal growth and properties of novel magnetic double molybdate $\text{RbFe}_5(\text{MoO}_4)_7$ with mixed $\text{Fe}^{3+}/\text{Fe}^{2+}$ states and 1D negative thermal expansion. <i>CrystEngComm</i> , 2021 , 23, 3297-3307	3.3	6
114	An efficient method based on an inhibitor-enzyme complex to screen an active compound against lipase from. <i>Food and Function</i> , 2021 , 12, 10806-10812	6.1	1
113	Solution-Processed Silver Nanowire as Flexible Transparent Electrodes in Organic Solar Cells. <i>Chinese Journal of Chemistry</i> , 2021 , 39, 2315-2329	4.9	6
112	A rational route based on liquid-liquid-refining extraction and high-speed counter-current chromatography for separation of target compound from <i>Toona sinensis</i> . <i>Journal of Food Composition and Analysis</i> , 2021 , 104, 104125	4.1	2
111	Elution-extrusion and back-extrusion counter-current chromatography using three-phase solvent system for separation of organic dye mixture. <i>Separation and Purification Technology</i> , 2020 , 248, 117024	8.3	3
110	Helix-constructed polar rare-earth iodate fluoride as a laser nonlinear optical multifunctional material. <i>Chemical Science</i> , 2020 , 11, 7396-7400	9.4	8
109	Lead-Free Tin(IV)-Based Organic-Inorganic Metal Halide Hybrids with Excellent Stability and Blue-Broadband Emission. <i>Journal of Physical Chemistry Letters</i> , 2020 , 11, 1808-1813	6.4	41
108	Optimization of fungi co-fermentation for improving anthraquinone contents and antioxidant activity using artificial neural networks. <i>Food Chemistry</i> , 2020 , 313, 126138	8.5	10
107	Tailoring and Modifying an Organic Electron Acceptor toward the Cathode Interlayer for Highly Efficient Organic Solar Cells. <i>Advanced Materials</i> , 2020 , 32, e1906557	24	63
106	A strategy based on liquid-liquid-refining extraction and high-speed counter-current chromatography for the bioassay-guided separation of active compound from <i>Taraxacum mongolicum</i> . <i>Journal of Chromatography A</i> , 2020 , 1614, 460727	4.5	12
105	Inorganic Molecular Clusters with Facile Preparation and Neutral pH for Efficient Hole Extraction in Organic Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 39462-39470	9.5	9
104	NaCdGeS : A Sodium-Rich Quaternary Wide-Band-Gap Chalcogenide with Two-Dimensional $[\text{GeCdS}]$ Layers. <i>Inorganic Chemistry</i> , 2020 , 59, 16132-16136	5.1	3
103	Enzyme reaction-guided identification of active components from the flowers of <i>Sophora japonica</i> var. <i>violacea</i> . <i>Food and Function</i> , 2020 , 11, 4356-4362	6.1	4

102	Identification and theoretical explanation of chemical composition against α -amylase in the n-hexane extract from <i>Sargassum fusiforme</i> . <i>Algal Research</i> , 2019 , 43, 101642	5	6
101	GC-MS profiling, bioactivities and in silico theoretical explanation of cone oil from <i>Pinus thunbergii</i> Parl. <i>Industrial Crops and Products</i> , 2019 , 141, 111765	5.9	3
100	Mn-Based tin sulfide $Sr_3MnSn_2S_8$ with a wide band gap and strong nonlinear optical response. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 1146-1150	7.1	18
99	ASbF ₃ Cl (A = Rb, Cs): Structural Evolution from Centrosymmetry to Noncentrosymmetry. <i>Crystal Growth and Design</i> , 2019 , 19, 1874-1879	3.5	4
98	KNaBPO: A Deep-Ultraviolet Transparent Borophosphate Exhibiting Second-Harmonic Generation Response. <i>Inorganic Chemistry</i> , 2019 , 58, 8918-8921	5.1	12
97	Rapid analysis of chemical composition in the active extract against α -amylase from blaps rynchopetera fairmaire by GC-MS and in silico theoretical explanation. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2019 , 42, 469-474	1.3	2
96	Refractive Index Modulates Second-Harmonic Responses in RE ₈ O(CO ₃) ₃ (OH) ₁₅ X (RE = Y, Lu; X = Cl, Br): Rare-Earth Halide Carbonates as Ultraviolet Nonlinear Optical Materials. <i>Chemistry of Materials</i> , 2019 , 31, 2130-2137	9.6	20
95	Lone-Pair Enhanced Birefringence in an Alkaline-Earth Metal Tin(II) Phosphate BaSn (PO). <i>Chemistry - A European Journal</i> , 2019 , 25, 5648-5651	4.8	56
94	A ₂ Bi ₂ (SO ₄) ₂ Cl ₄ (A = NH ₄ , K, Rb): achieving a subtle balance of the large second harmonic generation effect and sufficient birefringence in sulfate nonlinear optical materials. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 9900-9907	7.1	34
93	Rational design of a new chalcogenide with good infrared nonlinear optical performance: SrZnSnS ₄ . <i>Journal of Materials Chemistry C</i> , 2019 , 7, 8556-8561	7.1	30
92	Counter-current fractionation-assisted bioassay-guided separation of active composition from the edible medicinal insect <i>Blaps rynchopetera</i> Fairmaire. <i>Journal of Chromatography A</i> , 2019 , 1603, 433-437	4.5	6
91	RbZnSnS: A Chalcogenide with Large Laser Damage Threshold Improved from the Mn-Based Analogue. <i>Inorganic Chemistry</i> , 2019 , 58, 15029-15033	5.1	14
90	From CuFeS to BaCuFeGeS: rational band gap engineering achieves large second-harmonic-generation together with high laser damage threshold. <i>Chemical Communications</i> , 2019 , 55, 14510-14513	5.8	13
89	Broadening Frontiers of Infrared Nonlinear Optical Materials with π -Conjugated Trigonal-Planar Groups. <i>Chemistry of Materials</i> , 2019 , 31, 1110-1117	9.6	40
88	Y ₂ (CO ₃) ₃ H ₂ O and (NH ₄) ₂ Ca ₂ Y ₄ (CO ₃) ₉ H ₂ O: Partial Aliovalent Cation Substitution Enabling Evolution from Centrosymmetry to Noncentrosymmetry for Nonlinear Optical Response. <i>Chemistry of Materials</i> , 2019 , 31, 52-56	9.6	16
87	A beryllium-free deep-UV nonlinear optical material CsNaMgP ₂ O ₇ with honeycomb-like topological layers. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 3910-3916	7.1	35
86	Improved separation with the intermittently pressed tubing of multilayer coil in type-I counter-current chromatography. <i>Journal of Chromatography A</i> , 2018 , 1551, 69-74	4.5	2
85	A multilayer coil in type-I counter-current chromatography. <i>Journal of Chromatography A</i> , 2018 , 1541, 47-51	4.5	6

84	Non-Centrosymmetric RbNaMgPO with Unprecedented Thermo-Induced Enhancement of Second Harmonic Generation. <i>Journal of the American Chemical Society</i> , 2018 , 140, 1592-1595	16.4	134
83	Chemical composition and α -amylase inhibitory activity of the essential oil from <i>Sabina chinensis</i> cv. Kaizuca leaves. <i>Natural Product Research</i> , 2018 , 32, 711-713	2.3	11
82	Protein tyrosine phosphatase 1B inhibitory activity of cone oils from <i>Juniperus chinensis</i> cv. Kaizuca and in silico theoretical explanation. <i>Natural Product Research</i> , 2018 , 32, 2709-2711	2.3	2
81	Comprehensive separation of major compositions from <i>Sophora japonica</i> var. <i>violacea</i> by counter-current chromatography using a liquid-liquid extraction strategy. <i>Industrial Crops and Products</i> , 2018 , 124, 363-368	5.9	18
80	In silico-assisted identification of α -amylase inhibitor from the needle oil of <i>Pinus tabulaeformis</i> Carr.. <i>Industrial Crops and Products</i> , 2018 , 111, 360-363	5.9	9
79	Nonlinear Optical Crystal Rb ₄ Sn ₃ Cl ₂ Br ₈ : Synthesis, Structure, and Characterization. <i>Crystal Growth and Design</i> , 2018 , 18, 380-385	3.5	14
78	Biological activity and LC-MS profiling of ethyl acetate extracts from <i>Nitraria sibirica</i> (Pall.) fruits. <i>Natural Product Research</i> , 2018 , 32, 2054-2057	2.3	5
77	Evaluation on the performance of flatten and flat-twisted tube multilayer coil in type-I counter-current chromatographic system. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2018 , 41, 1020-1025	1.3	
76	Type-I counter-current chromatography with the multilayer coil for protein separation. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018 , 1100-1101, 39-42	3.2	1
75	Synthesis, Structure, and Properties of the Non-Centrosymmetric Compound LiNaRbB ₅ O ₈ (OH) ₂ . <i>Crystal Growth and Design</i> , 2018 , 18, 5745-5749	3.5	2
74	A Langbeinite-Type Yttrium Phosphate LiCsY(PO). <i>Inorganic Chemistry</i> , 2018 , 57, 13087-13091	5.1	17
73	Zero Linear Compressibility in Nondense Borates with a "Lu-Ban Stool"-Like Structure. <i>Advanced Materials</i> , 2018 , 30, e1801313	24	13
72	An alkaline tin(II) halide compound Na ₃ Sn ₂ F ₆ Cl: Synthesis, structure, and characterization. <i>Journal of Solid State Chemistry</i> , 2017 , 248, 104-108	3.3	6
71	High mechanical strength in Zn ₄ B ₆ O ₁₃ with an unique sodalite-cage structure. <i>RSC Advances</i> , 2017 , 7, 2038-2043	3.7	5
70	Structure and Characterization of a Zero-Dimensional Alkali Tin Dihalides Compound CsSnFCl with the [SnFCl] Clusters. <i>Inorganic Chemistry</i> , 2017 , 56, 3081-3086	5.1	7
69	Rational approach to solvent system selection for liquid-liquid extraction-assisted sample pretreatment in counter-current chromatography. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2017 , 1053, 16-19	3.2	14
68	K ₂ ZnSnSe ₆ : A Non-Centrosymmetric Zinc Selenidostannate(IV) Featuring Interesting Covalently Bonded [Zn ₃ Sn ₃ Se ₆] Layer and Exhibiting Intriguing Second Harmonic Generation Activity. <i>Chemistry - an Asian Journal</i> , 2017 , 12, 1282-1285	4.5	16
67	Screening of the potential α -amylase inhibitor in essential oil from <i>Cedrus deodara</i> cones. <i>Industrial Crops and Products</i> , 2017 , 103, 251-256	5.9	13

66	Cooperation of Three Chromophores Generates the Water-Resistant Nitrate Nonlinear Optical Material Bi TeO OH(NO). <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 540-544	16.4	70
65	Cooperation of Three Chromophores Generates the Water-Resistant Nitrate Nonlinear Optical Material Bi ₃ TeO ₆ OH(NO ₃) ₂ . <i>Angewandte Chemie</i> , 2017 , 129, 555-559	3.6	8
64	Rapid prediction and identification of lipase inhibitors in volatile oil from Pinus massoniana L. needles. <i>Phytochemistry</i> , 2017 , 141, 114-120	4	7
63	Theoretical Investigation of an Excited-State Intramolecular Proton-Transfer Mechanism for an Asymmetric Structure of 3,7-Dihydroxy-4-oxo-2-phenyl-4H-chromene-8-carbaldehyde: Single or Double?. <i>Journal of Physical Chemistry A</i> , 2017 , 121, 8807-8814	2.8	42
62	Structural Evolution in BaSnFX (X = Cl, Br, I): A Family of Alkaline Earth Metal Tin Mixed Halides. <i>Inorganic Chemistry</i> , 2017 , 56, 13593-13599	5.1	10
61	Structure and Optical Properties of K _{0.67} Rb _{1.33} Al ₂ B ₂ O ₇ Crystal. <i>Crystals</i> , 2017 , 7, 104	2.3	3
60	Characterization of active compounds from Gracilaria lemaneiformis inhibiting the protein tyrosine phosphatase 1B activity. <i>Food and Function</i> , 2017 , 8, 3271-3275	6.1	19
59	A new phase-matchable nonlinear optical silicate: Rb ₂ ZnSi ₃ O ₈ . <i>Journal of Materials Chemistry C</i> , 2017 , 5, 11025-11029	7.1	13
58	Collaborative enhancement from Pb and F in Pb(NO)(HO)F generates the largest second harmonic generation effect among nitrates. <i>Chemical Communications</i> , 2017 , 53, 9398-9401	5.8	42
57	Preparative and Rapid Purification of Saponins from Asparagus racemosus Root by High Performance Centrifugal Partition Chromatography. <i>Natural Product Communications</i> , 2017 , 12, 1934578X1701200	8.9	1
56	Borate-Based Ultraviolet and Deep-Ultraviolet Nonlinear Optical Crystals. <i>Crystals</i> , 2017 , 7, 95	2.3	36
55	A strategy based on gas chromatography-mass spectrometry and virtual molecular docking for analysis and prediction of bioactive composition in natural product essential oil. <i>Journal of Chromatography A</i> , 2017 , 1501, 128-133	4.5	14
54	Deep-Ultraviolet Transparent Cs ₂ LiPO ₄ Exhibits an Unprecedented Second Harmonic Generation. <i>Chemistry of Materials</i> , 2016 , 28, 7110-7116	9.6	92
53	Near-Zero Thermal Expansion and High Ultraviolet Transparency in a Borate Crystal of Zn B O. <i>Advanced Materials</i> , 2016 , 28, 7936-7940	24	89
52	Chemical engineering of mixed halide hexaborates as nonlinear optical materials. <i>RSC Advances</i> , 2016 , 6, 107810-107815	3.7	5
51	An approach based upon the consecutive separation and the economical two-phase solvent system preparation using UNIFAC mathematical model for increasing the yield of high-speed counter-current chromatography. <i>Separation and Purification Technology</i> , 2016 , 162, 142-147	8.3	24
50	Bioassay-guided isolation of an active compound with protein tyrosine phosphatase 1B inhibitory activity from Sargassum fusiforme by high-speed counter-current chromatography. <i>Journal of Separation Science</i> , 2016 , 39, 4408-4414	3.4	12
49	Impact of biaxial compressive strain on the heterostructures of paraelectrics KTaO ₃ and SrTiO ₃ . <i>AIP Advances</i> , 2015 , 5, 057147	1.5	3

48	Separation and purification of two new and two known alkaloids from leaves of <i>Nitraria sibirica</i> by pH-zone-refining counter-current chromatography. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2015 , 1006, 138-145	3.2	17
47	Removal of cadmium(II) from aqueous solutions by chemically modified maize straw. <i>Carbohydrate Polymers</i> , 2015 , 115, 177-85	10.3	72
46	Novel design for centrifugal counter-current chromatography: VI. Ellipsoid column. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2015 , 38, 68-73	1.3	3
45	Separation of Cd(II) and Ni(II) in a binary mixture through competitive adsorption and acid leaching. <i>RSC Advances</i> , 2015 , 5, 92885-92892	3.7	5
44	Characterization and Identification of the Chemical Compositions in a Traditional Uighur Medicine Prescription Yizhihao Granule by LCESI-QTOF-MS. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2015 , 38, 229-242	1.3	1
43	Large-scale separation of ricinine from a by-product of <i>Ricinus communis</i> L. by pH-zone-refining counter-current chromatography. <i>Industrial Crops and Products</i> , 2013 , 49, 160-163	5.9	13
42	SEPARATION OF (S)-DEHYDROVOMIFOLIOL FROM LEAVES OF NITRARIA SIBIRICA PALL. BY HIGH-SPEED COUNTER-CURRENT CHROMATOGRAPHY. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2013 , 36, 573-582	1.3	14
41	Syntheses, crystal and electronic structures, and characterizations of the mixed anions compounds Ba ₄ In ₂ Te ₂ Q ₅ (Q = S, Se). <i>CrystEngComm</i> , 2013 , 15, 4773	3.3	4
40	Bioassay-guided separation and purification of water-soluble antioxidants from <i>Carthamus tinctorius</i> L. by combination of chromatographic techniques. <i>Separation and Purification Technology</i> , 2013 , 104, 200-207	8.3	25
39	A sample pretreatment strategy for pH-zone-refining counter-current chromatography. <i>Journal of Chromatography A</i> , 2013 , 1273, 44-8	4.5	13
38	Synthesis and Antitumor Activity Evaluation of β -Monofluorinated and β -Difluorinated Goniotalamin Analogues. <i>Chinese Journal of Chemistry</i> , 2013 , 31, 805-812	4.9	5
37	Sequential electrophilic trifluoromethanesulfanylation-cyclization of tryptamine derivatives: synthesis of C(3)-trifluoromethanesulfanylated hexahydropyrrolo[2,3-b]indoles. <i>Journal of Organic Chemistry</i> , 2012 , 77, 7538-47	4.2	108
36	Epoxy octadecenoic esters from <i>Vernonia anthelmintica</i> seeds. <i>Chemistry of Natural Compounds</i> , 2012 , 48, 700-701	0.7	3
35	Characterization and identification of chemical compositions in the extract of <i>Artemisia rupestris</i> L. by liquid chromatography coupled to quadrupole time-of-flight tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2012 , 26, 83-100	2.2	41
34	Bioassay-guided isolation of antioxidants from <i>Astragalus altaicus</i> by combination of chromatographic techniques. <i>Journal of Separation Science</i> , 2012 , 35, 977-83	3.4	23
33	Evaluation of the performance of protein separation in figure-8 centrifugal counter-current chromatography. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011 , 879, 3802-5	3.2	8
32	Studies on the effect of column angle in figure-8 centrifugal counter-current chromatography. <i>Journal of Chromatography A</i> , 2011 , 1218, 6128-34	4.5	7
31	Red-emission organic light-emitting diodes based on solution-processable molecules with triphenylamine core and benzothiadiazole-thiophene arms. <i>Science China Chemistry</i> , 2011 , 54, 695-698	7.9	17

30	Studies on the performance of different coiled column configurations for compact type-I countercurrent chromatography. <i>Journal of Separation Science</i> , 2011 , 34, 1205-11	3-4	5
29	Novel Design for Centrifugal Countercurrent Chromatography: II. Studies on Novel Geometries of Zigzag Toroidal Tubing. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2010 , 33, 336-348	1-3	13
28	NOVEL DESIGN FOR CENTRIFUGAL COUNTERCURRENT CHROMATOGRAPHY: IV. FIGURE-8 COLUMN. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2010 , 33, 572-584	1-3	9
27	Novel Designs for Centrifugal Countercurrent chromatography: V. Comparative Studies on Performance of Various Column Configurations. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2010 , 33, 1542-1549	1-3	6
26	SEPARATION OF THE MINOR FLAVONOLS FROM FLOS GOSSYPII BY HIGH-SPEED COUNTERCURRENT CHROMATOGRAPHY. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2010 , 33, 1502-1515	1-3	10
25	Novel Design for Centrifugal Counter-Current Chromatography: III. Saw Tooth Column. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2010 , 33, 846-858	1-3	11
24	Isoprene polymerization with aminopyridinato ligand supported rare-earth metal complexes. Switching of the regio- and stereoselectivity. <i>Chemical Communications</i> , 2010 , 46, 6150-2	5-8	62
23	Compact type-I coil planet centrifuge for counter-current chromatography. <i>Journal of Chromatography A</i> , 2010 , 1217, 1313-9	4-5	11
22	Studies on the effect of column angle in centrifugal helix counter-current chromatography. <i>Journal of Chromatography A</i> , 2010 , 1217, 2117-22	4-5	4
21	Evaluation of the effect of column orientation in type-I high-speed counter-current chromatography. <i>Journal of Chromatography A</i> , 2010 , 1217, 3167-70	4-5	9
20	Evaluation on the performance of four different column models mounted on the compact type-I coil planet centrifuge. <i>Journal of Chromatography A</i> , 2010 , 1217, 7612-5	4-5	7
19	One-step separation and purification of rupestonic acid and chrysosptertin B from <i>Artemisia rupestris</i> L. by high-speed counter-current chromatography. <i>Phytochemical Analysis</i> , 2010 , 21, 205-9	3-4	19
18	All-polymer solar cells based on a blend of poly[3-(10-n-octyl-3-phenothiazine-vinylene)thiophene-co-2,5-thiophene] and poly[1,4-dioctyloxyl-p-2,5-dicyanophenylenevinylene]. <i>Applied Physics Letters</i> , 2009 , 94, 193302	3-4	36
17	Novel Design for Centrifugal Countercurrent Chromatography: I. Zigzag Toroidal Column. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2009 , 32, 2030-2042	1-3	22
16	Microwave-assisted extraction of rutin and quercetin from the stalks of <i>Euonymus alatus</i> (Thunb.) Sieb. <i>Phytochemical Analysis</i> , 2009 , 20, 33-7	3-4	46
15	Preparative isolation of three flavonoids from <i>Flos Gossypii</i> by high-speed counter-current chromatography. <i>Separation and Purification Technology</i> , 2009 , 66, 295-298	8-3	21
14	Preparative isolation and purification of isobenzofuranone derivatives and saponins from seeds of <i>Nigella glandulifera</i> Freyn by high-speed counter-current chromatography combined with gel filtration. <i>Journal of Chromatography A</i> , 2009 , 1216, 4258-62	4-5	30
13	Flat-twisted tubing: novel column design for spiral high-speed counter-current chromatography. <i>Journal of Chromatography A</i> , 2009 , 1216, 5265-71	4-5	32

12	Mathematical model of computer-programmed intermittent dual countercurrent chromatography applied to hydrostatic and hydrodynamic equilibrium systems. <i>Journal of Chromatography A</i> , 2009 , 1216, 6310-8	4.5	39
11	Separation and Purification of Three Flavonoids from <i>Helichrysum arenarium</i> (L.) Moench by HSCCC. <i>Chromatographia</i> , 2009 , 69, 963-967	2.1	32
10	Solution-processable red-emission organic materials containing triphenylamine and benzothiadiazole units: synthesis and applications in organic light-emitting diodes. <i>Journal of Physical Chemistry B</i> , 2009 , 113, 7745-52	3.4	61
9	APPLICATION OF PREPARATIVE HIGH-SPEED COUNTERCURRENT CHROMATOGRAPHY FOR SEPARATION OF ELATINE FROM DELPHINIUM SHAWURENSE. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2008 , 31, 3012-3019	1.3	26
8	Preparative Isolation and Purification of Four Flavonoids from <i>Flos Gossypii</i> by High-Speed Countercurrent Chromatography. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2008 , 31, 1523-1531	1.3	17
7	Binaphthyl-Containing Green- and Red-Emitting Molecules for Solution-Processable Organic Light-Emitting Diodes. <i>Advanced Functional Materials</i> , 2008 , 18, 3299-3306	15.6	97
6	Simultaneous Quantification of Seven Flavonoids in <i>Flos Gossypii</i> by LC. <i>Chromatographia</i> , 2008 , 68, 467-470		4
5	High-Speed Counter-Current Chromatography Combined with Column Chromatography for Isolation of Methyllycaconitine from <i>Delphinium pseudocyanthum</i> . <i>Chromatographia</i> , 2007 , 66, 949-951	2.1	18
4	Highly Stable Organic Solar Cells Based on an Ultraviolet-Resistant Cathode Interfacial Layer. <i>CCS Chemistry</i> , 1059-1069	7.2	10
3	An approach based on consecutive high-speed counter-current chromatography for preparation of an active compound rutin from <i>Apocynum venetum</i> L. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1-8	1.3	1
2	A New PEDOT Derivative for Efficient Organic Solar Cell with a Fill Factor of 0.80. <i>Advanced Energy Materials</i> , 2103892	21.8	5
1	Immobilized α -glucosidase using polydopamine-coated magnetic nanoparticles for targeted screening of an active component from <i>Toona sinensis</i> . <i>Journal of Liquid Chromatography and Related Technologies</i> , 1-8	1.3	0