

Jianbing Shi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4716202/jianbing-shi-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

92 papers	2,681 citations	28 h-index	48 g-index
99 ext. papers	3,378 ext. citations	6.9 avg, IF	5.22 L-index

#	Paper	IF	Citations
92	The fluorescence properties of 4?-Methoxychalcone derivatives modified by substituents and investigation of lysosomal imaging. <i>Dyes and Pigments</i> , 2022 , 199, 110091	4.6	1
91	Mitochondrial targeted AIEgen phototheranostics for bypassing immune barrier via encumbering mitochondria functions.. <i>Biomaterials</i> , 2022 , 283, 121409	15.6	2
90	Recent Progress in Pure Organic Room Temperature Phosphorescence of Small Molecular Host-Guest Systems 2021 , 3, 379-397		44
89	Coumarin-substituted pyrrole derivatives with aggregation-enhanced emission characteristics for detecting the glass transition temperature of polymers. <i>Dyes and Pigments</i> , 2021 , 188, 109222	4.6	5
88	Multicomponent Spiropolymerization of Diisocyanides, Diethyl Acetylenedicarboxylate, and Halogenated Quinones. <i>Macromolecular Rapid Communications</i> , 2021 , 42, e2100029	4.8	4
87	On-Chip Multicolor Photoacoustic Imaging Flow Cytometry. <i>Analytical Chemistry</i> , 2021 , 93, 8134-8142	7.8	5
86	Catalyst-Free Multicomponent Cyclopolymerizations of Diisocyanides, Activated Alkynes, and 1,4-Dibromo-2,3-Butanedione: a Facile Strategy toward Functional Polyiminofurans Containing Bromomethyl Groups. <i>Macromolecular Rapid Communications</i> , 2021 , 42, e2000463	4.8	6
85	Recent progress of aggregation-induced emission luminogens (AIEgens) for bacterial detection and theranostics. <i>Materials Chemistry Frontiers</i> , 2021 , 5, 1164-1184	7.8	13
84	Donor strategy for promoting nonradiative decay to achieve an efficient photothermal therapy for treating cancer. <i>Science China Chemistry</i> , 2021 , 64, 1530-1539	7.9	2
83	Rational design of pyrrole derivatives with aggregation-induced phosphorescence characteristics for time-resolved and two-photon luminescence imaging. <i>Nature Communications</i> , 2021 , 12, 4883	17.4	23
82	A Turn-on Fluorescent bioprobe with aggregation-induced emission characteristics for detection of influenza virus-specific hemagglutinin protein. <i>Sensors and Actuators B: Chemical</i> , 2021 , 345, 130392	8.5	0
81	Fluorene-based host-guest phosphorescence materials for information encryption. <i>Chemical Engineering Journal</i> , 2021 , 426, 131607	14.7	13
80	Efficient and organic host-guest room-temperature phosphorescence: tunable triplet-singlet crossing and theoretical calculations for molecular packing. <i>Chemical Science</i> , 2021 , 12, 6518-6525	9.4	34
79	Clusterization-Triggered Color-Tunable Room-Temperature Phosphorescence from 1,4-Dihydropyridine-Based Polymers.. <i>Journal of the American Chemical Society</i> , 2021 ,	16.4	8
78	Wide-Range Color-Tunable Organic Phosphorescence Materials for Printable and Writable Security Inks. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 16054-16060	16.4	133
77	Wide-Range Color-Tunable Organic Phosphorescence Materials for Printable and Writable Security Inks. <i>Angewandte Chemie</i> , 2020 , 132, 16188-16194	3.6	10
76	Advanced functional polymer materials. <i>Materials Chemistry Frontiers</i> , 2020 , 4, 1803-1915	7.8	70

75	The Aggregation Regularity Effect of Multiarylpyrroles on Their Near-Infrared Aggregation-Enhanced Emission Property. <i>Chemistry - A European Journal</i> , 2020 , 26, 14947-14953	4.8	3
74	Turn-on and color-switchable red luminescent liquid crystals based on pyrrolopyrrole derivatives. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 11177-11184	7.1	8
73	MDM2-Associated Clusterization-Triggered Emission and Apoptosis Induction Effectuated by a Theranostic Spiropolymer. <i>Angewandte Chemie</i> , 2020 , 132, 8513-8517	3.6	0
72	MDM2-Associated Clusterization-Triggered Emission and Apoptosis Induction Effectuated by a Theranostic Spiropolymer. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 8435-8439	16.4	26
71	Spontaneous Multicomponent Polymerization of Imidazole, Diacetylenic Esters, and Diisocyanates for the Preparation of Poly(β-aminoacrylate)s with Cluster-Induced Emission Characteristics. <i>Macromolecules</i> , 2020 , 53, 1054-1062	5.5	16
70	UV-detecting dual-responsive strips based on dicyanoacetate-containing hexaphenylbutadiene with aggregation-induced emission characteristic. <i>Dyes and Pigments</i> , 2020 , 175, 108169	4.6	3
69	A supramolecular approach for the synthesis of cross-linked ionic polyacetylene network gels. <i>Materials Chemistry Frontiers</i> , 2020 , 4, 645-650	7.8	2
68	Functional Isocyanide-Based Polymers. <i>Accounts of Chemical Research</i> , 2020 , 53, 2879-2891	24.3	15
67	Conformational sensitivity of tetraphenyl-1,3-butadiene derivatives with aggregation-induced emission characteristics. <i>Science China Chemistry</i> , 2019 , 62, 1393-1397	7.9	8
66	Revealing Insight into Long-Lived Room-Temperature Phosphorescence of Host-Guest Systems. <i>Journal of Physical Chemistry Letters</i> , 2019 , 10, 6019-6025	6.4	61
65	Real time bioimaging for mitochondria by taking the aggregation process of aggregation-induced emission near-infrared dyes with wash-free staining. <i>Materials Chemistry Frontiers</i> , 2019 , 3, 57-63	7.8	29
64	A novel strategy for realizing dual state fluorescence and low-temperature phosphorescence. <i>Materials Chemistry Frontiers</i> , 2019 , 3, 284-291	7.8	24
63	Synthesis and Characterization of Poly(iminofuran-arylene) Containing Bromomethyl Groups Linked at the 5-Position of a Furan Ring via the Multicomponent Polymerizations of Diisocyanides, Dialkylacetylene Dicarboxylates, and Bis(2-bromoacetyl)biphenyl. <i>Macromolecules</i> , 2019 , 52, 3319-3326	5.5	17
62	Ionic liquid crystals with aggregation-induced emission properties based on pyrrolo[3,2-b]pyrrole salt compounds. <i>Materials Chemistry Frontiers</i> , 2019 , 3, 1385-1390	7.8	7
61	A stabilized lamellar liquid crystalline phase with aggregation-induced emission features based on pyrrolopyrrole derivatives. <i>Materials Chemistry Frontiers</i> , 2019 , 3, 1105-1112	7.8	9
60	Effects of fused rings linked to the 2,5-position of pyrrole derivatives with near-infrared emission on their aggregation-enhanced emission properties. <i>Materials Chemistry Frontiers</i> , 2019 , 3, 2072-2076	7.8	15
59	Triphenylquinoline (TPQ)-Based Dual-State Emissive Probe for Cell Imaging in Multicellular Tumor Spheroids.. <i>ACS Applied Bio Materials</i> , 2019 , 2, 3686-3692	4.1	10
58	Control of Dynamics in Polyelectrolyte Complexes by Temperature and Salt. <i>Macromolecules</i> , 2019 , 52, 1930-1941	5.5	44

57	Synthesis of Poly(amine- <i>thiophene</i> -ethylene)s through a One-Pot Catalyst-Free in Situ Cyclopolymerization of Diisocyanide, Dialkylacetylene Dicarboxylates, and Dialdehyde. <i>Macromolecules</i> , 2019 , 52, 729-737	5.5	18
56	1,2,5-Triphenylpyrrole Derivatives with Dual Intense Photoluminescence in Both Solution and the Solid State: Solvatochromism and Polymorphic Luminescence Properties. <i>Chemistry - A European Journal</i> , 2019 , 25, 573-581	4.8	20
55	Synthesis of Polyquinolines via One-Pot Polymerization of Alkyne, Aldehyde, and Aniline under Metal-Free Catalysis and Their Properties. <i>Macromolecules</i> , 2018 , 51, 3254-3263	5.5	22
54	A strategy for the molecular design of aggregation-induced emission units further modified by substituents. <i>Materials Chemistry Frontiers</i> , 2018 , 2, 1175-1183	7.8	38
53	A "Turn-On" Fluorescent chemosensor with the aggregation-induced emission characteristic for high-sensitive detection of Ce ion. <i>Sensors and Actuators B: Chemical</i> , 2018 , 267, 351-356	8.5	25
52	The Synergistic Effect between Triphenylpyrrole Isomers as Donors, Linking Groups, and Acceptors on the Fluorescence Properties of D- π -A Compounds in the Solid State. <i>Chemistry - A European Journal</i> , 2018 , 24, 434-442	4.8	20
51	Application of a Novel "Turn-on" Fluorescent Material to the Detection of Aluminum Ion in Blood Serum. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 23667-23673	9.5	25
50	Synthesis and characterization of poly(ethene- <i>ketone</i> -ethylene- <i>ketone</i>)s containing pendant methylthio groups via metal-free catalyzed copolymerization of arylalkynes with DMSO. <i>Polymer Chemistry</i> , 2018 , 9, 4404-4412	4.9	6
49	The Dual-State Luminescent Mechanism of 2,3,4,5-Tetraphenyl-1H-pyrrole. <i>Chemistry - A European Journal</i> , 2018 , 24, 14269-14274	4.8	28
48	Turn-on fluorescent probe with aggregation-induced emission characteristics for polyazoles. <i>Materials Chemistry Frontiers</i> , 2018 , 2, 1779-1783	7.8	20
47	The application of CO-sensitive AIEgen in studying the synergistic effect of stromal cells and tumor cells in a heterocellular system. <i>Analytica Chimica Acta</i> , 2018 , 1001, 151-157	6.6	8
46	Multicomponent spiropolymerization of diisocyanides, alkynes and carbon dioxide for constructing 1,6-dioxospiro[4,4]nonane-3,8-diene as structural units under one-pot catalyst-free conditions. <i>Polymer Chemistry</i> , 2018 , 9, 5543-5550	4.9	19
45	Frontispiece: Aggregation-Induced Emission of Multiphenyl-Substituted 1,3-Butadiene Derivatives: Synthesis, Properties and Application. <i>Chemistry - A European Journal</i> , 2018 , 24,	4.8	1
44	Aggregation-Induced Emission of Multiphenyl-Substituted 1,3-Butadiene Derivatives: Synthesis, Properties and Application. <i>Chemistry - A European Journal</i> , 2018 , 24, 15965-15977	4.8	22
43	Effect of Substituent Position on the Photophysical Properties of Triphenylpyrrole Isomers. <i>Journal of Physical Chemistry C</i> , 2017 , 121, 11658-11664	3.8	25
42	Aggregation-induced emission enhancement and aggregation-induced circular dichroism of chiral pentaphenylpyrrole derivatives and their helical self-assembly. <i>New Journal of Chemistry</i> , 2017 , 41, 8877-8884	3.6	23
41	Reversible multicolor switching via simple reactions of the AIE-characteristic molecules. <i>Dyes and Pigments</i> , 2017 , 139, 714-719	4.6	11
40	Polymorphism-dependent aggregation-induced emission of pyrrolopyrrole-based derivative and its multi-stimuli response behaviors. <i>Dyes and Pigments</i> , 2017 , 139, 664-671	4.6	37

39	Light/temperature-enhanced emission characteristics of malononitrile-containing hexaphenyl-1,3-butadiene derivatives: the hotter, the brighter. <i>Materials Chemistry Frontiers</i> , 2017 , 1, 2569-2573	7.8	11
38	Monomer-induced switching of stereoselectivity and limitation of chain growth in the polymerization of amine-containing para-substituted phenylacetylenes by [Rh(norbornadiene)Cl] ₂ . <i>Polymer Chemistry</i> , 2017 , 8, 5761-5768	4.9	4
37	A highly sensitive "turn-on" fluorescent probe with an aggregation-induced emission characteristic for quantitative detection of IgG. <i>Biosensors and Bioelectronics</i> , 2017 , 92, 536-541	11.8	25
36	Dimalononitrile-containing probe based on aggregation-enhanced emission features for the multi-mode fluorescence detection of volatile amines. <i>Faraday Discussions</i> , 2017 , 196, 101-111	3.6	15
35	Tetraphenylethylene derivative capped CHNHPbBr nanocrystals: AIE-activated assembly into superstructures. <i>Faraday Discussions</i> , 2017 , 196, 91-99	3.6	6
34	Diaminomaleonitrile-based Schiff bases: aggregation-enhanced emission, red fluorescence, mechanochromism and bioimaging applications. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 10430-10434	7.1	50
33	Anthracene Modified by Aldehyde Groups Exhibiting Aggregation-Induced Emission Properties. <i>Chinese Journal of Chemistry</i> , 2016 , 34, 1071-1075	4.9	13
32	Effect of E/Z isomerization on the aggregation-induced emission features and mechanochromic performance of dialdehyde-substituted hexaphenyl-1,3-butadiene. <i>Dyes and Pigments</i> , 2016 , 133, 354-362	4.6	33
31	The synthesis of chiral triphenylpyrrole derivatives and their aggregation-induced emission enhancement, aggregation-induced circular dichroism and helical self-assembly. <i>RSC Advances</i> , 2016 , 6, 23420-23427	3.7	19
30	Properties of Polymorphism and Acid Response of Pyrrolopyrrole-based Derivative with Aggregation-induced Emission Behavior. <i>Acta Chimica Sinica</i> , 2016 , 74, 942	3.3	6
29	The selective detection of chloroform using an organic molecule with aggregation-induced emission properties in the solid state as a fluorescent sensor. <i>Sensors and Actuators B: Chemical</i> , 2016 , 232, 264-268	8.5	21
28	The fluorescent bioprobe with aggregation-induced emission features for monitoring to carbon dioxide generation rate in single living cell and early identification of cancer cells. <i>Biomaterials</i> , 2016 , 103, 67-74	15.6	28
27	A fluorescent probe with an aggregation-enhanced emission feature for real-time monitoring of low carbon dioxide levels. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 7621-7626	7.1	36
26	Red fluorescent luminogen from pyrrole derivatives with aggregation-enhanced emission for cell membrane imaging. <i>Chemical Communications</i> , 2015 , 51, 8555-8	5.8	51
25	Quantitation of Albumin in Serum Using "Turn-on" Fluorescent Probe with Aggregation-Enhanced Emission Characteristics. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 26094-100	9.5	75
24	Aggregation-Induced Emission of Hexaphenyl-1,3-butadiene. <i>Chinese Journal of Chemistry</i> , 2015 , 33, 701-704	4.9	11
23	Investigating the effects of side chain length on the AIE properties of water-soluble TPE derivatives. <i>Tetrahedron Letters</i> , 2014 , 55, 1496-1500	2	24
22	Tunable fluorescence upon aggregation: Photophysical properties of cationic conjugated polyelectrolytes containing AIE and ACQ units and their use in the dual-channel quantification of heparin. <i>Sensors and Actuators B: Chemical</i> , 2014 , 197, 334-341	8.5	24

21	Mechanochromic behavior of aryl-substituted buta-1,3-diene derivatives with aggregation enhanced emission. <i>Chemistry - A European Journal</i> , 2014 , 20, 8856-61	4.8	29
20	An AIEE polyelectrolyte as a light-up fluorescent probe for heparin sensing in full detection range. <i>Science China Chemistry</i> , 2013 , 56, 1239-1246	7.9	11
19	Effect of bilayer number on the photoluminescent property of TPE-based self-assembled film. <i>Science Bulletin</i> , 2013 , 58, 2728-2732		6
18	DMF-induced emission of an aryl-substituted pyrrole derivative: a solid thermo-responsive material to detect temperature in a specific range. <i>Journal of Materials Chemistry C</i> , 2013 , 1, 7534	7.1	39
17	Pillar[5]arene-based side-chain polypseudorotaxanes as an anion-responsive fluorescent sensor. <i>Polymer Chemistry</i> , 2013 , 4, 2224	4.9	92
16	Reversible and hydrogen bonding-assisted piezochromic luminescence for solid-state tetraaryl-buta-1,3-diene. <i>Chemical Communications</i> , 2013 , 49, 7049-51	5.8	98
15	Tunable fluorescence conjugated copolymers consisting of tetraphenylethylene and fluorene units: From aggregation-induced emission enhancement to dual-channel fluorescence response. <i>Journal of Polymer Science Part A</i> , 2013 , 51, 229-240	2.5	48
14	A highly sensitive, single selective, real-time and turn-on fluorescent sensor for Al ³⁺ detection in aqueous media. <i>Journal of Materials Chemistry</i> , 2012 , 22, 19296		105
13	A novel "turn-on" fluorescent chemosensor for the selective detection of Al ³⁺ based on aggregation-induced emission. <i>Chemical Communications</i> , 2012 , 48, 416-8	5.8	309
12	SYNTHESIS AND PROPERTY OF A WATER-SOLUBLE AGGREGATION-INDUCED EMISSION ENHANCEMENT CONJUGATED POLYMER. <i>Acta Polymerica Sinica</i> , 2012 , 012, 453-461		8
11	Turn-on Fluorescent Detection of 2,5-Di(4'-carboxylphenyl)-1-phenylpyrrole to Amines. <i>Acta Chimica Sinica</i> , 2012 , 70, 1187	3.3	5
10	Thiolene Click Polymerization: Regio- and Stereoselective Synthesis of Sulfur-Rich Acetylenic Polymers with Controllable Chain Conformations and Tunable Optical Properties. <i>Macromolecules</i> , 2011 , 44, 68-79	5.5	85
9	Selective detection of phosphaphenanthrenecontaining luminophors with aggregation-induced emission enhancement to transition metal ions. <i>Frontiers of Chemistry in China: Selected Publications From Chinese Universities</i> , 2011 , 6, 15-20		1
8	Aggregation-induced emission enhancement of aryl-substituted pyrrole derivatives. <i>Journal of Physical Chemistry B</i> , 2010 , 114, 16731-6	3.4	124
7	Ferrocene-Functionalized Hyperbranched Polyphenylenes: Synthesis, Redox Activity, Light Refraction, Transition-Metal Complexation, and Precursors to Magnetic Ceramics. <i>Macromolecules</i> , 2010 , 43, 680-690	5.5	57
6	Crystallization-induced emission enhancement in a phosphorus-containing heterocyclic luminogen. <i>Journal of Physical Chemistry B</i> , 2009 , 113, 9098-103	3.4	74
5	Hyperbranched Poly(ferrocenylphenylenes): Synthesis, Characterization, Redox Activity, Metal Complexation, Pyrolytic Ceramization, and Soft Ferromagnetism. <i>Macromolecules</i> , 2007 , 40, 8195-8204	5.5	41
4	Acetylene Polycyclotrimerization: Synthesis and Characterization of Ferrocene-Containing Hyperbranched Polyarylenes. <i>Macromolecules</i> , 2007 , 40, 5612-5617	5.5	17

3	Excited-State Modulation of Aggregation-Induced Emission Molecules for High-Efficiency Triplet Exciton Generation1767-1777		7
2	Red-Emissive Organic Room-Temperature Phosphorescence Material for Time-Resolved Luminescence Bioimaging. <i>CCS Chemistry</i> ,1-20	7.2	8
1	Achieving Efficient Phosphorescence and Mechanoluminescence in Organic Host-Guest System by Energy Transfer. <i>Advanced Functional Materials</i> ,2108072	15.6	18