
## Andreas D Haas

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4717116/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Virologic nonâ€suppression and early loss to follow up among pregnant and nonâ€pregnant adolescents aged 15–19 years initiating antiretroviral therapy in South Africa: a retrospective cohort study. Journal of the International AIDS Society, 2022, 25, e25870.	1.2	7
2	Effect of antiretroviral therapy care interruptions on mortality in children living with HIV. Aids, 2022, 36, 729-737.	1.0	2
3	Growth and CD4 patterns of adolescents living with perinatally acquired HIV worldwide, a CIPHER cohort collaboration analysis. Journal of the International AIDS Society, 2022, 25, e25871.	1.2	8
4	Prevalence of and factors associated with late diagnosis of HIV in Malawi, Zambia, and Zimbabwe: Results from population-based nationally representative surveys. PLOS Global Public Health, 2022, 2, e0000080.	0.5	7
5	Mental health of migrants with pre-migration exposure to armed conflict: a systematic review and meta-analysis. Lancet Public Health, The, 2022, 7, e469-e481.	4.7	57
6	The effect of the COVID-19 lockdown on mental health care use in South Africa: an interrupted time-series analysis. Epidemiology and Psychiatric Sciences, 2022, 31, .	1.8	8
7	Symptoms of common mental disorders and adherence to antiretroviral therapy among adults living with HIV in rural Zimbabwe: a cross-sectional study. BMJ Open, 2021, 11, e049824.	0.8	7
8	The treatment gap for mental disorders in adults enrolled in HIV treatment programmes in South Africa: a cohort study using linked electronic health records. Epidemiology and Psychiatric Sciences, 2021, 30, e37.	1.8	20
9	Excess mortality associated with mental illness in people living with HIV in Cape Town, South Africa: a cohort study using linked electronic health records. The Lancet Global Health, 2020, 8, e1326-e1334.	2.9	40
10	Prevalence of nonsuppressed viral load and associated factors among HIVâ€positive adults receiving antiretroviral therapy in Eswatini, Lesotho, Malawi, Zambia and Zimbabwe (2015 to 2017): results from populationâ€based nationally representative surveys. Journal of the International AIDS Society, 2020, 23, e25631.	1.2	29
11	Mental health, substance use and viral suppression in adolescents receiving ART at a paediatric HIV clinic in South Africa. Journal of the International AIDS Society, 2020, 23, e25644.	1.2	33
12	Outcomes of secondâ€line antiretroviral therapy among children living with HIV: a global cohort analysis. Journal of the International AIDS Society, 2020, 23, e25477.	1.2	5
13	Long-term retention on antiretroviral therapy among infants, children, adolescents and adults in Malawi: A cohort study. PLoS ONE, 2019, 14, e0224837.	1.1	15
14	Incidence of switching to second-line antiretroviral therapy and associated factors in children with HIV: an international cohort collaboration. Lancet HIV,the, 2019, 6, e105-e115.	2.1	22
15	Extending Visit Intervals for Clinically Stable Patients on Antiretroviral Therapy: Multicohort Analysis of HIV Programs in Southern Africa. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 81, 439-447.	0.9	3
16	Retention and mortality on antiretroviral therapy in sub‣aharan Africa: collaborative analyses of HIV treatment programmes. Journal of the International AIDS Society, 2018, 21, e25084.	1.2	91
17	Patterns of caesarean section in HIV infected and non-infected women in Malawi: is caesarean section used for PMTCT?. BMC Pregnancy and Childbirth, 2018, 18, 95.	0.9	6
18	Screening and management of mental health and substance use disorders in <scp>HIV</scp> treatment settings in low―and middleâ€income countries within the global le <scp>DEA</scp> consortium. Journal of the International AIDS Society, 2018, 21, e25101.	1.2	38

ANDREAS D HAAS

#	Article	IF	CITATIONS
19	Weight gain of HIV-exposed, uninfected children born before and after introduction of the †Option B+' programme in Malawi. Aids, 2018, 32, 2201-2208.	1.0	6
20	"I found that I was well and strong": Women's motivations for remaining on ART under Option B+ in Malawi. PLoS ONE, 2018, 13, e0197854.	1.1	9
21	Sexâ€based differences in antiretroviral therapy initiation, switching and treatment interruptions: global overview from the International Epidemiologic Databases to Evaluate AIDS (IeDEA). Journal of the International AIDS Society, 2018, 21, e25149.	1.2	16
22	Outcomes of Patients Lost to Follow-up in African Antiretroviral Therapy Programs: Individual Patient Data Meta-analysis. Clinical Infectious Diseases, 2018, 67, 1643-1652.	2.9	73
23	Where do HIVâ€infected adolescents go after transfer? – Tracking transition/transfer of HIVâ€infected adolescents using linkage of cohort data to a health information system platform. Journal of the International AIDS Society, 2017, 20, 21668.	1.2	45
24	HIV transmission and retention in care among HIVâ€exposed children enrolled in Malawi's prevention of motherâ€ŧoâ€ehild transmission programme. Journal of the International AIDS Society, 2017, 20, 21947.	1.2	28
25	Adherence to Antiretroviral Therapy During and After Pregnancy: Cohort Study on Women Receiving Care in Malawi's Option B+ Program. Clinical Infectious Diseases, 2016, 63, ciw500.	2.9	123
26	Raltegravir in second-line ART in resource-limited settings. Lancet HIV,the, 2016, 3, e240-e241.	2.1	1
27	Comparative cost-effectiveness of Option B+ for prevention of mother-to-child transmission of HIV in Malawi. Aids, 2016, 30, 953-962.	1.0	14
28	The need for second-line antiretroviral therapy in adults in sub-Saharan Africa up to 2030: a mathematical modelling study. Lancet HIV,the, 2016, 3, e132-e139.	2.1	64
29	Retention in care during the first 3 years of antiretroviral therapy for women in Malawi's option B+ programme: an observational cohort study. Lancet HIV,the, 2016, 3, e175-e182.	2.1	154
30	Brief Report. Journal of Acquired Immune Deficiency Syndromes (1999), 2015, 69, 610-614.	0.9	22
31	Outcomes of Infants Starting Antiretroviral Therapy in Southern Africa, 2004–2012. Journal of Acquired Immune Deficiency Syndromes (1999), 2015, 69, 593-601.	0.9	24
32	Monitoring and switching of first-line antiretroviral therapy in adult treatment cohorts in sub-Saharan Africa: collaborative analysis. Lancet HIV,the, 2015, 2, e271-e278.	2.1	98
33	Viral load versus CD4+ monitoring and 5-year outcomes of antiretroviral therapy in HIV-positive children in Southern Africa. Aids, 2014, 28, 2451-2460.	1.0	12
34	Retention in care under universal antiretroviral therapy for HIV-infected pregnant and breastfeeding women (â€~Option B+') in Malawi. Aids, 2014, 28, 589-598.	1.0	317