

# Laurent Machet

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/471781/publications.pdf>

Version: 2024-02-01

200  
papers

7,385  
citations

53794

45  
h-index

69250

77  
g-index

292  
all docs

292  
docs citations

292  
times ranked

7020  
citing authors

#	ARTICLE	IF	CITATIONS
1	First-line rituximab combined with short-term prednisone versus prednisone alone for the treatment of pemphigus (Ritux 3): a prospective, multicentre, parallel-group, open-label randomised trial. <i>Lancet, The</i> , 2017, 389, 2031-2040.	13.7	438
2	Blastic NK-Cell Lymphomas (Agranular CD4+CD56+ Hematodermic Neoplasms). <i>American Journal of Clinical Pathology</i> , 2005, 123, 662-675.	0.7	266
3	Primary Cutaneous Diffuse Large B-Cell Lymphoma, Leg Type. <i>Archives of Dermatology</i> , 2007, 143, 1144-50.	1.4	218
4	The three-year incidence of pulmonary arterial hypertension associated with systemic sclerosis in a multicenter nationwide longitudinal study in France. <i>Arthritis and Rheumatism</i> , 2009, 60, 1831-1839.	6.7	179
5	Adjuvant prophylactic regional radiotherapy versus observation in stage I Merkel cell carcinoma: a multicentric prospective randomized study. <i>Annals of Oncology</i> , 2012, 23, 1074-1080.	1.2	156
6	Risk factors for death and the 3-year survival of patients with systemic sclerosis: the French ItinerAIR-Sclerodermie study. <i>Rheumatology</i> , 2008, 48, 304-308.	1.9	148
7	A high prevalence of sensitization still persists in leg ulcer patients: a retrospective series of 106 patients tested between 2001 and 2002 and a meta-analysis of 1975-2003 data. <i>British Journal of Dermatology</i> , 2004, 150, 929-935.	1.5	147
8	Delays in diagnosis and melanoma prognosis (I): The role of patients. <i>International Journal of Cancer</i> , 2000, 89, 271-279.	5.1	141
9	Blastic plasmacytoid dendritic cell neoplasm: clinical features in 90 patients. <i>British Journal of Dermatology</i> , 2013, 169, 579-586.	1.5	141
10	Bcl-2 protein expression is the strongest independent prognostic factor of survival in primary cutaneous large B-cell lymphomas. <i>Blood</i> , 2004, 103, 3662-3668.	1.4	139
11	Blastic plasmacytoid dendritic cell neoplasm: is transplantation the treatment of choice?. <i>British Journal of Dermatology</i> , 2010, 162, 74-79.	1.5	136
12	The Clinical Spectrum and Therapeutic Management of Hypocomplementemic Urticarial Vasculitis: Data From a French Nationwide Study of Fifty-seven Patients. <i>Arthritis and Rheumatology</i> , 2015, 67, 527-534.	5.6	136
13	High neutrophil to lymphocyte ratio measured before starting ipilimumab treatment is associated with reduced overall survival in patients with melanoma. <i>British Journal of Dermatology</i> , 2016, 174, 146-151.	1.5	132
14	MAGE-A3 immunotherapeutic as adjuvant therapy for patients with resected, MAGE-A3-positive, stage III melanoma (DERMA): a double-blind, randomised, placebo-controlled, phase 3 trial. <i>Lancet Oncology, The</i> , 2018, 19, 916-929.	10.7	131
15	Prognostic Factors of Paraneoplastic Pemphigus. <i>Archives of Dermatology</i> , 2012, 148, 1165.	1.4	125
16	A three-year-analysis of fixed drug eruptions in hospital settings in France. <i>European Journal of Dermatology</i> , 2010, 20, 461-464.	0.6	122
17	Phonophoresis: efficiency, mechanisms and skin tolerance. <i>International Journal of Pharmaceutics</i> , 2002, 243, 1-15.	5.2	118
18	Autoimmune disorders and quadrivalent human papillomavirus vaccination of young female subjects. <i>Journal of Internal Medicine</i> , 2014, 275, 398-408.	6.0	116

#	ARTICLE	IF	CITATIONS
19	Effect of sonication parameters on transdermal delivery of insulin to hairless rats. <i>Journal of Controlled Release</i> , 2002, 81, 113-119.	9.9	110
20	Delays in diagnosis and melanoma prognosis (II): The role of doctors. <i>International Journal of Cancer</i> , 2000, 89, 280-285.	5.1	106
21	Phase II Study of Pembrolizumab As First-Line, Single-Drug Therapy for Patients With Unresectable Cutaneous Squamous Cell Carcinomas. <i>Journal of Clinical Oncology</i> , 2020, 38, 3051-3061.	1.6	106
22	Melanoma and Tumor Thickness. <i>Archives of Dermatology</i> , 1999, 135, 269-74.	1.4	102
23	TCL1 and CLA Expression in Agranular CD4/CD56 Hematodermic Neoplasms (Blastic NK-Cell Lymphomas) and Leukemia Cutis. <i>American Journal of Clinical Pathology</i> , 2004, 122, 307-313.	0.7	102
24	Cutaneous Alternariosis: Role of Corticosteroid-Induced Cutaneous Fragility. <i>Dermatology</i> , 1996, 193, 342-344.	2.1	96
25	Neurofibromatosis 1 French national guidelines based on an extensive literature review since 1966. <i>Orphanet Journal of Rare Diseases</i> , 2020, 15, 37.	2.7	96
26	Letters to Dermatology. <i>Dermatology</i> , 1998, 197, 274-276.	2.1	94
27	High-resolution cutaneous ultrasonography to differentiate lipoedema from lymphoedema. <i>British Journal of Dermatology</i> , 2010, 163, 296-301.	1.5	92
28	Malignancy and Chronic Leg Ulcers. <i>Archives of Dermatology</i> , 2012, 148, 704.	1.4	91
29	Controlled trial of azathioprine and plasma exchange in addition to prednisolone in the treatment of bullous pemphigoid. <i>Archives of Dermatology</i> , 1993, 129, 49-53.	1.4	90
30	Preoperative Measurement of Thickness of Cutaneous Melanoma Using High-Resolution 20 MHz Ultrasound Imaging: A Monocenter Prospective Study and Systematic Review of the Literature. <i>Ultrasound in Medicine and Biology</i> , 2009, 35, 1411-1420.	1.5	86
31	Radiosurgery without whole brain radiotherapy in melanoma brain metastases. <i>European Journal of Cancer</i> , 1998, 34, 1187-1192.	2.8	81
32	Clinical, histologic, and electron microscopy study of skin exposed to low-frequency ultrasound. <i>The Anatomical Record</i> , 2001, 264, 114-119.	1.8	80
33	Improvement of Survival in Patients With Primary Cutaneous Diffuse Large B-Cell Lymphoma, Leg Type, in France. <i>JAMA Dermatology</i> , 2014, 150, 535.	4.1	80
34	In vitro study of low-frequency ultrasound-enhanced transdermal transport of fentanyl and caffeine across human and hairless rat skin. <i>International Journal of Pharmaceutics</i> , 2001, 228, 69-77.	5.2	74
35	Bullous hemorrhagic dermatosis occurring at sites distant from subcutaneous injections of heparin: Three cases. <i>Journal of the American Academy of Dermatology</i> , 2006, 54, S5-S7.	1.2	69
36	Calculation of cutaneous values based on the Autoimmune Bullous Skin Disorder Intensity Score ( ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 7 for defining moderate, significant and extensive types of pemphigus. <i>British Journal of Dermatology</i> , 2016, 175, 142-149.	1.5	68

#	ARTICLE	IF	CITATIONS
37	ULTRASOUND IMAGING OF PSORIATIC SKIN: A NONINVASIVE TECHNIQUE TO EVALUATE TREATMENT OF PSORIASIS. <i>International Journal of Dermatology</i> , 1994, 33, 786-790.	1.0	67
38	Risk of autoimmune diseases and human papilloma virus (HPV) vaccines: Six years of case-referent surveillance. <i>Journal of Autoimmunity</i> , 2017, 79, 84-90.	6.5	67
39	The kinetics of the visible growth of a primary melanoma reflects the tumor aggressiveness and is an independent prognostic marker: A prospective study. <i>International Journal of Cancer</i> , 2002, 102, 34-38.	5.1	60
40	Is ultrasound lymph node examination superior to clinical examination in melanoma follow-up? A monocentre cohort study of 373 patients. <i>British Journal of Dermatology</i> , 2005, 152, 66-70.	1.5	59
41	Incidence and Clinical Impact of Anti-TNF $\pm$ Treatment of Severe Immune Checkpoint Inhibitor-induced Colitis in Advanced Melanoma: The Mecolit Survey. <i>Journal of Immunotherapy</i> , 2019, 42, 175-179.	2.4	57
42	Large International Validation of ABSIS and PDAI Pemphigus Severity Scores. <i>Journal of Investigative Dermatology</i> , 2019, 139, 31-37.	0.7	55
43	Rituximab is an effective treatment in patients with pemphigus vulgaris and demonstrates a steroid-sparing effect. <i>British Journal of Dermatology</i> , 2020, 182, 1111-1119.	1.5	55
44	Efficacy of Immunotherapy in Patients with Metastatic Mucosal or Uveal Melanoma. <i>Journal of Oncology</i> , 2018, 2018, 1-9.	1.3	53
45	Primary cutaneous Ewing sarcoma: a systematic review focused on treatment and outcome. <i>British Journal of Dermatology</i> , 2012, 166, 721-726.	1.5	51
46	STAT3 Mediates Nilotinib Response in KIT-Altered Melanoma: A Phase II Multicenter Trial of the French Skin Cancer Network. <i>Journal of Investigative Dermatology</i> , 2018, 138, 58-67.	0.7	47
47	Cutaneous malignant melanoma and neurofibromatosis type 1. <i>Melanoma Research</i> , 2004, 14, 159-163.	1.2	46
48	Intralesional therapy with anti-CD20 monoclonal antibody rituximab: local and systemic efficacy in primary cutaneous B-cell lymphoma. <i>British Journal of Dermatology</i> , 2005, 152, 541-544.	1.5	46
49	Relevance of Vertical Growth Pattern in Thin Level II Cutaneous Superficial Spreading Melanomas. <i>American Journal of Surgical Pathology</i> , 2003, 27, 717-724.	3.7	42
50	Frequency and Risk Factors for Associated Lymphomas in Patients With Lymphomatoid Papulosis. <i>Oncologist</i> , 2016, 21, 76-83.	3.7	42
51	TCL1 and CLA Expression in Agranular CD4/CD56 Hematodermic Neoplasms (Blastic NK-Cell Lymphomas) and Leukemia Cutis. <i>American Journal of Clinical Pathology</i> , 2004, 122, 307-313.	0.7	41
52	Factors Associated With Short-term Relapse in Patients With Pemphigus Who Receive Rituximab as First-line Therapy. <i>JAMA Dermatology</i> , 2020, 156, 545.	4.1	40
53	Immunostaining With Antibodies to Desmoglein Provides the Diagnosis of Drug-Induced Pemphigus and Allows Prediction of Outcome. <i>American Journal of Clinical Pathology</i> , 2008, 130, 369-374.	0.7	34
54	Efficacy of Infliximab for Hidradenitis Suppurativa: Assessment of Clinical and Biological Inflammatory Markers. <i>Acta Dermato-Venereologica</i> , 2011, 91, 169-171.	1.3	34

#	ARTICLE	IF	CITATIONS
55	High-Resolution Ultrasound Imaging to Demonstrate and Predict Efficacy of Carbon Dioxide Fractional Resurfacing Laser Treatment. <i>Dermatologic Surgery</i> , 2011, 37, 596-603.	0.8	33
56	The Risk of Systemic Lupus Erythematosus Associated With Vaccines: An International Caseâ€Control Study. <i>Arthritis and Rheumatology</i> , 2014, 66, 1559-1567.	5.6	33
57	High-resolution ultrasonography assists the differential diagnosis of blue naevi and cutaneous metastases of melanoma. <i>British Journal of Dermatology</i> , 2010, 163, 550-556.	1.5	32
58	Patch testing with clobazam: relapse of generalized drug eruption. <i>Contact Dermatitis</i> , 1992, 26, 347-348.	1.4	31
59	Patients' acceptance of medical photography in a French adult and paediatric dermatology department: a questionnaire survey. <i>British Journal of Dermatology</i> , 2013, 169, 298-305.	1.5	31
60	Corticosteroid Phobia Among Pharmacists Regarding Atopic Dermatitis in Children: A National French Survey. <i>Acta Dermato-Venereologica</i> , 2016, 96, 177-180.	1.3	31
61	Double-hit or dual expression of MYC and BCL2 in primary cutaneous large B-cell lymphomas. <i>Modern Pathology</i> , 2018, 31, 1332-1342.	5.5	31
62	SchÃ¶nlein-Henoch Purpura Associated with Gastric <i>Helicobacter pylori</i> Infection. <i>Dermatology</i> , 1997, 194, 86-86.	2.1	30
63	Contact and photocontact allergy to oxybenzone *. <i>Contact Dermatitis</i> , 1992, 26, 177-181.	1.4	29
64	Partial response to bevacizumab of an extensive cutaneous angiosarcoma of the face. <i>British Journal of Dermatology</i> , 2010, 163, 225-227.	1.5	29
65	Reversal of multifocal cutaneous lymphoproliferative disease associated with Epstein-Barr virus after withdrawal of methotrexate therapy for rheumatoid arthritis. <i>Journal of the American Academy of Dermatology</i> , 2007, 57, S69-S71.	1.2	28
66	Sensitivity and specificity of BP180 NC16A enzyme-linked immunosorbent assay for the diagnosis of pemphigoid gestationis. <i>Journal of the American Academy of Dermatology</i> , 2017, 76, 560-562.	1.2	27
67	Blastic NK-Cell Lymphomas (Agranular CD4+CD56+ Hematodermic Neoplasms): A Review. <i>American Journal of Clinical Pathology</i> , 2005, 123, 662-675.	0.7	26
68	Carpal Tunnel Syndrome and Systemic Sclerosis. <i>Dermatology</i> , 1992, 185, 101-103.	2.1	25
69	Toxic epidermal necrolysis after fluvoxamine. <i>Lancet</i> , The, 1993, 342, 304-305.	13.7	25
70	Vitamin D deficiency is associated with greater tumor size and poorer outcome in Merkel cell carcinoma patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2014, 28, 298-308.	2.4	24
71	Metformin monotherapy in melanoma: a pilot, openâ€label, prospective, and multicentric study indicates no benefit. <i>Pigment Cell and Melanoma Research</i> , 2017, 30, 378-380.	3.3	23
72	High-frequency ultrasound imaging for cutaneous neurofibroma in patients with neurofibromatosis type I. <i>European Journal of Dermatology</i> , 2017, 27, 260-265.	0.6	23

#	ARTICLE	IF	CITATIONS
73	Stevens-Johnson Syndrome after Sertraline. <i>Acta Dermato-Venereologica</i> , 1999, 79, 401-401.	1.3	22
74	Pleiotrophin, a candidate gene for poor tumor vasculature and in vivo neuroblastoma sensitivity to irinotecan. <i>Oncogene</i> , 2006, 25, 3150-3159.	5.9	21
75	Study of cutaneous extensibility in lymphoedema of the lower limbs. <i>British Journal of Dermatology</i> , 2006, 155, 265-269.	1.5	20
76	Efficiency of low-frequency ultrasound sonophoresis in skin penetration of histamine: A randomized study in humans. <i>International Journal of Pharmaceutics</i> , 2010, 385, 37-41.	5.2	20
77	A high neutrophil-to-lymphocyte ratio as a potential marker of mortality in patients with Merkel cell carcinoma: A retrospective study. <i>Journal of the American Academy of Dermatology</i> , 2016, 75, 712-721.e1.	1.2	20
78	Acute Lower Limb Ischaemia and Diabetes in a Patient Treated with Anti-PD1 Monoclonal Antibody for Metastatic Melanoma. <i>Acta Dermato-Venereologica</i> , 2017, 97, 408-409.	1.3	20
79	One-step surgical removal of cutaneous melanoma with surgical margins based on preoperative ultrasound measurement of the thickness of the melanoma. <i>European Journal of Dermatology</i> , 2018, 28, 202-208.	0.6	20
80	In vitro phonophoresis of digoxin across hairless mice and human skin: Thermal effect of ultrasound. <i>International Journal of Pharmaceutics</i> , 1996, 133, 39-45.	5.2	19
81	High-Resolution Elastography for Thin-Layer Mechanical Characterization: Toward Skin Investigation. <i>Ultrasound in Medicine and Biology</i> , 2017, 43, 670-681.	1.5	19
82	Tâ€œcell papulosis associated with Bâ€œcell malignancy: a distinctive clinicopathologic entity. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, 1469-1475.	2.4	19
83	Efficacy and safety of methotrexate versus placebo as add-on therapy to H1 antihistamines for patients with difficult-to-treat chronic spontaneous urticaria: A randomized, controlled trial. <i>Journal of the American Academy of Dermatology</i> , 2020, 82, 240-243.	1.2	19
84	Skin acceptance of transcutaneous nitroglycerin patches: a prospective study of 33 patients. <i>Contact Dermatitis</i> , 1990, 23, 142-145.	1.4	18
85	Acquired Localized Cutis Laxa Due to Cutaneous Lymphoplasmacytoid Lymphoma. <i>Archives of Dermatology</i> , 1995, 131, 110.	1.4	18
86	In vitro phonophoresis of mannitol, oestradiol and hydrocortisone across human and hairless mouse skin. <i>International Journal of Pharmaceutics</i> , 1998, 165, 169-174.	5.2	18
87	Absence of Inferior Labial and Lingual Frenula in Ehlers-Danlos Syndrome. <i>American Journal of Clinical Dermatology</i> , 2010, 11, 1.	6.7	18
88	Skin tightening induced by fractional CO<sub>2</sub> laser treatment: Quantified assessment of variations in mechanical properties of the skin. <i>Journal of Cosmetic Dermatology</i> , 2012, 11, 201-206.	1.6	18
89	Measurement of skin thickness and skin elasticity to evaluate the effectiveness of intensive decongestive treatment in patients with lymphoedema: a prospective study. <i>Skin Research and Technology</i> , 2014, 20, 274-281.	1.6	18
90	Allergic contact dermatitis from sunflower ( <i>Helianthus annuus</i> ) with cross-sensitivity to arnica. <i>Contact Dermatitis</i> , 1993, 28, 184-185.	1.4	17

#	ARTICLE	IF	CITATIONS
91	Autosomal dominant polycystic kidney disease: risk factor for nonmelanoma skin cancer following kidney transplantation. <i>Transplant International</i> , 2010, 23, 878-86.	1.6	17
92	Acroangioidermitis in a carrier of the thrombophilic 20210A mutation in the prothrombin gene. <i>British Journal of Dermatology</i> , 1999, 141, 752-752.	1.5	16
93	Low-frequency ultrasound sonophoresis to increase the efficiency of topical steroids: A pilot randomized study of humans. <i>International Journal of Pharmaceutics</i> , 2010, 395, 84-90.	5.2	16
94	Cutaneous Rosai-Dorfman Disease Located on the Breast: Rapid Effectiveness of Methotrexate After Failure of Topical Corticosteroids, Acitretin and Thalidomide. <i>Acta Dermato-Venereologica</i> , 2015, 95, 758-759.	1.3	16
95	Acute generalized exanthematous pustulosis induced by iomeprol with cross-reactivity to other iodinated contrast agents and mild reactions after rechallenge with iopromide and oral corticosteroid premedication. <i>Contact Dermatitis</i> , 2019, 81, 74-76.	1.4	16
96	Acute generalized exanthematous pustulosis associated with paracetamol. <i>Acta Dermato-Venereologica</i> , 1998, 78, 222-223.	1.3	15
97	Consort contact urticaria due to amoxicillin. <i>Contact Dermatitis</i> , 2001, 44, 246-263.	1.4	15
98	Contribution of skin biometry to the diagnosis of the Ehlers-Danlos syndrome in a prospective series of 41 patients. <i>Skin Research and Technology</i> , 2009, 15, 412-417.	1.6	15
99	Contact stomatitis from tixocortol pivalate. <i>Contact Dermatitis</i> , 1993, 29, 161-161.	1.4	14
100	Recurrent primary cutaneous mucinous carcinoma with neuroendocrine differentiation: case report and review of the literature. <i>Journal of Cutaneous Pathology</i> , 2014, 41, 686-691.	1.3	14
101	Interstitial granulomatous dermatitis occurring in a patient with SAPHO syndrome one month after starting leflunomide, and subsequently disappearing with ustekinumab. <i>European Journal of Dermatology</i> , 2016, 26, 614-615.	0.6	14
102	Kawasaki disease in a young adult with a perineal rash. <i>British Journal of Dermatology</i> , 1990, 123, 413-414.	1.5	13
103	Acute generalized exanthematous pustulosis induced by nifuroxazide. <i>Contact Dermatitis</i> , 1997, 36, 308-309.	1.4	13
104	Allergic Contact Dermatitis from Nitroglycerin Contained in 2 Transdermal Systems. <i>Dermatology</i> , 1999, 198, 106-107.	2.1	13
105	Risk assessment of drug-induced drug reaction with eosinophilia and systemic symptoms (DRESS) syndrome: a disproportionality analysis using the French Pharmacovigilance Database. <i>British Journal of Dermatology</i> , 2016, 175, 1067-1069.	1.5	13
106	CMV disease and colitis in a kidney transplanted patient under pembrolizumab. <i>European Journal of Cancer</i> , 2019, 109, 172-174.	2.8	13
107	Cutaneous Infection with <i>Scedosporium apiospermum</i> in a Patient Treated with Corticosteroids. <i>Acta Dermato-Venereologica</i> , 1999, 79, 402-403.	1.3	12
108	Epidermotropic secondary cutaneous involvement by relapsed angioimmunoblastic T-cell lymphoma mimicking mycosis fungoides: a case report. <i>Journal of Cutaneous Pathology</i> , 2012, 39, 1119-1124.	1.3	12

#	ARTICLE	IF	CITATIONS
109	Systematic review of the efficacy and adverse events associated with infliximab treatment of hidradenitis suppurativa in patients with coexistent inflammatory diseases. <i>Journal of the American Academy of Dermatology</i> , 2013, 69, 649-650.	1.2	12
110	High neutrophil-to-lymphocyte ratio before starting anti-programmed cell death 1 immunotherapy predicts poor outcome in patients with metastatic melanoma. <i>Journal of the American Academy of Dermatology</i> , 2018, 79, 165-167.e2.	1.2	12
111	Fenofibrate-induced photosensitivity: Value of photopatch testing. <i>Journal of the American Academy of Dermatology</i> , 1997, 37, 808-809.	1.2	11
112	Transdermal delivery of insulin using low frequency ultrasound. , 0, , .		11
113	Acute Generalized Exanthematous Pustulosis Induced by Dextropropoxyphene and Confirmed by Patch Testing. <i>Acta Dermato-Venereologica</i> , 2000, 80, 224-225.	1.3	11
114	Facial granulomatous nodules during etanercept treatment for psoriasis. <i>International Journal of Dermatology</i> , 2009, 48, 1025-1027.	1.0	11
115	Frequency and prognostic value of cutaneous molecular residual disease in mycosis fungoides: a prospective multicentre trial of the Cutaneous Lymphoma French Study Group. <i>British Journal of Dermatology</i> , 2015, 173, 1015-1023.	1.5	11
116	Ultrastructural Demonstration of a Relationship between Acquired Cutis Laxa and Monoclonal Gammopathy. <i>Acta Dermato-Venereologica</i> , 2010, 90, 406-408.	1.3	10
117	High-frequency (20-50ÂMHz) ultrasonography of pseudoxanthoma elasticum skin lesions. <i>British Journal of Dermatology</i> , 2013, 169, 1233-1239.	1.5	10
118	Partial response of metastatic melanoma to BRAF-inhibitor-monotherapy in a pregnant patient with no fetal toxicity. <i>Melanoma Research</i> , 2019, 29, 446-447.	1.2	10
119	Phonophoresis of azidothymidine (AZT). <i>International Journal of Pharmaceutics</i> , 1993, 96, 249-252.	5.2	9
120	Atypical Erythema Multiforme Occurring at the Early Phase of Lyme Disease?. <i>Acta Dermato-Venereologica</i> , 2000, 80, 222-222.	1.3	9
121	A high neutrophil to lymphocyte ratio prior to BRAF inhibitor treatment is a predictor of poor progression-free survival in patients with metastatic melanoma. <i>European Journal of Dermatology</i> , 2018, 28, 38-43.	0.6	9
122	Bone Involvement in a Case of Kaposi Sarcoma. <i>Dermatology</i> , 1999, 198, 73-74.	2.1	8
123	Effectiveness of terbinafine in cutaneous alternariosis. <i>British Journal of Dermatology</i> , 2000, 143, 1115-1116.	1.5	8
124	Routine ultrasonography in melanoma follow-up?. <i>Lancet Oncology</i> , The, 2005, 6, 2.	10.7	8
125	Highâ€frequency ultrasound quantification of acute radiation dermatitis: pilot study of patients undergoing radiotherapy for breast cancer. <i>Skin Research and Technology</i> , 2017, 23, 602-606.	1.6	8
126	High Resolution Ultrasound Imaging of Melanocytic and Other Pigmented Lesions of the Skin. , 0, , .		7



#	ARTICLE	IF	CITATIONS
127	Acute generalized exanthematous pustulosis due to acetazolamide: negative on patch testing and confirmed by delayed-reading intradermal testing. <i>Clinical and Experimental Dermatology</i> , 2014, 39, 220-222.	1.3	7
128	Pemphigus induced by radiotherapy for breast cancer: clinical, immunological and histological features of one case with antidesmoglein immunostaining. <i>European Journal of Dermatology</i> , 2014, 24, 119-120.	0.6	7
129	French law: what about a reasoned reimbursement of serum vitamin D assays?. <i>Psychologie &amp; Neuropsychiatrie Du Vieillessement</i> , 2016, 14, 377-382.	0.2	7
130	FASCE, the benefit of spironolactone for treating acne in women: study protocol for a randomized double-blind trial. <i>Trials</i> , 2020, 21, 571.	1.6	7
131	Routine ultrasonography in melanoma follow-up?. <i>Lancet Oncology</i> , The, 2005, 6, 2-2.	10.7	7
132	Cutaneous Involvement in Waldenström's Macroglobulinaemia. <i>Acta Dermato-Venereologica</i> , 2020, 100, adv00225.	1.3	7
133	Cross-allergy to Latex and Spinach. <i>Acta Dermato-Venereologica</i> , 2000, 80, 51-53.	1.3	6
134	Changes in the nail unit in patients with secondary lymphoedema identified using clinical, dermoscopic and ultrasound examination. <i>British Journal of Dermatology</i> , 2011, 164, 765-770.	1.5	6
135	Stevens-Johnson Syndrome Induced by Masitinib. <i>Acta Dermato-Venereologica</i> , 2012, 92, 210-212.	1.3	6
136	Cutaneous melanoma in patients treated with tumour necrosis factor inhibitors: a retrospective series of 15 patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2014, 28, 1540-1544.	2.4	6
137	A new nonsense mutation in the <i>POGLUT1</i> gene in two sisters with Dowling's Degos disease. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, e440-e442.	2.4	6
138	Lymphomatoid papulosis associated with chronic lymphocytic leukaemia/small lymphocytic lymphoma: three cases. <i>British Journal of Dermatology</i> , 2018, 178, e5-e6.	1.5	6
139	Melanoma lymph node metastasis occurring simultaneously with multifocal sarcoidosis affecting lymph nodes and the lung: a diagnostic pitfall. <i>European Journal of Dermatology</i> , 2011, 21, 798-799.	0.6	6
140	Lymphatic Compression by Sclerotic Patches of Morphea: An Original Mechanism of Lymphedema in a Child. <i>Pediatric Dermatology</i> , 2010, 27, 58-61.	0.9	5
141	Prolonged remission of Paget disease of the vulva after chemotherapy for breast carcinoma. <i>British Journal of Dermatology</i> , 2014, 170, 1199-1200.	1.5	5
142	Locoregional Multiple Nodular Panniculitis Induced by <i>Pseudomonas aeruginosa</i> Without Septicemia. <i>JAMA Dermatology</i> , 2014, 150, 628.	4.1	5
143	Serum Infliximab Concentrations in Psoriatic Patients Treated with Infliximab: A Systematic Review. <i>Acta Dermato-Venereologica</i> , 2015, 95, 401-406.	1.3	5
144	Factors associated with long-term outcome of endoscopic thoracic sympathectomy for palmar hyperhidrosis: a questionnaire survey in a cohort of French patients. <i>British Journal of Dermatology</i> , 2015, 172, 805-807.	1.5	5

#	ARTICLE	IF	CITATIONS
145	Skin cancers in patients of skin phototype V or VI with xeroderma pigmentosum type C (XP-C): A retrospective study. <i>Annales De Dermatologie Et De Venereologie</i> , 2019, 146, 192-203.	1.0	5
146	Contact dermatitis and cross-sensitivity from sulconazole nitrate. <i>Contact Dermatitis</i> , 1992, 26, 352-353.	1.4	4
147	Orf Skin Ulcer. <i>New England Journal of Medicine</i> , 1997, 337, 1131-1131.	27.0	4
148	Treatment of EARLYâ€œONSET Gorham Syndrome with 8â€œYear Followâ€œUp. <i>Pediatric Dermatology</i> , 2013, 30, 391-394.	0.9	4
149	Sirolimus-induced Inflammatory Lymphoedema of the Breast Resolved After Switching to Cyclosporine. <i>Acta Dermato-Venereologica</i> , 2015, 95, 108-109.	1.3	4
150	Successful Treatment for Extensive Bowenâ€™s Disease using Daylight-mediated Photodynamic Therapy. <i>Acta Dermato-Venereologica</i> , 2019, 99, 701-702.	1.3	4
151	A previously unreported frameshift <i>&lt;i&gt;&lt;scp&gt;ATP&lt;/scp&gt;2C1&lt;/i&gt;</i> mutation in a generalized Haileyâ€™Hailey disease. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, e118-e120.	2.4	4
152	Localized Paroxysmal Hyperhidrosis. <i>Pediatric Dermatology</i> , 2000, 17, 328-329.	0.9	4
153	Phase II multicentric uncontrolled national trial assessing the efficacy of nilotinib in the treatment of advanced melanomas with c-KIT mutation or amplification.. <i>Journal of Clinical Oncology</i> , 2014, 32, 9032-9032.	1.6	4
154	Machine learning models to predict the response to anti-cancer therapy in metastatic melanoma patients.. <i>Journal of Clinical Oncology</i> , 2020, 38, e14071-e14071.	1.6	4
155	Failure of Plasmapheresis in the Treatment of Recalcitrant Skin Ulcers in a Patient With Mixed Cryoglobulinemia. <i>Archives of Dermatology</i> , 1997, 133, 389.	1.4	3
156	Erythema Multiforme Combined with Legionellosis. <i>Acta Dermato-Venereologica</i> , 1998, 78, 392-392.	1.3	3
157	Biological effects of low frequency ultrasound on the skin. , 0, , .		3
158	Dermatologic treatment during pregnancy: how to weigh the risk:benefit ratio for mother and fetus. <i>Expert Review of Dermatology</i> , 2007, 2, 233-241.	0.3	3
159	Serum infliximab concentrations and disease activity: a descriptive study of patients with psoriasis. <i>British Journal of Dermatology</i> , 2016, 174, 198-200.	1.5	3
160	A rare BRAF T599dup mutation conferring sensitivity to BRAF inhibitor in a patient with metastatic melanoma. <i>British Journal of Dermatology</i> , 2018, 179, 528-529.	1.5	3
161	Baseline neutrophil-to-lymphocyte ratio in patients with advanced melanoma treated with immune checkpoint inhibitors. <i>British Journal of Dermatology</i> , 2018, 179, 224-224.	1.5	3
162	Ipilimumab combined with stereotactic radiosurgery in melanoma patients with brain metastases: A multicenter, open label, phase 2 trial.. <i>Journal of Clinical Oncology</i> , 2018, 36, 9520-9520.	1.6	3

#	ARTICLE	IF	CITATIONS
163	Severe Chronic Diarrhea Secondary to Celiprolol. <i>Annals of Pharmacotherapy</i> , 1992, 26, 842-843.	1.9	2
164	Tolerance of low-frequency ultrasound sonophoresis: a double-blind randomized study on humans. <i>Skin Research and Technology</i> , 2012, 18, 151-156.	1.6	2
165	Long-term successful healing of ulcerated necrobiosis lipoidica after topical therapy with becaplermin. <i>Clinical and Experimental Dermatology</i> , 2013, 38, n/a-n/a.	1.3	2
166	Acquired Transverse Stripes on the Fingernails: A Quiz. <i>Acta Dermato-Venereologica</i> , 2018, 98, 386-387.	1.3	2
167	High-Frequency Transient Elastography Prototype to Assess Skin (Dermis) Fibrosis: A Diagnostic Study in Patients with Venous Insufficiency and Controls. <i>Ultraschall in Der Medizin</i> , 2021, 42, 503-513.	1.5	2
168	High pre-treatment neutrophil-to-lymphocyte ratio in patients with dermatomyositis/polymyositis predicts an increased risk of cancer. <i>European Journal of Dermatology</i> , 2020, 30, 133-139.	0.6	2
169	Short-term Effect and Acceptability of Manual Lymphatic Drainage for Paediatric Limb Lymphoedema: A Prospective Study. <i>Acta Dermato-Venereologica</i> , 2020, 100, adv00125-5.	1.3	2
170	Delayed diagnosis of radiation-associated cutaneous angiosarcoma. <i>Nasza Dermatologia Online</i> , 2019, 9, 418-421.	0.0	2
171	Percutaneous administration of digoxin across hairless mouse skin and human skin in vitro. <i>International Journal of Pharmaceutics</i> , 1991, 72, R1-R4.	5.2	1
172	Non-occupational contact allergy to glutaraldehyde. <i>Contact Dermatitis</i> , 1997, 37, 137-137.	1.4	1
173	A practical use of low frequency ultrasound for rapid and reproducible transdermal delivery of insulin. , 0, , .		1
174	Efficacy of immunotherapy in patients with metastatic mucosal or uveal melanoma. <i>Annals of Oncology</i> , 2018, 29, viii453-viii454.	1.2	1
175	An open-label, non-randomized, phase IIIb study of trametinib in combination with dabrafenib for patients with unresectable (stage III) or distant metastatic (stage IV) BRAF V600-mutant melanoma. <i>Annals of Oncology</i> , 2018, 29, viii449-viii450.	1.2	1
176	An open-label, non-randomized, phase IIIb study of trametinib in combination with dabrafenib for patients with unresectable advanced BRAFV600-mutant melanoma: A subgroup analysis of patients with brain metastasis. <i>Annals of Oncology</i> , 2019, 30, v542-v543.	1.2	1
177	Sudden appearance of pruritic eruption with comet sign due to <i>Pyemotes</i> sp .. <i>British Journal of Dermatology</i> , 2020, 183, e91.	1.5	1
178	Efficacy and tolerance of BRAF and MEK inhibitors on metastatic melanoma carrying the orphan pV600_K601 delinsE mutation of the BRAF gene. <i>International Journal of Dermatology</i> , 2021, 60, e283-e284.	1.0	1
179	Response to BRAF and MEK Inhibitors in BRAF Thr599dup-Mutated Melanoma. <i>JCO Precision Oncology</i> , 2022, 6, e2100417.	3.0	1
180	High-frequency ultrasonography helps to confirm the diagnosis of multiple miliary osteoma cutis. <i>European Journal of Dermatology</i> , 2019, 29, 336-337.	0.6	1

#	ARTICLE	IF	CITATIONS
181	Pulmonary hypertension in systemic lupus erythematosus-treatment with high dose nifedipine therapy?. <i>Clinical and Experimental Dermatology</i> , 1993, 18, 486-487.	1.3	0
182	Conjugal Porphyria Cutanea Tarda. <i>Archives of Dermatology</i> , 1995, 131, 111.	1.4	0
183	Syndrome d'â€™hypersensibilitÃ© mÃ©dicamenteuse au phÃ©nobarbital confirmÃ© par patch test chez une enfant, avec rÃ©action croisÃ©e lors de lâ€™introduction de la lamotrigine. <i>Annales De Dermatologie Et De Venereologie</i> , 2007, 134, 609-610.	1.0	0
184	Dermatomiositis. <i>EMC - DermatologÃªa</i> , 2011, 45, 1-12.	0.1	0
185	AntisÃ©pticos en dermatologÃªa. <i>EMC - DermatologÃªa</i> , 2012, 46, 1-8.	0.1	0
186	Complete and rapid regression of primary cutaneous follicular lymphoma with repeated oral administration of acitretin for palmoplantar psoriasis. <i>Journal of the American Academy of Dermatology</i> , 2013, 69, e176-e177.	1.2	0
187	Response to comment on: â€œPemphigus induced by radiotherapy for breast cancer: an instance of immunocompromised districtâ€. <i>European Journal of Dermatology</i> , 2014, 24, 279-279.	0.6	0
188	AntisÃ©pticos. <i>EMC - Tratado De Medicina</i> , 2016, 20, 1-5.	0.0	0
189	Piel y embarazo. <i>EMC - DermatologÃªa</i> , 2017, 51, 1-8.	0.1	0
190	Residentsâ€™ corner. sQuiz your knowledge: A solitary asymptomatic nodule on the arm. <i>European Journal of Dermatology</i> , 2017, 27, 108-109.	0.6	0
191	Livedo Reticularis on the Lower Limbs in a Patient with Lupus Erythematosus: A Quiz. <i>Acta Dermato-Venereologica</i> , 2017, 97, 1148-1149.	1.3	0
192	Erythematous Papular Lesions on the Neck: A Quiz. <i>Acta Dermato-Venereologica</i> , 2018, 98, 822-823.	1.3	0
193	Painful Erythematous-violaceous Toe: A Quiz. <i>Acta Dermato-Venereologica</i> , 2018, 98, 719-720.	1.3	0
194	Factors associated with disease progression in patients treated with trametinib in combination with dabrafenib for unresectable advanced BRAFV600-mutant melanoma: An open label, non randomized study. <i>Annals of Oncology</i> , 2019, 30, v546.	1.2	0
195	Double-hit and dual expression of MYC and BCL2 in primary cutaneous large B-cell lymphomas. <i>European Journal of Cancer</i> , 2019, 119, S20.	2.8	0
196	Diagnosis of Oral Lesions. , 2009, , 313-314.		0
197	Infecciones bacterianas cutÃ¡neas superficiales foliculares y no foliculares. <i>EMC - DermatologÃªa</i> , 2018, 52, 1-9.	0.1	0
198	Efficacy of imiquimod in the management of lentigo maligna.. <i>Journal of Clinical Oncology</i> , 2020, 38, 10074-10074.	1.6	0

#	ARTICLE	IF	CITATIONS
199	Erosive Plaques with Excessive Granulation Tissue on the Scalp: A Quiz. Acta Dermato-Venereologica, 2020, 100, adv00208.	1.3	0
200	Umbilicated Papules on the Face of an Adult Patient: A Quiz. Acta Dermato-Venereologica, 2020, 100, adv00213.	1.3	0