

# Laurent Machet

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/471781/publications.pdf>

Version: 2024-02-01

200  
papers

7,385  
citations

53794

45  
h-index

69250

77  
g-index

292  
all docs

292  
docs citations

292  
times ranked

7020  
citing authors

#	ARTICLE	IF	CITATIONS
1	Response to BRAF and MEK Inhibitors in BRAF Thr599dup Mutated Melanoma. <i>JCO Precision Oncology</i> , 2022, 6, e2100417.	3.0	1
2	High-Frequency Transient Elastography Prototype to Assess Skin (Dermis) Fibrosis: A Diagnostic Study in Patients with Venous Insufficiency and Controls. <i>Ultraschall in Der Medizin</i> , 2021, 42, 503-513.	1.5	2
3	Efficacy and tolerance of BRAF and MEK inhibitors on metastatic melanoma carrying the orphan pV600_K601 delinsE mutation of the BRAF gene. <i>International Journal of Dermatology</i> , 2021, 60, e283-e284.	1.0	1
4	Efficacy and safety of methotrexate versus placebo as add-on therapy to H1 antihistamines for patients with difficult-to-treat chronic spontaneous urticaria: A randomized, controlled trial. <i>Journal of the American Academy of Dermatology</i> , 2020, 82, 240-243.	1.2	19
5	A previously unreported frameshift <i>ATP2C1</i> mutation in a generalized Hailey-Hailey disease. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, e118-e120.	2.4	4
6	Rituximab is an effective treatment in patients with pemphigus vulgaris and demonstrates a steroid-sparing effect. <i>British Journal of Dermatology</i> , 2020, 182, 1111-1119.	1.5	55
7	Phase II Study of Pembrolizumab As First-Line, Single-Drug Therapy for Patients With Unresectable Cutaneous Squamous Cell Carcinomas. <i>Journal of Clinical Oncology</i> , 2020, 38, 3051-3061.	1.6	106
8	Sudden appearance of pruritic eruption with comet sign due to <i>Pyemotes</i> sp .. <i>British Journal of Dermatology</i> , 2020, 183, e91.	1.5	1
9	FASCE, the benefit of spironolactone for treating acne in women: study protocol for a randomized double-blind trial. <i>Trials</i> , 2020, 21, 571.	1.6	7
10	Neurofibromatosis 1 French national guidelines based on an extensive literature review since 1966. <i>Orphanet Journal of Rare Diseases</i> , 2020, 15, 37.	2.7	96
11	Factors Associated With Short-term Relapse in Patients With Pemphigus Who Receive Rituximab as First-line Therapy. <i>JAMA Dermatology</i> , 2020, 156, 545.	4.1	40
12	High pre-treatment neutrophil-to-lymphocyte ratio in patients with dermatomyositis/polymyositis predicts an increased risk of cancer. <i>European Journal of Dermatology</i> , 2020, 30, 133-139.	0.6	2
13	Short-term Effect and Acceptability of Manual Lymphatic Drainage for Paediatric Limb Lymphoedema: A Prospective Study. <i>Acta Dermato-Venereologica</i> , 2020, 100, adv00125-5.	1.3	2
14	Cutaneous Involvement in Waldenström's Macroglobulinaemia. <i>Acta Dermato-Venereologica</i> , 2020, 100, adv00225.	1.3	7
15	Machine learning models to predict the response to anti-cancer therapy in metastatic melanoma patients.. <i>Journal of Clinical Oncology</i> , 2020, 38, e14071-e14071.	1.6	4
16	Efficacy of imiquimod in the management of lentigo maligna.. <i>Journal of Clinical Oncology</i> , 2020, 38, 10074-10074.	1.6	0
17	Erosive Plaques with Excessive Granulation Tissue on the Scalp: A Quiz. <i>Acta Dermato-Venereologica</i> , 2020, 100, adv00208.	1.3	0
18	Umbilicated Papules on the Face of an Adult Patient: A Quiz. <i>Acta Dermato-Venereologica</i> , 2020, 100, adv00213.	1.3	0

#	ARTICLE	IF	CITATIONS
19	An open-label, non-randomized, phase IIIb study of trametinib in combination with dabrafenib for patients with unresectable advanced BRAFV600-mutant melanoma: A subgroup analysis of patients with brain metastasis. <i>Annals of Oncology</i> , 2019, 30, v542-v543.	1.2	1
20	Factors associated with disease progression in patients treated with trametinib in combination with dabrafenib for unresectable advanced BRAFV600-mutant melanoma: An open label, non randomized study. <i>Annals of Oncology</i> , 2019, 30, v546.	1.2	0
21	Double-hit and dual expression of MYC and BCL2 in primary cutaneous large B-cell lymphomas. <i>European Journal of Cancer</i> , 2019, 119, S20.	2.8	0
22	Successful Treatment for Extensive Bowen's Disease using Daylight-mediated Photodynamic Therapy. <i>Acta Dermato-Venereologica</i> , 2019, 99, 701-702.	1.3	4
23	CMV disease and colitis in a kidney transplanted patient under pembrolizumab. <i>European Journal of Cancer</i> , 2019, 109, 172-174.	2.8	13
24	Acute generalized exanthematous pustulosis induced by iomeprol with cross-reactivity to other iodinated contrast agents and mild reactions after rechallenge with iopromide and oral corticosteroid premedication. <i>Contact Dermatitis</i> , 2019, 81, 74-76.	1.4	16
25	Incidence and Clinical Impact of Anti-TNF Treatment of Severe Immune Checkpoint Inhibitor-induced Colitis in Advanced Melanoma: The Mecolit Survey. <i>Journal of Immunotherapy</i> , 2019, 42, 175-179.	2.4	57
26	Partial response of metastatic melanoma to BRAF-inhibitor-monotherapy in a pregnant patient with no fetal toxicity. <i>Melanoma Research</i> , 2019, 29, 446-447.	1.2	10
27	Large International Validation of ABSIS and PDAI Pemphigus Severity Scores. <i>Journal of Investigative Dermatology</i> , 2019, 139, 31-37.	0.7	55
28	Skin cancers in patients of skin phototype V or VI with xeroderma pigmentosum type C (XP-C): A retrospective study. <i>Annales De Dermatologie Et De Venereologie</i> , 2019, 146, 192-203.	1.0	5
29	Delayed diagnosis of radiation associated cutaneous angiosarcoma. <i>Nasza Dermatologia Online</i> , 2019, 9, 418-421.	0.0	2
30	High-frequency ultrasonography helps to confirm the diagnosis of multiple miliary osteoma cutis. <i>European Journal of Dermatology</i> , 2019, 29, 336-337.	0.6	1
31	A rare BRAF T599dup mutation conferring sensitivity to BRAF inhibitor in a patient with metastatic melanoma. <i>British Journal of Dermatology</i> , 2018, 179, 528-529.	1.5	3
32	Baseline neutrophil-to-lymphocyte ratio in patients with advanced melanoma treated with immune checkpoint inhibitors. <i>British Journal of Dermatology</i> , 2018, 179, 224-224.	1.5	3
33	A new nonsense mutation in the <i>POGLUT1</i> gene in two sisters with Dowling-Degos disease. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, e440-e442.	2.4	6
34	High neutrophil-to-lymphocyte ratio before starting anti-programmed cell death 1 immunotherapy predicts poor outcome in patients with metastatic melanoma. <i>Journal of the American Academy of Dermatology</i> , 2018, 79, 165-167.e2.	1.2	12
35	Cell papulosis associated with B-cell malignancy: a distinctive clinicopathologic entity. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, 1469-1475.	2.4	19
36	Double-hit or dual expression of MYC and BCL2 in primary cutaneous large B-cell lymphomas. <i>Modern Pathology</i> , 2018, 31, 1332-1342.	5.5	31

#	ARTICLE	IF	CITATIONS
37	Lymphomatoid papulosis associated with chronic lymphocytic leukaemia/small lymphocytic lymphoma: three cases. <i>British Journal of Dermatology</i> , 2018, 178, e5-e6.	1.5	6
38	STAT3 Mediates Nilotinib Response in KIT-Altered Melanoma: A Phase II Multicenter Trial of the French Skin Cancer Network. <i>Journal of Investigative Dermatology</i> , 2018, 138, 58-67.	0.7	47
39	Efficacy of immunotherapy in patients with metastatic mucosal or uveal melanoma. <i>Annals of Oncology</i> , 2018, 29, viii453-viii454.	1.2	1
40	An open-label, non-randomized, phase IIIb study of trametinib in combination with dabrafenib for patients with unresectable (stage III) or distant metastatic (stage IV) BRAF V600-mutant melanoma. <i>Annals of Oncology</i> , 2018, 29, viii449-viii450.	1.2	1
41	Efficacy of Immunotherapy in Patients with Metastatic Mucosal or Uveal Melanoma. <i>Journal of Oncology</i> , 2018, 2018, 1-9.	1.3	53
42	Erythematous Papular Lesions on the Neck: A Quiz. <i>Acta Dermato-Venereologica</i> , 2018, 98, 822-823.	1.3	0
43	Acquired Transverse Stripes on the Fingernails: A Quiz. <i>Acta Dermato-Venereologica</i> , 2018, 98, 386-387.	1.3	2
44	Painful Erythematous-violaceous Toe: A Quiz. <i>Acta Dermato-Venereologica</i> , 2018, 98, 719-720.	1.3	0
45	One-step surgical removal of cutaneous melanoma with surgical margins based on preoperative ultrasound measurement of the thickness of the melanoma. <i>European Journal of Dermatology</i> , 2018, 28, 202-208.	0.6	20
46	MAGE-A3 immunotherapeutic as adjuvant therapy for patients with resected, MAGE-A3-positive, stage III melanoma (DERMA): a double-blind, randomised, placebo-controlled, phase 3 trial. <i>Lancet Oncology</i> , The, 2018, 19, 916-929.	10.7	131
47	Ipilimumab combined with stereotactic radiosurgery in melanoma patients with brain metastases: A multicenter, open label, phase 2 trial.. <i>Journal of Clinical Oncology</i> , 2018, 36, 9520-9520.	1.6	3
48	A high neutrophil to lymphocyte ratio prior to BRAF inhibitor treatment is a predictor of poor progression-free survival in patients with metastatic melanoma. <i>European Journal of Dermatology</i> , 2018, 28, 38-43.	0.6	9
49	Infecciones bacterianas cutáneas superficiales foliculares y no foliculares. <i>EMC - Dermatología</i> , 2018, 52, 1-9.	0.1	0
50	Metformin monotherapy in melanoma: a pilot, open-label, prospective, and multicentric study indicates no benefit. <i>Pigment Cell and Melanoma Research</i> , 2017, 30, 378-380.	3.3	23
51	Sensitivity and specificity of BP180 NC16A enzyme-linked immunosorbent assay for the diagnosis of pemphigoid gestationis. <i>Journal of the American Academy of Dermatology</i> , 2017, 76, 560-562.	1.2	27
52	Piel y embarazo. <i>EMC - Dermatología</i> , 2017, 51, 1-8.	0.1	0
53	Risk of autoimmune diseases and human papilloma virus (HPV) vaccines: Six years of case-referent surveillance. <i>Journal of Autoimmunity</i> , 2017, 79, 84-90.	6.5	67
54	High-frequency ultrasound quantification of acute radiation dermatitis: pilot study of patients undergoing radiotherapy for breast cancer. <i>Skin Research and Technology</i> , 2017, 23, 602-606.	1.6	8

#	ARTICLE	IF	CITATIONS
55	First-line rituximab combined with short-term prednisone versus prednisone alone for the treatment of pemphigus (Ritux 3): a prospective, multicentre, parallel-group, open-label randomised trial. <i>Lancet, The</i> , 2017, 389, 2031-2040.	13.7	438
56	Residentsâ€™ corner. sQuiz your knowledge: A solitary asymptomatic nodule on the arm. <i>European Journal of Dermatology</i> , 2017, 27, 108-109.	0.6	0
57	High-Resolution Elastography for Thin-Layer Mechanical Characterization: Toward Skin Investigation. <i>Ultrasound in Medicine and Biology</i> , 2017, 43, 670-681.	1.5	19
58	Acute Lower Limb Ischaemia and Diabetes in a Patient Treated with Anti-PD1 Monoclonal Antibody for Metastatic Melanoma. <i>Acta Dermato-Venereologica</i> , 2017, 97, 408-409.	1.3	20
59	High-frequency ultrasound imaging for cutaneous neurofibroma in patients with neurofibromatosis type I. <i>European Journal of Dermatology</i> , 2017, 27, 260-265.	0.6	23
60	Livedo Reticularis on the Lower Limbs in a Patient with Lupus Erythematosus: A Quiz. <i>Acta Dermato-Venereologica</i> , 2017, 97, 1148-1149.	1.3	0
61	Corticosteroid Phobia Among Pharmacists Regarding Atopic Dermatitis in Children: A National French Survey. <i>Acta Dermato-Venereologica</i> , 2016, 96, 177-180.	1.3	31
62	French law: what about a reasoned reimbursement of serum vitamin D assays?. <i>Psychologie &amp; Neuropsychiatrie Du Vieillessement</i> , 2016, 14, 377-382.	0.2	7
63	Calculation of cutoff values based on the Autoimmune Bullous Skin Disorder Intensity Score ( ) Tj ETQq1 1 0.784314 rgBT /Overlock 1 for defining moderate, significant and extensive types of pemphigus. <i>British Journal of Dermatology</i> , 2016, 175, 142-149.	1.5	68
64	Interstitial granulomatous dermatitis occurring in a patient with SAPHO syndrome one month after starting leflunomide, and subsequently disappearing with ustekinumab. <i>European Journal of Dermatology</i> , 2016, 26, 614-615.	0.6	14
65	AntisÃ©pticos. <i>EMC - Tratado De Medicina</i> , 2016, 20, 1-5.	0.0	0
66	High neutrophil to lymphocyte ratio measured before starting ipilimumab treatment is associated with reduced overall survival in patients with melanoma. <i>British Journal of Dermatology</i> , 2016, 174, 146-151.	1.5	132
67	A high neutrophil-to-lymphocyte ratio as a potential marker of mortality in patients with Merkel cell carcinoma: A retrospective study. <i>Journal of the American Academy of Dermatology</i> , 2016, 75, 712-721.e1.	1.2	20
68	Risk assessment of drug-induced drug reaction with eosinophilia and systemic symptoms (DRESS) syndrome: a disproportionality analysis using the French Pharmacovigilance Database. <i>British Journal of Dermatology</i> , 2016, 175, 1067-1069.	1.5	13
69	Frequency and Risk Factors for Associated Lymphomas in Patients With Lymphomatoid Papulosis. <i>Oncologist</i> , 2016, 21, 76-83.	3.7	42
70	Serum infliximab concentrations and disease activity: a descriptive study of patients with psoriasis. <i>British Journal of Dermatology</i> , 2016, 174, 198-200.	1.5	3
71	Cutaneous Rosai-Dorfman Disease Located on the Breast: Rapid Effectiveness of Methotrexate After Failure of Topical Corticosteroids, Acitretin and Thalidomide. <i>Acta Dermato-Venereologica</i> , 2015, 95, 758-759.	1.3	16
72	Frequency and prognostic value of cutaneous molecular residual disease in mycosis fungoides: a prospective multicentre trial of the Cutaneous Lymphoma French Study Group. <i>British Journal of Dermatology</i> , 2015, 173, 1015-1023.	1.5	11

#	ARTICLE	IF	CITATIONS
73	Sirolimus-induced Inflammatory Lymphoedema of the Breast Resolved After Switching to Cyclosporine. <i>Acta Dermato-Venereologica</i> , 2015, 95, 108-109.	1.3	4
74	Serum Infliximab Concentrations in Psoriatic Patients Treated with Infliximab: A Systematic Review. <i>Acta Dermato-Venereologica</i> , 2015, 95, 401-406.	1.3	5
75	Factors associated with long-term outcome of endoscopic thoracic sympathectomy for palmar hyperhidrosis: a questionnaire survey in a cohort of French patients. <i>British Journal of Dermatology</i> , 2015, 172, 805-807.	1.5	5
76	The Clinical Spectrum and Therapeutic Management of Hypocomplementemic Urticarial Vasculitis: Data From a French Nationwide Study of Fifty-Seven Patients. <i>Arthritis and Rheumatology</i> , 2015, 67, 527-534.	5.6	136
77	Cutaneous melanoma in patients treated with tumour necrosis factor inhibitors: a retrospective series of 15 patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2014, 28, 1540-1544.	2.4	6
78	Prolonged remission of Paget disease of the vulva after chemotherapy for breast carcinoma. <i>British Journal of Dermatology</i> , 2014, 170, 1199-1200.	1.5	5
79	Recurrent primary cutaneous mucinous carcinoma with neuroendocrine differentiation: case report and review of the literature. <i>Journal of Cutaneous Pathology</i> , 2014, 41, 686-691.	1.3	14
80	Acute generalized exanthematous pustulosis due to acetazolamide: negative on patch testing and confirmed by delayed-reading intradermal testing. <i>Clinical and Experimental Dermatology</i> , 2014, 39, 220-222.	1.3	7
81	Vitamin D deficiency is associated with greater tumor size and poorer outcome in Merkel cell carcinoma patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2014, 28, 298-308.	2.4	24
82	Improvement of Survival in Patients With Primary Cutaneous Diffuse Large B-Cell Lymphoma, Leg Type, in France. <i>JAMA Dermatology</i> , 2014, 150, 535.	4.1	80
83	Locoregional Multiple Nodular Panniculitis Induced by <i>Pseudomonas aeruginosa</i> Without Septicemia. <i>JAMA Dermatology</i> , 2014, 150, 628.	4.1	5
84	Measurement of skin thickness and skin elasticity to evaluate the effectiveness of intensive decongestive treatment in patients with lymphoedema: a prospective study. <i>Skin Research and Technology</i> , 2014, 20, 274-281.	1.6	18
85	Pemphigus induced by radiotherapy for breast cancer: clinical, immunological and histological features of one case with antidesmoglein immunostaining. <i>European Journal of Dermatology</i> , 2014, 24, 119-120.	0.6	7
86	The Risk of Systemic Lupus Erythematosus Associated With Vaccines: An International Case-Control Study. <i>Arthritis and Rheumatology</i> , 2014, 66, 1559-1567.	5.6	33
87	Response to comment on: "Pemphigus induced by radiotherapy for breast cancer: an instance of immunocompromised disease". <i>European Journal of Dermatology</i> , 2014, 24, 279-279.	0.6	0
88	Autoimmune disorders and quadrivalent human papillomavirus vaccination of young female subjects. <i>Journal of Internal Medicine</i> , 2014, 275, 398-408.	6.0	116
89	Phase II multicentric uncontrolled national trial assessing the efficacy of nilotinib in the treatment of advanced melanomas with c-KIT mutation or amplification. <i>Journal of Clinical Oncology</i> , 2014, 32, 9032-9032.	1.6	4
90	Blastic plasmacytoid dendritic cell neoplasm: clinical features in 90 patients. <i>British Journal of Dermatology</i> , 2013, 169, 579-586.	1.5	141

#	ARTICLE	IF	CITATIONS
91	Complete and rapid regression of primary cutaneous follicular lymphoma with repeated oral administration of acitretin for palmoplantar psoriasis. <i>Journal of the American Academy of Dermatology</i> , 2013, 69, e176-e177.	1.2	0
92	Systematic review of the efficacy and adverse events associated with infliximab treatment of hidradenitis suppurativa in patients with coexistent inflammatory diseases. <i>Journal of the American Academy of Dermatology</i> , 2013, 69, 649-650.	1.2	12
93	Treatment of EARLYâ€œONSET Gorham Syndrome with 8â€œYear Followâ€œUp. <i>Pediatric Dermatology</i> , 2013, 30, 391-394.	0.9	4
94	Patients' acceptance of medical photography in a French adult and paediatric dermatology department: a questionnaire survey. <i>British Journal of Dermatology</i> , 2013, 169, 298-305.	1.5	31
95	Long-term successful healing of ulcerated necrobiosis lipoidica after topical therapy with becaplermin. <i>Clinical and Experimental Dermatology</i> , 2013, 38, n/a-n/a.	1.3	2
96	High-frequency (20-50â€œMHz) ultrasonography of pseudoxanthoma elasticum skin lesions. <i>British Journal of Dermatology</i> , 2013, 169, 1233-1239.	1.5	10
97	Stevens-Johnson Syndrome Induced by Masitinib. <i>Acta Dermato-Venereologica</i> , 2012, 92, 210-212.	1.3	6
98	Prognostic Factors of Paraneoplastic Pemphigus. <i>Archives of Dermatology</i> , 2012, 148, 1165.	1.4	125
99	Adjuvant prophylactic regional radiotherapy versus observation in stage I Merkel cell carcinoma: a multicentric prospective randomized study. <i>Annals of Oncology</i> , 2012, 23, 1074-1080.	1.2	156
100	Malignancy and Chronic Leg Ulcers. <i>Archives of Dermatology</i> , 2012, 148, 704.	1.4	91
101	Skin tightening induced by fractional CO <sub>2</sub> laser treatment: Quantified assessment of variations in mechanical properties of the skin. <i>Journal of Cosmetic Dermatology</i> , 2012, 11, 201-206.	1.6	18
102	Antisâ€œOpticos en dermatologÃa. <i>EMC - DermatologÃa</i> , 2012, 46, 1-8.	0.1	0
103	Epidermotropic secondary cutaneous involvement by relapsed angioimmunoblastic T-cell lymphoma mimicking mycosis fungoides: a case report. <i>Journal of Cutaneous Pathology</i> , 2012, 39, 1119-1124.	1.3	12
104	Primary cutaneous Ewing sarcoma: a systematic review focused on treatment and outcome. <i>British Journal of Dermatology</i> , 2012, 166, 721-726.	1.5	51
105	Tolerance of low-frequency ultrasound sonophoresis: a double-blind randomized study on humans. <i>Skin Research and Technology</i> , 2012, 18, 151-156.	1.6	2
106	Dermatomiositis. <i>EMC - DermatologÃa</i> , 2011, 45, 1-12.	0.1	0
107	Changes in the nail unit in patients with secondary lymphoedema identified using clinical, dermoscopic and ultrasound examination. <i>British Journal of Dermatology</i> , 2011, 164, 765-770.	1.5	6
108	High-Resolution Ultrasound Imaging to Demonstrate and Predict Efficacy of Carbon Dioxide Fractional Resurfacing Laser Treatment. <i>Dermatologic Surgery</i> , 2011, 37, 596-603.	0.8	33



#	ARTICLE	IF	CITATIONS
109	Efficacy of Infliximab for Hidradenitis Suppurativa: Assessment of Clinical and Biological Inflammatory Markers. <i>Acta Dermato-Venereologica</i> , 2011, 91, 169-171.	1.3	34
110	Melanoma lymph node metastasis occurring simultaneously with multifocal sarcoidosis affecting lymph nodes and the lung: a diagnostic pitfall. <i>European Journal of Dermatology</i> , 2011, 21, 798-799.	0.6	6
111	A three-year-analysis of fixed drug eruptions in hospital settings in France. <i>European Journal of Dermatology</i> , 2010, 20, 461-464.	0.6	122
112	Efficiency of low-frequency ultrasound sonophoresis in skin penetration of histamine: A randomized study in humans. <i>International Journal of Pharmaceutics</i> , 2010, 385, 37-41.	5.2	20
113	Low-frequency ultrasound sonophoresis to increase the efficiency of topical steroids: A pilot randomized study of humans. <i>International Journal of Pharmaceutics</i> , 2010, 395, 84-90.	5.2	16
114	Lymphatic Compression by Sclerotic Patches of Morphea: An Original Mechanism of Lymphedema in a Child. <i>Pediatric Dermatology</i> , 2010, 27, 58-61.	0.9	5
115	Blastic plasmacytoid dendritic cell neoplasm: is transplantation the treatment of choice?. <i>British Journal of Dermatology</i> , 2010, 162, 74-79.	1.5	136
116	Partial response to bevacizumab of an extensive cutaneous angiosarcoma of the face. <i>British Journal of Dermatology</i> , 2010, 163, 225-227.	1.5	29
117	High-resolution cutaneous ultrasonography to differentiate lipoedema from lymphoedema. <i>British Journal of Dermatology</i> , 2010, 163, 296-301.	1.5	92
118	High-resolution ultrasonography assists the differential diagnosis of blue naevi and cutaneous metastases of melanoma. <i>British Journal of Dermatology</i> , 2010, 163, 550-556.	1.5	32
119	Autosomal dominant polycystic kidney disease: risk factor for nonmelanoma skin cancer following kidney transplantation. <i>Transplant International</i> , 2010, 23, 878-86.	1.6	17
120	Ultrastructural Demonstration of a Relationship between Acquired Cutis Laxa and Monoclonal Gammopathy. <i>Acta Dermato-Venereologica</i> , 2010, 90, 406-408.	1.3	10
121	Absence of Inferior Labial and Lingual Frenula in Ehlers-Danlos Syndrome. <i>American Journal of Clinical Dermatology</i> , 2010, 11, 1.	6.7	18
122	The three-year incidence of pulmonary arterial hypertension associated with systemic sclerosis in a multicenter nationwide longitudinal study in France. <i>Arthritis and Rheumatism</i> , 2009, 60, 1831-1839.	6.7	179
123	Facial granulomatous nodules during etanercept treatment for psoriasis. <i>International Journal of Dermatology</i> , 2009, 48, 1025-1027.	1.0	11
124	Contribution of skin biometry to the diagnosis of the Ehlers-Danlos syndrome in a prospective series of 41 patients. <i>Skin Research and Technology</i> , 2009, 15, 412-417.	1.6	15
125	Preoperative Measurement of Thickness of Cutaneous Melanoma Using High-Resolution 20 MHz Ultrasound Imaging: A Monocenter Prospective Study and Systematic Review of the Literature. <i>Ultrasound in Medicine and Biology</i> , 2009, 35, 1411-1420.	1.5	86
126	Diagnosis of Oral Lesions. , 2009, , 313-314.		0



#	ARTICLE	IF	CITATIONS
127	Risk factors for death and the 3-year survival of patients with systemic sclerosis: the French ItinerAIR-Sclerodermie study. <i>Rheumatology</i> , 2008, 48, 304-308.	1.9	148
128	Immunostaining With Antibodies to Desmoglein Provides the Diagnosis of Drug-Induced Pemphigus and Allows Prediction of Outcome. <i>American Journal of Clinical Pathology</i> , 2008, 130, 369-374.	0.7	34
129	Dermatologic treatment during pregnancy: how to weigh the risk:benefit ratio for mother and fetus. <i>Expert Review of Dermatology</i> , 2007, 2, 233-241.	0.3	3
130	Primary Cutaneous Diffuse Large B-Cell Lymphoma, Leg Type. <i>Archives of Dermatology</i> , 2007, 143, 1144-50.	1.4	218
131	Reversal of multifocal cutaneous lymphoproliferative disease associated with Epstein-Barr virus after withdrawal of methotrexate therapy for rheumatoid arthritis. <i>Journal of the American Academy of Dermatology</i> , 2007, 57, S69-S71.	1.2	28
132	Syndrome d'hyper-sensibilit� m�dicamenteuse au ph�nobarbital confirm� par patch test chez une enfant, avec r�action crois�e lors de l'introduction de la lamotrigine. <i>Annales De Dermatologie Et De Venereologie</i> , 2007, 134, 609-610.	1.0	0
133	Bullous hemorrhagic dermatosis occurring at sites distant from subcutaneous injections of heparin: Three cases. <i>Journal of the American Academy of Dermatology</i> , 2006, 54, S5-S7.	1.2	69
134	Study of cutaneous extensibility in lymphoedema of the lower limbs. <i>British Journal of Dermatology</i> , 2006, 131, 265-269.	1.5	20
135	Pleiotrophin, a candidate gene for poor tumor vasculature and in vivo neuroblastoma sensitivity to irinotecan. <i>Oncogene</i> , 2006, 25, 3150-3159.	5.9	21
136	Is ultrasound lymph node examination superior to clinical examination in melanoma follow-up? A monocentre cohort study of 373 patients. <i>British Journal of Dermatology</i> , 2005, 152, 66-70.	1.5	59
137	Intralesional therapy with anti-CD20 monoclonal antibody rituximab: local and systemic efficacy in primary cutaneous B-cell lymphoma. <i>British Journal of Dermatology</i> , 2005, 152, 541-544.	1.5	46
138	Blastic NK-Cell Lymphomas (Agranular CD4+CD56+ Hematodermic Neoplasms). <i>American Journal of Clinical Pathology</i> , 2005, 123, 662-675.	0.7	266
139	Routine ultrasonography in melanoma follow-up?. <i>Lancet Oncology</i> , The, 2005, 6, 2.	10.7	8
140	Routine ultrasonography in melanoma follow-up?. <i>Lancet Oncology</i> , The, 2005, 6, 2-2.	10.7	7
141	Blastic NK-Cell Lymphomas (Agranular CD4+CD56+ Hematodermic Neoplasms): A Review. <i>American Journal of Clinical Pathology</i> , 2005, 123, 662-675.	0.7	26
142	TCL1 and CLA Expression in Agranular CD4/CD56 Hematodermic Neoplasms (Blastic NK-Cell Lymphomas) and Leukemia Cutis. <i>American Journal of Clinical Pathology</i> , 2004, 122, 307-313.	0.7	102
143	A high prevalence of sensitization still persists in leg ulcer patients: a retrospective series of 106 patients tested between 2001 and 2002 and a meta-analysis of 1975-2003 data. <i>British Journal of Dermatology</i> , 2004, 150, 929-935.	1.5	147
144	Cutaneous malignant melanoma and neurofibromatosis type 1. <i>Melanoma Research</i> , 2004, 14, 159-163.	1.2	46

#	ARTICLE	IF	CITATIONS
145	Bcl-2 protein expression is the strongest independent prognostic factor of survival in primary cutaneous large B-cell lymphomas. <i>Blood</i> , 2004, 103, 3662-3668.	1.4	139
146	TCL1 and CLA Expression in Agranular CD4/CD56 Hematodermic Neoplasms (Blastic NK-Cell Lymphomas) and Leukemia Cutis. <i>American Journal of Clinical Pathology</i> , 2004, 122, 307-313.	0.7	41
147	Relevance of Vertical Growth Pattern in Thin Level II Cutaneous Superficial Spreading Melanomas. <i>American Journal of Surgical Pathology</i> , 2003, 27, 717-724.	3.7	42
148	Effect of sonication parameters on transdermal delivery of insulin to hairless rats. <i>Journal of Controlled Release</i> , 2002, 81, 113-119.	9.9	110
149	The kinetics of the visible growth of a primary melanoma reflects the tumor aggressiveness and is an independent prognostic marker: A prospective study. <i>International Journal of Cancer</i> , 2002, 102, 34-38.	5.1	60
150	Phonophoresis: efficiency, mechanisms and skin tolerance. <i>International Journal of Pharmaceutics</i> , 2002, 243, 1-15.	5.2	118
151	Consort contact urticaria due to amoxicillin. <i>Contact Dermatitis</i> , 2001, 44, 246-263.	1.4	15
152	Clinical, histologic, and electron microscopy study of skin exposed to low-frequency ultrasound. <i>The Anatomical Record</i> , 2001, 264, 114-119.	1.8	80
153	In vitro study of low-frequency ultrasound-enhanced transdermal transport of fentanyl and caffeine across human and hairless rat skin. <i>International Journal of Pharmaceutics</i> , 2001, 228, 69-77.	5.2	74
154	Delays in diagnosis and melanoma prognosis (I): The role of patients. <i>International Journal of Cancer</i> , 2000, 89, 271-279.	5.1	141
155	Delays in diagnosis and melanoma prognosis (II): The role of doctors. <i>International Journal of Cancer</i> , 2000, 89, 280-285.	5.1	106
156	Effectiveness of terbinafine in cutaneous alternariosis. <i>British Journal of Dermatology</i> , 2000, 143, 1115-1116.	1.5	8
157	Atypical Erythema Multiforme Occurring at the Early Phase of Lyme Disease?. <i>Acta Dermato-Venereologica</i> , 2000, 80, 222-222.	1.3	9
158	Acute Generalized Exanthematous Pustulosis Induced by Dextropropoxyphene and Confirmed by Patch Testing. <i>Acta Dermato-Venereologica</i> , 2000, 80, 224-225.	1.3	11
159	Cross-allergy to Latex and Spinach. <i>Acta Dermato-Venereologica</i> , 2000, 80, 51-53.	1.3	6
160	Localized Paroxysmal Hyperhidrosis. <i>Pediatric Dermatology</i> , 2000, 17, 328-329.	0.9	4
161	Stevens-Johnson Syndrome after Sertraline. <i>Acta Dermato-Venereologica</i> , 1999, 79, 401-401.	1.3	22
162	Cutaneous Infection with <i>Scedosporium apiospermum</i> in a Patient Treated with Corticosteroids. <i>Acta Dermato-Venereologica</i> , 1999, 79, 402-403.	1.3	12

#	ARTICLE	IF	CITATIONS
163	Allergic Contact Dermatitis from Nitroglycerin Contained in 2 Transdermal Systems. <i>Dermatology</i> , 1999, 198, 106-107.	2.1	13
164	Bone Involvement in a Case of Kaposi Sarcoma. <i>Dermatology</i> , 1999, 198, 73-74.	2.1	8
165	Acroangiodermatitis in a carrier of the thrombophilic 20210A mutation in the prothrombin gene. <i>British Journal of Dermatology</i> , 1999, 141, 752-752.	1.5	16
166	Melanoma and Tumor Thickness. <i>Archives of Dermatology</i> , 1999, 135, 269-74.	1.4	102
167	In vitro phonophoresis of mannitol, oestradiol and hydrocortisone across human and hairless mouse skin. <i>International Journal of Pharmaceutics</i> , 1998, 165, 169-174.	5.2	18
168	Radiosurgery without whole brain radiotherapy in melanoma brain metastases. <i>European Journal of Cancer</i> , 1998, 34, 1187-1192.	2.8	81
169	Acute generalized exanthematous pustulosis associated with paracetamol. <i>Acta Dermato-Venereologica</i> , 1998, 78, 222-223.	1.3	15
170	Erythema Multiforme Combined with Legionellosis. <i>Acta Dermato-Venereologica</i> , 1998, 78, 392-392.	1.3	3
171	Letters to Dermatology. <i>Dermatology</i> , 1998, 197, 274-276.	2.1	94
172	Orf Skin Ulcer. <i>New England Journal of Medicine</i> , 1997, 337, 1131-1131.	27.0	4
173	Failure of Plasmapheresis in the Treatment of Recalcitrant Skin Ulcers in a Patient With Mixed Cryoglobulinemia. <i>Archives of Dermatology</i> , 1997, 133, 389.	1.4	3
174	SchÅ¶nlein-Henoch Purpura Associated with Gastric Helicobacter &lt;i>pylori&/i>; Infection. <i>Dermatology</i> , 1997, 194, 86-86.	2.1	30
175	Fenofibrate-induced photosensitivity: Value of photopatch testing. <i>Journal of the American Academy of Dermatology</i> , 1997, 37, 808-809.	1.2	11
176	Acute generalized exanthematous pustulosis induced by nifuroxazide. <i>Contact Dermatitis</i> , 1997, 36, 308-309.	1.4	13
177	Non-occupational contact allergy to glutaraldehyde. <i>Contact Dermatitis</i> , 1997, 37, 137-137.	1.4	1
178	Cutaneous Alternariosis: Role of Corticosteroid-Induced Cutaneous Fragility. <i>Dermatology</i> , 1996, 193, 342-344.	2.1	96
179	In vitro phonophoresis of digoxin across hairless mice and human skin: Thermal effect of ultrasound. <i>International Journal of Pharmaceutics</i> , 1996, 133, 39-45.	5.2	19
180	Conjugal Porphyria Cutanea Tarda. <i>Archives of Dermatology</i> , 1995, 131, 111.	1.4	0

#	ARTICLE	IF	CITATIONS
181	Acquired Localized Cutis Laxa Due to Cutaneous Lymphoplasmacytoid Lymphoma. Archives of Dermatology, 1995, 131, 110.	1.4	18
182	ULTRASOUND IMAGING OF PSORIATIC SKIN: A NONINVASIVE TECHNIQUE TO EVALUATE TREATMENT OF PSORIASIS. International Journal of Dermatology, 1994, 33, 786-790.	1.0	67
183	Pulmonary hypertension in systemic lupus erythematosus-treatment with high dose nifedipine therapy?. Clinical and Experimental Dermatology, 1993, 18, 486-487.	1.3	0
184	Allergic contact dermatitis from sunflower (Helianthus annuum) with cross-sensitivity to arnica. Contact Dermatitis, 1993, 28, 184-185.	1.4	17
185	Contact stomatitis from tixocortol pivalate. Contact Dermatitis, 1993, 29, 161-161.	1.4	14
186	Phonophoresis of azidothymidine (AZT). International Journal of Pharmaceutics, 1993, 96, 249-252.	5.2	9
187	Toxic epidermal necrolysis after fluvoxamine. Lancet, The, 1993, 342, 304-305.	13.7	25
188	Controlled trial of azathioprine and plasma exchange in addition to prednisolone in the treatment of bullous pemphigoid. Archives of Dermatology, 1993, 129, 49-53.	1.4	90
189	Carpal Tunnel Syndrome and Systemic Sclerosis. Dermatology, 1992, 185, 101-103.	2.1	25
190	Severe Chronic Diarrhea Secondary to Celiprolol. Annals of Pharmacotherapy, 1992, 26, 842-843.	1.9	2
191	Patch testing with clobazam: relapse of generalized drug eruption. Contact Dermatitis, 1992, 26, 347-348.	1.4	31
192	Contact dermatitis and cross-sensitivity from sulconazole nitrate. Contact Dermatitis, 1992, 26, 352-353.	1.4	4
193	Contact and photocontact allergy to oxybenzone *. Contact Dermatitis, 1992, 26, 177-181.	1.4	29
194	Percutaneous administration of digoxin across hairless mouse skin and human skin in vitro. International Journal of Pharmaceutics, 1991, 72, R1-R4.	5.2	1
195	Kawasaki disease in a young adult with a perineal rash. British Journal of Dermatology, 1990, 123, 413-414.	1.5	13
196	Skin acceptance of transcutaneous nitroglycerin patches: a prospective study of 33 patients. Contact Dermatitis, 1990, 23, 142-145.	1.4	18
197	Biological effects of low frequency ultrasound on the skin. , 0, , .		3
198	Transdermal delivery of insulin using low frequency ultrasound. , 0, , .		11

#	ARTICLE	IF	CITATIONS
199	A practical use of low frequency ultrasound for rapid and reproducible transdermal delivery of insulin. , 0, , .		1
200	High Resolution Ultrasound Imaging of Melanocytic and Other Pigmented Lesions of the Skin. , 0, , .		7