Job G Godino

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4718779/publications.pdf

Version: 2024-02-01

687363 580821 25 999 13 25 citations h-index g-index papers 27 27 27 1949 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Social Mobile Approaches to Reducing Weight (SMART) 2.0: protocol of a randomized controlled trial among young adults in university settings. Trials, 2022, 23, 7.	1.6	1
2	Evaluation of Social Isolation, Loneliness, and Cardiovascular Disease Among Older Women in the US. JAMA Network Open, 2022, 5, e2146461.	5.9	62
3	Accuracy and Precision of Energy Expenditure, Heart Rate, and Steps Measured by Combined-Sensing Fitbits Against Reference Measures: Systematic Review and Meta-analysis. JMIR MHealth and UHealth, 2022, 10, e35626.	3.7	14
4	Improved Gait Speed Calculation via Modulation Spectral Analysis of Noisy Accelerometer Data. IEEE Sensors Journal, 2021, 21, 520-528.	4.7	2
5	Quantification of Scan Analysis Errors in GE Lunar DXA Visceral Adiposity in Adults. Journal of Clinical Densitometry, 2021, 24, 287-293.	1.2	2
6	An mHealth Physical Activity Intervention for Latina Adolescents: Iterative Design of the Chicas Fuertes Study. JMIR Formative Research, 2021, 5, e26195.	1.4	3
7	Smartphone-Based VO2max Measurement With Heart Snapshot in Clinical and Real-world Settings With a Diverse Population: Validation Study. JMIR MHealth and UHealth, 2021, 9, e26006.	3.7	9
8	Effectiveness of a Decentralized Hub and Spoke Model for the Treatment of Hepatitis C Virus in a Federally Qualified Health Center. Hepatology Communications, 2021, 5, 412-423.	4.3	6
9	Impact of the COVID-19 Pandemic on Objectively Measured Physical Activity and Sedentary Behavior Among Overweight Young Adults: Yearlong Longitudinal Analysis. JMIR Public Health and Surveillance, 2021, 7, e28317.	2.6	6
10	Performance of a commercial multi-sensor wearable (Fitbit Charge HR) in measuring physical activity and sleep in healthy children. PLoS ONE, 2020, 15, e0237719.	2.5	47
11	Text messaging and brief phone calls for weight loss in overweight and obese English- and Spanish-speaking adults: A 1-year, parallel-group, randomized controlled trial. PLoS Medicine, 2019, 16, e1002917.	8.4	32
12	Validity of Cardiorespiratory Fitness Measured with Fitbit Compared to V˙O2max. Medicine and Science in Sports and Exercise, 2019, 51, 2251-2256.	0.4	18
13	Risk accuracy of type 2 diabetes in middle aged adults: Associations with sociodemographic, clinical, psychological and behavioural factors. Patient Education and Counseling, 2018, 101, 43-51.	2.2	9
14	Longitudinal Decline in Cardiorespiratory Fitness With Age Among Male Firefighters in San Diego, California, 2005–2015. American Journal of Public Health, 2018, 108, 1388-1393.	2.7	9
15	Planned care for obesity and cardiovascular risk reduction using a stepped-down approach: A randomized-controlled trial. Preventive Medicine, 2018, 114, 223-231.	3.4	1
16	Frailty, Kidney Function, and Polypharmacy: TheÂAtherosclerosis Risk in Communities (ARIC) Study. American Journal of Kidney Diseases, 2017, 69, 228-236.	1.9	92
17	Lifestyle Advice Combined with Personalized Estimates of Genetic or Phenotypic Risk of Type 2 Diabetes, and Objectively Measured Physical Activity: A Randomized Controlled Trial. PLoS Medicine, 2016, 13, e1002185.	8.4	55
18	Using social and mobile tools for weight loss in overweight and obese young adults (Project SMART): a 2 year, parallel-group, randomised, controlled trial. Lancet Diabetes and Endocrinology,the, 2016, 4, 747-755.	11.4	132

#	Article	IF	CITATION
19	Measures of sleep and cardiac functioning during sleep using a multi-sensory commercially-available wristband in adolescents. Physiology and Behavior, 2016, 158, 143-149.	2.1	179
20	Opportunities and challenges in the use of personal health data for health research. Journal of the American Medical Informatics Association: JAMIA, 2016, 23, e42-e48.	4.4	113
21	Understanding perceived risk of type 2 diabetes in healthy middle-aged adults: A cross-sectional study of associations with modelled risk, clinical risk factors, and psychological factors. Diabetes Research and Clinical Practice, 2014, 106, 412-419.	2.8	20
22	Awareness of physical activity in healthy middle-aged adults: a cross-sectional study of associations with sociodemographic, biological, behavioural, and psychological factors. BMC Public Health, 2014, 14, 421.	2.9	42
23	Reliability and Validity of a Domain-Specific Last 7-d Sedentary Time Questionnaire. Medicine and Science in Sports and Exercise, 2014, 46, 1248-1260.	0.4	104
24	Impact of Personalised Feedback about Physical Activity on Change in Objectively Measured Physical Activity (the FAB Study): A Randomised Controlled Trial. PLoS ONE, 2013, 8, e75398.	2.5	21
25	Effect of communicating genetic and phenotypic risk for type 2 diabetes in combination with lifestyle advice on objectively measured physical activity: protocol of a randomised controlled trial. BMC Public Health, 2012, 12, 444.	2.9	20