Manfred Rauh

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4718817/publications.pdf

Version: 2024-02-01

102 5,632 40 72
papers citations h-index g-index

103 103 103 7843
all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Maternal SARS-CoV-2 infection during pregnancy: possible impact on the infant. European Journal of Pediatrics, 2022, 181, 413-418.	1.3	14
2	Epicutaneous Application of Imiquimod to Model Psoriasis-Like Skin Disease Induces Water-Saving Aestivation Motifs and Vascular Inflammation. Journal of Investigative Dermatology, 2022, 142, 3117-3120.e2.	0.3	4
3	Influence of labor on direct and indirect determinants of placental 11beta-hydroxysteroid dehydrogenase activity. Archives of Gynecology and Obstetrics, 2021, 303, 401-408.	0.8	2
4	<i>Aestivation</i> motifs explain hypertension and muscle mass loss in mice with psoriatic skin barrier defect. Acta Physiologica, 2021, 232, e13628.	1.8	39
5	High-resolution pediatric reference intervals for 15 biochemical analytes described using fractional polynomials. Clinical Chemistry and Laboratory Medicine, 2021, 59, 1267-1278.	1.4	15
6	Adaptive physiological water conservation explains hypertension and muscle catabolism in experimental chronic renal failure. Acta Physiologica, 2021, 232, e13629.	1.8	36
7	refineR: A Novel Algorithm for Reference Interval Estimation from Real-World Data. Scientific Reports, 2021, 11, 16023.	1.6	44
8	Reduction of Tissue Na+ Accumulation After Renal Transplantation. Kidney International Reports, 2021, 6, 2338-2347.	0.4	11
9	Data mining of pediatric reference intervals. Journal of Laboratory Medicine, 2021, 45, 311-317.	1.1	8
10	The effect of dietary lipid quality in early life on serum LysoPC(18:2) levels and their association with adult blood glucose levels in intrauterine growth restricted rats. Nutrition and Metabolism, 2021, 18, 101.	1.3	4
11	Conditional Alox12b Knockout: Degradation of the Corneocyte Lipid Envelope in a Mouse Model of Autosomal Recessive Congenital Ichthyoses. Journal of Investigative Dermatology, 2020, 140, 249-253.e6.	0.3	6
12	An isotope dilution LC–MS/MS-based candidate reference method for the quantification of androstenedione in human serum and plasma. Clinical Mass Spectrometry, 2020, 16, 1-10.	1.9	7
13	Reference Interval Estimation from Mixed Distributions using Truncation Points and the Kolmogorov-Smirnov Distance (kosmic). Scientific Reports, 2020, 10, 1704.	1.6	42
14	Blood counts in adult and elderly individuals: defining the norms over eight decades of life. British Journal of Haematology, 2020, 189, 777-789.	1.2	22
15	Arginase impedes the resolution of colitis by altering the microbiome and metabolome. Journal of Clinical Investigation, 2020, 130, 5703-5720.	3.9	44
16	Data mining of reference intervals for coagulation screening tests in adult patients. Clinica Chimica Acta, 2019, 499, 108-114.	0.5	15
17	Next-generation reference intervals for pediatric hematology. Clinical Chemistry and Laboratory Medicine, 2019, 57, 1595-1607.	1.4	42
18	Influence of Low Protein Diet-Induced Fetal Growth Restriction on the Neuroplacental Corticosterone Axis in the Rat. Frontiers in Endocrinology, 2019, 10, 124.	1.5	7

#	Article	IF	Citations
19	Indirect determination of hematology reference intervals in adult patients on Beckman Coulter UniCell DxH 800 and Abbott CELL-DYN Sapphire devices. Clinical Chemistry and Laboratory Medicine, 2019, 57, 730-739.	1.4	18
20	Chronic antipsychotic treatment targets GIRK current suppression, loss of long-term synaptic depression and behavioural sensitization in a mouse model of amphetamine psychosis. Journal of Psychopharmacology, 2019, 33, 74-85.	2.0	8
21	Complex lipid globules in early-life nutrition improve long-term metabolic phenotype in intra-uterine growth-restricted rats. British Journal of Nutrition, 2018, 120, 763-776.	1.2	17
22	Adhesive blood microsampling systems for steroid measurement via LC–MS/MS in the rat. Steroids, 2017, 120, 1-6.	0.8	30
23	High salt intake reprioritizes osmolyte and energy metabolism for body fluid conservation. Journal of Clinical Investigation, 2017, 127, 1944-1959.	3.9	153
24	Enzymatic lipid oxidation by eosinophils propagates coagulation, hemostasis, and thrombotic disease. Journal of Experimental Medicine, 2017, 214, 2121-2138.	4.2	78
25	Rhinovirus species/genotypes and interferon-l̂»: subtypes, receptor and polymorphisms – missing pieces of the puzzle of childhood asthma?. European Respiratory Journal, 2017, 49, 1700265.	3.1	5
26	IFN- \hat{l} ±/IFN- \hat{l} » responses to respiratory viruses in paediatric asthma. European Respiratory Journal, 2017, 49, 1700006.	3.1	16
27	IFN-α/IFN-λ responses to respiratory viruses in paediatric asthma. European Respiratory Journal, 2017, 49, 1600969.	3.1	29
28	Intrauterine Growth Restriction (IUGR) Induces Signs of Subclinical Atherosclerosis in 6-Year-Old Infants Despite Absence Of Excessive Growth. Klinische Padiatrie, 2017, 229, 209-215.	0.2	5
29	Chemotherapeutic xCT inhibitors sorafenib and erastin unraveled with the synaptic optogenetic function analysis tool. Cell Death Discovery, 2017, 3, 17030.	2.0	30
30	Sex differences in the development of vascular and renal lesions in mice with a simultaneous deficiency of Apoe and the integrin chain Itga8. Biology of Sex Differences, 2017, 8, 19.	1.8	17
31	Pediatric reference intervals for alkaline phosphatase. Clinical Chemistry and Laboratory Medicine, 2017, 55, 102-110.	1.4	78
32	Increased salt consumption induces body water conservation and decreases fluid intake. Journal of Clinical Investigation, 2017, 127, 1932-1943.	3.9	114
33	Ultra-long–term human salt balance studies reveal interrelations between sodium, potassium, and chloride intake and excretion. American Journal of Clinical Nutrition, 2016, 104, 49-57.	2.2	78
34	Reduced Perinatal Leptin Availability May Contribute to Adverse Metabolic Programming in a Rat Model of Uteroplacental Insufficiency. Endocrinology, 2016, 157, 1813-1825.	1.4	12
35	Species differences of 11beta-hydroxysteroid dehydrogenase type 2 function in human and rat term placenta determined via LC-MS/MS. Placenta, 2016, 37, 79-84.	0.7	29
36	Altered Patterns of Heartbeat-Evoked Potentials in Depersonalization/Derealization Disorder. Psychosomatic Medicine, 2015, 77, 506-516.	1.3	76

#	Article	IF	CITATIONS
37	Age- and Sex-Specific Dynamics in 22 Hematologic and Biochemical Analytes from Birth to Adolescence. Clinical Chemistry, 2015, 61, 964-973.	1.5	132
38	Measurement of amniotic fluid steroids of midgestation via LC–MS/MS. Journal of Steroid Biochemistry and Molecular Biology, 2015, 152, 155-160.	1.2	33
39	Agreement Between 24-Hour Salt Ingestion and Sodium Excretion in a Controlled Environment. Hypertension, 2015, 66, 850-857.	1.3	176
40	Dexamethasone Alleviates Tumor-Associated Brain Damage and Angiogenesis. PLoS ONE, 2014, 9, e93264.	1.1	51
41	Detection of Expressional Changes Induced by Intrauterine Growth Restriction in the Developing Rat Mammary Gland via Exploratory Pathways Analysis. PLoS ONE, 2014, 9, e100504.	1.1	20
42	Histone deacetylases inhibition by SAHA/Vorinostat normalizes the glioma microenvironment via xCT equilibration. Scientific Reports, 2014, 4, 6226.	1.6	20
43	Iodine deficiency and subclinical hypothyroidism are common in cystic fibrosis patients. Journal of Trace Elements in Medicine and Biology, 2013, 27, 122-125.	1.5	14
44	Comparison of Automated Differential Blood Cell Counts From Abbott Sapphire, Siemens Advia 120, Beckman Coulter DxH 800, and Sysmex XE-2100 in Normal and Pathologic Samples. American Journal of Clinical Pathology, 2013, 139, 641-650.	0.4	103
45	Indirect determination of pediatric blood count reference intervals. Clinical Chemistry and Laboratory Medicine, 2013, 51, 863-872.	1.4	65
46	Comparison of salivary cortisol as measured by different immunoassays and tandem mass spectrometry. Psychoneuroendocrinology, 2013, 38, 50-57.	1.3	145
47	Long-Term Space Flight Simulation Reveals Infradian Rhythmicity in Human Na+ Balance. Cell Metabolism, 2013, 17, 125-131.	7.2	294
48	Combined quantification of corticotropin-releasing hormone, cortisol-to-cortisone ratio and progesterone by liquid chromatography–Tandem mass spectrometry in placental tissue. Steroids, 2013, 78, 888-895.	0.8	25
49	Quantitative analysis of steroid hormones in human hair using a column-switching LC–APCl–MS/MS assay. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2013, 928, 1-8.	1.2	322
50	Aloxe3 Knockout Mice Reveal a Function of Epidermal Lipoxygenase-3 as Hepoxilin Synthase and Its Pivotal Role in Barrier Formation. Journal of Investigative Dermatology, 2013, 133, 172-180.	0.3	111
51	The Proteasome Inhibitor Bortezomib Prevents Lupus Nephritis in the NZB/W F1 Mouse Model by Preservation of Glomerular and Tubulointerstitial Architecture. Nephron Experimental Nephrology, 2012, 120, e47-e58.	2.4	44
52	Use-Dependent Inhibition of Synaptic Transmission by the Secretion of Intravesicularly Accumulated Antipsychotic Drugs. Neuron, 2012, 74, 830-844.	3.8	50
53	LC–MS/MS for protein and peptide quantification in clinical chemistry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 883-884, 59-67.	1.2	123
54	Standardized LC–MS/MS based steroid hormone profile-analysis. Journal of Steroid Biochemistry and Molecular Biology, 2012, 129, 129-138.	1.2	165

#	Article	IF	Citations
55	Corticotropin-releasing hormone stimulates expression of leptin, 11beta-HSD2 and syncytin-1 in primary human trophoblasts. Reproductive Biology and Endocrinology, 2012, 10, 80.	1.4	27
56	Endothelial cells influence the sodium nitroprusside mediated inhibition of platelet aggregation by an as yet unkown pathway. Thrombosis Journal, 2012, 10, 6.	0.9	1
57	Sexâ€specific differences in the concentration of tubular parameters in the amniotic fluid of second trimester fetuses. Prenatal Diagnosis, 2012, 32, 476-479.	1.1	5
58	6 Intrauterine corticosteroids for lung maturation: Observations of HPA axis function and cardiac autonomic balance in the neonate. , $2011,,51-58.$		0
59	Adrenarche and Puberty in Children with Classic Congenital Adrenal Hyperplasia due to 21-Hydroxylase Deficiency. Hormone Research in Paediatrics, 2011, 76, 400-410.	0.8	26
60	IGF-l–IGFBP-3–acid-labile subunit (ALS) complex in children and adolescents with classical congenital adrenal hyperplasia due to 21-hydroxylase deficiency (CAH). Growth Hormone and IGF Research, 2011, 21, 191-198.	0.5	5
61	Evaluation of a modified thromboelastography assay for the screening of von Willebrand disease. Thrombosis and Haemostasis, 2011, 105, 1091-1099.	1.8	19
62	Expression of Neuropeptide Y, Omentin and Visfatin in Visceral and Subcutaneous Adipose Tissues in Humans: Relation to Endocrine and Clinical Parameters. Obesity Facts, 2010, 3, 245-251.	1.6	43
63	Effect of Antenatal Betamethasone Administration on Neonatal Cardiac Autonomic Balance. Pediatric Research, 2010, 68, 286-291.	1.1	10
64	Changes in $11\hat{A}$ -hydroxysteroid dehydrogenase type 2 expression in a low-protein rat model of intrauterine growth restriction. Nephrology Dialysis Transplantation, 2010, 25, 3195-3203.	0.4	14
65	Steroid measurement with LC–MS/MS. Application examples in pediatrics. Journal of Steroid Biochemistry and Molecular Biology, 2010, 121, 520-527.	1.2	93
66	Blunted Stress Response in Small for Gestational Age Neonates. Pediatric Research, 2009, 65, 231-235.	1.1	35
67	Placental $11\hat{i}^2$ -HSD2 Gene Expression at Birth Is Inversely Correlated With Growth Velocity in the First Year of Life After Intrauterine Growth Restriction. Pediatric Research, 2009, 65, 647-653.	1.1	27
68	Active visfatin is elevated in serum of maintenance haemodialysis patients and correlates inversely with circulating HDL cholesterol. Nephrology Dialysis Transplantation, 2009, 24, 2832-2838.	0.4	19
69	Serum levels of gastric-acid-stimulating factors in children undergoing open heart surgery. Intensive Care Medicine, 2009, 35, 1619-1622.	3.9	5
70	NT-Pro-B-type Natriuretic Peptide in Infants and Children: Reference Values Based on Combined Data from Four Studies. Pediatric Cardiology, 2009, 30, 3-8.	0.6	244
71	Steroid measurement with LC–MS/MS in pediatric endocrinology. Molecular and Cellular Endocrinology, 2009, 301, 272-281.	1.6	95
72	Antenatal Betamethasone Administration Alters Stress Physiology in Healthy Neonates. Obstetrics and Gynecology, 2009, 113, 1082-1088.	1.2	56

#	Article	IF	Citations
73	Serum ghrelin, adipokine and insulin levels in children with acute hepatitis. European Journal of Gastroenterology and Hepatology, 2009, 21, 739-743.	0.8	8
74	Serum levels of gastric acid stimulating factors in children undergoing open heart surgery. Intensive Care Medicine, 2009, 35, 1619.	3.9	0
75	Evaluation of saliva collection devices for the analysis of steroids, peptides and therapeutic drugs. Journal of Pharmaceutical and Biomedical Analysis, 2008, 47, 478-486.	1.4	140
76	Cardiac autonomic balance in small-for-gestational-age neonates. American Journal of Physiology - Heart and Circulatory Physiology, 2008, 294, H884-H890.	1.5	36
77	Uteroplacental Insufficiency after Bilateral Uterine Artery Ligation in the Rat: Impact on Postnatal Glucose and Lipid Metabolism and Evidence for Metabolic Programming of the Offspring by Sham Operation. Endocrinology, 2008, 149, 1056-1063.	1.4	67
78	Transient growth hormone therapy to rats with low protein-inflicted intrauterine growth restriction does not prevent elevated blood pressure in later life. Growth Factors, 2008, 26, 355-364.	0.5	7
79	Preanalytical influences on the measurement of visfatin by enzyme immuno assay. Clinica Chimica Acta, 2007, 382, 154-156.	0.5	30
80	Simultaneous Quantification of Ghrelin and Desacyl-Ghrelin by Liquid Chromatography–Tandem Mass Spectrometry in Plasma, Serum, and Cell Supernatants. Clinical Chemistry, 2007, 53, 902-910.	1.5	53
81	Cortisol?cortisone ratios in small for gestational age (SGA) children without postnatal catch-up growth. Clinical Endocrinology, 2007, 67, 304-309.	1.2	15
82	Quantification of Busulfan in Saliva and Plasma in Haematopoietic Stem Cell Transplantation in Children. Clinical Pharmacokinetics, 2006, 45, 305-316.	1.6	38
83	Magnetic resonance lung function – a breakthrough for lung imaging and functional assessment? A phantom study and clinical trial. Respiratory Research, 2006, 7, 106.	1.4	84
84	Automated, fast and sensitive quantification of $17\hat{l}_{\pm}$ -hydroxy-progesterone, androstenedione and testosterone by tandem mass spectrometry with on-line extraction. Steroids, 2006, 71, 450-458.	0.8	160
85	Influence of commercial collection devices for saliva on the reliability of salivary steroids analysis. Steroids, 2006, 71, 1097-1100.	0.8	121
86	Pediatric renal allograft transplantation does not normalize the increased cortisol/cortisone ratios of chronic renal failure. European Journal of Endocrinology, 2006, 154, 555-561.	1.9	9
87	Decreasing ratio of plasma N-terminal pro-B-type natriuretic peptide and B-type natriuretic peptide according to age. Acta Paediatrica, International Journal of Paediatrics, 2006, 95, 805-809.	0.7	28
88	Decreasing ratio of plasma Nâ€terminal proâ€Bâ€type natriuretic peptide and Bâ€type natriuretic peptide according to age. Acta Paediatrica, International Journal of Paediatrics, 2006, 95, 805-809.	0.7	0
89	Deficiency of UBR1, a ubiquitin ligase of the N-end rule pathway, causes pancreatic dysfunction, malformations and mental retardation (Johanson-Blizzard syndrome). Nature Genetics, 2005, 37, 1345-1350.	9.4	252
90	Identification of Ghrelin in Human Saliva: Production by the Salivary Glands and Potential Role in Proliferation of Oral Keratinocytes. Clinical Chemistry, 2005, 51, 997-1006.	1.5	110

#	Article	IF	CITATIONS
91	Circadian Rhythm of Salivary Cortisol, 17α-Hydroxyprogesterone, and Progesterone in Healthy Children. Clinical Chemistry, 2003, 49, 1688-1691.	1.5	123
92	Plasma N-Terminal Pro-B-Type Natriuretic Peptide Concentrations in a Control Population of Infants and Children. Clinical Chemistry, 2003, 49, 1563-1564.	1.5	76
93	Increased Soluble Leptin Receptor in Children with Nephrotic Syndrome. Journal of Clinical Endocrinology and Metabolism, 2003, 88, 5497-5501.	1.8	10
94	Endothelial cells play an important role in the antiaggregatory effect of nitric oxide. Critical Care Medicine, 2003, 31, 2010-2014.	0.4	12
95	Cortisol and 17-Hydroxyprogesterone Kinetics in Saliva after Oral Administration of Hydrocortisone in Children and Young Adolescents with Congenital Adrenal Hyperplasia due to 21-Hydroxylase Deficiency. Journal of Clinical Endocrinology and Metabolism, 2002, 87, 1200-1204.	1.8	44
96	Salivary leptin levels during the menstrual cycle and their relation to progesterone. Fertility and Sterility, 2002, 77, 1306-1307.	0.5	10
97	Preanalytical Influences on the Measurement of Ghrelin. Clinical Chemistry, 2002, 48, 1114-1116.	1.5	47
98	Relationship between salivary progesterone, 17-hydroxyprogesterone, and cortisol levels throughout the normal menstrual cycle of healthy postmenarcheal girls. Fertility and Sterility, 2001, 76, 615-617.	0.5	41
99	Identification of Leptin in Human Saliva. Journal of Clinical Endocrinology and Metabolism, 2001, 86, 5234-5239.	1.8	102
100	Immunoreactive renin concentrations in healthy children from birth to adolescence. Clinica Chimica Acta, 1998, 274, 15-27.	0.5	34
101	Effects of Tryptophan Depletion in Drug-Free Depressed Patients Who Responded to Total Sleep Deprivation. Archives of General Psychiatry, 1998, 55, 167.	13.8	58
102	Effects of Tryptophan Depletion vs Catecholamine Depletion in Patients With Seasonal Affective Disorder in Remission With Light Therapy. Archives of General Psychiatry, 1998, 55, 524.	13.8	143