

Jian-Li Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4719335/publications.pdf>

Version: 2024-02-01

92
papers

2,618
citations

159525

30
h-index

223716

46
g-index

99
all docs

99
docs citations

99
times ranked

2786
citing authors

#	ARTICLE	IF	CITATIONS
1	Rational Modulation Strategies to Improve Bioimaging Applications for Organic NIR-II Fluorophores. <i>Advanced Optical Materials</i> , 2022, 10, .	3.6	13
2	In-Depth Understanding of the Effect of Halogen-Induced Stable 2D Bismuth-Based Perovskites for Photocatalytic Hydrogen Evolution Activity. <i>Advanced Functional Materials</i> , 2022, 32, .	7.8	31
3	The C(sp ³)-H bond functionalization of thioethers with styrenes with insight into the mechanism. <i>Organic and Biomolecular Chemistry</i> , 2022, 20, 5845-5851.	1.5	4
4	Imaging and Monitoring the Hydrogen Peroxide Level in Heart Failure by a Fluorescent Probe with a Large Stokes Shift. <i>ACS Sensors</i> , 2021, 6, 54-62.	4.0	11
5	An ICT-based fluorescent probe guided by theoretical calculation for selectively mapping endogenous GSH in living cells. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2021, 246, 119041.	2.0	12
6	Recent Progress in Fluorescent Sensors for Drug-Induced Liver Injury Assessment. <i>ACS Sensors</i> , 2021, 6, 628-640.	4.0	62
7	Design strategy and recent progress of fluorescent probe for noble metal ions (Ag, Au, Pd, and Pt). <i>Coordination Chemistry Reviews</i> , 2021, 432, 213712.	9.5	46
8	Construction and regulation of imidazo[1,5-a]pyridines with AIE characteristics via iodine mediated Csp ² -H or Csp ³ -H amination. <i>Chinese Chemical Letters</i> , 2021, 32, 3083-3086.	4.8	12
9	Selective Thiocyanation and Aromatic Amination To Achieve Organized Annulation of Enaminone with Thiocyanate. <i>Organic Letters</i> , 2021, 23, 8396-8401.	2.4	15
10	Rational design of a novel turn-on fluorescent probe for the detection and bioimaging of hydrazine with barbituric acid as a recognition group. <i>Analyst</i> , 2020, 145, 636-642.	1.7	18
11	A colorimetric and ratiometric fluorescent probe with Meldrum's acid as the recognition group for in vitro and in vivo imaging of hypochlorite. <i>Dyes and Pigments</i> , 2020, 175, 108144.	2.0	16
12	Frontispiece: Diastereoselective Synthesis of P-Chirogenic and Atropisomeric 2,2'-Bisphosphino-1,1'-binaphthyls Enabled by Internal Phosphine Oxide Directing Groups. <i>Angewandte Chemie - International Edition</i> , 2020, 59, .	7.2	1
13	Enhancement of the photocatalytic synchronous removal of Cr(VI) and RhB over RP-modified flower-like SnS ₂ . <i>Nanoscale Advances</i> , 2020, 2, 4220-4228.	2.2	19
14	Measuring the distribution and concentration of cysteine by fluorescent sensor for the visual study of paracetamol-induced pro-sarcopenic effect. <i>Sensors and Actuators B: Chemical</i> , 2020, 318, 128258.	4.0	13
15	Frontispiz: Diastereoselective Synthesis of P-Chirogenic and Atropisomeric 2,2'-Bisphosphino-1,1'-binaphthyls Enabled by Internal Phosphine Oxide Directing Groups. <i>Angewandte Chemie</i> , 2020, 132, .	1.6	0
16	A water-soluble and incubate-free fluorescent environment-sensitive probe for ultrafast visualization of protein thiols within living cells. <i>Analytica Chimica Acta</i> , 2020, 1126, 72-81.	2.6	14
17	Diastereoselective Synthesis of P-Chirogenic and Atropisomeric 2,2'-Bisphosphino-1,1'-binaphthyls Enabled by Internal Phosphine Oxide Directing Groups. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 8153-8159.	7.2	7
18	A practical strategy for construction and regulation of multi-functional triazepinium salts via highly efficient I ₂ -catalyzed cyclization. <i>Green Chemistry</i> , 2020, 22, 3111-3116.	4.6	3

#	ARTICLE	IF	CITATIONS
19	Diastereoselective Synthesis of Pâ€Chirogenic and Atropisomeric 2,2â€Bisphosphinoâ€1,1â€Binaphthyls Enabled by Internal Phosphine Oxide Directing Groups. <i>Angewandte Chemie</i> , 2020, 132, 8230-8236.	1.6	0
20	Precise Synthesis of GSH-Specific Fluorescent Probe for Hepatotoxicity Assessment Guided by Theoretical Calculation. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 32605-32612.	4.0	34
21	Structural modification of BODIPY: Improve its applicability. <i>Chinese Chemical Letters</i> , 2019, 30, 1815-1824.	4.8	81
22	Five complexes based on a new racemic tetraoxaspiro ligand: correlation of potential coordination preferences with the structure, magnetic properties and luminescence properties. <i>Dalton Transactions</i> , 2019, 48, 3862-3873.	1.6	11
23	Constructing organic superacids from superhalogens is a rational route as verified by DFT calculations. <i>Physical Chemistry Chemical Physics</i> , 2019, 21, 2804-2815.	1.3	15
24	An efficient biosensor for monitoring Alzheimer's disease risk factors: modulation and disaggregation of the A β aggregation process. <i>Journal of Materials Chemistry B</i> , 2019, 7, 4124-4132.	2.9	13
25	3,4-Hydroxypyridinone-modified carbon quantum dot as a highly sensitive and selective fluorescent probe for the rapid detection of uranyl ions. <i>Environmental Science: Nano</i> , 2019, 6, 1457-1465.	2.2	40
26	Substituent changes in the salen ligands of CuII/NaI-complexes to induce various structures and catalytic activities towards 2-imidazolines from nitriles and 1,2-diaminopropane. <i>Chemical Communications</i> , 2019, 55, 4619-4622.	2.2	1
27	Exploring the necessity of an acidic additive for Pd(<i>ii</i>)-catalyzed exclusive C4-fluoroalkylation of 3-acetylindole: a detailed DFT study on the mechanism and regioselectivity. <i>Organic Chemistry Frontiers</i> , 2019, 6, 2607-2618.	2.3	14
28	Design and synthesis of a novel colorimetric fluorescent probe for the selective detection of sulfur dioxide in SH-SY5Y neuroblastoma cells and its applications in traditional Chinese medicines. <i>New Journal of Chemistry</i> , 2019, 43, 4188-4195.	1.4	20
29	Combining proton and silaborane-based superhalogen anions â€“ an effective route to new superacids as verified <i>via</i> systematic DFT calculations. <i>Dalton Transactions</i> , 2019, 48, 16184-16198.	1.6	9
30	A highly sensitive and selective near-infrared fluorescent probe for imaging hydrazine in living tissues and mice. <i>Sensors and Actuators B: Chemical</i> , 2018, 261, 418-424.	4.0	53
31	De novo design and synthesis of a novel colorimetric fluorescent probe based on naphthalenone scaffold for selective detection of hypochlorite and its application in living cells. <i>Sensors and Actuators B: Chemical</i> , 2018, 269, 322-330.	4.0	38
32	Water soluble chemosensor for Ca ²⁺ based on aggregation-induced emission characteristics and its fluorescence imaging in living cells. <i>Dyes and Pigments</i> , 2018, 150, 112-120.	2.0	19
33	Superhalogen-based composite with strong acidity-a crossing point between two topics. <i>Inorganic Chemistry Frontiers</i> , 2018, 5, 2934-2947.	3.0	17
34	Fluorescent probes guided by a new practical performance regulation strategy to monitor glutathione in living systems. <i>Chemical Science</i> , 2018, 9, 8065-8070.	3.7	42
35	Substituent effect on fluorescence signaling of the naphthalene carbohydrazone based chemosensor: Its implication in the detection of Zn(II) ions and secondary sensing PPI. <i>Sensors and Actuators B: Chemical</i> , 2018, 270, 362-370.	4.0	19
36	A novel colorimetric and fluorescence turn-on pH sensor with a notably large Stokes shift for its application. <i>New Journal of Chemistry</i> , 2018, 42, 14510-14516.	1.4	15

#	ARTICLE	IF	CITATIONS
37	Why do higher VDEs of superhalogen not ensure improved stabilities of the noble gas hydrides promoted by them? A high-level ab initio case study. <i>Journal of Chemical Physics</i> , 2018, 149, 064301.	1.2	9
38	Exploration of congeneric Hg(II)-mediated chemosensors driven by S-Hg affinity, and their application in living system. <i>Sensors and Actuators B: Chemical</i> , 2017, 247, 129-138.	4.0	20
39	Design strategies and progress on xanthene-based fluorescent probe for metal ions. <i>Reviews in Analytical Chemistry</i> , 2017, 36, .	1.5	13
40	Synthesis and application of highly sensitive fluorescent probe for Hg 2+ regulated by sulfur. <i>Chinese Chemical Letters</i> , 2017, 28, 2014-2018.	4.8	28
41	Rhodamine based guanidinobenzimidazole functionalized fluorescent probe for tetravalent tin and its application in living cells imaging. <i>Sensors and Actuators B: Chemical</i> , 2017, 242, 872-879.	4.0	14
42	Could the description on polynuclear superhalogens by DFT be comparable with high-level ab initio results? A comparison between DFT and CCSD(T). <i>Journal of Chemical Physics</i> , 2016, 144, 054303.	1.2	19
43	Reaction-determined assemblies of 0D to 3D complexes: structural diversities and luminescence properties. <i>CrystEngComm</i> , 2016, 18, 3358-3371.	1.3	19
44	Study on the inclusion behavior and solid inclusion complex of 5-amino-6-methyl-2-benzimidazolone with cyclodextrins. <i>Chinese Chemical Letters</i> , 2016, 27, 1077-1082.	4.8	8
45	Binding of heavy metal ions in aggregates of microbial cells, EPS and biogenic iron minerals measured in-situ using metal- and glycoconjugates-specific fluorophores. <i>Geochimica Et Cosmochimica Acta</i> , 2016, 180, 66-96.	1.6	72
46	Probing the potential of halogen-free superhalogen anions as effective electrolytes of Li-ion batteries: a theoretical prospect from combined ab initio and DFT studies. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 28576-28584.	1.3	25
47	Study on the inclusion behaviour and solid inclusion complex of lomustine with cyclodextrins. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2016, 86, 45-54.	0.9	1
48	A novel approach to study the structure-property relationships and applications in living systems of modular Cu ²⁺ fluorescent probes. <i>Scientific Reports</i> , 2016, 6, 28972.	1.6	21
49	Novel Fluorescein-Based Fluorescent Probe for Detecting H ₂ S and Its Real Applications in Blood Plasma and Biological Imaging. <i>Analytical Chemistry</i> , 2016, 88, 11253-11260.	3.2	87
50	Probing the Properties of Polynuclear Superhalogens without Halogen Ligand via ab Initio Calculations: A Case Study on Double-Bridged [Mg ₂ (CN) ₅] ⁺¹ Anions. <i>ChemPhysChem</i> , 2015, 16, 3652-3659.	1.0	26
51	Are superhalogens without halogen ligand capable of transcending traditional halogen-based superhalogens? Ab initio case study of binuclear anions based on pseudohalogen ligand. <i>AIP Advances</i> , 2015, 5, 067143.	0.6	32
52	Thermally Triggered Solid-State Single-Crystal-to-Single-Crystal Structural Transformation Accompanies Property Changes. <i>Chemistry - A European Journal</i> , 2015, 21, 4703-4711.	1.7	24
53	Novel 3,6-unsymmetrically disubstituted-1,2,4,5-tetrazines: S-induced one-pot synthesis, properties and theoretical study. <i>RSC Advances</i> , 2015, 5, 12277-12286.	1.7	18
54	Design and synthesis of functionalized rhodamine based probes for specific intracellular fluorescence imaging of Fe ³⁺ . <i>Dyes and Pigments</i> , 2015, 115, 120-126.	2.0	38

#	ARTICLE	IF	CITATIONS
55	Is the regulation of the electronic properties of organic molecules by polynuclear superhalogens more effective than that by mononuclear superhalogens? A high-level ab initio case study. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 20338-20346.	1.3	13
56	A Facile FeCl ₃ /I ₂ -Catalyzed Aerobic Oxidative Coupling Reaction: Synthesis of Tetrasubstituted Imidazoles from Amidines and Chalcones. <i>Organic Letters</i> , 2015, 17, 3872-3875.	2.4	92
57	Solvent-dependent turn-on probe for dual monitoring of Ag ⁺ and Zn ²⁺ in living biological samples. <i>Analytica Chimica Acta</i> , 2015, 868, 53-59.	2.6	30
58	Two rhodamine lactam modulated lysosome-targetable fluorescence probes for sensitively and selectively monitoring subcellular organelle pH change. <i>Analytica Chimica Acta</i> , 2015, 900, 97-102.	2.6	37
59	Visualizing tributyltin (TBT) in bacterial aggregates by specific rhodamine-based fluorescent probes. <i>Analytica Chimica Acta</i> , 2015, 853, 514-520.	2.6	12
60	Are polynuclear superhalogens without halogen atoms probable? A high-level <i>ab initio</i> case study on triple-bridged binuclear anions with cyanide ligands. <i>Journal of Chemical Physics</i> , 2014, 140, 094301.	1.2	39
61	Mixed Ligand Cu ^{II} N ₂ O ₂ Complexes: Biomimetic Synthesis, Activities in Vitro and Biological Models, Theoretical Calculations. <i>Inorganic Chemistry</i> , 2014, 53, 13019-13030.	1.9	15
62	Synthesis and characterization of bis[2-(1H-benzimidazol-2-yl)benzoato]nickel(II), and its use for preparation of dimethyl carbonate from methanol and CO ₂ . <i>Research on Chemical Intermediates</i> , 2014, 40, 1179-1186.	1.3	3
63	Copper-catalyzed intermolecular cyclization of nitriles and 2-aminobenzylamine for 3,4-dihydroquinazolines and quinazolines synthesis via cascade coupling and aerobic oxidation. <i>RSC Advances</i> , 2014, 4, 49888-49891.	1.7	30
64	High efficient probes with Schiff base functional receptors for hypochlorite sensing under physiological conditions. <i>Chinese Chemical Letters</i> , 2014, 25, 1077-1081.	4.8	14
65	New aliphatic and aromatic dialdehyde bridged turn-on probes for hypochlorite detection in biological samples based on bis(fluorescein). <i>Sensors and Actuators B: Chemical</i> , 2014, 202, 656-662.	4.0	37
66	Recent Progress in the Fluorescent Probe Based on Spiro Ring Opening of Xanthenes and Related Derivatives. <i>Chinese Journal of Organic Chemistry</i> , 2014, 34, 1.	0.6	8
67	An efficiently cobalt-catalyzed carbonylative approach to α -phenylacetic acid derivatives. <i>Tetrahedron</i> , 2013, 69, 7264-7268.	1.0	19
68	Two novel fluorescein-based fluorescent probes for hypochlorite and its real applications in tap water and biological imaging. <i>Sensors and Actuators B: Chemical</i> , 2013, 186, 56-60.	4.0	69
69	Six-Membered Spirocycle Triggered Probe for Visualizing Hg ²⁺ in Living Cells and Bacteria's "EPS" Mineral Aggregates. <i>Organic Letters</i> , 2013, 15, 4334-4337.	2.4	49
70	Highly sensitive and selective rhodamine Schiff base α -chemosensors for Cu ²⁺ imaging in living cells. <i>Sensors and Actuators B: Chemical</i> , 2013, 176, 482-487.	4.0	81
71	Microwave-Assisted Cascade Cycloaddition for C-N Bond Formation: An Approach to the Construction of 1,4,5,6-Tetrahydropyrimidine and 2-Imidazoline Derivatives. <i>Synthesis</i> , 2013, 45, 2525-2532.	1.2	64
72	Are trinuclear superhalogens promising candidates for building blocks of novel magnetic materials? A theoretical prospect from combined broken-symmetry density functional theory and ab initio study. <i>Journal of Chemical Physics</i> , 2013, 139, 054305.	1.2	39

#	ARTICLE	IF	CITATIONS
73	DDQ-Induced Dehydrogenation of Heterocycles for C=C Double Bond Formation: Synthesis of 2-Thiazoles and 2-Oxazoles. <i>Chemistry - an Asian Journal</i> , 2013, 8, 1408-1411.	1.7	28
74	S-Co(II) cascade catalysis: cyclocondensation of aromatic nitriles with alkamine. <i>Tetrahedron</i> , 2013, 69, 6591-6597.	1.0	11
75	Mapping of Heavy Metal Ion Sorption to Cell-Extracellular Polymeric Substance-Mineral Aggregates by Using Metal-Selective Fluorescent Probes and Confocal Laser Scanning Microscopy. <i>Applied and Environmental Microbiology</i> , 2013, 79, 6524-6534.	1.4	61
76	Synthesis of Tetrasubstituted NH Pyrroles and Polysubstituted Furans via an Addition and Cyclization Strategy. <i>Synthesis</i> , 2012, 2012, 532-540.	1.2	7
77	Cu(OAc) ₂ /TFA-Promoted Formal [3 + 3] Cycloaddition/Oxidation of Enamines and Enones for Synthesis of Multisubstituted Aromatic Amines. <i>Organic Letters</i> , 2012, 14, 3506-3509.	2.4	49
78	Three Rhodamine-Based "On-Off" Chemosensors with High Selectivity and Sensitivity for Fe ³⁺ Imaging in Living Cells. <i>Journal of Organic Chemistry</i> , 2012, 77, 1143-1147.	1.7	217
79	The magnetic coupling in manganese-based dinuclear superhalogens and their analogues. A theoretical characterization from a combined DFT and BS study. <i>Physical Chemistry Chemical Physics</i> , 2012, 14, 1121-1130.	1.3	56
80	Combined DFT and BS study on the exchange coupling of dinuclear sandwich-type POM: comparison of different functionals and reliability of structure modeling. <i>Journal of Molecular Modeling</i> , 2012, 18, 2271-2278.	0.8	5
81	A novel rhodamine-based fluorescent and colorimetric "on-off" chemosensor and investigation of the recognizing behavior towards Fe ³⁺ . <i>Dyes and Pigments</i> , 2012, 92, 1337-1343.	2.0	90
82	Solvent-Free Tandem Synthesis of 2-Thiazolines and 2-Oxazolines Catalyzed by a Copper Catalyst. <i>European Journal of Organic Chemistry</i> , 2012, 2012, 1626-1632.	1.2	32
83	A facile and efficient synthesis of multisubstituted pyrroles from enaminoesters and nitroolefins. <i>Green Chemistry</i> , 2011, 13, 1664.	4.6	69
84	Synthesis and spectral properties of novel chlorinated pH fluorescent probes. <i>Journal of Luminescence</i> , 2011, 131, 776-780.	1.5	13
85	Facile synthesis and characterization of rhodamine-based colorimetric and "on-off" fluorescent chemosensor for Fe ³⁺ . <i>Sensors and Actuators B: Chemical</i> , 2011, 157, 675-680.	4.0	71
86	Copper-catalyzed synthesis of 2-imidazolines and their N-hydroxyethyl derivatives under various conditions. <i>Tetrahedron Letters</i> , 2011, 52, 1578-1582.	0.7	13
87	Synthesis, Crystal Structure of Co(II)(6-methoxybenzothiazole-2-carboxylate) ₂ (DMF) ₂ and Its Application to Carbonylation of Benzyl Chloride. <i>Chinese Journal of Chemistry</i> , 2010, 28, 111-114.	2.6	4
88	Effects of the Auxiliary Ligands on the Structures of Diphenate Complexes: From 1D Helical Chain to 2D Network. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2010, 636, 1591-1595.	0.6	5
89	Synthesis, Characterization and Biological Activities of a New Fluorescent Indicator for the Intracellular Calcium Ions. <i>Chinese Journal of Chemistry</i> , 2009, 27, 1169-1173.	2.6	0
90	Synthesis and biological applications of two novel fluorescent proteins-labeling probes. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009, 19, 2957-2959.	1.0	7

#	ARTICLE	IF	CITATIONS
91	Biomimetic Synthesis of Twenty-four Long-chained Diketones as Precursors for Muscone and Further Macrocyclic Ketones. Chinese Journal of Chemistry, 2008, 26, 2249-2255.	2.6	2
92	Synthesis of chlorinated fluoresceins for labeling proteins. Bioorganic and Medicinal Chemistry Letters, 2008, 18, 1977-1979.	1.0	15